

Opdracht 1

```
<html>
  <head>
    <title>...</title>
  </head>
  <body>
    <h1>...</h1>
    <p>...</p>
    <ul>
      <li>...</li>
      <li>...</li>
      <li>...</li>
    </ul>
  </body>
</html>
```

De siblings van het ul element zijn de p-tag en de h1-tag.

De ancestors van het tweede li element zijn de ul en body.

De descendants van de body element zijn de h1, p, ul, li tags en html tag.

Enkel de html tag heeft geen parent. De doctype html ook niet, maar dat is geen element en staat hier niet in de voorbeeld.

Niet elke element heeft child, bijvoorbeeld, img, br of link.

Opdracht 2

```
<!DOCTYPE HTML>
<html lang="en" suppresshydrationwarning="true" data-1t-installed="true">
  <head>
    <style>⊗</style> == $0
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Lab 5</title>
    <link rel="stylesheet" href="/SiteFiles/CSS/labStyles.css">
  </head>
  <body>
    <main>
      <div>
        <ul>
          <li>
            <a href="/Labos en Verslagen/Lab-4/hoofdpagina.html">Mijn Homepage</a>
          </li>
          <li>
            <a href="/Labos en Verslagen/Verslagen/4 - Verslag HTML deel 3.pdf">Verslag</a>
          </li>
          <li>
            <a href="/index.html">Terug</a>
          </li>
        </ul>
      </div>
    </main>
    <!-- Code injected by live-server -->
    <script>⊗</script>
  </body>
</html>
```

```
(ready)
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Lab 5</title>
<link rel="stylesheet" href="/SiteFiles/CSS/labStyles.css">
</head>
<body>
  <main>
    <div>
      <ul>
        <li><a href="/Labos en Verslagen/Lab-4/hoofdpagina.html">Mijn Homepage</a></li>
        <li><a href="/Labos en Verslagen/Verslagen/4 - Verslag HTML deel 3.pdf">Verslag</a></li>
        <li><a href="/index.html">Terug</a></li>
      </ul>
    </div>
  </main>
  <!-- Code injected by live-server -->
  <script>
    // <![CDATA[ <-- For SVG support
    if ('Websocket' in window) {
      (function () {
        function refreshCSS() {
          var sheets = [].slice.call(document.getElementsByTagName("link"));
          var head = document.getElementsByTagName("head")[0];
          for (var i = 0; i < sheets.length; ++i) {
            var elem = sheets[i];
            var parent = elem.parentElement || head;
            parent.removeChild(elem);
            var rel = elem.rel;
            if (elem.href && typeof rel != "string" || rel.length == 0 || rel.toLowerCase() == "stylesheet") {
              var url = elem.href.replace(/(&V)?_cacheOverride=vd+/, '');
              elem.href = url + (url.indexOf('?') >= 0 ? '?' : '&') + '_cacheOverride=' + (new Date().va
            }
            parent.appendChild(elem);
          }
        }
        var protocol = window.location.protocol == 'http:' ? 'ws://' : 'wss://';
        var address = protocol + window.location.host + window.location.pathname + '/ws';
        var socket = new WebSocket(address);
        socket.onmessage = function (msg) {
          if (msg.data == 'reload') window.location.reload();
          else if (msg.data == 'refreshcss') refreshCSS();
        };
        if (sessionStorage && !sessionStorage.getItem('IsThisFirstTime_Log_From_LiveServer')) {
          console.log('Live reload enabled.');
```

In het Elements-tabblad zie je de DOM-tree. Die lijkt sterk op de HTML-code, maar toont de daadwerkelijke structuur van de webpagina zoals de browser ze op dat moment gebruikt. Het bevat ook automatisch toegevoegde of aangepaste elementen.

Opdracht 3

Vives:

Inline style attributen worden niet gebruikt

Style blok:

```
<meta charset="utf-8" />
<noscript><style>form.antibot *:not(.antibot-message) { display: none !important; }</style>
</noscript><meta name="description" content="Studeer aan Hogeschool VIVES en geef vorm aan ie
```

Verwijzingen naar css bestanden:

```
<link rel="stylesheet" media="all"
href="/sites/default/files/css/css_3Je0Im8cggwPyOTB1GLRIuo5VknM3CQx2j17FDEMxOw.css?
delta=0&language=n1&theme=vives&include=eJxFyEsOgCAMBcALIT1TlQZiyid9gsHTa9y4mcUcysCiIgBHgTuaCdVmhTXf4:
obR-OeQMFGZ_X-FH72DUjSXAzywX69KWfLWFFDUtrNuO3fmGh-Qqiu7" />
<link rel="stylesheet" media="all"
href="/sites/default/files/css/css_eeYM_Kt8wOxX1Y7Qrn1mYacNrNXWf5NlqCGjDv3XcT0.css?
delta=1&language=n1&theme=vives&include=eJxFyEsOgCAMBcALIT1TlQZiyid9gsHTa9y4mcUcysCiIgBHgTuaCdVmhTXf4:
obR-OeQMFGZ_X-FH72DUjSXAzywX69KWfLWFFDUtrNuO3fmGh-Qqiu7" />
<link rel="stylesheet" media="all" href="https://fonts.googleapis.com/css2?
family=Playfair+Display:wght@700&family=Poppins:ital,wght@0,400;0,500;0,700;0,800;1,400;1,500;1,700&displ
y=swap" />
<link rel="stylesheet" media="all"
href="/sites/default/files/css/css_fmYPuwnLp3rCKvXg2VO04y4wS3oz5t1XlQRGLaG0V94.css?
delta=3&language=n1&theme=vives&include=eJxFyEsOgCAMBcALIT1TlQZiyid9gsHTa9y4mcUcysCiIgBHgTuaCdVmhTXf4:
obR-OeQMFGZ_X-FH72DUjSXAzywX69KWfLWFFDUtrNuO3fmGh-Qqiu7" />
```

Miras:

Inline:

```
<li class="nav-item ms-auto d-none d-lg-inline-block">
  <div style="min-width: 250px;">
    <form id="search" class="p-0" action="/zoeken" role="search">
      <div class="input-group input-group-sm">
        <select class="nav-search" name="q">
```

Style blok:

```
<svg id="Laag_1" data-name="Laag_1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 1200 1200">
  <defs>
    <style>.cls-1{fill:none}.cls-2{fill:#868686;opacity:.5;isolation:isolate}.cls-3{fill:#fff}.cls-4{fill:#e5332a}.cls-5{fill:#e84e1b}.cls-6{fill:#1d1d1b}.cls-7{fill:#e74e0f}.cls-8{fill:#f8b133}.svg-miras-geel{fill:#f8b133}.svg-miras-lichtgeel{fill:#f8b133;opacity:.6}.svg-miras-oranje{fill:#e84e1b}.svg-miras-rood{fill:#e5332a}.svg-miras-wit{fill:#fff}.svg-miras-zwart{fill:#000}.svg-miras-lichtgrijs{fill:#868686;opacity:.5}.svg-miras-donkergrijs{fill:#868686}</style>
  </defs>
  <title>Tweedekans Onderwijs</title>
  <g id="Laag_1-2" data-name="Laag_1-2">
```

Css:


```

<link rel="stylesheet" href="/assets/css/A.animate-a768f897b1.min.css.pagespeed.cf.2Apon8Wp0j.css">
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.4.2/css/all.min.css"/>
<link rel="stylesheet" href="/assets/css/jquery-fea415fe01.smartmenus.bootstrap-4.css">
<link rel="stylesheet" href="/a/css/A.style-677e5c9c57.css.pagespeed.cf.Ql45346o0Y.css">

```

Vrt:

Inline:

```

geleden</time></span></div></div></div></div></div></a></div><div class="ro
[var(--background-color)] focus-container" style="--background-color:#30281
data-sentry-source-file="EBAGuard.tsx"><a class="cursor-pointer" href="/vrt
wooncrisis-in-nederland/"><div class="flex gap-3 flex-row"><div class="con
flex-shrink-0 w-[30%]"><div class="relative h-full rounded-corners overflow
style="aspect-ratio:8/5"></div><div class="bottom-1
block"><span class="flex items-center justify-center rounded-full h-6 w-6 b
component="PlayButton" data-sentry-source-file="PlayIndicator.tsx"><svg vie
focusable="false" fill="currentfill" class="fill-current block w-3 h-3 text
data-sentry-source-file="PlayIndicator.tsx"><use href="/vrtnws/next-public/
</svg></span></div><div class="bottom-2 right-2 absolute @play-indicator:bl
center gap-1 bg-surface-default p-1 pr-2 rounded-full"><span class="flex it
h-6 w-6 bg-surface-default p-1 pr-2 rounded-full"><span class="flex it
0 32 32" aria-hidden="true" focusable="false" fill="currentfill" class="fil
primary" data-sentry-element="Icon" data-sentry-source-file="PlayIndicator.
public/sprite-fd1a2daa936b.svg#PLAY"></use></svg></span><time class="prose-i
label="Duurtijd: 5 minuten en 42 seconden">05:42</time></div></div></div><d
sentry-component="TeaserText" data-sentry-source-file="TeaserText.tsx"><spa
data-sentry-component="Tag" data-sentry-source-file="Tag.tsx"><span class="
clamp-precise">Terzake</span></span><span class="prose-h3-b teaser-text bre
Amanda (45) woont en werkt op minder dan 10 vierkante meter</span><div clas
start"><div class="prose-teaser-info-m flex items-center gap-1"><svg viewBo
focusable="false" fill="currentfill" class="fill-current block on-surface-d
href="/vrtnws/next-public/sprite-fd1a2daa936b.svg#CLOCK"></use></svg><span
dateTime="2025-10-27T16:00:13Z" data-sentry-component="Timer" data-sentry-s
geleden</time></span></div></div></div></div></a></div></li></ul></section>
labelledby="grid-section-label" data-sentry-component="Section" data-sentry
id="grid-section-label" class="sr-only">Meer nieuws</h2><div class="flex fl
grid-cols-1 sm:grid-cols-3"><li class="dynamic-teaser-prose-h3 w-full"><div
container" data-sentry-component="EBAGuard" data-sentry-source-file="EBAGua
href="/vrtnws/nl/2025/10/27/overheidssubsidies-aan-bedrijven-bedroegen-in-2
gap-3 relative flex-row sm:flex-col"><div class="relative h-full rounded-co
shrink-0 max-sm:w-[30%]"><div class="relative h-full rounded-corners" style="aspect-r
hidden="true" fetchpriority="low" decoding="async" data-nimg="fill" class="
max-sm:rounded-lg rounded-corners print:hidden"
style="position:absolute;height:100%;width:100%;left:0;top:0;right:0;bottom
src="https://images.vrt.be/vrtnws/web/2025/06/21/30cb9c63-1d14-49cd-9591-38
width=200&height=125&q=80&blur=90"/></div><div class="flex gap-
pt-0 sm:pt-0 text-on-surface-default" data-sentry-component="TeaserText" da
<span class="flex items-center gap-1 mb-1" data-sentry-component="Tag" data
class="prose-teaser-info-m line-clamp-1 line-clamp-precise">Economie</span>
text break-words">Guller dan onze buurlanden: Belgische bedrijven krijgen 2
class="mt-1 flex justify-between items-start"><div class="prose-teaser-info
viewBox="0 0 32 32" aria-hidden="true" focusable="false" fill="currentfill"
default-shade w-4 h-4"><use href="/vrtnws/next-public/sprite-fd1a2daa936b.s
class="prose-teaser-info-m"><time dateTime="2025-10-27T15:38:00Z" data-sent
source-file="Timer.tsx">3 uur geleden</time></span></div></div></div></div>
class="dynamic-teaser-prose-h3 w-full"><div class="@container/teaser focus-
component="EBAGuard" data-sentry-source-file="EBAGuard.tsx"><a class="curso
href="/vrtnws/nl/2025/10/27/auto-geeft-plankgas-tijdens-politiecontrole-in-
gap-3 relative flex-row sm:flex-col"><div class="relative h-full rounded-co
shrink-0 max-sm:w-[30%]"><div class="relative h-full rounded-corners" style="aspect-r
hidden="true" fetchpriority="low" decoding="async" data-nimg="fill" class="
max-sm:rounded-lg rounded-corners print:hidden"
style="position:absolute;height:100%;width:100%;left:0;top:0;right:0;bottom
src="https://images.vrt.be/vrtnws/web/2025/10/25/3985b586-345e-4ac2-92a7-14

```

Style blokken:

Er zijn geen blokken



Css:

```

}
</script><link rel="preload" href="/vrtnws/next/static/css/cf5ea1cb723d4347.css" as="style"/>
<link rel="stylesheet" href="/vrtnws/next/static/css/cf5ea1cb723d4347.css" data-n-g=""><noscript data-n-css="">
</noscript><script defer="" nomodule="" src="/vrtnws/next/static/chunks/polyfills-42372ed130431b0a.js"></script>
<script src="/vrtnws/next/static/chunks/webpack-8633ce6b28f7af14.js" defer=""></script><script

```

Opgdracht 4



Je kan zien dat het in de style anders is ook al is de rest van de code hetzelfde. Het gaat van `class="w3s-useranonymous"` naar `class="w3s-useranonymous darktheme darkpagetheme"`

Opgdracht 5



A demonstration of what can be accomplished through CSS-based design. Select any style sheet from the list to load it into this page.

Download the example [html file](#) and [css file](#)

The Road to Enlightenment

Littering a dark and dreary road lay the past relics of browser-specific tags.

So What is This About?

There is a continuing need to show the power of CSS. The Zen Garden aims to excite, inspire, and encourage participation. To begin, view some of the existing designs in the list. Clicking on any one will load the style sheet into

```

<!--
*body id="css-zen-garden">
*div class="page-wrapper">
*section class="intro" id="zen-intro">
*header role="banner"></header>
*div class="summary" id="zen-summary" role="article">
*op -->
"A demonstration of what can be accomplished through "
user title="Encoding Style Sheets" CSS</div>
"based design. Select any style sheet from the list to load it into this
page."
</p>
</div>
*div class="preamble" id="zen-preamble" role="article"></div>
</div>
*div class="main supporting" id="zen-supporting" role="main"></div>
*div class="linkbar" role="complementary"></div>
</div>
<!--
These superfluous div/spans were originally provided as catch-alls to add extr
a integrity.
These days we have full :before and :after support, favour using those instea
d.
These only remain for historical design compatibility. They might go away one d
ay.
html body#css-zen-garden div.page-wrapper section#zen-intro intro div#zen-summary summary p
Styles Computed Layout Event Listeners DOM Breakpoints Properties Accessibility
Filter show cls +
element.style {
}
summary p {
clear: right;
color: #808080;
float: right;
font-style: italic;
margin-top: 20px;
margin-bottom: 20px;
}

```

Als je verschillende dingen uitzet in de style tab dan verandert de style van de geselecteerde element.

Opdracht 7

De hoofding h2 zal groter worden weergegeven dan h1. Dit komt omdat de eenheid em groter is dan ex. De waarde 1em verwijst naar de volledige letterhoogte van het huidige lettertype, terwijl 1ex gebaseerd is op de hoogte van de kleine letter 'x', die ongeveer de helft daarvan is. Daarom is 2em ongeveer dubbel zo groot als 2ex, waardoor de h2 visueel groter wordt weergegeven.