Running head: TITLE 1

The title

First Author<sup>1</sup> & Ernst-August Doelle<sup>1,2</sup>

- <sup>1</sup> Wilhelm-Wundt-University
- <sup>2</sup> Konstanz Business School

Author Note

- Add complete departmental affiliations for each author here. Each new line herein must be indented, like this line.
- Enter author note here.

5

Correspondence concerning this article should be addressed to First Author, Postal address. E-mail: my@email.com

11 Abstract

Enter abstract here. Each new line herein must be indented, like this line.

13 Keywords: keywords

Word count: X

The title

```
\beta_{12} ... \beta_{1m} 0_{11} 0_{12} ... 0_{1p} 0_{11} 0_{12} ... 0_{1q}
                                                             0_{21}
                                                                     0_{22} \quad \dots \quad 0_{2p}
                                                                                                    0_{21}
                \beta_{m1} \beta_{m2} ... \beta_{mm} 0_{m1} 0_{m2} ... 0_{mp} 0_{m1} 0_{m2} ...
                                                0_{1m}
                                                                     0_{12} ...
                                                                                           0_{1p}
                                                           0_{11}
                                                                                                      0_{11}
                                                                     0_{22} \dots
                                                                                          0_{pp}
                                                                     0_{p2} \dots
                                                                                                      0_{11}
                                                                                                                 0_{22}
                                                                                           0_{1p}
                                               \lambda_{y1m} 0_{11}
                                                                     0_{12} \dots
                                                                                                      0_{11}
              \begin{vmatrix} \lambda_{y21} & \lambda_{y22} & \dots & \lambda_{y2m} & 0_{21} \\ \vdots & \vdots & \ddots & \vdots & \vdots \end{vmatrix}
                                                                     0_{22} \quad \dots \quad 0_{2p}
                                                                      : ··. :
              \begin{vmatrix} \lambda_{yq1} & \lambda_{yq2} & \dots & \lambda_{yqm} & 0_{q1} & 0_{q2} & \dots & 0_{qp} & 0_{q1} & 0_{q2} & \dots \end{vmatrix}
                     \gamma_{1n} 1 0_{12} \ldots 0_{1m} 0_{11} 0_{12} \ldots 0_{1p}
                                                                                                                  0_{11}
                                             1 \quad \dots \quad 0_{2m}
                                                                         0_{21}
                                                                                     0_{22} ...
          \ldots \quad \gamma_{mn} \quad 0_{m1} \quad 0_{m2} \quad \ldots \quad 1 \quad 0_{m1} \quad 0_{m2} \quad \ldots \quad 0_{mq} \quad 0_{m1} \quad 0_{m2} \quad \ldots \quad 0_{mq}
                                           0_{12} \dots 0_{1m} 1
                                 0_{11}
                                                                                    0_{22} ...
                                                                                                        0_{1p}
                                                                                                                   0_{11}
                                0_{21}
                                            0_{22} \quad \dots \quad 0_{2m} \quad 0_{21}
                                                                                  1
\lambda_{xp2} \quad \dots \quad \lambda_{xpn} \quad 0_{p1}
                                           0_{p2} \quad \dots \quad 0_{pm} \quad 0_{p1}
                                                                                                                  0_{p1}
                                                                                   0_{p2} ...
                                           0_{12} \quad \dots \quad 0_{1m} \quad 0_{11}
                                                                                    0_{12} ...
                                                                                                        0_{1p}
                                 0_{21}
                                                                         0_{21}
                                                                                                        0_{2p}
                                            0_{22} \quad \dots \quad 0_{2m}
                                                                                     0_{22}
                                                                                                                   0_{21}
 0_{q2} \quad \dots \quad 0_{qn} \quad 0_{q1} \quad 0_{q2} \quad \dots \quad 0_{qm} \quad 0_{q1} \quad 0_{q2} \quad \dots \quad 0_{qp} \quad 0_{q1}
```

 $\begin{bmatrix} \xi_1 \\ \xi_2 \\ \vdots \\ \xi_n \\ \zeta 1 \\ \zeta 2 \\ \vdots \\ \zeta m \\ \delta 1 \\ \delta 2 \\ \vdots \\ \delta p \\ \epsilon 1 \\ \epsilon 2 \\ \vdots \\ \end{bmatrix}$ 

$$\begin{bmatrix} \eta_{m \times 1} \\ X_{p \times 1} \\ Y_{q \times 1} \end{bmatrix} = \begin{bmatrix} B_{m \times m} & 0_{m \times p} & 0_{m \times q} \\ \hline 0_{p \times m} & 0_{p \times p} & 0_{p \times q} \\ \hline \Lambda_{y_{q \times m}} & 0_{q \times p} & 0_{q \times q} \end{bmatrix} \begin{bmatrix} \eta_{m \times 1} \\ X_{p \times 1} \\ Y_{q \times 1} \end{bmatrix} + \begin{bmatrix} \Gamma_{m \times n} & I_{m \times m} & 0_{m \times p} & 0_{m \times q} \\ \hline \Lambda_{x_{p \times n}} & 0_{p \times m} & I_{p \times p} & 0_{p \times q} \\ \hline 0_{q \times n} & 0_{q \times m} & 0_{q \times p} & I_{q \times q} \end{bmatrix} \begin{bmatrix} \xi_{n \times 1} \\ \zeta_{m \times 1} \\ \xi_{p \times 1} \\ \vdots \\ \epsilon_{q \times 1} \end{bmatrix}$$

20 References