



Hacer una pregunta

Excepción de HRESULT: 0x8CE00001 al abrir Visual Studio 2010 Diseñador

▲ 0
▼ votos

preguntado por anónimo Mar 10

Fuente: <http://renren.io/questions/1026740/exception-from-hresult-0x8ce00001-when-opening-visual-studio-2010-designer>

I'm trying to set up a new Windows Forms Application (C /CLI) in Visual Studio 2010 on Windows 7. Every time I try to open up the Designer, it fails with this unhelpful error:

```
Exception from HRESULT: 0x8CE00001
```

```
Instances of this error (1)
```

```
1. Hide Call Stack
```

```
at Microsoft.VisualStudio.Designer.Interfaces.IVSMDCodeDomProvider.ge  
at Microsoft.VisualStudio.Shell.Design.Serialization.CodeDom.CodeDomD  
at Microsoft.VisualStudio.Shell.Design.Serialization.CodeDom.CodeDomD  
at Microsoft.VisualStudio.Design.Serialization.CodeDom.VSCodeDomDesig  
at Microsoft.VisualStudio.Design.Serialization.CodeDom.VSCodeDomDesig
```

If I debug Visual Studio and break on CLR exceptions, it actually throws this exception first:

A first chance exception of type 'System.ArgumentException' occurred in Microsoft.VisualStudio.Design.dll

Additional information: The parameter is incorrect. (Exception from HRESULT: 0x80070057 (E_INVALIDARG))

A first chance exception of type 'System.ArgumentException' occurred in Microsoft.VisualStudio.Design.dll

Additional information: The parameter is incorrect. (Exception from HRESULT: 0x80070057 (E_INVALIDARG))

With this call stack:

```
> Microsoft.VisualStudio.Design.dll!Microsoft.VisualStudio.Design.S
Microsoft.VisualStudio.Design.dll!Microsoft.VisualStudio.Design.S
[Native to Managed Transition]
vcpkg.dll!CVCFormEditorFactory::CreateEditorInstance() 0x2e49f
msenv.dll!CVsUIShellOpenDocument::OpenSpecificEditor() 0x784 b
VCPProject.dll!CVCFileNode::OpenSpecificEditor() 0xc6 bytes
VCPProject.dll!CVCFileNode::OpenSpecificEditor() 0x3a bytes
VCPProject.dll!CVCFileNode::DoOpenFile() 0x1fe bytes
VCPProject.dll!CVCFileNode::DoDefaultAction() 0x5b bytes
VCPProject.dll!CVCArchy::ExecCommand() 0x8c bytes
msenv.dll!CVsUIHierarchyBaseWin::ExecHierParentChain() 0x85 by
msenv.dll!CVsUIHierarchyBaseWin::WinExecCommand() 0x7d bytes
msenv.dll!CVsUIHierarchyBaseWin::ProcessLButtonDblClkMsg() 0xd
msenv.dll!FnwpTVFixer() 0x76b49 bytes
user32.dll!_InternalCallWinProc@20() 0x23 bytes
user32.dll!_UserCallWinProcCheckWow@32() 0xb7 bytes
user32.dll!_DispatchMessageWorker@8() 0xed bytes
user32.dll!_DispatchMessageW@4() 0xf bytes
msenv.dll!ProcessMessage() 0x4d bytes
msenv.dll!CMsoCMHandler::EnvironmentMsgLoop() 0x87 bytes
msenv.dll!CMsoCMHandler::FPushMessageLoop() 0x79 bytes
msenv.dll!SCM::FPushMessageLoop() 0x8c bytes
msenv.dll!SCM_MsoCompMgr::FPushMessageLoop() 0x2a bytes
msenv.dll!CMsoComponent::PushMsgLoop() 0x28 bytes
msenv.dll!VStudioMainLogged() 0x22a bytes
```

```
msenv.dll!_VStudioMain()      0x78 bytes
devenv.exe!util_CallVsMain()  0xdb bytes
devenv.exe!CDevEnvAppId::Run() 0x693 bytes
devenv.exe!_WinMain@16()      0x9c bytes
devenv.exe!operator new[]()    0xb31c bytes
kernel32.dll!@BaseThreadInitThunk@12() 0x12 bytes
ntdll.dll!__RtlUserThreadStart@8() 0x27 bytes
ntdll.dll!__RtlUserThreadStart@8() 0x1b bytes
```

This is with a clean, new project (**File** → **New** → **Project...** → **Visual C** → **CLR** → **Windows Forms Application**). After I create a new project, opening up the autogenerated `Form1.h` results in the error instead of the Designer. However, if I create a C# Windows Forms Application instead of C /CLI, it works fine.

Any ideas on how I can solve this problem and open up the Designer? I've tried all of the following to no avail:

I've found a few similar threads online ([one](#), [two](#), [three](#)), but they've all been inconclusive or not worked for me. I've not yet tried fully reinstalling Visual Studio, but I may have to try that next.

 Responder



2 Respuestas



[respondido](#) por anónimo Mar 10

After much nuking and reinstalling, I believe this to have been a problem with a Visual Studio Extension.

Completely uninstalling Visual Studio (even with `VS2010_Uninstall-RTM.ENU.exe /full /netfx`) and reinstalling it didn't help. But, if I created a new Windows user, it worked fine for that user. Similarly, if I nuked my `HKEY_CURRENT_USER\Software\Microsoft\VisualStudio\10.0` and

HKEY_CURRENT_USER\Software\Microsoft\VisualStudio\10.0_Config registry keys (and their subkeys), it worked.

After painstakingly comparing my old registry (where it gave the error) with a fresh registry (where it worked) and reconciling them, the only differences that remained were related to a particular VS extension. Since I no longer need that extension, I don't need its registry keys, so without them, the Designer is working as expected.

 Comentar



[respondido](#) por anónimo Mar 10

I have successfully fixed the problem by setting:

tools -> options -> textEditor -> C++ -> Advanced -> "Disable DataBase"

tools -> options -> textEditor -> C++ -> Advanced -> "Disable DataBase"

back to **false** (when `DisableDataBase == true` the HRESULT error appears),
than restarting VisualStudio.

 Comentar



Preguntas relacionadas

▲ 0
▼ votos

2
respuestas

3 visitas

no puedo crear tablas dentro de visual studio 2010 conseguir "el módulo especificado no se pudo encontrar (excepción de hresult: 0x800700e) 'e

preguntado por anónimo **Feb 26**

▲ 0
▼ votos

1
respuesta

6 visitas

visual studio.net 2010 error: índice no válido. (excepción de hresult: 0x8002000b (disp_e_badindex))

preguntado por anónimo **Feb 19**

.net



0

votos

2

respuestas

6 visitas

Fatal Error HRESULT = 0x80131c08 durante la depuración en Visual Studio 2010

preguntado por anónimo Mar 11

▲ 0

▼ votos

1

respuesta

0 visitas

El módulo especificado no se pudo encontrar. (Excepción de HRESULT: 0x8007007E al tratar de mostrar datos de la tabla en Visual Studio

preguntado por anónimo Abr 28

▲ 0

▼ votos

1

respuesta

1 visita

Excepción: Error E_FAIL HRESULT con Microsoft Visual Studio LightSwitch 2012 RC

preguntado por anónimo Abr 28