

POS System

User Guide

Restaurant Management Platform
Version 1.0 | June 2026

Prepared by: POS System Documentation Team
Prepared for: FnB Platform Stakeholders & User Community

CONFIDENTIAL

This document contains proprietary information. Do not distribute without authorization.

Table of Contents

Executive Summary

System Architecture

User Journey Maps

1. System Overview

2. Accessing the System

3. Demo Credentials

4. User Roles & Permissions

5. Navigation & Layout

6. Dashboard

7. Profile Management

8. Notification System

9. Order Management

10. Menu Management

11. Inventory Management

12. Restaurant & Building Management

13. User Management

14. Module Access Control

15. QR Code Scanner

16. Delivery Confirmation

17. Module Management (Super Admin)

Glossary

Appendix

Executive Summary

Product Overview

The POS System is an enterprise-grade restaurant management platform designed for multi-location food and beverage operations in the Indian market. It provides end-to-end digital management of restaurant operations including menu display, order processing, inventory tracking, user administration, and delivery confirmation. The platform is built on a modern, scalable architecture using React, Node.js, and PostgreSQL, and is accessible from any modern web browser without software installation.

Key Capabilities

Capability	Description	Business Impact
Multi-Location Management	Manage restaurants across buildings	Centralised control, consistent brand experience
Real-Time Order Processing	End-to-end order lifecycle with live updates	Faster service, reduced errors
Inventory Automation	Auto-deduction on order completion	Accurate stock levels, reduced waste
Role-Based Security	5-tier access control hierarchy	Data security, regulatory compliance
QR Code Integration	Camera-based order lookup and delivery	Instant identification, zero typing errors
Comprehensive Reporting	Real-time KPIs and analytics dashboards	Data-driven decision making

Supported User Roles

Role	Level	Scope	Primary Responsibilities
Super Admin	100	System-wide	Configuration, user management, module control
Building Manager	70	Assigned building	Building oversight, restaurant management
Restaurant Manager	50	Assigned restaurant	Daily operations, orders, inventory, staff
Chef	40	Assigned restaurant	Order preparation, inventory checks, wastage
Customer	10	Self	Menu browsing, ordering, order history

Business Benefits


The POS System delivers measurable operational improvements: elimination of manual order errors through digital workflows, reduction of stock wastage via automated inventory tracking, faster customer service through QR-based identification, improved staff productivity with role-optimised interfaces, and enhanced management visibility through real-time dashboards and reports.

System Architecture

High-Level Architecture

The POS System follows a three-tier web architecture comprising a presentation layer (React SPA), an application layer (Node.js/Express API), and a data layer (PostgreSQL). The frontend communicates with the backend over HTTPS with JSON payloads, while real-time updates are delivered through Socket.IO WebSocket connections. All services are containerised using Docker and deployed on Railway with automated CI/CD via GitHub Actions.

System Architecture Flow




The frontend layer renders the user interface, handles client-side routing, and manages local state. The backend layer processes all business logic, enforces security rules, and orchestrates data operations. The database layer stores all transactional and master data. Third-party integrations handle payment processing, SMS notifications, and email communications.

User Journey Maps


The following journey maps illustrate how different roles interact with the system during a typical work session. These maps help new users understand the application flow quickly.

Restaurant Manager Journey

Manager Daily Workflow



Chef Journey



Administrator Journey
Admin Configuration Workflow



1. System Overview

Overview

The POS System is a comprehensive restaurant management platform purpose-built for the Indian food and beverage market. It serves as the central operating system for multi-location restaurant chains, integrating menu management, order processing, inventory tracking, user administration, and delivery confirmation into a single unified platform. The system bridges the gap between front-of-house operations and back-of-house management, enabling seamless data flow across all functional areas.

Built on a modern technology stack — React 18 on the frontend with Node.js, Express, and PostgreSQL on the backend — the system delivers a responsive, real-time experience accessible from any modern web browser. It supports complex organisational hierarchies where multiple restaurant outlets operate within larger building complexes, with role-based security ensuring that each user sees only the data and features appropriate to their responsibilities.

Capability	Description	Business Benefit
Multi-Location Support	Manage outlets across buildings	Centralised control, consistent operations
Role-Based Security	5-tier access hierarchy	Data security, operational compliance
Real-Time Updates	Socket.IO push notifications	Immediate visibility, faster response
Inventory Automation	Auto-deduction on order completion	Accurate stock, reduced waste
QR Integration	Camera-based order lookup	Faster service, fewer errors
Web-Based Access	No installation required	Lower IT overhead, device flexibility

Technology Stack

Layer	Technology	Purpose
Frontend	React 18, Vite 5, Tailwind CSS 3	User interface and client-side logic
Backend	Node.js, Express, Prisma ORM	API server and business logic
Database	PostgreSQL	Data persistence and transactions
Real-Time	Socket.IO	Live order status updates
Authentication	JWT + bcrypt	Stateless authentication
Deployment	Railway, Docker, GitHub Actions	Hosting and CI/CD pipeline

2. Accessing the System

Overview

The POS System is entirely web-based and requires no software installation. Users access the platform through any modern web browser on desktop computers, laptops, tablets, or mobile phones. The login process authenticates the user, determines their role-based permissions, and loads a personalised dashboard tailored to their responsibilities within the organisation.

Business Objective

Provide a secure, frictionless entry point for all users regardless of device or location, ensuring that the correct user gains access to the correct set of features based on their organisational role.

User Roles

Role	Access Level	Actions Allowed
All Registered Users	Full	Login, access permitted modules based on role

Navigation Path

Open a supported web browser. Navigate to: <https://fnb-mvp.up.railway.app>. Supported browsers: Chrome 90+, Edge 90+, Firefox 90+, Safari 15+.

Detailed Workflow

When a user navigates to the frontend URL, the system serves the React single-page application. The login page renders with username and password fields. Upon submission, the frontend sends a POST request to `/api/auth/login` with the provided credentials. The backend retrieves the user record from PostgreSQL, compares the password against the stored bcrypt hash, and if validated, generates a JSON Web Token (JWT) containing the user's identity, role, building ID, and restaurant ID.


The JWT is returned to the frontend and stored in the browser's localStorage. The frontend then immediately calls `GET /api/modules/my-access` to load the user's module permissions. Based on the returned allowed modules, the sidebar navigation is filtered, and the role-appropriate dashboard is rendered. The user can then navigate to any permitted module.

Figure 1 – Login Screen

The login page is the single entry point for all system users.

- Username and password input fields with validation
- Login button with loading indicator
- Error message display for invalid credentials

Login Process



Example Scenario

A newly hired Restaurant Manager on their first day opens Chrome, enters the frontend URL, and logs in with provided credentials. The system verifies their identity, loads their module permissions, and presents the manager dashboard. The sidebar shows permitted modules: Dashboard, Orders, Inventory, Menu, Users, and Delivery. The manager is ready to begin daily operations immediately.

Business Rules

- JWT tokens expire after 7 days, requiring re-authentication upon expiry.
- Passwords are stored as bcrypt hashes; plain-text passwords are never persisted.
- Session state is maintained in browser localStorage; clearing browser data logs the user out.
- The QR scanner feature requires browser camera permissions to be granted by the user.
- After multiple failed login attempts, a security delay is imposed to prevent brute force attacks.

Expected Outcome

Upon successful authentication, the user is presented with a role-specific dashboard containing relevant KPIs, quick-action shortcuts, and a sidebar filtered to show only the modules they are permitted to access.

3. Demo Credentials

Overview

The system includes pre-seeded demonstration accounts for all five user roles. These accounts are created automatically when the database seed script runs and come pre-configured with sample buildings, restaurants, menu items, orders, and inventory records. Demo accounts enable prospective clients, trainees, and implementation consultants to explore the full feature set without setting up production data.

Role	Username	Password	Access Level
Super Admin	Superadmin	Admin12345	Full system access
Building Manager	bldmgr1	bldmgr123	Building oversight
Restaurant Manager	restmgr1	restmgr123	Outlet operations
Chef	chef1	chef123	Order processing
Customer	customer1	customer123	Menu browsing & ordering

WARN: Demo accounts should never be used in production environments due to shared passwords. Production deployments must create unique credentials for each individual user.

4. User Roles & Permissions

Overview

The POS System implements a hierarchical role model with five distinct access levels. Each role inherits permissions from roles below it, and users can only manage accounts with roles strictly lower than their own. This structure mirrors typical restaurant organisational hierarchies and ensures appropriate access control at every level. Role enforcement happens at multiple layers: the frontend hides inaccessible UI elements, the sidebar filters navigation links, and the backend API independently verifies permissions on every request. This multi-layered approach ensures security even if a user attempts to directly navigate to a restricted URL.

Role (Level)	Scope	Key Permissions
Super Admin (100)	Entire system	Full CRUD on all entities, module configuration, role switching
Building Manager (70)	Assigned building	Manage restaurants, create RM/Chef/Customer users
Restaurant Manager (50)	Assigned restaurant	Menu, orders, inventory, users (Chef/Customer)
Chef (40)	Assigned restaurant	View/update orders, view inventory, log wastage
Customer (10)	Self	Browse menus, place orders, view order history

NOTE: Super Admin bypasses all role-level checks and has unrestricted access across all buildings and restaurants. This is by design to enable system-wide administration.

5. Navigation & Layout

Overview

The user interface follows a consistent three-component layout: a Top Bar providing context and user controls, a Sidebar (desktop) or Bottom Navigation (mobile) listing available modules, and a main content area. Navigation links are dynamically filtered by the user's role and enabled modules.

Component	Visibility	Function
Top Bar	All authenticated users	Logo, context display, notifications, theme toggle, profile
Sidebar	Desktop screens	Role-filtered navigation links with active highlighting
Bottom Navigation	Mobile screens	Up to 6 frequently used tabs, filtered by role
Hamburger Menu	Mobile screens	Full module list overlay for less frequent features

6. Dashboard


Overview

The Dashboard serves as the central command centre and default landing page after login. It provides an at-a-glance view of business performance through six KPI cards displaying real-time metrics for Total Users, Buildings, Restaurants, Orders, Revenue, and Pending Orders. Below the KPIs, a customisable widget system with three section rows — Business Insights, Operational Dashboard, and Management Overview — presents detailed analytics panels including revenue trends, order summaries, kitchen status, inventory levels, customer analytics, staff distribution, payment breakdowns, and real-time notifications.

Unlike traditional static dashboards, this platform draws all widget data from live database queries, ensuring that every number, chart, and metric reflects the current state of operations. The KPI cards automatically fetch their values using the system's batch data API, while the section widgets query a dedicated section-data endpoint that aggregates sales, orders, kitchen, customer, staff, and payment information in a single request. Super Administrators see organisation-wide aggregates, while Building Managers and Restaurant Managers see data scoped to their assigned locations.

Role	Data Scope	Additional Widgets
Super Admin	Organisation-wide	Building Reports, cross-location comparison
Building Manager	Assigned building	Building-scoped KPIs and analytics
Restaurant Manager	Assigned restaurant	Outlet-specific KPIs and operational panels
Chef	Assigned restaurant	Order-focused KPIs, kitchen status panel
Customer	Self	Personal order history and food card overview

Dashboard Loading Sequence



Key Capabilities

The dashboard is organised into three distinct sections. The Business Insights row displays a revenue analysis panel with today's, weekly, monthly, and all-time revenue figures, each with trend indicators showing performance direction. Alongside it, an Orders Summary panel shows active orders, completed today, cancelled orders, and average order value. The Operational Dashboard row provides a Kitchen Status panel with counts for pending, in-preparation, ready-to-serve, and delivered-today orders; an Inventory panel visualises stock levels across categories; and a Customer Analytics panel displays total, active, new, and returning customer counts. The Management Overview row includes a real-time Notification feed, a Staff panel showing user role distribution, and a Payment breakdown panel.

CONFIDENTIAL

Each widget panel includes a refresh action and displays a "last updated" timestamp. Users can customise their dashboard layout by hiding entire rows using the "Customize" toggle, with hidden row preferences persisted in the browser's local storage for consistent viewing across sessions.

7. Profile Management

Overview

The Profile Management module enables every authenticated user to view and edit their personal account details from a single, consolidated interface. Users can update their display name, email address, and profile photograph, as well as change their password through a secure, OTP-verified workflow. Super Administrators additionally have the ability to edit any user's profile from the User Management page, providing centralised account administration across the organisation.

The profile page is accessible to all roles and serves as the user's identity hub within the system. Changes made to profile information are reflected immediately across the platform, including in order histories, notification delivery, and team views. The OTP-based password change workflow ensures that password updates are authenticated through the user's registered email, adding an extra layer of security beyond simple password confirmation.

Who Can Use This Module?

Role	Access Level	Purpose
Super Admin	Full	Edit own profile; edit any user profile from User Management
Building Manager	Own Profile	Update personal details and change password
Restaurant Manager	Own Profile	Update personal details and change password
Chef	Own Profile	Update personal details and change password
Customer	Own Profile	Update personal details and change password

Where Can It Be Accessed?

The Profile page is accessible from the sidebar navigation under "Profile" for all roles, and also from the user dropdown menu in the Top Bar. Super Administrators can additionally access any user's module configuration from the User Management page. Navigation path: Sidebar !' Profile, or Top Bar Menu !' Profile.

How It Works

When a user navigates to the Profile page, the system displays their current information in a clean card layout showing the avatar, username, email address, role badge, assigned building and restaurant (where applicable), and phone number. An "Edit" button enables the user to switch to edit mode, revealing editable fields for username, email, and avatar upload. The avatar upload supports common image formats up to 2 MB in size and

converts the image to a base64 data URL for storage.


The password change feature follows a three-step verification workflow. First, the user enters their current password, the new password, and a confirmation of the new password. Upon submission, the system validates the current password against the stored hash and, if correct, sends a six-digit OTP to the user's registered email address. The user then enters the OTP in the verification step, and upon successful validation, the password is updated. In development environments where email is not configured, the OTP is displayed on screen for testing purposes.

Figure 2 – Profile Page

The profile management interface showing user details, edit controls, and the password change section.

- Avatar display with upload capability for profile photographs
- Editable username and email fields with validation
- OTP-based password change workflow with step indicators
- Role badge and organisational context display

Password Change Process



Example Scenario

A Restaurant Manager receives a notification that their password will expire soon. They navigate to their Profile page, click "Change Password," enter their current password and a new secure password. The system sends a six-digit OTP to their registered email. The manager checks their email inbox, copies the code, enters it on the verification screen, and receives a confirmation that their password has been updated successfully. They can now continue using the system with their new credentials.

Business Rules

- Avatar images are limited to 2 MB in size and are stored as base64-encoded strings.
- Passwords must be at least 6 characters long and are hashed using bcrypt before storage.
- OTP codes expire after 10 minutes; expired codes cannot be used for verification.
- Each OTP can only be used once; a new OTP is generated for each password change request.
- The current password must be verified before an OTP is sent.
- Super Administrators can edit any user's profile including avatar, username, and email through the

User Management page.

Expected Outcome

Upon completing a profile update, the changes are immediately visible on the Profile page and reflected across the system. After a successful password change, the user can log out and log back in using the new password without any interruption to their current session.

8. Notification System

Overview

The Notification System provides real-time, role-aware alerts that keep all users informed of important events as they happen. Unlike traditional polling-based systems that periodically check for updates, this platform uses Socket.IO WebSocket connections to push notifications instantly from the server to connected clients. Notifications are persisted in the database, allowing users to view their full notification history even after refreshing the page or logging in from a different device.

The system generates notifications for events relevant to each user role: customers receive order status updates as their food progresses through preparation and delivery; restaurant staff are alerted when new orders are placed and require attention; and all users can see a consolidated view of their recent notifications in both the Top Bar dropdown and the dashboard widget. The notification bell icon displays an unread count badge, providing an immediate visual cue of pending notifications.

Who Can Use This Module?

Role	Notification Types Received	Access
Super Admin	All system events, new orders, order updates	Top Bar, Dashboard widget
Building Manager	Order updates for building restaurants	Top Bar, Dashboard widget
Restaurant Manager	New orders, order status changes, payment confirmations	Top Bar, Dashboard widget
Chef	New orders, order status changes	Top Bar, Dashboard widget
Customer	Payment success, order preparing, order ready, delivered	Top Bar, Dashboard widget

Where Can It Be Accessed?

Notifications are accessible from two locations: the bell icon in the Top Bar provides a quick-dropdown view of recent notifications with a "Mark all read" action; the Notification widget on the Dashboard displays the five most recent notifications alongside other dashboard panels. Navigation path: Top Bar !' Bell Icon, or Dashboard !' Notification Widget.

How It Works

When a significant event occurs, such as a payment being

processed or an order status changing, the backend controller creates a Notification record in the database and simultaneously emits a real-time event through Socket.IO to the affected user's personal room. The frontend, which maintains a persistent WebSocket connection, receives the event and immediately prepends the new notification to the in-memory notification list without requiring a page refresh.

On initial page load, the frontend fetches the user's full notification history from the REST API, ensuring that notifications persist across sessions. The "Mark all read" action sends a PATCH request to the API, which updates all unread notifications to read status in the database, and the local state is updated to reflect the change. The unread count badge on the bell icon recalculates automatically based on notifications with read set to false.

Notification Flow



Example Scenario

Customer Scenario

A customer places an order and completes payment. The system creates a "Payment successful" notification and sends it to the customer's notification feed. When the chef starts preparing the order, another notification is pushed: "Your order is being prepared!" When the order is ready for pickup, the customer receives a third notification: "Your order is ready!" All three appear in real time in the customer's notification dropdown without any page refresh.

Staff Scenario

A Restaurant Manager is monitoring operations from the Dashboard. A customer completes payment for a new order. The system creates a "New order #ORD-1234 from Customer" notification and emits it to the restaurant room. The manager sees the notification appear instantly in the Top Bar dropdown with an updated unread count and can immediately navigate to the Orders page to begin processing.

Business Rules

- Notifications are persisted in the database and survive page refreshes and session changes.
- Each notification is linked to a specific user and optionally to a specific order for context.
- The "Mark all read" action updates the database and cannot be undone.
- Unread notifications are visually distinguished from read notifications by reduced opacity.
- Notification history is limited to the 100 most recent records per user.

Expected Outcome

Users receive immediate, real-time visibility into events that matter to their role without needing to manually refresh pages or poll for updates. The combination of persisted history and real-time push ensures that no important event is missed, whether the user is actively watching the screen or catching up after being away.

9. Order Management

Overview

Order Management handles the complete order lifecycle from placement through delivery across five stages: PENDING_PAYMENT, PAID, PREPARING, COMPLETED, and DELIVERED. Real-time updates via Socket.IO ensure all staff see changes instantly. When an order reaches COMPLETED, the system automatically deducts corresponding ingredient quantities from inventory if recipe mappings exist.

Role	Access Level	Actions Allowed
Super Admin	Read-only	Monitor orders across all locations
Building Manager	Read-only	Monitor orders in assigned building
Restaurant Manager	Full	View, filter, update status, manage all orders
Chef	Operational	View orders, update status (PAID to COMPLETED)
Customer	Self	Place orders, view personal order history

Order Lifecycle

CONFIDENTIAL



Business Rules

- Order statuses must progress sequentially and cannot be reversed to a previous status.
 - Inventory deduction triggers only on COMPLETED status when recipe mappings exist.
 - Order codes are unique 6-character alphanumeric strings generated at order creation.
 - Socket.IO broadcasts all status changes to connected clients in real-time.
-

10. Menu Management

Overview

The Menu Management module enables restaurants to create, edit, and maintain digital menu offerings. Each item includes a name, description, price in INR, food category (VEG, NON_VEG, or VEGAN with colour-coded indicators), an optional image, and an active/inactive toggle. Changes take effect immediately in the customer-facing ordering interface.

Role	Access Level	Actions Allowed
Super Admin	Full	Create, edit, delete menu items across all restaurants
Restaurant Manager	Full	Create, edit, delete menu items for their restaurant
Building Manager	Read-only	View menus across the building
Chef	Read-only	View menu items and ingredient mappings
Customer	Browse	View active menu items during ordering

Business Rules


- Item name and price are required fields; description and image are optional.
 - Prices are in Indian Rupees as whole numbers without decimal places.
 - Only active items are visible to customers; inactive items retain database records.
 - Each restaurant maintains its own independent menu.
-

11. Inventory Management

Overview

The Inventory Management module provides comprehensive control over restaurant stock with 12 integrated sections covering the complete inventory lifecycle. The auto-deduction feature, powered by recipe mappings, eliminates manual stock adjustments and provides real-time inventory accuracy. The structured procurement workflow ensures optimal stock levels through systematic ordering and approval controls.

Role	Access Level	Actions Allowed
Super Admin	Full	All inventory functions across all restaurants
Building Manager	High	View and manage inventory across building restaurants
Restaurant Manager	Full	Complete inventory control for their restaurant
Chef	Limited	View inventory, log wastage



Business Rules

- Auto-deduction only triggers on **COMPLETED** order status with existing recipe mappings.
 - Transfers and Adjustments require managerial approval before execution.
 - All stock changes create an **InventoryMovement** audit record for complete traceability.
-

12. Restaurant & Building Management

Overview

Buildings represent physical locations such as shopping malls or complexes. Restaurants are operational outlets within buildings. This hierarchy scopes all other modules: menus, orders, inventory, and users belong to a specific restaurant within a specific building. A Building Manager oversees all restaurants in their building; each Restaurant Manager handles their own outlet.

Role	Buildings	Restaurants
Super Admin	Create, edit, delete all	Create, edit, delete all
Building Manager	View assigned building	View, edit in assigned building
Restaurant Manager	Read-only	View, edit own restaurant

Business Rules

- Each Building can contain multiple Restaurants; each Restaurant belongs to exactly one Building.
- Deactivating a Building hides all its Restaurants from active views.
- Buildings and Restaurants with associated orders or users cannot be permanently deleted.

13. User Management

Overview

The User Management module provides centralised control over system access. Administrators can create, edit, and delete user accounts, assign roles with appropriate permissions, and configure module-level access toggles. User management is distributed according to the role hierarchy, allowing each management level to handle their own staffing needs.

Role	User Scope	Manageable Roles
Super Admin	All users (system-wide)	All roles (100, 70, 50, 40, 10)
Building Manager	Users in assigned building	RM (50), Chef (40), Customer (10)
Restaurant Manager	Users in assigned restaurant	Chef (40), Customer (10)

Business Rules


- Users can only manage accounts with roles strictly below their own level.
- Self-deletion is prevented by the system.
- Passwords are stored as bcrypt hashes; plain text is never persisted.

14. Module Access Control

Overview

Module Access Control enables Super Administrators to fine-tune which modules each user can access, overriding default role-based permissions. The resolution follows a three-tier priority system: User-level overrides take highest precedence, followed by Restaurant-level, then Building-level, with a default fallback of all modules enabled.

Module Resolution Priority



Business Rules


- Resolution priority: User-level > Restaurant-level > Building-level > Default (all enabled).
 - Super Admin bypasses all override checks and sees every module.
 - Overrides use an upsert pattern: create new or update existing as needed.
-

15. QR Code Scanner

Overview

The QR Code Scanner enables staff to instantly identify orders using the customer's digital receipt. Integrated into both the Orders page and Delivery Confirmation page, the scanner reads QR codes encoding { orderId, orderCode } for fast, error-free order lookup that eliminates manual data entry errors.

Role	Access Level	Actions Allowed
Restaurant Manager	Full	Scan orders on Orders page and Delivery Confirmation
Chef	Operational	Scan orders on Orders page



Business Rules

- Camera permission must be granted by the browser for the scanner to function.

CONFIDENTIAL

- Only PAID and COMPLETED orders display QR codes for scanning.

16. Delivery Confirmation

Overview

Delivery Confirmation is the terminal step in the order lifecycle. Staff formally record that an order has been handed over to the customer, updating the status to DELIVERED. The feature supports QR code scanning for instant identification and manual order code entry as a fallback.

Role	Access Level	Actions Allowed
Restaurant Manager	Full	Confirm delivery for all orders in their restaurant
Chef	Operational	Confirm delivery for prepared orders



Business Rules

- Confirmation only works for orders currently in COMPLETED status.

- Delivery confirmation is irreversible; no undo is available.

17. Module Management (Super Admin)

Overview

Module Management provides a comprehensive interface for Super Administrators to configure system-wide module overrides at the Building, Restaurant, or User level. The page is organised into four views accessed through toggle buttons: Building, Restaurant, User, and a dedicated User Modules view. The Building, Restaurant, and User tabs display existing overrides at each level with options to add new overrides via a modal dialogue that includes entity selectors for choosing the specific building, restaurant, or user. The User Modules view presents a complete user-by-user breakdown showing exactly which modules are enabled and disabled for every account in the system.

The User Modules view is particularly powerful for auditing and troubleshooting, displaying each user alongside their effective module set. For users who have custom module overrides, the view shows a "Custom" badge and lists both enabled and disabled modules separately. For users relying on role defaults, a "Role Defaults" badge is displayed along with the modules that their role entity is configured to access. This comprehensive visibility enables administrators to quickly verify that the right users have access to the right features without needing to cross-reference between multiple screens.

Role	Access Level	Actions Allowed
Super Admin	Full	View all modules, configure overrides at all levels, user-module matrix
All Other Roles	No Access	Module Management page is not visible

How It Works

The page loads all modules, all existing overrides at all levels, and the complete list of buildings, restaurants, and users on initial render. The active tab determines which set of overrides is displayed in the list view. Adding a new override opens a modal with three fields: the entity selector (building, restaurant, or user depending on the active tab), the module selector, and the enabled/disabled toggle. Saving creates or updates the override record and refreshes the override list.


The User Modules tab provides a fundamentally different view. Instead of listing raw override records, it computes and displays the effective module access for every user in the system. For each user, the system evaluates whether they have custom overrides (from the User Management page or direct override creation) or rely on role defaults defined in the frontend configuration. Enabled modules are displayed with green badges and a checkmark icon; disabled modules appear with red badges and a crossmark icon, giving administrators an immediate, intuitive understanding of each user's access profile.

Figure 3 – User Modules View

The User Modules tab displaying effective module access for all users.

- User cards showing username, email, role badge, and override source indicator
- Green badges with check icons for enabled modules
- Red badges with cross icons for disabled modules
- Custom vs Role Defaults source labelling for audit clarity

Module Management Workflows



Business Rules

- Only Super Administrators can access this page and its API endpoints.
 - Resolution priority: User-level > Restaurant-level > Building-level > Default (enabled).
 - Super Admin bypasses all override checks regardless of settings.
 - Override records can be deleted individually from the list view using the trash icon.
 - The User Modules view is read-only; modifications must be made through the User Management page or the User overrides tab.
 - Role defaults are defined in the system constants and only apply when no explicit override exists for a user.
-

Glossary

Term	Definition
API	Application Programming Interface — a set of protocols for building and integrating application software
CRUD	Create, Read, Update, Delete — the four basic operations of persistent storage
GRN	Goods Receipt Note — a document acknowledging receipt of goods from a vendor
JWT	JSON Web Token — a compact, URL-safe token format used for authentication
KDS	Kitchen Display System — a digital display showing incoming orders to kitchen staff
KPI	Key Performance Indicator — a measurable value that demonstrates how effectively objectives are achieved
ORM	Object-Relational Mapping — a technique for converting data between type systems in OOP languages
PO	Purchase Order — a commercial document issued by a buyer to a seller
POS	Point of Sale — the place where a retail transaction is completed
RBAC	Role-Based Access Control — an approach to restricting system access to authorised users
SKU	Stock Keeping Unit — a unique identifier for each product or item in inventory
SPA	Single-Page Application — a web application that loads a single HTML page and dynamically updates content
UAT	User Acceptance Testing — the final phase of testing before system deployment

Appendix

Version History

Version	Date	Author	Changes
1.0	June 2026	POS System Team	Initial release

Known Limitations

- The dashboard does not auto-refresh; users must reload the page to view updated KPI data.
- QR code scanning requires an active camera and may not function on all mobile browsers.
- The system currently supports Indian Rupees (INR) as the sole currency.

Future Enhancements

- Real-time dashboard auto-refresh via WebSocket push updates.
- Multi-currency support for international restaurant chains.
- Advanced analytics with predictive inventory and demand forecasting.
- Offline mode for order processing during network interruptions.
- Mobile native applications for iOS and Android platforms.

Support Contact

For technical support, feature requests, or issue reporting, contact the POS System team through the project repository at <https://github.com/PugazhendhiS-alt/FNB> or raise a ticket through the organisation's IT support portal.