EXPT NO: 2 A python program to implement Simple linear Regression using Least Square Method

DATE:30.08.2024

AIM:

To write a python program to implement Simple linear regression using Least Square Method.

PROCEDURE:

Implementing Simple linear regression using Least Square method using the headbrain dataset involve the following steps:

Step 1: Import Necessary Libraries

First, import the libraries that are essential for data manipulation, visualization, and model building.

```
import pandas as pd
import matplotlib.pyplot as plt import numpy as np
```

Step 2: Load the Iris Dataset

```
The HeadBrain dataset can be loaded. data = pd.read_csv('/content/headbrain.csv')
```

Step 3: Data Preprocessing

Ensure the data is clean and ready for modeling. Since the Iris dataset is clean, minimal preprocessing is needed.

```
x,y=np.array(list(data['Head Size(cm^3)'])),np.array(list(data['Brain
```

```
Weight(grams)']))
print(x[:5],y[:5])
```

OUTPUT:

F [4512 3738 4261 3777 4177] [1530 1297 1335 1282 1590]

Step 4: Compute the Least Squares Solution

Apply the least squares formula to find the regression coefficients.

```
def get_line(x,y):
 x m, y m = np.mean(x), np.mean(y)
 print(x_m,y_m)
 x_d, y_d=x-x_m, y-y_m
 m = np.sum(x_d*y_d)/np.sum(x_d**2)
 c = y_m - (m*x_m)
 print(m, c)
 return lambda x : m*x+c
lin=get_line(x,y)
```

OUTPUT:

```
3633.9915611814345 1282.873417721519 0.2634293394893993 325.5734210494428
```

Step 5: Make Predictions

Use the model to make predictions based on the independent variable.

```
def get_error(line_fuc, x, y):
y_m = np.mean(y)
 y_pred = np.array([line_fuc(_) for _ in x])
 ss_t = np.sum((y-y_m)**2) ss_r = np.sum((y-y_pred)**2)
return 1-(ss_r/ss_t) get_error(lin, x, y)
from sklearn.linear_model import LinearRegression
x = x.reshape((len(x),1))
reg=LinearRegression()
```

```
reg=reg.fit(x, y) print(reg.score(x, y))
OUTPUT:
 →→ 1.0
 →▼ 1.0
```

Step 6: Visualize the Results


Plot the original data points and the fitted regression line.

```
x=np.linspace(np.min(x)-100,np.max(x)+100,1000)
y=np.array([lin(x)for x in x])
plt.plot(x, y, color='red', label='Regression line')
plt.scatter(x, y, color='green', label='Scatter plot') plt.xlabel('Head
Size(cm<sup>3</sup>)')
```

plt.ylabel('Brain Weight(grams)') plt.legend() plt.show()

OUTPUT:

AI23331 231501124



RESULT:

This step-by-step process will help us to implement least square regression models using the HeadBrain dataset and analyze their performance.