

HTML Tags List -Shamol Das


To use any of the following HTML tags, simply select the HTML code you'd like and copy and paste it into your text editor than browse.

Tag	Name	Code Example	Browser View
<!--	comment	<!--This can be viewed in the HTML part of a document-->	Nothing will show
<html>	hypertext markup language	<pre><html> <head> <meta> <title>Title of your web page</title> </head> <body> <p>HTML web page contents </P> </body> </html></pre>	Contents of your web page
<title>	document title	<title>Title of your HTML page </title>	Title of your web page will be viewable in the title bar.
<head>	heading of HTML document	<head>Contains elements describing the document</head>	Nothing will show
<body>	body of HTML document	<body>The content of your HTML page</body>	Contents of your web page
<h1> <h2> <h3> <h4> <h5> <h6>	heading 1 heading 2 heading 3 heading 4 heading 5 heading 6	<pre><h1>Heading 1 Example</h1> <h2>Heading 2 Example</h2> <h3>Heading 3 Example</h3> <h4>Heading 4 Example</h4> <h5>Heading 5 Example</h5> <h6>Heading 6 Example</h6></pre>	Heading 1 Heading 2 Heading 3 Heading 4 Heading 5 Heading 6
<p>	paragraph	<p><p>This is an example displaying the use of the paragraph tag.This will create a line break and a space between lines. </p></p> <p>Attributes:</p> <p>Example 1:

<p align="left"> This is an example
 displaying the use
 of the paragraph tag.

Example 2:

<p align="right"> This is an example
</p>	<p>This is an example displaying the use of the paragraph tag.This will create a line break and a space between lines.</p> <p>Attributes:</p> <p>Example 1:</p> <p>This is an example displaying the use of the paragraph tag.</p> <p>Example 2:</p>

		displaying the use of the paragraph tag. Example 3: <p align="center"> This is an example displaying the use of the paragraph tag.	This is an example displaying the use of the paragraph tag. Example 3: This is an example displaying the use of the paragraph tag.
	image		
 	line break	The contents of your pagePeople are different from there identify & ethics.	The contents of your web page People are different from there identify & ethics.
<a -	anchor	 Visit My Site	Visit My Site
	bold	 Example	Example
<big>	big (text)	<big> Example</big>	Example
<small>	small (text)	<small> Example</small>	Example
<center>	center	<center> This will center your contents</center>	This will center your contents
<dd>	definition description	<dl> <dt>Definition Term</dt> <dd>Definition of the term</dd> <dt>Definition Term</dt> <dd>Definition of the term</dd> </dl>	Definition Term Definition of the term Definition Term Definition of the term
<dl>	definition list	<dl> <dt>Definition Term</dt> <dd>Definition of the term</dd> <dt>Definition Term</dt> <dd>Definition of the term</dd> </dl>	Definition Term Definition of the term Definition Term Definition of the term


<dt>	definition term	<dl> <dt> Definition Term </dt> <dd>Definition of the term</dd> <dt> Definition Term </dt> <dd>Definition of the term</dd> </dl>	Definition Term Definition of the term Definition Term Definition of the term
	emphasis	This is an Example of using the emphasis tag	This is an <i>Example</i> of using the emphasis tag
<strike>	deleted text	<strike>Example</strike>	Example
	Delete text	Example	Example
	strong emphasis	Example	Example
<embed>	embed object	<embed src="yourfile.mid" autostart="true" hidden="false" loop="false"> <noembed><bgsound src="yourfile.mid" loop="1"></noembed>	Music will begin playing when your page is loaded and will only play one time. A control panel will be displayed to enable your visitors to stop the music.
	font	Example	Example

	font	Example	Example
	font	Example	Example
<hr>	horizontal rule	<hr />	Contents of your web page <hr/> Contents of your web page
<hr>	horizontal rule	<hr width="50%" size="3" />	Contents of your web page <hr/> Contents of your web page
<hr>	horizontal rule	<hr width="50%" size="3" noshade />	Contents of your web page <hr/> Contents of your web page
<hr> (Internet Explorer)	horizontal rule	<hr width="75%" color="#ff0000" size="4" />	Contents of your web page <hr/> Contents of your web page
<hr> (Internet Explorer)	horizontal rule	<hr width="25%" color="#6699ff" size="6" />	Contents of your web page <hr/> Contents of your web page
<i>	italic	<i>Example</i>	Example

<sub>	Subscripted Text	H₂SO₄	H ₂ SO ₄
<sup>	Superscripted text	(a+b)², a_bc</sub>	(a+b) ² ,
<q>	Quotation on text	<q>life is about creating yourself</q>	"life is about creating yourself"
<u>	underline	Hi, Myself is <u>Shamol Das.</u>	Hi, Myself is <u>Shamol Das.</u>
<mark>	Marked	My Favourite	My Favourite
<audio>	Audio		
<video>	Video		
<blockquote>	Blockquote	<blockquote><p>Hi,Shamol Das.!!</p></blockquote>	
<address>	Address		
<abbr>	Abbreviation		
<code>		<samp> <kbd> <var><pre>	
Attributes	Accept,align,alt,autocomplete,autofocus,autoplay,bgcolor,border,charset,checked,cite, class,color,cols,colspan,content,controls,date,datetime, enctype,for,form,height, hidden,high,href,id,kind,lavel,loop,max,maxlength,media,method,min,multiple,muted, name,pattern,placeholder,required,row,rowspanselected,size,sizes,span,src,start,title,type, value,width		

<input>	Input	<input type="text" >	<input type="text"/>
<input>	Input	<label>Name</label> <input type="text" >	Name <input type="text"/>
<form>	form	<form action="mailto:shyamoldas333@gmail.com"> Name: <input name="Name" value="" size="10"> Email: <input name="Email" value="" size="10"> <center><input type="submit"></center></form>	Name: <input type="text"/> Email: <input type="text"/> <input type="submit" value="Submit Query"/>
<input>	input	Type=button,checkbox,color,date,datetime-local, email,file,hidden,image,month,number,password,radio,range,reset,search,submit,tel,text, time,url,week, Submit,	

		<pre> <form method="post" action=""> Select an option:
 <input type="radio" name="option"> Option 1 <input type="radio" name="option" checked> Option 2 <input type="radio" name="option"> Option 3

 Select an option:
 <input type="checkbox" name="selection"> Selection 1 <input type="checkbox" name="selection" checked> Selection 2 <input type="checkbox" name="selection"> Selection 3 <input type="Submit" value="Submit"> </form> </pre>	<p>Select an option:</p> <p><input type="checkbox"/> Option 1</p> <p><input type="checkbox"/> Option 2</p> <p><input type="checkbox"/> Option 3</p> <p>Select an option:</p> <p><input type="checkbox"/> Selection 1</p> <p><input checked="" type="checkbox"/> Selection 2</p> <p><input type="checkbox"/> Selection 3</p> <p>Submit</p>
	list item	<p>Example 1:</p> <pre> <menu> <li type="disc">List item 1 <li type="circle">List item 2 <li type="square">List item 3 </MENU> </pre> <p>Example 2:</p> <pre> <ol type="i"> List item 1 List item 2 List item 3 List item 4 </pre>	<p>Example 1:</p> <p><input type="checkbox"/> List item 1 ○ List item 2</p> <p>▪ List item 3</p> <p>Example 2:</p> <p>i. List item 1</p> <p>ii. List item 2 iii. List item 3 iv. List item 4</p>
<link>	link	<pre> <head> <link rel="stylesheet" type="text/css" href="style.css" /> </head> </pre>	
<marquee> (Internet Explorer)	scrolling text	<pre> <marquee bgcolor="#cccccc" loop="-1" scrollamount="2" width="100%">Example Marquee</marquee> </pre>	
<menu>	menu	<pre> <menu> <li type="disc">List item 1 <li type="circle">List item 2 <li type="square">List item 3 </menu> </pre>	<p><input type="checkbox"/> List item 1</p> <p>○ List item 2</p> <p>▪ List item 3</p>
<meta>	meta	<pre> <meta name="Description" content="Description of your site"> <meta name="keywords" content="keywords describing your site"> </pre>	Nothing will show

<meta>	meta	<meta HTTP-EQUIV="Refresh" CONTENT="4;URL=http://www.google.com/">	Nothing will show
--------	-------------	--	-------------------

<meta>	meta	<meta http-equiv="Pragma" content="nocache">	Nothing will show (Tip)
<meta>	meta	<meta name="rating" content="General">	Nothing will show (Tip)
<meta>	meta	<meta name="robots" content="all">	Nothing will show (Tip)
<meta>	meta	<meta name="robots" content="noindex,follow">	Nothing will show (Tip)

		<p>Numbered</p> <pre> List item 1 List item 2 List item 3 List item 4 </pre> <p>Numbered Special Start</p> <pre><ol start="5"> List item 1 List item 2 List item 3 List item 4 </pre> <p>Lowercase Letters</p> <pre><ol type="a"> List item 1 List item 2 List item 3 List item 4 </pre> <p>Capital Letters</p> <pre><ol type="A"> List item 1 List item 2 List item 3 List item 4 </pre> <p>Capital Letters Special Start</p> <pre><ol type="A" start="3"> List item 1 List item 2 List item 3 List item 4 </pre> <p>Lowercase Roman Numerals</p> <pre><ol type="i"> List item 1 List item 2 List item 3 List item 4 </pre>	<p>Numbered</p> <ol style="list-style-type: none"> List item 1 List item 2 List item 3 List item 4 <p>Numbered Special Start</p> <ol style="list-style-type: none"> List item 1 List item 2 List item 3 List item 4 <p>Lowercase Letters</p> <ol style="list-style-type: none"> List item 1 List item 2 List item 3 List item 4 <p>Capital Letters</p> <ol style="list-style-type: none"> List item 1 List item 2 List item 3 List item 4 <p>Capital Letters Special Start</p> <ol style="list-style-type: none"> List item 1 List item 2 List item 3 List item 4 <p>Lowercase Roman Numerals</p> <ol style="list-style-type: none"> List item 1 List item 2 List item 3 List item 4 <p>I.</p>
--	--	--	--

		<p>Capital Roman Numerals</p> <pre><ol type="I"> List item 1 List item 2 List item 3 List item 4 </pre> <p>Capital Roman Numerals Special Start</p> <pre><ol type="I" start="7"> List item 1 List item 2 List item 3 List item 4 </pre>	<p>Capital Roman Numerals</p> <p>I. List item 1 II. List item 2 III. List item 3 IV. List item 4</p> <p>Capital Roman Numerals Special Start</p> <p>VII. List item 1 VIII. List item 2 IX. List item 3 X. List item 4</p>
	unordered list	<p>Example 1:

List item 1
List item 2

Example 2:
<ul type="disc">
List item 1
List item 2
<ul type="circle">
List item 3
List item 4

</p>	<p>Example 1:</p> <ul style="list-style-type: none"> List item 1 List item 2 <p>Example 2:</p> <ul style="list-style-type: none"> List item 1 List item 2 o List item 3 o List item 4
<option>	listbox option	<pre><form method=post action=""> <center> Select an option: <select> <option>option 1</option> <option selected>option 2</option> <option>option 3</option> <option>option 4</option> <option>option 5</option> <option>option 6</option> </select>
 </center> </form></pre>	<p>Select an option:</p> <div> <div>option 2</div> <div>▼</div> </div>

<code><table></code>	<code>table</code>	<p>Example 1:</p> <pre><table border="4" cellpadding="2" cellspacing="2" width="100%"> <tr> <td>Column 1</td> <td>Column 2</td> </tr> </table></pre> <p>Example 2: (Internet Explorer)</p> <pre><table border="2" bordercolor="#336699" cellpadding="2" cellspacing="2" width="100%"> <tr> <td>Column 1</td> <td>Column 2</td> </tr> </table></pre> <p>Example 3:</p> <pre><table cellpadding="2" cellspacing="2" width="100%"> <tr> <td bgcolor="#cccccc">Column 1</td> <td bgcolor="#cccccc">Column 2</td> </tr> <tr> <td>Row 2</td> <td>Row 2</td> </tr> </table></pre>	<p>Example 1:</p> <table><tr><td>Column 1</td><td>Column 2</td></tr></table> <p>Example 2:</p> <table><tr><td>Column 1</td><td>Column 2</td></tr></table> <p>Example 3:</p> <table><tr><td>Column 1</td><td>Column 2</td></tr><tr><td>Row 2</td><td>Row 2</td></tr></table>	Column 1	Column 2	Column 1	Column 2	Column 1	Column 2	Row 2	Row 2				
Column 1	Column 2														
Column 1	Column 2														
Column 1	Column 2														
Row 2	Row 2														
<code><td></code>	<code>table data</code>	<pre><table border="2" cellpadding="2" cellspacing="2" width="100%"> <tr> <td>Column 1</td> <td>Column 2</td> </tr> </table></pre>	<table><tr><td>Column 1</td><td>Column 2</td></tr></table>	Column 1	Column 2										
Column 1	Column 2														
<code><th></code>	<code>table header</code>	<pre><div align="center"> <table> <tr> <th>Column 1</th> <th>Column 2</th> <th>Column 3</th> </tr> <tr> <td>Row 2</td> <td>Row 2</td> <td>Row 2</td> </tr> <tr> <td>Row 3</td> <td>Row 3</td> <td>Row 3</td> </tr> </table></pre>	<table><tr><td>Column 1</td><td>Column 2</td><td>Column 3</td></tr><tr><td>Row 2</td><td>Row 2</td><td>Row 2</td></tr><tr><td>Row 3</td><td>Row 3</td><td>Row 3</td></tr><tr><td>Row 4</td><td>Row 4</td><td>Row 4</td></tr></table>	Column 1	Column 2	Column 3	Row 2	Row 2	Row 2	Row 3	Row 3	Row 3	Row 4	Row 4	Row 4
Column 1	Column 2	Column 3													
Row 2	Row 2	Row 2													
Row 3	Row 3	Row 3													
Row 4	Row 4	Row 4													

		<pre></tr> <tr> <td>Row 4</td> <td>Row 4</td> <td>Row 4</td> </tr> </table> </div></pre>		
<pre><tr></pre>	table row	<pre><table border="2" cellpadding="2" cellspacing="2" width="100%"> <tr> <td>Column 1</td> <td>Column2</td> </tr> </table></pre>	Column 1	Column 2
<pre><tt></pre>	teletype	<pre><tt>Example</tt></pre>	Example	

Style: color: red; margin-top: 2em; letter-spacing: 8px;

```

h3 {
color: green;
border-bottom: 1px solid red;
}
h2 { font-size: 1.5em;}
p {
font-size: small;
font-family: sans-serif;
line-height: 1.5;
text-indent: 5em;
text-align: justify;
}
p:first-letter {font-size: 300%; color: orange;}
em{color: green; border: 1px solid blue;}
span{color: blue; border: 1px solid blue;}
.price {
font-family: Georgia, serif;
font-style: italic;
color: gray;
}
Blockquote
{
border: 4px dashed;
color: #508C19;
}

```

```

p.first
{
background: #c2f670;
width: 500px;
height: 150px;
padding: 20px;
border: 2px solid gray;
margin: 20px;
}
p.second
{
box-sizing: border-box;
width: 500;
box-sizing: content-box;
width: 500px;
}

```

Shamol Das

BSc(Engr) in CSE,HSTU.

More Details to Visit:
<https://shamoldas.github.io/>