


Google Maps API Issue

LOG Autocomplete API error: REQUEST_DENIED You're calling a legacy API, which is not enabled for your project. To get newer features and more functionality, switch to the Places API (New) or Routes API. Learn

more: <https://developers.google.com/maps/legacy#LegacyApiNotActivatedMapError>"

```
LOG Autocomplete API error: REQUEST_DENIED You're calling a legacy API, which is not enabled for your project. To get newer features and more functionality, switch to the Places API (New) or Routes API. Learn more: https://developers.google.com/maps/legacy#LegacyApiNotActivatedMapError
```

Subject to the [Google Maps Platform Terms of Service](#)  Deprecation Policy, we will provide at least a 12-month notice prior to the decommission of the services.

Active services with Legacy status

This section lists all products and features which are either Legacy or scheduled to be in Legacy.

Product Area	Legacy Service Name	Legacy Date	New Service Name	Migration guide
Routes	Distance Matrix API	March 1, 2025	Routes API	Guide
	Directions API	March 1, 2025		
	JavaScript Distance Matrix Service	March 1, 2025	New JavaScript services will be provided in the future. "Star" this public issue to be notified of the availability of the new services.	
	JavaScript Directions Service	March 1, 2025		
Places	Places API	March 1, 2025	Places API (New)	Guide
	JavaScript Places Service	March 1, 2025	Place Class	Guide
	Places SDK for Android	March 1, 2025	Places SDK for Android (New)	Guide
	Places SDK for iOS	March 1, 2025	Places SDK for iOS (New)	Guide

LegacyApiNotActivatedMapError

Google throws this error when your application is querying a legacy API ([Places API](#), [Directions API](#), or [Distance Matrix API](#)) that is not

visgr / react-google-maps · Public

Code Issues 68 Pull requests Discussions Actions Projects Security Insights

Calling the Places API legacy instead of Places API (NEW) #508

Answered by usefultink · imanezouhour asked this question in Q&A

Category

Q&A

Labels

None yet

3 participants

imanezouhour on Sep 2, 2024

I'm using useMapLibrary('places') to use the Places API, so I enabled Places API (NEW) on my google cloud console account, and I was getting an error saying DENIED_REQUEST, I enabled Places API (LEGACY) on my google cloud console and the request to the Places API is working, but I noticed that the call is sent to the Places API (Legacy).

I need some clarifications on this, How to force the use for the Places API (NEW) ?

Thank you.

Answered by usefultink on Sep 3, 2024

Have a look here: #485 (comment)

Essentially: The two will likely coexist for a bit. If you want to use the new API backend, you also need to use the new API classes (google.maps.places.Place, google.maps.places.AutocompleteSuggestion, etc.). There's no compatibility of the older API classes with the new backend version.

View full answer ↓

403 Message: Legacy People API has not been used in project [duplicate]

Ask Question

Asked 6 years ago · Modified 4 years, 3 months ago · Viewed 27k times

23

This question already has an answer here:

[Legacy People API has not been used in project](#) (1 answer)

Closed 4 years ago.

Google API is active but give error ; Legacy People API has not been used in project before or it is disabled. Enable it by visiting <https://console.developers.google.com/apis/api/legacypeople.googleapis.com/overview?project=> then retry. If you enabled this API recently, wait a few minutes for the action to propagate to our systems and retry.

c# asp.net google-api

Share Improve this question Follow

edited Nov 1, 2019 at 19:43

asked Oct 31, 2019 at 14:06

Ömer ARGIN
231 ●1 ●2 ●4

The request requires your Google Account number, otherwise, the connection will fail – jdwenq Oct 31, 2019 at 14:52

I ran your id with code form following and it say key invalid : stackoverflow.com/questions/34597229/... – jdwenq Oct 31, 2019 at 15:29

why ? but Client ID is true – Ömer ARGIN Oct 31, 2019 at 15:40

The Overflow Blog

- ✓ The AI ick
- ✓ Revealing the unknown unknowns in your software

Featured on Meta

- Results of the October 2025 Community Asks Sprint: copy button for code...
- Chat room owners can now establish room guidelines
- Opinion-based questions alpha experiment on Stack Overflow
- Policy: Generative AI (e.g., ChatGPT) is banned

11 people chatting

C#
8 hours ago · Oaklot

I am getting error when calling google sign in API. Error is

*Legacy People API has not been used in project ***** before or it is disabled"

But the people API is enable. How to solve this error ?

This is my google api url is this is sufficient to solve my problem

```

}

if (empty($_POST['google_key'])) {
    $error_code = 5;
    $error_message = 'google_key (POST) is missing';
} else {
    $app_key = $_POST['google_key'];
    // https://www.googleapis.com/plus/v1/people/me?access_token={$access_token}&key=
    $get_user_details = fetchDataFromURL("https://people.googleapis.com/v1/people/me?");
    $json_data = json_decode($get_user_details);
    if (empty($json_data->error)) {
        $error_code = 4;
        $error_message = $json_data->error;
    } else if (empty($json_data->id)) {
        $social_id = $json_data->id;
        $social_email = $json_data->emails[0]->value;
        $social_name = $json_data->displayName;
        if (empty($social_email)) {
            $social_email = 'gn-' . $social_id . '@google.com';
        }
    }
}
}

```

this is my code where i'm using app key as google key and the access token now explain me where's the problem

 **PHP**
Collective

[See more](#)

 This question is in a **collective**: a subcommunity defined by tags with relevant content and experts.

The Overflow Blog

- ✓ The AI ick
- ✓ Revealing the unknown unknowns in your software

Featured on Meta

- Results of the October 2025 Community Asks Sprint: copy button for code...
- Chat room owners can now establish room guidelines
- Opinion-based questions alpha experiment on Stack Overflow
- Policy: Generative AI (e.g., ChatGPT) is banned

Community activity

Last 1 day

● 5047 users online

 10 questions

A 14 answers

21 comments


The screenshot shows the Stack Overflow search results for the query "Google Maps API". The search bar at the top contains the text "Search...". The results page indicates that other features like auto suggestion and real-time location working perfectly. The first result is a question titled "Google Maps API - This API project is not authorized to use this API (REQUEST_DENIED)". The right sidebar shows community activity, including 5022 users online, 10 questions, 14 answers, 22 comments, and 99 updates. Popular tags like 'java', 'python', 'regex', 'javascript', and 'c++' are listed. A popular unanswered question about 'Avoid non standard transitive includes in gcc / libstdc++' is also visible.

<https://stackoverflow.com/questions/58645078/403-message-legacy-people-api-has-not-been-used-in-project>

Some Youtube Videos watched to resolve the maps api issues:

<https://www.youtube.com/watch?v=Zxf1mnP5zcw>

<https://www.youtube.com/watch?v=PgJN4sPL1bQ>





YouTube

REQUEST_DENIED You're calling a legacy API, which is not enabled fo



```
https://maps.googleapis.com/maps/api/geocode/json?latlng=41

{
  "error_message" : "This API project is not authorized to use this API.",
  "results" : [],
  "status" : "REQUEST_DENIED"
}
```

www.shitkyfart.com

15 seconds

this api project is not authorized to use this api



jinu jawad m
14.8K subscribers

Subscribe

121




Share


Save



AWS Cognito Issue:



aws cognito user pool domain - Invalid_Request

Asked 8 years, 2 months ago Modified 6 months ago Viewed 21k times  Part of [AWS Collective](#)



I have created a user pool and setup domain with app client settings () to host sign up and sign in pages in the cognito itself. When I tried using the url similar to -

22



https://myDomain.auth.us-east-1.amazoncognito.com/login?response_type=code&client_id=fkjfkasjfkasjfdweinfksfsfnk&redirect_uri=https://google.com



in the browser I am redirected to



https://myDomain.auth.us-east-1.amazoncognito.com/error?error=invalid_request#

Note: I tried using Cognito User Pool and Facebook identity providers without OAuth2 enabled.

Am I missing something?



amazon-cognito

Share Improve this question Follow

edited Feb 2, 2018 at 1:57



BMW

45.6k ● 13 ● 105 ● 123

asked Aug 23, 2017 at 5:03



user360073

1,913 ● 3 ● 19 ● 21

Add a comment

Some Stackoverflow links:

<https://stackoverflow.com/questions/49979314/invalid-request-error-on-aws-cognito-custom-ui-page>

<https://stackoverflow.com/questions/45830982/aws-cognito-user-pool-domain-invalid-request>

<https://stackoverflow.com/questions/66798827/how-to-figure-which-is-the-right-cognito-error>

<https://stackoverflow.com/questions/53450036/customization-of-login-page-cognito/79813058#79813058>

The screenshot shows a Stack Overflow page with a question and an answer. The left sidebar contains navigation links: Home, Questions, AI Assist, Tags, Challenges, Chat, Articles, Users, Companies, COLLECTIVES, and TEAMS. The question text reads: "This is now possible as long as you're using the AWS Cognito Managed Login v2 Hosted UI and not the classic version. I was using Cloudformation to provision Cognito via IaC which you can up to a point, but not the CSS to this detail anyway. But you can via AWS cli, so you can still automate it as part of your deployment pipeline. Here's a minimal bash script (Save it as configure-cognito-ui.sh or similar):". The answer is a bash script that configures AWS Cognito Managed Login v2 and applies white background branding. The script includes comments for configuration and critical warnings.

```
#!/usr/bin/env bash
# Minimal script to set AWS Cognito Managed Login v2 background to white
# This demonstrates the CORRECT way to enable v2 and remove the grey background

set -euo pipefail

# Configuration
USER_POOL_ID="us-east-1_XXXXXXXXXX" # Your User Pool ID
CLIENT_ID="xxxxxxxxxxxxxxxxxxxxxx" # Your App Client ID
DOMAIN_PREFIX="your-domain" # Just the prefix (e.g., "myapp" from "myapp.auth.us-east-1.amazonaws.com")
AWS_REGION="us-east-1"
AWS_PROFILE="your-profile" # Optional

echo "\ Step 1: Enable Managed login v2 on DOMAIN (not user pool!)"
# CRITICAL: This MUST be update-user-pool-DOMAIN, not update-user-pool
# The --managed-login-version flag is ONLY valid on the domain operation
aws cognito-idp update-user-pool-domain \
  --user-pool-id "$USER_POOL_ID" \
  --domain "$DOMAIN_PREFIX" \
  --managed-login-version 2 \
  --region "$AWS_REGION" \
  --profile "$AWS_PROFILE"

echo " Managed Login v2 enabled"

echo "\ Step 2: Apply white background branding"
# Create minimal settings JSO
# Colors are 8-char hex: RRGGBBAA (red, green, blue, alpha)
```


Some Youtube videos considered for AWS Cognito Issues:

The screenshot shows a YouTube video player interface. At the top, the YouTube logo is visible on the left, and a search bar on the right contains the text "failed to check domain availability aws cognito". The video content area displays a screenshot of the AWS API Gateway console. The console shows the "Resources" tab for a specific API, with a message stating "No methods defined for the resource." The left sidebar of the console lists various API Gateway components like "Custom Domain Names", "VPC Links", "API: DemoApi", "Resources", "Stages", "Authorizers", "Gateway Responses", "Models", "Resource Policy", "Documentation", "Dashboard", "Settings", "Usage Plans", and "API Keys". A video thumbnail in the top right corner shows a man with a beard and headphones, wearing a red hoodie, speaking into a microphone. Below the video player, the video title "Secure your API Gateway with Amazon Cognito User Pools | Step by Step AWS Tutorial" is displayed. The channel name "Be A Better Dev" with 274K subscribers is shown, along with "Join" and "Subscribe" buttons. Engagement metrics include 4.5K likes, a comment icon, a share icon, and a save icon.



The screenshot shows the Amazon SES console with the 'Verified identities' section selected. It displays a table of DNS records for a custom MAIL FROM domain. Below the table, there is a section titled 'Custom MAIL FROM domain' with a 'Edit' button. The 'MAIL FROM' configuration is set to 'mailing.sasidny.com'. A note indicates that to configure this domain as the MAIL FROM, MX and SPF records must be copied and published to the domain's DNS provider. Below this note is another table of DNS records.

Type	Name	Value
MX	mailing.sasidny.com	10 mx1000-us-east-2.amazonaws.com
SPF	mailing.sasidny.com	"v=spf1 include:amazonses.com ~all"

SendMails | Email Marketing & Automation Platform
How to verify a domain identity in Amazon SES?


SendMails | Email Marketing & Automation Platform

Subscribe

374



Share



<https://www.youtube.com/watch?v=oFSU6rhFETk>

<https://www.youtube.com/watch?v=4elbue4tXu0>

A course from freecodecamp has been taken to re-evaluate the work done.

YouTube CA

failed to check domain availability aws cognito

Create function

Choose one of the following options to create your function.

- ☒ Author from scratch
- ☐ Use a blueprint
- ☐ Container image

Basic information

Function name
Enter a name that identifies the function of your function.

Runtime
Choose the language to use to write your function. Note that the runtime indicates support only for Node.js, Python, and Ruby.

Architecture
Choose the architecture of your function.
☒ x86_64
☐ arm64

Permissions
By default, Lambda will create an execution role with permissions to allow logs in Amazon CloudWatch Logs. You can override the default role when adding triggers.

Change default execution role

Execution role
Choose a role that defines the permissions of your function. To create a custom role, go to the IAM console.

- ☒ Create a new role with basic Lambda permissions
- ☐ Use an existing role
- ☐ Create a new role from IAM policy templates

☐ This creation might take a few minutes. Please do not delete the role or edit the trust or permissions policies in this role.

AWS Cognito Course – Authentication and Authorization

freeCodeCamp.org 11.3M subscribers

Join Subscribe

1K Share Save

<https://www.youtube.com/watch?v=ajExOgOCJXY>