

Angel Gonzalez - angonpad@gmail.com

1. Launch template

Launch template contents

Specify the details of your launch template below. Leaving a field blank will result in the field not being included in the launch template.

▼ Application and OS Images (Amazon Machine Image) Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose **Browse more AMIs**.

Q Search our full catalog including 1000s of application and OS images

Recents

Quick Start

Don't include in launch template

Amazon Linux

aws

macOS



Ubuntu

ubuntu

Windows



Red Hat



SUSE Linux



Debian





Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Amazon Linux 2023 kernel-6.1 AMI

ami-02dfbd4ff395f2a1b (64-bit (x86), uefi-preferred) / ami-0b11e0ed3f8697f97 (64-bit (Arm), uefi)
Virtualization: hvm ENA enabled: true Root device type: ebs

Free tier eligible

Description

Amazon Linux 2023 (kernel-6.1) is a modern, general purpose Linux-based OS that comes with 5 years of long term support. It is optimized for AWS and designed to provide a secure, stable and high-performance execution environment to develop and run your cloud applications.

Amazon Linux 2023 AMI 2023.10.20260302.1 x86_64 HVM kernel-6.1

Architecture

64-bit (x86)

Boot mode

uefi-preferred

AMI ID

ami-02dfbd4ff395f2a1b

Publish Date

2026-03-03

Username

ec2-user

Verified provider

Advanced

t2.micro
Family: t2 1 vCPU 1 GiB Memory Current generation: true On-Demand Linux base pricing: 0.0116 USD per Hour
On-Demand Windows base pricing: 0.0162 USD per Hour On-Demand Ubuntu Pro base pricing: 0.0134 USD per Hour
On-Demand SUSE base pricing: 0.0116 USD per Hour On-Demand RHEL base pricing: 0.026 USD per Hour

Compare instance types

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

angelgonzalez-examen2

 [Create new key pair](#)

subnet-0c90bb685bbbd4f4c
VPC: vpc-00f479057476a2db8 Owner: 654654478122 Availability Zone: us-east-1f (use1-a25) Zone type: Availability Zone
IP addresses available: 4090 CIDR: 172.31.64.0/20

[↻ Create new subnet ↗](#)

When you specify a subnet, a network interface is automatically added to your template.

us-east-1f use1-az5 ▼

 [Enable additional zones](#)

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☐ Select existing security group

- Create security group

AngelGonzalezPadilla-SGTemplate

This security group will be added to all network interfaces. The name can't be edited after the security group is created. Max length is 255 characters. Valid characters: a-z, A-Z, 0-9, spaces, and ._-:/()#,@[]+=&:{}!\$*

Allows SSH access to developers

▼ Security group rule 1 (TCP, 22, 181.59.3.163/32, SSH IP Angel)

Remove

ssh

My IP

Q Add CIDR, prefix list or security group

SSH IP Angel

181.59.3.163/32 X

🔍 Name ✕

Angel-EC2

Select resource types

Remove

Instances 

[Add new tag](#)

You can add up to 49 more tags.

▶ **Advanced details** [Info](#)

▼ Summary

Software Image (AMI)

Amazon Linux 2023 AMI 2023.10....[read more](#)

ami-02dfbd4ff395f2a1b

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Cancel

Create launch template

Launch Templates (5) [Info](#)

Search

Actions

Create launch template

< 1 > ⚙

☐	Launch Template ID	Launch Template Name	Default Version	Latest Version	Create Time	Created By	Managed	Operator
☐	lt-0ef0712e541c054f2	AWSEBEC2LaunchTemplate_BU...	1	2	2026-03-10T03:46:47.000Z	arn:aws:iam::654654478122:us...	false	-
☐	lt-076b6641e996c59c5	LaunchTemplate-baldo542	1	1	2026-03-17T00:56:49.000Z	arn:aws:iam::654654478122:us...	false	-
☐	lt-0bc92358383bc97ba	juan-esteban-examen-mod2	1	1	2026-03-17T00:51:03.000Z	arn:aws:iam::654654478122:us...	false	-
☐	lt-03a70e6a9f2f6657d	practica-asg-template-santiago...	1	1	2026-03-17T00:53:32.000Z	arn:aws:iam::654654478122:us...	false	-
☐	lt-02c610f7bd2b34fb5	AngelGonzalez-Template-EXAM...	1	1	2026-03-17T00:57:58.000Z	arn:aws:iam::654654478122:us...	false	-

2. Auto Scaling Group

Choose launch template [Info](#)

Specify a launch template that contains settings common to all EC2 instances that are launched by this Auto Scaling group.

Name

Auto Scaling group name

Enter a name to identify the group.

AngelGonzalezPadilla-AGS

Must be unique to this account in the current Region and no more than 255 characters.

Launch template [Info](#)

For accounts created after May 31, 2023, the EC2 console only supports creating Auto Scaling groups with launch templates. Creating Auto Scaling groups with launch configurations is not recommended but still available via the CLI and API until December 31, 2023.

Launch template

Choose a launch template that contains the instance-level settings, such as the Amazon Machine Image (AMI), instance type, key pair, and security groups.

AngelGonzalez-Template-EXAMEN3

Create a launch template [↗](#)

Version

Default (1)

Create a launch template version [↗](#)

Description

Template para el examen

Launch template

[AngelGonzalez-Template-EXAMEN3](#) [↗](#)

lt-02c610f7bd2b34fb5

Instance type

t2.micro

AMI ID

ami-02dfbd4ff395f2a1b

Security groups

-

Request Spot Instances

No

Key pair name

angelgonzalez-examen2

Security group IDs

[sg-04e2743bc1a3e8ad7](#) [↗](#)

Additional details

Instance type requirements [Info](#)

[Override launch template](#)

You can keep the same instance attributes or instance type from your launch template, or you can choose to override the launch template by specifying different instance attributes or manually adding instance types.

Launch template

[AngelGonzalez-Template-EXAMEN3](#)

lt-02c610f7bd2b34fb5

Version

Default

Description

Template para el examen

Instance type

t2.micro

Network [Info](#)

For most applications, you can use multiple Availability Zones and let EC2 Auto Scaling balance your instances across the zones. The default VPC and default subnets are suitable for getting started quickly.

VPC

Choose the VPC that defines the virtual network for your Auto Scaling group.

vpc-00f479057476a2db8 (VPC-Produccion)

172.31.0.0/16 Default

[Create a VPC](#)

Availability Zones and subnets

Define which Availability Zones and subnets your Auto Scaling group can use in the chosen VPC.

Select Availability Zones and subnets



use1-az5 (us-east-1f) | subnet-0c90bb685bbbd4f4c

172.31.64.0/20 Default

[Create a subnet](#)

Availability Zone distribution - new

Auto Scaling automatically balances instances across Availability Zones. If launch failures occur in a zone, select a strategy.

☒ Balanced best effort

If launches fail in one Availability Zone, Auto Scaling will attempt to launch in another healthy Availability Zone.

☐ Balanced only

If launches fail in one Availability Zone, Auto Scaling will continue to attempt to launch in the unhealthy Availability Zone to preserve balanced distribution.

Integrate with other services - optional [Info](#)

Use a load balancer to distribute network traffic across multiple servers. Enable service-to-service communications with VPC Lattice. Shift resources away from impaired Availability Zones with zonal shift. You can also customize health check replacements and monitoring.

Load balancing [Info](#)

Use the options below to attach your Auto Scaling group to an existing load balancer, or to a new load balancer that you define.

Select Load balancing options

☒ No load balancer

Traffic to your Auto Scaling group will not be fronted by a load balancer.

☐ Attach to an existing load balancer

Choose from your existing load balancers.

☐ Attach to a new load balancer

Quickly create a basic load balancer to attach to your Auto Scaling group.

VPC Lattice integration options [Info](#)

To improve networking capabilities and scalability, integrate your Auto Scaling group with VPC Lattice. VPC Lattice facilitates communications between AWS services and helps you connect and manage your applications across compute services in AWS.

Select VPC Lattice service to attach

☒ No VPC Lattice service

VPC Lattice will not manage your Auto Scaling group's network access and connectivity with other services.

☐ Attach to VPC Lattice service

Incoming requests associated with specified VPC Lattice target groups will be routed to your Auto Scaling group.

[Create new VPC Lattice service](#)

Application Recovery Controller (ARC) zonal shift - new [Info](#)

During an Availability Zone impairment, target instance launches towards other healthy Availability Zones.

☐ Enable zonal shift

New instance launches will be retargeted towards healthy Availability Zones until the zonal shift is canceled.

Health checks

Health checks increase availability by replacing unhealthy instances. When you use multiple health checks, all are evaluated, and if at least one fails, instance replacement occurs.

EC2 health checks

[Always enabled](#)

Additional health check types - optional [Info](#)

☐ Turn on Elastic Load Balancing health checks

Elastic Load Balancing monitors whether instances are available to handle requests. When it reports an unhealthy instance, EC2 Auto Scaling can replace it on its next periodic check.

☐ Turn on VPC Lattice health checks

VPC Lattice can monitor whether instances are available to handle requests. If it considers a target as failed a health check, EC2 Auto Scaling replaces it after its next periodic check.

☐ Turn on Amazon EBS health checks

EBS monitors whether an instance's root volume or attached volume stalls. When it reports an unhealthy volume, EC2 Auto Scaling can replace the instance on its next periodic health check.

Health check grace period [Info](#)

This time period delays the first health check until your instances finish initializing. It doesn't prevent an instance from terminating when placed into a non-running state.

300

seconds

Configure group size and scaling - optional [Info](#)

Define your group's desired capacity and scaling limits. You can optionally add automatic scaling to adjust the size of your group.

Group size [Info](#)

Set the initial size of the Auto Scaling group. After creating the group, you can change its size to meet demand, either manually or by using automatic scaling.

Desired capacity type

Choose the unit of measurement for the desired capacity value. vCPUs and Memory(GiB) are only supported for mixed instances groups configured with a set of instance attributes.

Units (number of instances)

Desired capacity

Specify your group size.

1

Scaling [Info](#)

You can resize your Auto Scaling group manually or automatically to meet changes in demand.

Scaling limits

Set limits on how much your desired capacity can be increased or decreased.

Min desired capacity

1

Equal or less than desired capacity

Max desired capacity

2

Equal or greater than desired capacity

Automatic scaling - optional

Choose whether to use a target tracking policy | [Info](#)

You can set up other metric-based scaling policies and scheduled scaling after creating your Auto Scaling group.



No scaling policies

Your Auto Scaling group will remain at its initial size and will not dynamically resize to meet demand.



Target tracking scaling policy

Choose a CloudWatch metric and target value and let the scaling policy adjust the desired capacity in proportion to the metric's value.

Instance maintenance policy [Info](#)

Control your Auto Scaling group's availability during instance replacement events. This includes health checks, instance refreshes, maximum instance lifetime features and events that happen automatically to keep your group balanced, called rebalancing events.

Choose a replacement behavior depending on your availability requirements

Mixed behavior



No policy

For rebalancing events, new instances will launch before terminating others. For all other events, instances terminate and launch at the same time.

Prioritize availability



Launch before terminating

Launch new instances and wait for them to be ready before terminating others. This allows you to go above your desired capacity by a given percentage and may temporarily increase costs.

Control costs



Terminate and launch

Terminate and launch instances at the same time. This allows you to go below your desired capacity by a given percentage and may temporarily reduce availability.

Flexible



Custom behavior

Set custom values for the minimum and maximum amount of available capacity. This gives you greater flexibility in setting how far below and over your desired capacity EC2 Auto Scaling goes when replacing instances.

Additional capacity settings

Capacity Reservation preference | [Info](#)

Select whether you want Auto Scaling to launch instances into an existing Capacity Reservation or Capacity Reservation resource group.

Default

Auto Scaling uses the Capacity Reservation preference from your launch template.

None

Instances will not be launched into a Capacity Reservation.

Capacity Reservations only

Instances will only be launched into a Capacity Reservation. If capacity isn't available, the instances fail to launch.

Capacity Reservations first

Instances will attempt to launch into a Capacity Reservation first. If capacity isn't available, instances will run in On-Demand capacity.

Additional settings

Instance scale-in protection

If protect from scale in is enabled, newly launched instances will be protected from scale in by default.

☐ Enable instance scale-in protection

Monitoring | [Info](#)

☐ Enable group metrics collection within CloudWatch

Default instance warmup | [Info](#)

The amount of time that CloudWatch metrics for new instances do not contribute to the group's aggregated instance metrics, as their usage data is not reliable yet.

☐ Enable default instance warmup

Auto Scaling group deletion protection - new | [Info](#)

Configure how this Auto Scaling group can be deleted.

None (default)

The Auto Scaling group can be deleted.

Prevent force deletion

The Auto Scaling group cannot be force deleted. To delete the group, all instances must be detached or terminated, and all warm pools must be deleted.

Prevent all deletion

The Auto Scaling group cannot be deleted.

[Cancel](#)

[Skip to review](#)

[Previous](#)

[Next](#)

Review [Info](#)

Step 1: Choose launch template

Edit

Group details

Auto Scaling group name
AngelGonzalezPadilla-AGS

Launch template

Launch template
[AngelGonzalez-Template-EXAMEN3](#)
lt-02c610f7bd2b34fb5

Version
Default

Description
Template para el examen

Step 2: Choose instance launch options

Edit

Network

VPC
[vpc-00f479057476a2db8](#)

Availability Zones and subnets

Availability Zone	Subnet	Subnet CIDR range
use1-az5 (us-east-1f)	subnet-0c90bb685bbbd4f4c	172.31.64.0/20

Availability Zone distribution
Balanced best effort

Instance type requirements

This Auto Scaling group will adhere to the launch template.

Step 3: Integrate with other services

Edit

Load balancing

Load balancer
-

Step 3: Integrate with other services

Edit

Load balancing

Load balancer
-

VPC Lattice integration options

VPC Lattice target groups
-

Application Recovery Controller (ARC) zonal shift

ARC zonal shift
Disabled

Health checks

Health check type	Health check grace period
EC2	300 seconds

Step 4: Configure group size and scaling policies

Edit

Group size

Desired capacity	Desired capacity type
1	Units (number of instances)

Scaling

Minimum desired capacity	Maximum desired capacity
1	2
Target tracking policy -	

Step 4: Configure group size and scaling policies

Edit

Group size

Desired capacity1

Desired capacity typeUnits (number of instances)

Scaling

Minimum desired capacity1

Maximum desired capacity2

Target tracking policy-

Instance maintenance policy

Replacement behaviorNo policy

Min healthy percentage-

Max healthy percentage-

Additional settings

Instance scale-in protectionDisabled

MonitoringDisabled

Default instance warmupDisabled

Auto Scaling group deletion protectionNone (default)

Capacity Reservation preference

PreferenceDefault

Capacity Reservation IDs-

Resource Groups-

Step 5: Add notifications

Edit

Notifications

No notifications

Step 5: Add notifications

Edit

Notifications

No notifications

Step 6: Add tags

Edit

Tags (1)

KeyValue

Tag new instances

NameASG-AngelGonzalez

Yes

Preview code

Cancel

Previous

Create Auto Scaling group

AngelGonzalezPadilla-AGS created successfully

Auto Scaling groups (10)

Last updated less than a minute ago

Launch configurationsLaunch templatesActionsCreate Auto Scaling group

Search your Auto Scaling groups

☐	Name	Launch template/configuration	Instances	Status	Desired capacity	Min	Max	Availability Zones	Creation time
☒	AngelGonzalezPadilla-AGS	AngelGonzalez-Template-EXAMEN3	Ver0	Updating capacity	1	1	2	use1-az5 (us-east-...	Mon Mar 16 2026 20:06:13 GMT-0500 (...)
☐	ASG-duvanacevedo	template-duvanacevedo Version Default	1	-	1	1	2	use1-az1 (us-east-...	Mon Mar 16 2026 20:05:26 GMT-0500 (...)
☐	asg-andres-altamar	tpt-ec2-andres_altamar Version Default	1	-	1	1	2	use1-az1 (us-east-...	Mon Mar 16 2026 20:03:37 GMT-0500 (...)
☐	examenmod2	examenmod2 Version Default	1	-	1	1	2	use1-az1 (us-east-...	Mon Mar 16 2026 20:03:23 GMT-0500 (...)
☐	MateoArenas	MateoArenas Version Default	1	-	1	1	2	2 Availability Zones	Mon Mar 16 2026 20:02:28 GMT-0500 (...)
☐	atg-pablocastano6	Template-pablocastano6 Version Default	1	-	1	1	2	2 Availability Zones	Mon Mar 16 2026 20:00:52 GMT-0500 (...)
☐	AutoScaling-baldo524	LaunchTemplate-baldo542 Version Defa	1	-	1	1	2	use1-az1 (us-east-...	Mon Mar 16 2026 20:00:49 GMT-0500 (...)
☐	practica-asg-santiagorojas	practica-asg-template-santiagorojas Ver	1	-	1	1	2	use1-az6 (us-east-...	Mon Mar 16 2026 19:59:38 GMT-0500 (...)
☐	asg-juan-esteban-mod2	juan-esteban-examen-mod2 Version Def	1	-	1	1	2	2 Availability Zones	Mon Mar 16 2026 19:55:33 GMT-0500 (...)
☐	aws-e-swsatmmupa-stack-AWSEBAutoScalingGroup-LmOpGtIOHq	AWSEBEC2LaunchTemplate_BUWnAixNW	1	-	1	1	1	use1-az1 (us-east-...	Mon Mar 09 2026 22:47:00 GMT-0500 (...)

Instances (1/13) Info

Find Instance by attribute or tag (case-sensitive)

All states

Instance state = running

Clear filters

< 1 >

	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public IPv4 ..
☐		i-01b21ea999c55337f	Running	t2.micro	2/2 checks passec	View alarms +	us-east-1a	ec2-44-199-244-186.co...	44.199.244.1
☐		i-093925f1cb6bd440	Running	t2.micro	2/2 checks passec	View alarms +	us-east-1a	ec2-13-220-311-91.com...	13.220.31.91
☐	servidor-wilsonduvan	i-06cdea93535e169b8	Running	t3.micro	3/3 checks passec	View alarms +	us-east-1f	ec2-44-222-114-196.co...	44.222.114.1
☐		i-047be45c593a7157f	Running	t2.micro	2/2 checks passec	View alarms +	us-east-1d	ec2-13-221-139-46.co...	13.221.139.4
☐		i-0b8fbc9b55a8e8c32	Running	t2.micro	2/2 checks passec	View alarms +	us-east-1b	ec2-18-206-228-219.co...	18.206.228.2
☒	ASG-AngelGonzalez	i-0e6a59b46b5a6d589	Running	t2.micro	2/2 checks passec	View alarms +	us-east-1f	ec2-100-53-219-36.co...	100.53.219.3

Parte 2: Crear una alarma en CloudWatch

1. Alarmas del CPU de la instancia

Specify metric and conditions

Metric

Graph

This alarm will trigger when the blue line goes above the red line for 1 datapoints within 5 minutes.

Percent

60

60%

33.6%

7.17%

22:30

23:00

23:30

00:00

00:30

01:00

CPUUtilization

Namespace

AWS/EC2

Metric name

CPUUtilization

AutoScalingGroupName

AngelGonzalezPadilla-AGS

Statistic

Average

Period

5 minutes

Edit

Conditions

Threshold type

Static

Use a value as a threshold

Anomaly detection

Use a band as a threshold

Whenever CPUUtilization is...

Define the alarm condition.

Greater

> threshold

Greater/Equal

>= threshold

Lower/Equal

<= threshold

Lower

< threshold

than...

Define the threshold value.

60

Must be a number.

Additional configuration

Systems Manager action

This action will trigger only when the alarm is In Alarm state.

Remove

Create Opsitem

This will create an Opsitem within OpsCenter with the specified severity and category.

Create incident

This will start an incident using the response plan as a template.

Severity

Define the severity of Opsitem

3 - Medium

Category (optional)

Define the category of Opsitem

Performance

Preview and create


Step 1: Specify metric and conditions

[Edit](#)

Metric

Graph

This alarm will trigger when the blue line goes above the red line for 1 datapoints within 5 minutes.



Namespace

AWS/EC2

Metric name

CPUUtilization

AutoScalingGroupName

AngelGonzalezPadilla-AG5

Statistic

Average

Period

5 minutes

Conditions

Threshold type

Static

Whenever **CPUUtilization** is

Greater (>)

than...

60

► Additional configuration

Step 2: Configure actions

[Edit](#)

Actions

Systems Manager action

When In alarm, create Opsitem with Severity 3 and Category Performance.

Step 3: Add alarm details

[Edit](#)

Alarm details

Name

Warning 60% Usage

Description

-


► Tags (1)

[Cancel](#)[Previous](#)[Create alarm](#)

Warning 60% Usage

1h **3h** 12h 1d 3d 1w Custom

UTC timezone

[View in alarms](#)[Close](#)

Preview and create


Step 1: Specify metric and conditions

[Edit](#)

Metric

Graph

This alarm will trigger when the blue line goes above the red line for 1 datapoints within 5 minutes.



Namespace

AWS/EC2

Metric name

CPUUtilization

AutoScalingGroupName

AngelGonzalezPadilla-AGS

Statistic

Average

Period

5 minutes

Conditions

Threshold type

Static

Whenever CPUUtilization is
Greater (>)

than...

90

► Additional configuration

Step 2: Configure actions

[Edit](#)

Actions

No actions

You don't have any actions for this alarm.

Step 3: Add alarm details

[Edit](#)

Alarm details

Name

Critical 90% Usage

Critical 90% Usage

[Actions](#)[View](#)[Explore related](#)[Investigate](#)

Graph

[1h](#)[3h](#)[12h](#)[1d](#)[3d](#)[1w](#)[Custom](#)[UTC timezone](#)

CPUUtilization

CPUUtilization > 90 for 1 datapoints within 5 minutes

Insufficient data

Percent 90% **CPUUtilization > 90 for 1 datapoints within 5 minutes - (90)**

45.1%

0.199%

22:30

22:45

23:00

23:15

23:30

23:45

00:00

00:15

00:30

00:45

01:00

01:15

— CPUUtilization



Failed to fetch alarm timeline



Retry

2. Revisar en cloudwatch metricas
Con el ID de mi instancia


Instances (1/24) Info

Find Instance by attribute or tag (case-sensitive)


Instance state = running X Clear filters

	Name	Instance ID	Instance state
☐		i-011304f8efc06a564	Running
☐		i-0522d5418fc40988c	Running
☐		i-0b8fbc9b55a8e8c32	Running
☒	ASG-AngelGo...	i-0e6a59b46b5a6d589	Running

Lo filtramos



Y buscamos las metricas



Parte 3: Revisar eventos en CloudTrail

1. Cloudtrail cuando se creo la instancia EC2

The screenshot shows the AWS CloudTrail console 'Event history' page. It displays a list of events. The event 'RunInstances' is highlighted with a red box. The event details are as follows:

Event name	Event time	User name	Event source	Resource type	Resource name
DescribeAutoScaling...	March 16, 2026, 20:06:15 (UTC-...)	anggonpad@gmail...	autoscaling.amazonaws.com	-	-
DescribeAvailabilityZ...	March 16, 2026, 20:06:15 (UTC-...)	anggonpad@gmail...	ec2.amazonaws.com	-	-
ListZonalShifts	March 16, 2026, 20:06:14 (UTC-...)	anggonpad@gmail...	arc-zonal-shift.amazonaws.com	-	-
RunInstances	March 16, 2026, 20:06:13 (UTC-...)	anggonpad@gmail...	ec2.amazonaws.com	AWS::EC2::Subnet	subnet-0c90bb685bbd4f4c
CreateAutoScalingGr...	March 16, 2026, 20:06:13 (UTC-...)	anggonpad@gmail...	autoscaling.amazonaws.com	AWS::AutoScaling::Aut...	AngelGonzalezPadilla-AGS
ListSubscriptions	March 16, 2026, 20:04:29 (UTC-...)	anggonpad@gmail...	sns.amazonaws.com	-	-
ListTopics	March 16, 2026, 20:04:29 (UTC-...)	anggonpad@gmail...	sns.amazonaws.com	-	-
DescribeCapacityRes...	March 16, 2026, 20:02:19 (UTC-...)	anggonpad@gmail...	ec2.amazonaws.com	-	-

The screenshot shows the details for the 'RunInstances' event. The details are as follows:

Details	Info
Event time	March 16, 2026, 20:06:13 (UTC-05:00)
User name	anggonpad@gmail.com
Event name	RunInstances
Event source	ec2.amazonaws.com
AWS access key	ASIAZQ3DSS4VBFGW4SIT
Source IP address	autoscaling.amazonaws.com
Event ID	1ad17ccb-a882-4fa9-b6c5-2970fcc172af
Request ID	a52fdaf6-1763-4806-bdd6-a625668a6f6b
AWS region	us-east-1
Error code	Client.DryRunOperation
Read-only	false

Resources referenced (1) Info

Resources referenced describes the name or ID of resources that were read or changed by an event

Resource type	Resource name	AWS Config resource timeline
AWS::EC2::Subnet	subnet-0c90bb685bbd4f4c	Enable AWS Config resource recording

Ya que la instancia se creo automaticamente desde el ASG el invoked va a salir desde amazon y no mi IAM

```
4      "type": "IAMUser",
5      "principalId": "AIDAZQ3DSS4VNAA4RVRP7",
6      "arn": "arn:aws:iam::654654478122:user/students/anggonpad@gmail.com",
7      "accountId": "654654478122",
8      "accessKeyId": "ASIAZQ3DSS4VBF6W4SIT",
9      "userName": "anggonpad@gmail.com",
10     "sessionContext": {
11       "attributes": {
12         "creationDate": "2026-03-17T00:41:06Z",
13         "mfaAuthenticated": "false"
14       },
15       "invokedBy": "autoscaling.amazonaws.com"
16     },
17     "eventTime": "2026-03-17T01:06:13Z",
18     "eventSource": "ec2.amazonaws.com",
19     "eventName": "RunInstances",
20     "awsRegion": "us-east-1",
21     "sourceIPAddress": "autoscaling.amazonaws.com",
22     "userAgent": "autoscaling.amazonaws.com",
23     "errorCode": "Client.DryRunOperation",
24     "errorMessage": "Request would have succeeded, but DryRun flag is set.",
25     "requestParameters": {
26       "instancesSet": {
27         "items": [
28           {
29             "minCount": 1,
30             "maxCount": 1
31           }
32         ]
33       }
34     },
```

2. Acciones usuario IAM

Event history (450+) Info

Download events Query in Lake Create Athena t

Event history shows you the last 90 days of management events.

Lookup attributes

User name anggonpad@gmail.com Filter by date and time Clear filter

Event name	Event time	User name	Event source	Resource type	Resource name
LookupEvents	March 16, 2026, 20:32:23 (UTC-...	anggonpad@gmail...	cloudtrail.amazonaws.com	-	-
LookupEvents	March 16, 2026, 20:32:23 (UTC-...	anggonpad@gmail...	cloudtrail.amazonaws.com	-	-
DescribeConfiguratio...	March 16, 2026, 20:31:08 (UTC-...	anggonpad@gmail...	config.amazonaws.com	-	-
LookupEvents	March 16, 2026, 20:30:43 (UTC-...	anggonpad@gmail...	cloudtrail.amazonaws.com	-	-
LookupEvents	March 16, 2026, 20:30:35 (UTC-...	anggonpad@gmail...	cloudtrail.amazonaws.com	-	-

Bonus. Parte 4 : Creación de función lambda

1. Crear lambda

Create function [Info](#)

Choose one of the following options to create your function.

☒ **Author from scratch**
Start with a simple Hello World example.

☐ **Use a blueprint**
Build a Lambda application from sample code and configuration presets for common use cases.

☐ **Container image**
Select a container image to deploy for your function.

Basic information

Function name
Enter a name that describes the purpose of your function.

CheckEC2-status

Function name must be 1 to 64 characters, must be unique to the Region, and can't include spaces. Valid characters are a-z, A-Z, 0-9, hyphens (-), and underscores (_).

Runtime [Info](#)
Choose the language to use to write your function. Note that the console code editor supports only Node.js, Python, and Ruby.

Python 3.14

Durable execution - new [Info](#)
Enable durable execution to simplify building resilient multi-step applications that checkpoint progress and resume after interruptions. Supports Python and Node.js runtimes. [View pricing](#)

☐ Enable

Architecture [Info](#)
Choose the instruction set architecture you want for your function code.

☐ arm64
☒ x86_64

Permissions [Info](#)
By default, Lambda will create an execution role with permissions to upload logs to Amazon CloudWatch Logs. You can customize this default role later when adding triggers.

CheckEC2-status

[Throttle](#) [Copy ARN](#) [Actions](#)

Function overview [Info](#)

Diagram

Template

CheckEC2-status

Layers (0)

[+ Add trigger](#)

Description

-

Last modified

11 minutes ago

Function ARN

arn:aws:lambda:us-east-1:654654478122:function:CheckEC2-status

[Export to Infrastructure Composer](#)

[Download](#)

[+ Add destination](#)

2. Código python

```
import boto3
import json

def lambda_handler(event, context):
    # Inicializar el cliente de EC2
    ec2 = boto3.client('ec2')

    try:
        # Describir las instancias
        response = ec2.describe_instances()

        print("--- Listado de Instancias EC2 ---")

        instancias_encontradas = False

        for reservation in response['Reservations']:
            for instance in reservation['Instances']:
                instancias_encontradas = True

        # Extraer la información solicitada
```

```

        instance_id = instance.get('InstanceId')
        estado = instance.get('State', {}).get('Name')
        tipo = instance.get('InstanceType')

        # Registrar la información en CloudWatch Logs (vía
print)

        info = f"ID: {instance_id} | Estado: {estado} | Tipo:
{tipo}"

        print(info)

    if not instancias_encontradas:
        print("No se encontraron instancias en esta región.")

    return {
        'statusCode': 200,
        'body': json.dumps('Consulta de instancias completada
exitosamente')
    }

except Exception as e:
    print(f"Error al consultar instancias: {str(e)}")
    return {
        'statusCode': 500,
        'body': json.dumps('Error en la ejecución')
    }

```

Ya que la funcion no tiene permisos para ver los EC modificamos las policies del rol de la lambda

Policy was successfully attached to role.

CheckEC2-status-role-ly96os2v [Info](#) [Delete](#)

Summary

Creation date
March 16, 2026, 20:43 (UTC-05:00)

Last activity
-

ARN
[arn:aws:iam::654654478122:role/service-role/CheckEC2-status-role-ly96os2v](#)

Maximum session duration
1 hour

[Edit](#)

[Permissions](#) | [Trust relationships](#) | [Tags](#) | [Last Accessed](#) | [Revoke sessions](#)

Permissions policies (2) [Info](#)

You can attach up to 10 managed policies.

Filter by Type
All types

☐	Policy name i	Type	Attached entities
☐	AmazonEC2Read...	AWS managed	4
☐	AWSLambdaBasicExec...	Customer manag...	1

▶ **Permissions boundary** (not set)

Buscamos el log group

Log groups

Data sources - new

Summary

► Get-set-go with unified data store

Log groups (70)

By default, we only load up to 10,000 log groups.

Q check

X

1 match

☒ Exact match

< 1 >

⚙

☐ Log group

▼

Log class

▼

Anomaly d...

▼

Deletion ...

▼

Bearer to...

▼

Data p...

▼

Sensiti...

▼

Retenti...

▼

Metri...

☐ /aws/lambda/CheckEC2-status

Standard

-

⊖ Off

⊖ Off

-

-

Never exp...

-

/aws/lambda/CheckEC2-status

Actions ▼

View in Logs Insights

Start tailing

Search log group

▼ Log group details

Log class

Info

Standard

ARN

am:aws:logs:us-east-1:654654478122:log-group:/aws/lambda/CheckEC2-status:*

Creation time

-

Retention

Never expire

Stored bytes

-

Account

-

Metric filters

Subscription filters

Contributor Insights rules

KMS key ID

Deletion protection

Data protection

Not supported

Not supported

Not supported

-

⊖ Off

-

Sensitive data count

Custom field indexes

Transformer

Anomaly detection

Bearer token authentication

Not supported

Not supported

Not supported

Not supported

⊖ Off

Log streams

Tags

Data protection

Anomaly detection

Metric filters

Subscription filters

Contributor Insights

Field indexes

Transformer

Log streams (1)

By default, we only load the most recent log streams.

Q Filter log streams or try prefix search

Exact match

Show expired

Info

< 1 >

⚙

☐ Log stream

▼

Last event time

▼

☐ 2026/03/17/[\$LATEST]6e0db7ec6fd4487c8de928532a7fa3d6

2026-03-17 01:53:54 (UTC)

Log events

You can use the filter bar below to search for and match terms, phrases, or values in your log events. [Learn more about filter patterns](#)

Q Filter events - press enter to search

Clear

1m

30m

1h

12h

Custom

UTC timezone

Display ▼

⚙

► | Timestamp

Message

►

No older events at this moment. [Retry](#)

► 2026-03-17T01:53:54.182Z

INIT_START Runtime Version: python3.14.v35 Runtime Version ARN: arn:aws:lambda:us-east-1::runtime:6e4c2a8804e47c3599d89c0a896af2312961578a554...

► 2026-03-17T01:53:54.493Z

START RequestId: 89656ebf-5aba-459b-834a-b61ecc754be7 Version: \$LATEST

► 2026-03-17T01:53:57.551Z

END RequestId: 89656ebf-5aba-459b-834a-b61ecc754be7

► 2026-03-17T01:53:57.551Z

REPORT RequestId: 89656ebf-5aba-459b-834a-b61ecc754be7 Duration: 3000.00 ms Billed Duration: 3308 ms Memory Size: 128 MB Max Memory Used: 100 ...

No newer events at this moment. [Auto retry paused. Resume](#)