pulimi_keerthi@keerthi-VirtualBox:~\$ ssh bandit0@bandit.labs.overthewire.org -p 2220
This is a OverTheWire game server. More information on http://www.overthewire.org/wargames
bandit0@bandit.labs.overthewire.org's password:
Linux bandit.otw.local 5.4.8 x86_64 GNU/Linux
,-----,

Welcome to OverTheWire!

```
bandito@bandit:-$ ls
readme
bandit@@bandit:~$ cat readme
boJ9jbbUNNfktd7800psq0ltutMc3MY1
```

bandito@bandit:-\$ bandit1@bandit:-\$ ls

bandit1@bandit:-\$ cat ./-

CV1DtqXWVFXTvM2F0k09SHz0YwRINYA9 bandit1@bandit:-\$

bandit2@bandit:~\$ ls spaces in this filename

UmHadQclWmgdLOKQ3YNgjWxGoRMb5luK

bandit2@bandit: \$ cat 'spaces in this filename'

```
bandit3@bandit:-S ls
inhere
bandit3@bandit:- S cat inhere
cat: inhere: Is a directory
bandit3@bandit:-5 cd inhere
bandit3@bandit:~/inhere$ ls -a
. hidden
bandit3@bandit:~/inhere$ cd .hidden
-bash: cd: .hidden: Not a directory
bandit3@bandit:~/inhere$ cat .hidden
pIwrPrtPN36QITSp3EQaw936yaFoFgAB
```

```
Danuttampanutt: -5 ts
inhere
bandit4@bandit:-$ cd inhere/
bandit4@bandit:~/inhere$ ls
-file00 -file01 -file02 -file03 -file04 -file05 -file06 -file07 -file08
                                                                                 -file09
bandit4@bandit:~/inhere$ file ./-file00
./-file00: data
bandit4@bandit:~/inhere$ find -type f | xargs file
./-file01: data
./-file00: data
./-file06: data
./-file03: data
./-file05: data
./-file08: data
./-file04: data
./-file07: ASCII text
./-file02: data
./-file09: data
bandit4@bandit:~/inhere$ cat ./-file07
koReBOKuIDDepwhWk7jZC0RTdopnAYKh
```

```
tnhere
bandit5@bandit:~$ cd inhere/
bandit5@bandit:~/inhere$ find . -type f -size 1033c ! -executable
./maybehere07/.file2
bandit5@bandit:~/inhere$ cat ./maybehere07/.file2
```

bandit5@bandit:~\$ ls

DXjZPULLxYr17uwoI01bNLQbtFemEgo7

```
find: '/var/cache/ldconfig': Permission denied
bandit6@bandit:=$ cat /var/lib/dpkg/info/bandit7.password
HKBPTKOnIay4Fw76bEy8PVxKEDORKTzs
```

```
bandit7@bandit: $ ls
data.txt
bandit7@bandit: $ grep data.txt millionth
grep: millionth: No such file or directory
bandit7@bandit: $ grep millionth data.txt
millionth cvX2JJa4CFALtqS87jk27qwqGhBM9plV
```

10 TKUtObeYnEzzYIne7BinoBx2bHFLBXzG 10 TThRArdF2ZEXM047TIYkyPPLtvzzLcDf 10 tVW9iY1MlOuHPK4usZnN8oZXbjRt2ATY 10 U0NYdD3wHZKpfEg9qGQOLJimAJy6qxhS 10 UASW6COwD6MRzftu6FAfyXBK0cVvnBLP 10 UJiCNvDNfgb3fcCj8PjjnAXHqUM63Uyj 10 UjsVbcqKeJqdCZQCDMkzv6A9X7hLbNE4 1 UsvVyFSfZZWbi6wgC7dAFyFuR6jQQUhR 10 UVnZvhiVOECraz5jl8U14sMVZOhjuXia 10 V2d9umHiuPLYLIDsuHj0fr0EmreCZMaA 10 v9zaxkVAOdIOlITZY2uoCtB1fX2gmly9 10 VkBAEWyIibVkeURZV5mowiGg6i3m7Be0

```
bandit9@bandit:~$ strings data.txt | grep "="
======== the*2i"4
=:G e
====== password
<I=zsGi
Z)======= is
A=|t&E</pre>
```

*SF=s &======== truKLdjsbJ5g7yyJ2X2R0o3a5HQJFuLk S=A.H&^

bandit9@bandit:~\$

Zdb=

c^ LAh=3G

```
data.txt
bandit10@bandit:-$ man base64
bandit10@bandit:-$
bandit10@bandit:-$ base64 -d data.txt
The password is IFukwKGsFW8MOq3IRFqrxE1hxTNEbUPR
```

bandit10@bandit:-\$ ls

bandit11@bandit:~\$ ls
data.txt
bandit11@bandit:~\$ cat data.txt
Gur cnffjbeq vf 5Gr8L4qetPEsPk8htqjhRK8XSP6x2RHh
bandit11@bandit:~\$ tr a-zA-Z n-za-mN-ZA-M
Gur cnffjbeq vf 5Gr8L4qetPEsPk8htqjhRK8XSP6x2RHh

The password is 5Te8Y4drgCRfCx8ugdwuEX8KFC6k2EUu

```
bandit14@bandit:~$ ls
bandit14@bandit:~$ cat /etc/bandit_pass/bandit14
4wcYUJFw0k0XLShlDzztnTBHiqxU3b3e
bandit14@bandit:~$
```

```
bandit15@bandit:~$ ncat --ssl localhost 30001
BfMYroe26WYalil77FoDi9qh59eK5xNr
Correct!
cluFn7wTiGryunymYOu4RcffSxQluehd
```