("Web Technology")

CLOUD KITCHEN(online food delivery)

Puli Sai Teja

Source code:

1.Home page:

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
   <title>CloudKitchen</title>
</head>
<body class="bg-dark">
   <nav class="navbar navbar-expand-lg navbar-light" style="background:</pre>
linear-gradient(135deg , darkblue,white);">
 <div class="container-fluid">
   <a style="font-size: larger; font-family: 'Lucida Sans', 'Lucida Sans'</pre>
Regular', 'Lucida Grande', 'Lucida Sans Unicode', Geneva, Verdana,
sansserif;font-weight: bold;"class="navbar-brand text-white" href="#">Cloud
Kitchen</a>
   <button class="navbar-toggler" type="button" data-bs-toggle="collapse"</pre>
data-bs-target="#navbarNavDropdown" aria-controls="navbarNavDropdown"
ariaexpanded="false" aria-label="Toggle navigation">
     <span class="navbar-toggler-icon"></span>
</button>
   <div class="collapse navbar-collapse" id="navbarNavDropdown">
     <a class="nav-link active text-black-50" aria-current="page"</pre>
href="C:\Users\saite\OneDrive\Desktop\notepads -2\Web Technology\Project (ca-
2,3,4)\menuWITHlogin.html">Home</a>
       <a class="nav-link text-black-50" href="#">Features</a>
       <a class="nav-link</pre>
text-black-50" href="C:\Users\saite\OneDrive\Desktop\notepads -2\Web
Technology\Project (ca-
2,3,4)\pricingDetails.html">Pricing</a>
       class="nav-link dropdown-toggle" href="#" id="navbarDropdownMenuLink"
role="button" data-bs-toggle="dropdown" ariaexpanded="false">
```

```
Menu
         </a>
          <a href="C:\Users\saite\OneDrive\Desktop\notepads -2\Web</pre>
Technology\Project (ca-2,3,4)\Registration formP.html" class="btn btn-
outlineprimary">Register</a>
          <a href= "C:\Users\saite\OneDrive\Desktop\notepads -2\Web
Technology\Project (ca-2,3,4)\ProjectHtml-1.html" class="btn
btnwarning">Login</a>
          <a class="dropdown-item" href="#">Action</a>
           <a class="dropdown-item" href="#">Another action</a>
           <a class="dropdown-item" href="#">Something else here</a>
         </div>
  </div>
</nav>
<div id="carouselExampleControls" class="carousel slide" data-</pre>
bsride="carousel">
  <div class="carousel-inner w-100 container">
   <div class="carousel-item active">
     <img src="https://images.pexels.com/photos/1640773/pexels-photo-</pre>
1640773.jpeg?auto=compress&cs=tinysrgb&w=600" class="d-block w-100" alt="..."
width="100%" >
   </div>
   <div class="carousel-item">
     <img src="https://images.pexels.com/photos/375467/pexels-photo-</pre>
375467.jpeg?auto=compress&cs=tinysrgb&w=600 "class= "d-block w-100" alt="..."
width="100%">
   </div>
   <div class="carousel-item">
     <img src="https://images.pexels.com/photos/693267/pexels-photo-</pre>
693267.jpeg?auto=compress&cs=tinysrgb&w=600" class="d-block w-100" alt="..."
width="100%">
   </div>
  </div>
              class="carousel-control-prev"
                                                type="button"
                                                                   data-
bstarget="#carouselExampleControls" data-bs-slide="prev">
   <span class="carousel-control-prev-icon" aria-hidden="true"></span>
   <span class="visually-hidden">Previous</span>
</button>
```

```
<button class="carousel-control-next" type="button" data-</pre>
bstarget="#carouselExampleControls" data-bs-slide="next">
    <span class="carousel-control-next-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Next</span>
  </button>
</div>
           <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</body>
```

2.Login page with validation

```
<!DOCTYPE html>
<html>
<head>
 <link rel="stylesheet" href="C:\Users\saite\OneDrive\Documents\Html</pre>
DOC\ProjectCSS-2.css">
    <title>Login Page </title>
</head> <style> body {
                           background-image: url("
https://images.pexels.com/photos/1640774/pexelsphoto-
1640774.jpeg?auto=compress&cs=tinysrgb&w=600");
                                                    background-size: cover;
width: 100vh; background-repeat: no-repeat;
</style>
<body class="body1">
  <script>
       function
validation()
user=document.f1.username.value;
pass=document.f1.pass.value;
if(user.Length<4 || pass.Length<4)</pre>
                 alert("username or password is too
short");
                          else
if(user=="" || pass=="")
```

```
alert("username of password cant
be blank");
                else if(user=="pulisaiteja" &&
       }
pass==6309375684)
                alert("User succesfully
Logged in");
window.Location.href="Menu_page";
                else
alert("username or password is incorrect");
   </script>
   <h1 style="text-decoration: underline; text-decoration-color:black;</pre>
margin-top: 3%;color: white;font-family :'Segoe UI', Tahoma, Geneva, Verdana,
sans-serif ;background:-lineargradient()(135deg,white,lightblue);">Cloud
Kitchen</h1>
  <div class="box">
    <div class="email">
      <a href="https://mail.google.com/mail/u/0/#inbox">
        Continue with E-Mail
    </div></a>
    <a href=" https://www.google.com/intl/en-GB/gmail/about/">
      <div class="google">Continue with Google</div>
    <h2 style="text-align: center;">or</h2>
    <hr style="border: dotted;">
    <form class="label1" name="f1" value="" onsubmit="validation();">
<label style="margin-left: 4%;">Enter id:<input type="text" name="username"</pre>
value=""><br><br>
        <label>Password :<input type="password" name="pass"value="">
          <button class="button1"</pre>
type="submit"formaction="Menu_page.html">submit</button>
        </label>
      </label>
    </form>
  </div>
</body>
</html>
```

```
<!DOCTYPE html>
<html>
    <title>Food Delivery Menu</title>
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
    <link rel="stylesheet" type="text/css" href="style.css">
</head> <style>
                              font-
                   body {
family: Arial, sans-serif;
background-color: #f5f5f5;
background-color: lightslategray;
.container {
                max-
width: 1200px;
margin: 0 auto;
padding: 50px 20px;
} h1 { text-align:
center; margin-
                font-
bottom: 50px;
style: italic;
.menu-item {
   background-color: #fff;
border: 1px solid #ddd;
padding: 20px;
                 margin-
               text-align:
bottom: 30px;
center;
.menu-item img {
                    max-
width: 100%;
               margin-
bottom: 20px;
.menu-item h3 {      margin-
top: 0;
.menu-item p {
```

```
margin-bottom: 20px;
.btn-primary {
                   background-
color: #dc3545;
                  border-
color: #dc3545;
.btn-primary:hover { background-
color: #c82333; border-color:
#bd2130;
@media (max-width: 767px) {
    .menu-item {
padding: 20px 10px;
</style>
<body>
    <a href="C:\Users\saite\OneDrive\Desktop\notepads -2\Web</pre>
Technology\Project (ca-2,3,4)\Order at restuarent.html">
    <h1 style="background: whitesmoke; ">BOOK TABLE</h1></a>
    <a href="C:\Users\saite\OneDrive\Desktop\notepads -2\Web</pre>
Technology\Project (ca-2,3,4)\index.html">
        <button class="btn-success">Sign Out</button></a><br><br>
    <a href="C:\Users\saite\OneDrive\Desktop\notepads -2\Web</pre>
Technology\Project (ca-2,3,4)\order cancellation.html">
    <h4 style="width: 100px; display: inline;" class="btn-danger">Cancel
Order</h4></a>
    <div class="container">
        <h1>Menu Items</h1>
        <div class="row">
            <div class="col-md-4">
                <div class="menu-item">
                    <img src="C:\Users\saite\Downloads\cx.jpeg" alt="Menu Item</pre>
Image">
                    <h3>Hyderabad Dum Biyani</h3>
                    110 Rupees after discount
                    Description: Fully flavoured masala biryani with rich
added ingredients 
                    <button class="btn btn-primary">Add to Cart</button>
                </div>
            </div>
```

```
<div class="col-md-4">
               <div class="menu-item">
                   <img src="C:\Users\saite\Downloads\bb.jpeg" alt="Menu Item</pre>
Image">
                   <h3>Veg Poulav</h3>
                   120 Rupees Special offer
                   >Description:Andhra Ruchulu sankranthi Special dish
<button class="btn btn-primary">Add to Cart</button>
               </div>
           </div>
           <div class="col-md-4">
               <div class="menu-item">
                   <img src="C:\Users\saite\Downloads\fc.jpeg" alt="Menu Item</pre>
Image">
                   <h3>Mysore Bonda</h3>
                   Price: 50 Rupees only 
                   >Description: Special Mysore Bondam
                   <button class="btn btn-primary">Add to Cart
               </div>
           </div>
       </div>
    </div>
    <div class="container">
       <div class="row">
           <div class="col-md-4">
               <div class="menu-item">
                   <img src="C:\Users\saite\Downloads\idli1.jpg" alt="Menu</pre>
Item Image">
                   <h3>Sambar Idli</h3>
                   60 Extra 2Pieces
                   >Description: Added Sambar with idli gives yummy taste
<button class="btn btn-primary">Add to Cart
           <div class="col-md-4">
               <div class="menu-item">
                   <img src="C:\Users\saite\Downloads\pea.jpg" alt="Menu Item</pre>
Image">
                   <h3>Peanut Sandwich</h3>
                   Price: 70 Rupees 
                   >Description: Sandwich with salad and natural peanut
```

```
<button class="btn btn-primary">Add to Cart</button>
                </div>
            </div>
        </div>
    </div>
    <div style="background: #ddd; height: 30px;"class="container text-center">
        <div class="row">
          <div class="col">
            <a href="C:\Users\saite\OneDrive\Desktop\notepads -2\Web</pre>
Technology\Project (ca-2,3,4)\helpdesk.html">
             <h1 style="font-family: 'Times New Roman', Times, serif;
margintop: -30px; text-decoration: dotted;color:black;font-weight:
bold;">Customer
Support</h1></a>
          </div>
</body>
</html>
```

4. Book table from home page

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
   <style>
h1{
        text-align: center;
                   border:
font-size: 65px;
1px solid black;
background-color: palegreen;
                      background-
          body{
repeat: no-repeat;
background-size: cover;
         input[type=text]{
margin-bottom: 20px;
margin-left: 1px;
width: 165px;
padding: 5px;
margin-top: 20px;
```

```
.main-div{
                      border: 1px
solid yellow;
                     margin-left:
80px;
             margin-right: 990px;
font-size: 18px;
                        margin-
                  padding: 50px;
top: 10px;
background-color: palegreen;
color: black;
                  label{
margin-bottom: 15px;
margin-left: 1px;
font-size: 18px;
color: black;
input[list=station]{
margin-bottom: 15px;
margin-top: 15px;
padding: 5px;
margin-left: 1px;
input[list=restaurant]{
margin-bottom: 15px;
padding: 5px;
                     margin-
left: 1px;
                 margin-
top: 15px;
         input[list=menu]{
margin-bottom: 15px;
padding: 5px;
margin-left: 1px;
margin-top: 15px;
         input[type=submit]{
border-radius: 5px;
                              text-
align: center;
                        width: 150px;
margin: 30px 50px 0px 20px;
background-color: rgb(0,100,0);
           font-family: Cambria, Cochin, Georgia, Times, 'Times New
                                                         padding: 5px;
Roman', serif;
                         font-size: 25px;
cursor: pointer;
                            color:white;
                                                   border: none;
```

```
</style>
</head>
<body background="meal back.jpg">
    <a href="C:\Users\saite\OneDrive\Desktop\notepads -2\Web</pre>
Technology\Project (ca-2,3,4)\Menu_page.html">
        <button class="btn-success">-Back/o>
    <h1>
         BOOK TABLE
    </h1>
    <form action="" method="">
        <div class="main-div" style="border: 3px solid white;</pre>
borderradius:8px;border-width:2px;">
            Table No. <br/>
input type="text" placeholder="Enter Table
Number"><br>
                       <br> <input type="text" placeholder="Enter No. Of</pre>
            Members
Members"><br>
            Item <br> <input list="station" for="station" placeholder="Select</pre>
Item"><br>
            <datalist id="station">
                <option value="Hyderabad Dum Biryani"></option>
                <option value="Veg Poulav"></option>
                <option value="Mysore Bonda"></option>
                <option value="Sambar Idli"></option>
                <option value="Ulva Charu Biryani"></option>
                <option value="Shewarma"></option>
                <option value="Butterscotch Icecream"></option>
                <option value="Chocolate icecream"></option>
                <option value="Peanut Sandwich"></option>
            </datalist>
            <label for="restaurant">RESTAURANTS</label><br>
<input list="restaurant" placeholder="Select Restaurants"><br>
            <datalist id="restaurant">
                <option value="Restaurant 1"></option>
                <option value="Restaurant 2"></option>
                <option value="Restaurant 3"></option>
                <option value="Restaurant 4"></option>
                <option value="Restaurant 5"></option>
                <option value="Restaurant 6"></option>
                <option value="Restaurant 7"></option>
                <option value="Restaurant 8"></option>
```

5.Order cancellation page

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Order Cancellation</title>
    <style>
                    h1{
font-size: 80px;
text-align: center;
margin-left: 30px;
margin-right: 20px;
margin-top: 40px;
            font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS',
sans-serif;
            background-color: gray;
.main{
            border: 2px solid
                   padding: 20px;
black;
margin: 10px;
        .main1 p{
                             text-align: center;
family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;
font-size: 50px;
                             margin-top: -5px;
                                                           margin-
bottom: 20px;
```

```
.main1 label{
font-size: 20px;
margin-left: 550px;
input[type=text]{
margin: 15px;
margin-left: 550px;
padding: 10px;
width: 300px;
        }
input[type=checkbox]{
margin-left: 550px;
        .main2 label{
font-size: 20px;
input[type=submit]{
padding: 10px;
margin-left: 550px;
margin-top: 20px;
cursor: pointer;
        .main2 a{
color: rgb(0, 100,0);
text-decoration: none;
        }
    </style>
</head>
<body>
    <a href="C:\Users\saite\OneDrive\Desktop\notepads -2\Web</pre>
Technology\Project (ca-2,3,4)\Menu_page.html">
        <button class="btn-success">-Back</putton></a>
    <h1>
        Cancallation Policy
    </h1>
    <form action="">
        <div class="main">
            <div class="main1">
                CANCEL ORDER
                <label for="bid">Enter order id</label> <br>
                <input type="text" id="bid" placeholder="Your order id"><br>
                <label for="num"> Item</label> <br>
                <input type="text" id="num" placeholder="Item ordered"><br>
</div>
            <div class="main2">
                <input type="checkbox" id="ter">
```

6.Customer support page

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Customer Support</title>
    <style>
        .contact-us{
padding: 20px;
font-size: 30px;
        .write-us{
padding: 20px;
font-size: 30px;
    </style>
</head>
<body>
    <a href="C:\Users\saite\OneDrive\Desktop\notepads -2\Web</pre>
Technology\Project (ca-2,3,4)\Menu_page.html">
        <button class="btn-success">-Back</putton></a><br><br>
    <h1 style="text-align:center;background-color:orange;font-</pre>
size:80px;fontfamily:'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS',
sans-serif;">
        Customer Support
    <h2 style="text-align:center;font-family:'Franklin Gothic Medium', 'Arial</pre>
Narrow', Arial, sans-serif;font-size:60px;">
        HELP DESK
    </h2>
```

```
<h3 style="text-align: center;font-style:italic; border: 5px; font-size:</pre>
45px;font-weight:200;">
       This help-desk is provided to meet with users issues and make them
happy by handling their issues and providing a fast and helpful result. <br>
We hope that you won't be suffered with any of issues by our side, if any,
fell free to contact us through mentioned helpdesks.
    For Payment Related : <a
href="infoftickets@twu.co.in">infoftickets@twu.co.in</a> <br>
For cancellation of Order : <a
href="cancelftickets@twu.co.in">cancelftickets@twu.co.in</a><br>
For discrepancy : <a
href="helpftickets@twu.co.in">helpftickets@twu.co.in</a><br>
<div class="contact-us">
       Contact-us : <a href="1800-78945-78945">1800-78945-78945</a>, <a
href="1800-45625-45625">1800-45625-45625</a>
    <div class="write-us">
       Write us : <br>
       9th Floor <br>
           Travel With Us<br>
           Azure Heights <br>
           Phagwara, Punjab-144001 <br>
    </div>
</body>
</html>
```

7. Payment details

```
</div>
        <div class="form-group">
          <label for="customer-address">Customer Address:</label>
<input type="text" class="form-control" id="customer-address"</pre>
name="customer-address">
        </div>
        <div class="form-group">
          <label for="card-number" >Card Number:</label>
          <input type="text" class="form-control" id="card-number"</pre>
name="cardnumber"style="margin-left: 29px;" >
        </div>
        <div class="form-group">
          <label for="card-expiry">Card Expiry:</label>
          <input type="text" class="form-control" id="card-expiry"</pre>
name="cardexpiry"style="margin-left: 37px;" >
        </div>
        <div class="form-group">
          <label for="card-cvc">Card CVC:</label>
          <input type="text" class="form-control" id="card-cvc"</pre>
name="cardcvc" style="margin-left: 48px;">
                                                    </div>
        <div class="form-group">
          <label for="billing-amount">Billing Amount:</label>
          <input type="text" class="form-control" id="billing-amount"</pre>
name="billing-amount"style="margin-left: 16px;" >
        </div><br><br>>
        <button type="submit" class="btn btn-primary bg">Submit
Payment</button>
      </form>
 </body>
 </html>
```

8. Pricing details

```
<!doctype html>
<html lang="en">
<head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- Bootstrap CSS -->
</meta name="viewport" content="width=device-width">
    <!-- Bootstrap CSS -->
```

```
k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0beta1/dist/css/bootstrap.mi
n.css" rel="stylesheet"
integrity="sha384giJF6kkoqNQ00vy+HMDP7azOuL0xtbfIcaT9wjKHr8RbDVddVHyTfAAsrekw
KmP1" crossorigin="anonymous">
  <title>Bootstrap 5.0 Pricing Table</title>
  <style>
    .header {
background:#00C9FF;
   } .bi {
color:#00C9FF;
    .price { color:white;
font-size: 150px;
                       font-
weight: 800; padding-top:-
80% !important;
   /* The flip card container - set the width and height to whatever you
want. We have added the border property to demonstrate that the flip itself
goes out of the box on hover (remove perspective if you don't want the 3D
            .flip-card {
effect */
                              background-color: transparent;
auto;
           height: auto;
                               perspective: 1000px; /* Remove this if you
don't want the 3D effect */
   /* This container is needed to position the front and back side */
    .flip-card-inner {
position: relative;
                         width:
           height: 100%;
100%;
text-align: center;
transition: transform 0.8s;
transform-style: preserve-3d;
   /* Do an horizontal flip when you move the mouse over the flip box container
    .flip-card:hover
                      .flip-card-inner
transform: rotateY(180deg);
```


```
/* Position the front and back side
      .flip-card-front, .flip-card-back
       position: absolute;
                                width:
100%;
           height: 100%;
     -webkit-backface-visibility: hidden; /* Safari */ backface-
visibility: hidden;
    /* Style the front side (fallback if image is missing) */
    .flip-card-front {
background-color: #00C9FF;
color: white;
                  height:
auto;
         padding:50px 0px;
   /* Style the back side */
    .flip-card-back {
background-color: white;
color: black;
                 transform:
rotateY(180deg);
padding:50px 0px;
 </style>
</head>
<body>
  <div class="container p-5">
   <div class="row">
     <div class="col-lg-4 col-md-12 mb-4">
       <div class="h-100 flip-card">
         <div class="flip-card-inner">
           <div class="flip-card-front">
             <span class="price">70%</span><br>Discount
             <h2 class="card-title"></h2>
             <small>Individual</small>
           </div>
           <div class="flip-card-back">
            class="list-group-item"><svg xmlns="http://www.w3.org/2000/svg" width="16"</pre>
height="16" fill="currentColor" class="bi bi-check" viewBox="0 0 16 16">
```


```
<path d="M10.97 4.97a.75.75 0 0 1 1.07 1.051-3.99 4.99a.75.75</pre>
0 0 1-1.08.02L4.324 8.384a.75.75 0 1 1 1.06-1.06l2.094 2.093
3.4734.425a.267.267 0 0 1 .02-.022z"/>
                                                            <1i
             </svg> Hyderabad Dum Biryani
class="list-group-item"><svg xmlns="http://www.w3.org/2000/svg" width="16"
height="16" fill="currentColor" class="bi bi-check" viewBox="0 0 16 16">
               <path d="M10.97 4.97a.75.75 0 0 1 1.07 1.051-3.99 4.99a.75.75</pre>
0 0 1-1.08.02L4.324 8.384a.75.75 0 1 1 1.06-1.06l2.094 2.093 3.473-
4.425a.267.267 0 0 1 .02-.022z"/>
             </svg> Chicken Mandi
                                                   item"><svg xmlns="http://www.w3.org/2000/svg" width="16" height="16"
fill="currentColor" class="bi bi-check" viewBox="0 0 16 16">
               <path d="M10.97 4.97a.75.75 0 0 1 1.07 1.05l-3.99 4.99a.75.75</pre>
0 0 1-1.08.02L4.324 8.384a.75.75 0 1 1 1.06-1.06l2.094 2.093 3.473-
4.425a.267.267 0 0 1 .02-.022z"/>
             </svg> Chicken Shewarma
           <button class="my-5 btn btn-outline-success"</pre>
btnlg">Select</button>
         </div>
       </div>
     </div>
    </div>
    <div class="col-lg-4 col-md-12 mb-4">
     <div class="h-100 flip-card">
       <div class="flip-card-inner">
         <div class="flip-card-front">
           <span class="price">50%</span><br>Discount
           <h2 class="card-title"></h2>
           <small>Full</small>
         </div>
         <div class="flip-card-back">
          class="list-group-item"><svg xmlns="http://www.w3.org/2000/svg" width="16"
height="16" fill="currentColor" class="bi bi-check" viewBox="0 0 16 16">
             <path d="M10.97 4.97a.75.75 0 0 1 1.07 1.051-3.99 4.99a.75.75 0</pre>
0 1-1.08.02L4.324 8.384a.75.75 0 1 1 1.06-1.0612.094 2.093 3.473-
4.425a.267.267 0 0 1 .02-.022z"/>
                                            </svg> Veg Pulav
<svg xmlns="http://www.w3.org/2000/svg"</pre>
width="16" height="16" fill="currentColor" class="bi bi-check" viewBox="0 0
16 16">
```


```
<path d="M10.97 4.97a.75.75 0 0 1 1.07 1.051-3.99 4.99a.75.75 0</pre>
0 1-1.08.02L4.324 8.384a.75.75 0 1 1 1.06-1.06l2.094 2.093 3.4734.425a.267.267
0 0 1 .02-.022z"/>
           </svg> Sambar Idli
           <svg xmlns="http://www.w3.org/2000/svg"</pre>
width="16" height="16" fill="currentColor" class="bi bi-check" viewBox="0 0 16
16">
             <path d="M10.97 4.97a.75.75 0 0 1 1.07 1.051-3.99 4.99a.75.75 0</pre>
0 1-1.08.02L4.324 8.384a.75.75 0 1 1 1.06-1.06l2.094 2.093 3.473-
4.425a.267.267 0 0 1 .02-.022z"/>
           </svg> Mysore Bonda
         <button class="my-5 btn btn-outline-success btn-lg">Select</button>
       </div>
     </div>
   </div>
  </div>
 <div class="col-lg-4 col-md-12 mb-4">
   <div class="h-100 flip-card">
     <div class="flip-card-inner">
       <div class="flip-card-front">
         <span class="price">20%</span><br>Discount
         <br>
         <h2 class="card-title"></h2>
         <small> On Family Pack</small>
       </div>
       <div class="flip-card-back">
        <svg xmlns="http://www.w3.org/2000/svg"</pre>
width="16" height="16" fill="currentColor" class="bi bi-check" viewBox="0 0 16
16">
           <path d="M10.97 4.97a.75.75 0 0 1 1.07 1.051-3.99 4.99a.75.75 0 0</pre>
1-1.08.02L4.324 8.384a.75.75 0 1 1 1.06-1.06l2.094 2.093 3.473-4.425a.267.267 0
0 1 .02-.022z"/>
         </svg> Chocolate Icecream
         <svg xmlns="http://www.w3.org/2000/svg"</pre>
width="16" height="16" fill="currentColor" class="bi bi-check" viewBox="0 0 16
16">
           <path d="M10.97 4.97a.75.75 0 0 1 1.07 1.05l-3.99 4.99a.75.75 0 0</pre>
1-1.08.02L4.324 8.384a.75.75 0 1 1 1.06-1.06l2.094 2.093 3.473-4.425a.267.267 0
0 1 .02-.022z"/>
         </svg> Butterscotch Icecream
         <svg xmlns="http://www.w3.org/2000/svg"</pre>
width="16" height="16" fill="currentColor" class="bi bi-check" viewBox="0 0 16
16">
```


```
<path d="M10.97 4.97a.75.75 0 0 1 1.07 1.05l-3.99 4.99a.75.75 0 0</pre>
1-1.08.02L4.324 8.384a.75.75 0 1 1 1.06-1.06l2.094 2.093 3.473-4.425a.267.267 0
0 1 .02-.022z"/>
          </svg> Dosa
        <button class="my-5 btn btn-outline-success btn-lg">Select</button>
    </div>
  </div>
</div>
<a href="C:\Users\saite\OneDrive\Desktop\notepads -2\Web Technology\Project</pre>
(ca-2,3,4)\menuWITHlogin.html">
    <button style="margin-top: 400px;margin-left: 1000px;"</pre>
class="btnsuccess">Continue</button></a>
</div>
</div>
</body>
<!-- Option 1: Bootstrap Bundle with Popper -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0beta1/dist/js/boo
tstrap.bundle.min.js"
integrity="sha384ygbV9kiqUc6oa4msXn9868pTtWMgiQaeYH7/t7LECLbyPA2x6"
5Kgf800JFdroafW" crossorigin="anonymous"></script>
</body>
```


Output:













This help-desk is provided to meet with users issues and make them happy by handling their issues and providing a fast and helpful result.



Continue

