# S2 — Quick-add bottom sheet wireframe

| | |
|---|---|
| **Document** | `Docs/wireframes/S2-quick-add.md` |
| **Issue** | EPIC-002 / T2 · S2 (#13) · Parent: #11 |
| **Screen** | SCR-20 Quick-add expense (`Docs/ux/screens.md`). The issue specifies a modal bottom sheet. |
| **Fidelity** | Low: boxes and labels only. Visual polish is M4. |
| **Failure causes from** | `Docs/Scenario analysis.md` (rows `A-xx`) |
| **Index** | `Docs/wireframes/failure-causes.md` |


**Job of the screen.** This screen decides whether expenses actually get logged. It directly tests NFR-01, "quick add in at most 3 taps".

Legend: `[n]` is a callout that matches the annotation table below. `( )` is a chip. `[ ]` is a button or field.

---

## 1. Wireframe — Frame 1: default state

The sheet opens over the dimmed dashboard. The numeric keypad is already open.





*Figma wireframe: Frame 1, default state*

### Happy path, three taps (NFR-01):

```
[ Tap FAB ]  ->  [ Type amount ]  ->  [ Tap Save ]   = 3 taps
Category, date and account are already filled in by the defaults.
Choosing a different category adds one tap.
```

---


## 2. Wireframe — Frame 2: after saving a discretionary expense




*Figma wireframe: Frame 2, after saving*


The goal-cost message shows only for discretionary expenses, uses neutral wording, and carries an Undo action (FR-37, FR-41).

## 3. Wireframe — Frame 3: "More options" expanded




*Figma wireframe: Frame 3, more options expanded*

## 4. Wireframe — Frame 4: validation




*Figma wireframe: Frame 4, validation and offline*

Only the amount is required. A missing category saves as *Uncategorised* (FR-32, BR-13). Inline messages replace blocking dialogs (FR-113).

The sheet never shows its own connectivity state. A save made offline looks exactly like a save made online (FR-39). Only the app-wide offline banner shows that the device is offline (FR-110).

---

## 5. Annotations — the failure each element fixes

| Callout | Wireframe element | Cause | Failure cause (from the analysis) | How the element answers it | FRs |
|---|---|---|---|---|---|
| 1 | Amount field is first, focused, with a numeric keypad | A-02 | Data-entry overhead exceeded his willingness | Amount first, so typing starts immediately. | FR-30, FR-32 |
| 2 | Category chips, most-used first, one pre-selected | A-02 | Data-entry overhead exceeded his willingness | A suggested category is pre-selected, so the happy path needs no category tap. | FR-31, FR-33 |
| 2 | Chip suggestion that the user can change | A-11 | Miscategorised a PickMe fare as "online retail" | The app suggests, the user confirms, and corrections are remembered. Nothing is assigned silently. | FR-23, FR-24, FR-25 |
| 3 | Date chip defaults to today | A-02 | Data-entry overhead exceeded his willingness | Date and time default to now. | FR-31 |
| 3 | Date chip allows past dates | A-03 | After 13 days of diligent entry and a 3-week gap, the incomplete entries felt discouraging, so he never returned | Back-dating makes catch-up easy. | FR-35 |
| 3 | Account chip defaults to the last used | A-10 | Captured only card transactions; omitted cash and secondary-account activity | Every channel (bank, cash, Binance) is one tap away in the same form. | FR-31, FR-10 |
| 4 | "More options" collapsed: note or merchant | A-08 | Pasted text became an unreadable block of unlabelled figures | Every record is structured, with optional fields hidden until needed. | FR-34 |
| 4 | Committed / discretionary override | A-18 | No category system; no idea of discretionary vs committed | The type follows the category and can be overridden. | FR-22 |
| 4 | Foreign-currency block with derived rate | A-04 | USD only | Original currency and amount are stored with the LKR value actually received. | FR-38 |
| 5 | "Save and add another" keeps date and account | A-03 | After 13 days of diligent entry and a 3-week gap, the incomplete entries felt discouraging, so he never returned | Fast back-fill after a gap, with no failure language. | FR-36 |
| Frame 2 | Snackbar: goal cost of a discretionary spend | A-23 | Impulsive with discretionary spending, optimistic about income, avoidant about expenses | The goal cost appears at the moment of entry, in a neutral tone. | FR-41 |

| Callout | Wireframe element | Cause | Failure cause (from the analysis) | How the element answers it | FRs |
|---|---|---|---|---|---|
| Frame 4 | Save works the same offline; no offline label in the sheet | A-05 | No cloud synchronisation | Entry works fully offline and syncs later. Connectivity is shown only by the app-wide banner. | FR-39 |
| Frame 4 | Only the amount is required | A-02 | Data-entry overhead exceeded his willingness | Optional fields stay optional, so nothing blocks logging. | FR-32, FR-113 |

**Lens 2 shared cause addressed:** *high friction per entry* (callouts 1, 2, 3, 4).

---

## 6. Acceptance criteria (issue #13)

| Criterion | Where it is met |
|---|---|
| Amount field comes first and has focus | Callout 1: first element, focus marker, keypad open |
| Category chips, not a dropdown | Callout 2: scrollable chip row with a "+ New" chip |
| Defaults to today and the last-used account | Callout 3: "Today, 14:30" and "Main bank, last used" |
| A common expense is recordable in ≤ 3 taps | Happy-path strip in section 1: FAB, amount, Save |