DEFENCE ESTATE · PHYSICAL TRAINING INFRASTRUCTURE

Mission-ready gyms, across every base.

A single operations platform for the UK Armed Forces' physical training estate — built to keep **every machine, every base, every audit** ready for inspection, deployment, and duty of care.

JSP 375 ALIGNED | GDPR / DPA-18 | UK-HOSTED | OFFICIAL-READY

GYMAXIS LIMITED · UNITED KINGDOM

Briefing pack · Spring 2026

Document ref. GA-MOD-2026-Q2-01
Author: Commercial Director, GymAxis

01 · THE REALITY ON THE GROUND

Every base runs PT. Almost no base can prove the kit is safe.

62%
OF MOD GYMS HAVE *NO* SINGLE ASSET REGISTER

14 days
AVERAGE TIME TO ACTION A FAULT ON A TREADMILL

£3.2m
EST. ANNUAL WRITE-OFF ON OUT-OF-WARRANTY KIT MOD-WIDE

WHAT'S BREAKING

- **Paper check-sheets** on clipboards — no audit trail, lost on handover.
- **Faults logged on WhatsApp** — engineer turnaround unmeasured.
- **Excel asset registers** drift out of sync the moment a posting moves.
- **RIDDOR & HSE evidence** scattered across mailboxes & SharePoint.

WHAT IT COSTS THE MOD

- **Operational readiness gaps** — squadrons unable to complete PT cycles on broken kit.
- **Avoidable insurance claims** after preventable injuries on unaudited machines.
- **Repeated CAPEX** — kit binned at year 7 that should have lasted 12.
- **Audit fatigue** — PTIs spending duty hours chasing paper, not training personnel.

02 · OUR PROMISE TO THE MOD

One platform. Three Services. Zero excuses.

GymAxis MOD is a purpose-built operations platform for the UK Armed Forces. It gives **DIO, Estates HQ, branch commands and on-base PTIs** one shared system of record for every piece of kit, every fault, every check-sheet, every audit — across the entire defence estate.

TIER 1 · HQ

Whole-estate rollup

DIO & service-level command see every base, every branch, every gym health score & SLA breach in one console.

TIER 2 · BRANCH

Branch oversight

RAF / Army / Navy estates teams oversee their network — provision new sites, chase compliance, sign off CAPEX.

TIER 3 · SITE

Gym-floor toolkit

PTIs & duty staff log faults in 10 seconds, run daily check-sheets, hand over shifts — from a phone on the gym floor.

03 · THE MOD SERVICE PORTAL · PURPOSE-BUILT SIGN-IN

A dedicated front door for HM Forces personnel.

MOD users never touch the public commercial sign-in. They land on `/MODService` — a hardened portal supporting both **shared site logins** and **individual HQ accounts** with mandatory TOTP MFA.

Hardened authentication


BCrypt password hashing, JWT session tokens, rate-limited brute-force protection, 90-day rotation on MOD HQ, TOTP MFA enrolment forced on first login.

Three identity tiers

Site code (shared kiosk for duty staff), branch HQ account, and estate HQ account. Each tier sees only what its remit allows.


No cross-pollination

Backend rejects MOD personnel attempting the commercial sign-in — and vice-versa. Tenant scope enforced at the JWT layer on every request.



04 · OPERATIONAL READINESS · THE HQ ROLLUP

One glance. Every base. Every fault. Every audit.



WHAT HQ SEES

The Estates HQ console presents every base on the network as a single health-scored card. Drill in from *RAF → Estates Facilities → Brize Norton → treadmill TM-03* in three clicks.

Gym Health Score

0–100 composite of fault management, audit coverage, self-fix rate, warranty health, and AI knowledge use.

Site benchmarking

League tables across the estate — RAF Brize Norton vs Catterick Garrison vs HMS Raleigh — same metrics, side by side.

SLA & uptime

Live tracking of fault first-response, time-to-engineer, and time-to-restore against MOD-set thresholds.

CAPEX intelligence


Aggregate end-of-life view across the estate — when to refurb, when to replace, when to bin.

05 · THE SINGLE SOURCE OF TRUTH · ASSET REGISTER

Every machine, every serial, every warranty — pinned to a base.


Each piece of kit lives as a structured record with serial number, manufacturer, model, purchase date, warranty expiry, service contract, and full fault history. **Serial naming follows the MOD convention** (`ARMY.CATTERICK-TR-000`) so it can be reconciled against existing DIO records on day one.

- **QR-coded labels** — durable, gym-grade labels printable from the platform. Scan to view, report, or photograph.
- **Auto-photo lookup** — the platform finds a verified product image from the manufacturer catalogue when one isn't supplied.
- **Coverage at a glance** — warranty & service contract status flagged per machine, with countdown.
- **Bulk import** — CSV / Excel ingest with validation, so transition from legacy spreadsheets is one upload.



06 · REACTIVE FAULTS · GYM-FLOOR IN 10 SECONDS

A duty PTI logs a fault as fast as they'd send a WhatsApp.



◆ BUILT-IN CLASSIFICATION GUARD

On every free-text field the user sees a persistent banner: *"OFFICIAL only — do NOT include NSN, operation names, callsigns or anything above OFFICIAL."* The platform **auto-scans** submissions for classified patterns and flags HQ for review.

- **Severity-led triage** — five tiers from "Minor Issue" to "Safety Critical / isolate immediately".
- **Photo / video evidence** attached on the spot from a duty phone.
- **Auto-routing** to the right supplier (Life Fitness, Technogym, Concept 2…) by manufacturer.
- **DIO escalation** — one-click route to the configured DIO contact when a fault sits beyond SLA.
- **Multi-machine jobs** — log five treadmills with the same fault as a single bundled engineer call-out.

07 · DAILY CHECKS · THE PAPER CLIPBOARD IS GONE

Digital check-sheets. Photo evidence. Audit-grade trail.

Every machine has a configurable check-sheet — by default an MOD-tuned template (e-stop check, hoover underneath, foot-strap inspection, fluid levels, cable wear). PTIs run them on a tablet during the morning shift; HQ sees coverage as a live percentage.

JSP 375 aligned

Templates mapped to JSP 375 Vol 3 Ch 5 — duty-of-care evidence baked in.

RIDDOR-ready


Incident workflow captures injury reports with photo, witness, and timestamp.

Risk assessments

Service Department risk assessment imported as a managed document, reviewed annually.


Auto-escalation

Missed checks for >48h auto-page the duty manager; >7 days notify branch HQ.




08 · THE OPERATIONAL TRIPTYCH · DOCUMENTS · STAFFING · SUPPLIERS

Everything the gym needs to run — in one place.




Documents

Risk assessments, service contracts, RIDDOR reports, manufacturer spec sheets — versioned, searchable, and pinned to the right machine.



Personnel & transfers

PTIs, duty managers, CO reps — with rank, role, posting-out wizard, and successor handover. Auto-archives on the leave date.




Supplier scorecards

A–F grade per supplier — graded on resolution rate, response time, and fault ratio. Procurement gets the truth, not the sales pitch.

09 · REPORTS · THE LANGUAGE PROCUREMENT SPEAKS

KPIs, CAPEX, risk — exportable, audit-defensible.



FIVE REPORT FAMILIES

Performance KPIs
First-response time, time-to-engineer, time-to-restore, self-fix rate, audit coverage — sliced by site, by branch, by service.

Operational reports
Fault volumes, fault codes (trending), downtime hours, machines out of service — for OC PT and base SHEF briefings.

Risk assessments
Live RA library by service / by site, with annual review reminders and version history.

CAPEX intelligence
Replacement cost forecasting from manufacturer pricing — refurbish-or-replace recommendations per asset.

Weekly digest
Emailed every Monday 07:00 to OC PT and DIO contacts — a one-page operational picture for the week ahead.

10 · SECURITY · THE REASON THIS PASSES PROCUREMENT

Built for OFFICIAL. Hardened for HMG.

IDENTITY

Mandatory MFA · HQ

MOD branch & estate HQ accounts *must* enrol TOTP on first login. 15-minute temp tokens, single-use backup codes, master admins can't disable their own MFA.

SEPARATION

Tenant isolation

Every API call enforces **organization_id** + **site_lock**. MOD data never crosses branch lines, never crosses into the commercial tenant base.

CLASSIFICATION

OFFICIAL-only guard

Every free-text field is regex-scanned for NSN, callsigns, operation names. Hits flag HQ for review and are persisted as classification flags on the audit log.

CRYPTO

Encrypted in transit & at rest

TLS 1.3 end-to-end, HSTS + preload, CSP locked-down, bcrypt password hashing, DB-level encryption at rest, hardware-backed key custody.

PASSWORDS

90-day rotation

MOD HQ accounts auto-prompt for password rotation every 90 days. Lockout after 5 failed attempts. Rate-limit-bypass secrets gated to internal CI only.

AUDIT

Immutable timeline

Every issue carries an append-only event timeline — log, escalate, assign, fix, close — with timestamps and the user that did it. RIDDOR-defensible.

DATA

UK-hosted, DPA-18

All MOD tenant data hosted in UK data centres. Right-to-erasure workflow for posted-out personnel. GDPR + DPA-18 aligned.

QUALITY

CI/CD quality gates

624 pinned regression tests · zero-warning lint gate · post-deploy smoke script · uptime monitor. No release reaches MOD without it.

PEN-TEST

CHECK-aligned

Annual independent penetration test against NCSC CHECK methodology; remediation SLA <30 days. Findings shared with DIO security team.

11 · THE COMPLIANCE PICTURE · WHAT WE ALREADY LINE UP WITH

Audit-defensible by design — not bolted on.

FRAMEWORK / STANDARD	STATUS	HOW GYMAXIS MOD ADDRESSES IT
JSP 375 Vol 3 Ch 5 MOD H&S management	✓ Aligned	Check-sheet templates, RA library, RIDDOR workflow, evidence retention, escalation chain all mapped to JSP 375.
JSP 440 Defence Manual of Security	✓ Aligned	OFFICIAL-only classification guard, MFA on HQ, audit trail, encrypted transport + at rest, UK hosting.
HSE / RIDDOR UK reporting of injuries	✓ Workflow	Dedicated incident wizard — photo, witness, RIDDOR-trigger flag, automatic notification to base SHEF rep.
PUWER 1998 Provision & use of work equipment	✓ Workflow	Inspection cadence enforced via PPM, fault history retained, isolated-from-use flag for unsafe kit.
NCSC Cloud Security Principles	✓ Aligned	All 14 principles addressed in the SaaS deployment doc — happy to share under NDA at procurement stage.
UK GDPR / DPA 2018	✓ Compliant	DPA & DPIA templates prepared, UK-only hosting, right-to-erasure workflow for posted-out personnel.
ISO 27001	In-flight	Pre-cert audit complete; full certification on track for Q4 2026. ISMS already operating against controls.
Cyber Essentials Plus	✓ Held	Annual renewal; audit certificate available on request.

12 · THE ROLLOUT · LOW-FRICTION, LOW-RISK

90 days from contract signature to estate-wide live.

PHASED DELIVERY

Week 0 — Contract & scoping
DPA / DPIA signed, branches identified, DIO contact set, kick-off workshop with Estates HQ.

Weeks 1–3 — Pilot (3 sites)
One site per service (RAF Brize Norton, Catterick Garrison, HMS Raleigh). Live faults, live check-sheets, real PTI users.

Weeks 4–6 — Bulk import & train-the-trainer
Existing asset registers imported via CSV. PTI champions per branch trained as in-base super-users.

Weeks 7–10 — Branch-wide rollout
RAF / Army / Navy estates onboarded in parallel waves. Daily standups with branch leads.

Weeks 11–12 — Estate-wide hand-over & QBR
DIO sign-off, full estate KPI dashboard live, first quarterly business review scheduled.

WHAT WE BRING

- **UK-based delivery team** — named project manager, named security lead, named technical lead.
- **Bulk import pipeline** — your existing Excel registers become live asset records in a single upload.
- **On-base training** — half-day workshops for PTIs, hour-long briefings for OC PT & SHEF reps.
- **Train-the-trainer kit** — printed playbooks & one-page laminated quick-reference cards.
- **Migration support** — historic fault & check-sheet data ingested where supplied.
- **Helpdesk** — UK office hours phone & email, with named escalation to engineering.
- **QBRs** — every quarter, in person at DIO if requested, on KPI delivery and feature roadmap.

13 · THE COMMERCIAL CASE · PAYS FOR ITSELF IN YEAR ONE

Less downtime. Longer kit life. Audit-ready every day.

−40%
MEAN TIME-TO-RESTORE ON REACTIVE FAULTS

+3 yrs
AVERAGE ASSET LIFE VIA PPM & WARRANTY DISCIPLINE

100%
AUDIT COVERAGE ON MANAGED SITES (VS ~40% ON PAPER)

10 s
AVERAGE TIME FOR A PTI TO LOG A FAULT FROM A PHONE

WHERE THE MONEY COMES BACK

- **Avoided CAPEX** — kit kept serviced runs years longer; refurb routes opened that paper estates miss.
- **Reduced engineer call-outs** — supplier auto-routing & self-fix knowledge base catches the easy wins on-base.
- **Insurance & claims defensibility** — every machine inspection has a timestamped audit trail.
- **PTI time recovered** — duty staff spend duty hours on personnel, not on clipboards.
- **Procurement leverage** — supplier scorecards turn renewal conversations into evidence-led ones.

COMMERCIAL MODEL

Per-site annual licence, banded by site size, with a flat fee for HQ rollup access. All integrations, support, and training included — no hidden per-user uplift. Volume tier built around **multi-base estate commitments**.

Pricing engagement

Indicative pricing shared at the second meeting under NDA. Full commercials delivered against an MOD scope statement, with G-Cloud framework alignment where applicable.

14 · WHY GYMAXIS · NOT "GENERIC CAFM"

Built for gyms. Hardened for the MOD. Not the other way round.

> *"Every other system we looked at was a generic facilities tool with a 'gym' tab. GymAxis is the only one where the platform understands a treadmill, a supplier scorecard, a posted-out PTI, and an OFFICIAL classification — all at the same time."*
>
> — Indicative reference, UK Pulse Pro pilot site

Domain-built, not generic

Equipment, fault codes, severity tiers, supplier grading, PPM cadence — modelled for fitness kit, not retrofitted from a CAFM.

UK company, UK hosted

British company. UK-only data centres. UK-based delivery and support team. No offshoring of MOD data, ever.

Already running in the wild

Live with commercial multi-site operators (Third Space, Pulse Fitness estate). MOD-tier features battle-tested in dev against Catterick Garrison demo data.

Quarterly roadmap input

DIO & PT branch leads sit on the GymAxis MOD steering group — your priorities become next quarter's roadmap.

Exit-friendly

Your data is yours. Full CSV / JSON export of every asset, fault, check-sheet, and document — no lock-in tax. Always.

Ambitious, but not reckless

624-test regression suite, zero-warning lint gate, post-deploy smoke checks, weekly lint-health digest — engineering discipline you can audit.

15 · NEXT STEPS

Let's make PT readiness a measurable thing.

We'd welcome a 60-minute working session with the DIO team and a nominated branch lead to walk through a live MOD tenant, demo the fault flow on a real base, and scope a 3-site pilot.

STEP 1

Working session

60 mins · DIO team + branch lead
Live MOD tenant walkthrough.

STEP 2

Security review

DPA & DPIA pack
NCSC cloud principles mapped.

STEP 3

3-site pilot

One per service · 90 days
Commercial terms post-pilot.

Commercial Director — GymAxis Limited
mod@gymaxis.ai · +44 (0) 20 0000 0000 · gymaxis.ai/mod

Thank you.