

SAFE, SAFER SURF-EST!

Trallallero Surf Insurance - Investor pitch
25 September 2026

Trallallero Trallallà Inc.

Andrea Cerri - Stefano Marchiori - Pablo Ferreira



The dataset & initial hypotheses

7,121

recorded attacks

1,495

fatal attacks

1,249

attacks in the
2010s alone

1. “Surfing and swimming are the most dangerous activities”
2. “USA, Australia and South Africa are the most dangerous places”
3. “Most shark attacks are unprovoked and non-fatal”

Source: Global Shark Attack File (<https://www.sharkattackfile.net>)

Data cleaning & transformation

1

Harmonised column names

Stripped trailing spaces, e.g. "Species " → "Species"

2

Dropped 9 non-analytical columns

e.g. Source, pdf, href, Case Number, Unnamed: 21–22

3

Removed undated & duplicate rows

2 rows without a year, 2 exact duplicates

4

Standardised categories

Fatal: Y / N / Unconfirmed

Type: Provoked / Unprovoked / Unconfirmed

Sex: male / female / Unconfirmed

5

Grouped activities with keyword dictionaries

91 keywords → 18 activity categories;

e.g. "spearfishing" → Fishing

6

Filled missing locations

Country filled from State; otherwise "Unknown"

7



Validated every step

e.g. `isna()` and `value_counts()` after each change

Result: `shark_clean`, a cleaned DataFrame with only relevant columns, standardised categories, grouped activities and labelled gaps
→ All steps wrapped in one reusable function

Surfing and swimming are the riskiest activities


- Most common: **surfing** (21% of incidents) and **swimming** (19.5%), with **fishing** close behind (19%)
- However - surfing has the **lowest fatality rate** of all: 6.5%
- Sea disasters (79%) and boating (61%) are the activities with **highest fatality rate**
- Conclusion: “**more attacks**” does not necessarily mean “**more risk**”




USA, Australia and South Africa are the most dangerous places

- It is true that USA, Australia and South Africa hold around 66% of all recorded attacks (USA alone: 37%)
- However - USA has one of the **lowest fatality rates overall (8%)**
- There are other countries that have **far higher fatality rates**: Philippines 61%, Mexico 52%...these are considered “safe” for having less attacks, but this is an **incorrect assumption**

Incidents




Fatality rate




Most shark attacks are unprovoked and non-fatal

Incident type



■ Unprovoked
■ Unconfirmed
■ Provoked

Fatality rate by decade



- Since the 1900s, **74%** of all recorded incidents **were unprovoked**
- **70%** of all recorded incidents were **non-fatal** (21% fatal, 9% unknown outcome)
- The fatality rate dropped from **59% in the 1900s** to **8% in the 2010s**
- From the 1900s to the 2010s, **recorded incidents rose 8×** (154 → 1,249 per decade), while **fatal cases barely changed** (76 → 88 per decade)

Conclusions

H1

False - Surfing and swimming are not the riskiest activities

Surfing, swimming and fishing lead the counts, but **surfing is the least deadly**

H2

False - USA, Australia and South Africa are not among the most dangerous places

USA, Australia and South Africa = 66% of records, but the **USA** has one of the **lowest fatality rates**

H3

Confirmed - Most shark attacks are unprovoked and non-fatal

74% of shark attacks are unprovoked, 70% are non-fatal. Also, attacks have become **far less deadly** over time



Trallallero Surf Insurance is a Business Case!

“More exposed, less risky”: helping **surfers** to be covered while enjoying their **passion**!