

Table A1. Depth to which roots of mature crops will extract available water from deep, uniform, well-drained soil under average unrestricted conditions.*

Crop	Depth (m)	Crop	Depth	Crop	Depth	Crop	Depth
Alfalfa	1.5	Clover, Ladino	0.6-0.9	Milo	0.6-1.2	Sudan grass	0.9-1.2
Asparagus	1.5	Cranberries	0.3	Mustard	0.6	Sugar beets	1.2-1.5
Bananas	1.5	Corn, sweet	0.6-0.9	Onions	0.3-0.6	Sugarcane	1.2-1.5
Beans, dry	0.6-0.9	Corn, grain	0.9-1.2	Parsnips	0.6-0.9	Sunflower	1.2-1.5
Beans, green	0.6-0.9	Corn, seed	0.9-1.2	Peanuts	0.6-0.9	Tobacco	0.9-1.2
Beets, table	0.6-0.9	Corn, silage	0.9-1.2	Peas	0.6-0.9	Tomato	0.9
Broccoli	0.6	Cotton	1.2-1.5	Peppers	0.3-0.6	Turnips	0.6-0.9
Berries, blue	1.2-1.5	Cucumber	0.3-0.6	Potatoes, Irish	0.6-0.9	Watermelon	0.9-1.2
Berries, cane	1.2-1.5	Eggplant	0.6	Potatoes, sweet	0.6-0.9	Wheat	1.2
Brussels sprouts	0.6	Garlic	0.3-0.6	Pumpkins	0.9-1.2		
Cabbage	0.6	Grains & flax	0.9-1.2	Radishes	0.3	Trees	
Cantaloupes	0.9	Grapes	1.5	Safflower	1.2		
Carrots	0.6	Grass pasture/hay	0.6-1.2	Sorghum	1.2	Fruit	1.2-1.5
Cauliflower	0.6	Grass seed	0.9-1.2	Spinach	0.3-0.6	Citrus	0.9-1.2
Celery	0.3-0.6	Lettuce	0.3-0.6	Squash	0.9-1.2	Nut	1.2-1.5
Chard	0.3-0.6	Melons	0.6-0.9	Strawberries	0.3-0.6		

*Depths shown are 80% of the total crop rooting depth. *Source: NRCS National Agronomy Manual 504-3.*