Tree cover loss in India, 2001–2025

≥30% canopy · GFW / UMD data · GADM 4.1 districts


Overview | Where | Why | Fire | Definitions | About

Years: 2015 – 2025

State: All

Tree cover loss, selected years (ha)	Loss in the latest year (ha)	Deforestation share	Primary forest loss (ha)	Gross emissions (Mt CO_2e)
14,46,472	1,18,595	33.3%	2,01,603	829.1
	vs year before -5.9%			

Tree cover loss per year (ha, ≥30% canopy) and 3-year average



All selected years use the same UMD method, so year-to-year comparisons are fair. The latest year (lighter bar) is provisional.

GFW v20260424 · loaded 26 Oct 2026 · 30% canopy · GADM 4.1 districts

Tree cover loss in India, 2001–2025


≥30% canopy · GFW / UMD data · GADM 4.1 districts

Overview | Where | Why | Fire | Definitions | About


Years: 2015 – 2025

State: All

Loss by state, selected years (ha)



Top 30 districts and their running share of national loss



Top districts, selected years

Rank	State / district	Loss (ha)	Loss rate	Share of India	Rank in state
1	Assam / Karbi Anglong	79,541	10.1%	5.5%	1
2	Mizoram / Lunglei	63,324	15.0%	4.4%	1
3	Assam / Dima Hasao	61,801	14.2%	4.3%	2
4	Manipur / Churachandpur	57,034	14.1%	3.9%	1
5	Mizoram / Champhai	53,393	17.9%	3.7%	2
6	Tripura / Dhalai	50,603	25.7%	3.5%	1
7	Meghalaya / West Khasi Hills	44,375	14.2%	3.1%	1

Tree cover loss in India, 2001–2025


≥30% canopy · GFW / UMD data · GADM 4.1 districts

Overview | Where | Why | Fire | Definitions | About


Years: 2015 – 2025

State: All

Tree cover loss by dominant driver (ha)



Driver mix, top 5 states (share of each state's loss)



In primary forest

13.9%

of loss was in primary forest

Protected areas

0.2%

of loss was inside protected areas

GFW v20260424 · loaded 26 Oct 2026 · 30% canopy · GADM 4.1 districts

Tree cover loss in India, 2001–2025


≥30% canopy · GFW / UMD data · GADM 4.1 districts

Overview | Where | Why | Fire | Definitions | About


Years: 2015 – 2025

State: All

High-confidence VIIRS fire alerts by month (includes crop burning)



Tree cover lost to stand-replacing fire (ha)



Alerts vs fire-driven loss by state, 2012 onward (log scales)

States with no alerts or no fire-driven loss are left out (a log axis can't show zero)



GFW v20260424 · loaded 26 Oct 2026 · 30% canopy · GADM 4.1 districts

Tree cover loss in India, 2001–2025

≥30% canopy · GFW / UMD data · GADM 4.1 districts

Overview | Where | Why | Fire | Definitions | About

Years: 2015 – 2025

State: All

Two definitions of forest

ISFR (India State of Forest Report) counts any land of 1 ha or more with tree canopy over 10%, plantations and orchards included. It measures a net stock: how much forest exists on a given date.

GFW (Global Forest Watch) counts gross removal of tree canopy above 30%, year by year. It measures a flow: how much was lost, whatever grew back elsewhere.

So forest cover can rise in official statistics while natural forest is still being lost. The two numbers answer different questions; neither is wrong.

ISFR 2023: 715,343 km² of forest cover (21.76% of India).

The table shows the GFW side by state. ISFR's state-wise figures are in the ISFR 2023 report, Volume I.

Tree cover and loss by state (GFW, ≥30% canopy)

Gross loss of canopy above 30%. ISFR's 10% forest-cover figures are not comparable column by column

State	Land area (km²)	GFW tree cover 2000 (km²)	Tree cover 2000 (% of land)	GFW loss 2001–2025 (km²)	Lost since 2001 (% of 2000 cover)
Tripura	10,536	6,693	63.5	1,575	23.5%
Nagaland	16,600	13,103	78.9	2,753	21.0%
Mizoram	21,252	19,320	90.9	3,525	18.2%
Manipur	22,321	17,037	76.3	2,700	15.8%
Meghalaya	22,516	16,839	74.8	2,530	15.0%
Assam	78,492	27,501	35.0	3,571	13.0%
Arunachal Pradesh	14,867	11,708	78.8	1,264	10.8%
Telangana	1,14,712	6,636	5.8	442	6.7%
Odisha	1,55,638	26,802	17.2	1,556	5.8%
Kerala	37,701	25,982	68.9	1,171	4.5%
Puducherry	547	69	12.6	3	4.1%
Andhra Pradesh	1,60,050	11,059	6.9	441	4.0%
West Bengal	85,365	4,079	4.8	162	4.0%
NCT of Delhi	1,502	3	0.2	0	3.8%
Tamil Nadu	1,30,281	12,305	9.5	355	2.9%
Andaman and Nicobar	7,611	6,844	89.9	185	2.7%

Tree cover loss in India, 2001–2025

≥30% canopy · GFW / UMD data · GADM 4.1 districts

Years

2015 2025

State

All

Overview | Where | Why | Fire | Definitions | About

About the data

Source: Global Forest Watch Data API. Tree cover loss and summary tables v20260424, VIIRS fire alerts, GADM 4.1 district boundaries.

ISFR: India State of Forest Report 2023

Canopy threshold: 30%. GFW publishes the same loss at seven thresholds; only one is summed, or the loss is counted several times.

Tree cover loss is not deforestation. It includes plantation harvest, fire and storm damage, and much of it regrows.

The **UMD** method changed in 2011 and 2015. Compare years within one era.

The **newest year** is provisional and may be revised.

Emissions are gross: loss only, no regrowth subtracted.

Districts follow GADM 4.1, which differs from current official boundaries; no India outline map is drawn for that reason.

Forest cover (ISFR) and **tree cover loss** (GFW) use different definitions; see the Definitions page.

Data loaded

GFW v20260424 · loaded 26 Oct 2026 · 30% canopy · GADM 4.1 districts

View the code on GitHub