Practice-1

2347139

December 2, 2023

```
// P-1 Create Java program by using Minimum 5 Variables, one General
           Method, Default Constructor, Parameterized Constructor,
           Different Parameterized constructor(Constructor Overloading)
   class Builder {
       public String botName;
       protected String discordToken;
       Builder(String botName, String discordToken) { // paramerterized
           constructor
          if (discordToken.isEmpty()) {
              System.out.println("Token not found");
          this.botName = botName;
11
           this.discordToken = discordToken;
13
14
       public void showBotDetails() {
          System.out.println("Discord Bot with " + botName + " created in
               your account");
18
19
       public void createGuild(String guildName) {
20
          System.out.println("Created a guild " + guildName + " associated
               to the bot");
       }
23
       public void getBotPermission(int permission) {
24
          boolean isAdmin = true;
          boolean isMod = true;
          boolean BAN_MEMBERS = true;
          boolean KICK_MEMBERS = true;
          if (permission == 0) {
              System.out.println("The Bot created has 0 permission");
30
31
          if (isAdmin && isMod && BAN_MEMBERS && KICK_MEMBERS) {
```

```
System.out.println("The Bot is set full permission");
           }
34
35
       }
36
37
       public void showBotDetails(String clientName) {
38
           System.out.println("Discord Bot with " + botName + " created for
39
                client" + clientName);
       }
40
41
   }
42
43
   class SlashCommands extends Builder {
44
45
       SlashCommands() { // default constructor
46
           super("botName", "discordToken");
47
48
49
       public void getMembers() { // method
           System.out.println("Getting members of the text channel");
51
           System.out.println("Channel members are : Elumeveguy \n" + //
                   "Emojorekes\n" + //
                   "Eroxihisom\n" + //
                   "Ulelabutuk\n" + //
                   "Ayibiciqeb\n" + //
                   "Oguyocuxas\n" + //
                   "Uxibabujen\n" + //
58
                   "Epiwimaguk\n" + //
59
                   "Idenefibiy\n" + //
60
                   "Amarebamat");
61
62
       }
64
       public void slashCommand(String user) {
65
           // String command='ban';
66
           System.out.println("Ban User ");
67
           System.out.println("user " + user + " is banned");
       }
70
71
   }
72
73
   class Client extends SlashCommands {
74
       public String name;
75
       public String discordServer;
       Client(String name, String discordServer) {
78
           this.name = name;
79
           this.discordServer = discordServer;
80
       }
81
```

```
82
        Client(String discordServer) { // constructor overloading
83
            this.discordServer = discordServer;
84
85
        public void getBotDetails() {
            if (name == null) {
               System.out.println("your Discord server name is : " +
89
                    discordServer);
               return;
90
            }
            System.out.println("your account name is " + name);
93
        }
94
    }
95
96
    class Main {
97
        public static void main(String[] args) {
98
            Builder build = new Builder("arch-bot", "asak9889898ana");
99
            build.showBotDetails();
            build.createGuild("Moniter user actions");
            build.getBotPermission(0);
            SlashCommands cl = new SlashCommands();
103
            cl.getMembers();
104
            // client
106
            Client client = new Client("doe's server");
107
            build.showBotDetails("john");
108
            client.getBotDetails();
110
        }
111
112
    }
```

Output

```
punith@punith:~/usr-local/02-sem/java/pratice-Q/01 Q : 👤 🗷 🗴
Created a guild Moniter user actions associated to the bot
The Bot created has 0 permission
The Bot is set full permission
Getting members of the text channel
Channel members are : Elumeveguy
Emojorekes
Eroxihisom
Ulelabutuk
Ayibiciqeb
.
Oguyocuxas
Uxibabujen
Epiwimaguk
Idenefibiy
Amarebamat
Discord Bot with arch-bot created for clientjohn
your Discord server name is : doe's server
III > ~/u/0/java/pratice-Q/01
```