



New Horizons

New Horizons



New Horizons space probe

| | |
|------------------------------|--|
| Mission type | <div>Flyby</div> <div>(132524 APL · Jupiter · Pluto · 486958 Arrokoth)</div> |
| Operator | <div>NASA</div> |
| COSPAR ID | <div>2006-001A (https://nssdc.gsfc.nasa.gov/nmc/spacecraft/display.action?id=2006-001A)</div> |
| <div>SATCAT no.</div> | <div>28928</div> |
| Website | <div>pluto.jhuapl.edu (http://pluto.jhuapl.edu)</div> <div>nasa.gov/newhorizons (https://www.nasa.gov/newhorizons)</div> |
| Mission duration | <div>Primary mission: 9.5 years</div> <div>Elapsed: 15 years, 8 months, 8 days</div> |
| Spacecraft properties | |
| Manufacturer | <div>APL / SwRI</div> |
| Launch mass | <div>478 kg (1,054 lb)</div> |
| Dry mass | <div>401 kg (884 lb)</div> |
| Payload mass | <div>30.4 kg (67 lb)</div> |
| Dimensions | <div>2.2 × 2.1 × 2.7 m (7.2 × 6.9 × 8.9 ft)</div> |
| Power | <div>245 watts</div> |
| Start of mission | |
| Launch date | <div>January 19, 2006, 19:00:00.221 UTC^[1]</div> |
| Rocket | <div>Atlas V (551) AV-010^[1] + Star 48B 3rd stage</div> |

| | |
|---|---|
| Launch site | <u>Cape Canaveral SLC-41</u> |
| Contractor | <u>International Launch Services</u> ^[2] |
| Orbital parameters | |
| <u>Eccentricity</u> | 1.41905 |
| <u>Inclination</u> | 2.23014° |
| <u>Epoch</u> | January 1, 2017 (JD 2457754.5) ^[3] |
| Flyby of <u>132524 APL</u> (incidental) | |
| Closest approach | June 13, 2006, 04:05 UTC |
| Distance | 101,867 km (63,297 mi) |
| Flyby of <u>Jupiter</u> (gravity assist) | |
| Closest approach | February 28, 2007, 05:43:40 UTC |
| Distance | 2,300,000 km (1,400,000 mi) |
| Flyby of <u>Pluto</u> | |
| Closest approach | July 14, 2015, 11:49:57 UTC |
| Distance | 12,500 km (7,800 mi) |
| Flyby of <u>486958 Arrokoth</u> | |
| Closest approach | January 1, 2019, 05:33:00 UTC |
| Distance | 3,500 km (2,200 mi) |
| Instruments | |
| Alice | Ultraviolet Imaging Spectrometer |
| LORRI | Long-Range Reconnaissance Imager |
| SWAP | Solar Wind Around Pluto |
| PEPSSI | Pluto Energetic Particle Spectrometer Science Investigation |
| REX | Radio Science Experiment |
| Ralph | Ralph Telescope |
| SDC | Venetia Burney Student Dust Counter |
|  | |
| <u>New Frontiers program</u> | |

New Horizons is an interplanetary space probe that was launched as a part of NASA's New Frontiers program.^[4] Engineered by the Johns Hopkins University Applied Physics Laboratory (APL) and the Southwest Research Institute (SwRI), with a team led by Alan Stern,^[5] the spacecraft was launched in 2006 with the primary mission to perform a flyby study of the Pluto system in 2015, and a secondary mission to fly by and study one or more other Kuiper belt objects (KBOs) in the decade to follow, which became a mission to 486958 Arrokoth. It is the fifth space probe to achieve the escape velocity needed to leave the Solar System.

On January 19, 2006, *New Horizons* was launched from Cape Canaveral Space Force Station by an Atlas V rocket directly into an Earth-and-solar escape trajectory with a speed of about 16.26 km/s (10.10 mi/s; 58,500 km/h; 36,400 mph). It was the fastest (average speed with respect to Earth) man-made object ever launched from Earth.^{[6][7][8][9]} It is not the fastest speed recorded for a spacecraft, which as of 2021 is that of the Parker Solar Probe. After a brief encounter with asteroid 132524 APL, *New Horizons* proceeded to Jupiter, making its closest approach on February 28, 2007, at a distance of 2.3 million kilometers (1.4 million miles). The Jupiter flyby provided a gravity assist that increased *New Horizons'* speed; the flyby also enabled a general test of *New Horizons'* scientific capabilities, returning data about the planet's atmosphere, moons, and magnetosphere.

Most of the post-Jupiter voyage was spent in hibernation mode to preserve on-board systems, except for brief annual checkouts.^[10] On December 6, 2014, *New Horizons* was brought back online for the Pluto encounter, and instrument check-out began.^[11] On January 15, 2015, the spacecraft began its approach phase to Pluto.

On July 14, 2015, at 11:49 UTC, it flew 12,500 km (7,800 mi) above the surface of Pluto,^{[12][13]} making it the first spacecraft to explore the dwarf planet.^[14] In August 2016, *New Horizons* was reported to have traveled at speeds of more than 84,000 km/h (52,000 mph).^[15] On October 25, 2016, at 21:48 UTC, the last of the recorded data from the Pluto flyby was received from *New Horizons*.^[16] Having completed its flyby of Pluto,^[17] *New Horizons* then maneuvered for a flyby of Kuiper belt object 486958 Arrokoth (then nicknamed *Ultima Thule*),^{[18][19][20]} which occurred on January 1, 2019,^{[21][22]} when it was 43.4 AU from the Sun.^{[18][19]} In August 2018, NASA cited results by *Alice* on *New Horizons* to confirm the existence of a "hydrogen wall" at the outer edges of the Solar System. This "wall" was first detected in 1992 by the two Voyager spacecraft.^{[23][24]}

Contents

History

Mission profile

Goal

Design and construction

Spacecraft subsystems

Propulsion and attitude control

Power

Flight computer

Telecommunications and data handling

Science payload

Long-Range Reconnaissance Imager (LORRI)

Solar Wind Around Pluto (SWAP)

Pluto Energetic Particle Spectrometer Science Investigation (PEPSSI)

[Alice](#)

[Ralph telescope](#)

[Venetia Burney Student Dust Counter \(VBSDC\)](#)

[Radio Science Experiment \(REX\)](#)

[Journey to Pluto](#)

[Launch](#)

[Inner Solar System](#)

[Trajectory corrections](#)

[In-flight tests and crossing of Mars orbit](#)

[Asteroid 132524 APL](#)

[First Pluto sighting](#)

[Jupiter encounter](#)

[Jovian moons](#)

[Outer Solar System](#)

[Possible Neptune trojan targets](#)

[Observations of Pluto and Charon 2013–14](#)

[Pluto approach](#)

[Software glitch](#)

[Pluto system encounter](#)

[Objectives](#)

[Flyby details](#)

[Satellite observations](#)

[Post-Pluto events](#)

[Mission extension](#)

[Kuiper belt object mission](#)

[Target background](#)

[KBO Search](#)

[Suitable KBOs](#)

[KBO selection](#)

[Observations of other KBOs](#)

[Encounter with Arrokoth](#)

[Objectives](#)

[Targeting maneuvers](#)

[Approach phase](#)

[Flyby](#)

[Data download](#)

[Post Arrokoth events](#)

[Plans](#)

[Speed](#)

[Gallery](#)

[Images of the launch](#)

[Videos](#)

[Timeline](#)

[Preparation phase](#)

[Launch phase](#)
[Jupiter pre-encounter phase](#)
[Jupiter encounter phase](#)
[Pluto pre-encounter phase](#)
[Pluto science phase](#)
[Arrokoth pre-encounter phase](#)
[Arrokoth science phase and beyond](#)
[Post-mission phase](#)

[See also](#)

[Notes](#)

[References](#)


[Further reading](#)

[External links](#)

History

In August 1992, JPL scientist Robert Staehle called Pluto discoverer [Clyde Tombaugh](#), requesting permission to visit his planet. "I told him he was welcome to it," Tombaugh later remembered, "though he's got to go one long, cold trip."^[25] The call eventually led to a series of proposed Pluto missions, leading up to *New Horizons*.

Stamatios "Tom" Krimigis, head of the [Applied Physics Laboratory](#)'s space division, one of many entrants in the New Frontiers Program competition, formed the *New Horizons* team with Alan Stern in December 2000. Appointed as the project's principal investigator, Stern was described by Krimigis as "the personification of the Pluto mission".^[26] *New Horizons* was based largely on Stern's work since *Pluto 350* and involved most of the team from *Pluto Kuiper Express*.^[27] The *New Horizons* proposal was one of five that were officially submitted to NASA. It was later selected as one of two finalists to be subject to a three-month concept study, in June 2001. The other finalist, POSSE (Pluto and Outer Solar System Explorer), was a separate, but similar Pluto mission concept by the [University of Colorado Boulder](#), led by principal investigator Larry W. Esposito, and supported by the JPL, [Lockheed Martin](#) and the [University of California](#).^[28] However, the APL, in addition to being supported by *Pluto Kuiper Express* developers at the [Goddard Space Flight Center](#) and [Stanford University](#),^[28] were at an advantage; they had recently developed *NEAR Shoemaker* for NASA, which had successfully entered orbit around [433 Eros](#) earlier that year, and would later land on the asteroid to scientific and engineering fanfare.^[29]



Early concept art of the *New Horizons* spacecraft. The mission, led by the [Applied Physics Laboratory](#) and Alan Stern, eventually became the first mission to Pluto.

In November 2001, *New Horizons* was officially selected for funding as part of the New Frontiers program.^[30] However, the new NASA Administrator appointed by the [Bush Administration](#), [Sean O'Keefe](#), was not supportive of *New Horizons*, and effectively cancelled it by not including it in NASA's budget for 2003. NASA's Associate Administrator for the Science Mission Directorate [Ed Weiler](#) prompted Stern to lobby for the funding of *New Horizons* in hopes of the mission appearing in the [Planetary Science Decadal Survey](#); a prioritized "wish list", compiled by the [United States National Research Council](#), that reflects the opinions of the scientific community. After an intense campaign to gain support for *New*

Horizons, the Planetary Science Decadal Survey of 2003–2013 was published in the summer of 2002. *New Horizons* topped the list of projects considered the highest priority among the scientific community in the medium-size category; ahead of missions to the Moon, and even Jupiter. Weiler stated that it was a result that "[his] administration was not going to fight".^[26] Funding for the mission was finally secured following the publication of the report, and Stern's team was finally able to start building the spacecraft and its instruments, with a planned launch in January 2006 and arrival at Pluto in 2015.^[26] Alice Bowman became Mission Operations Manager (MOM).^[31]

Mission profile



Artist's impression of *New Horizons*' close encounter with the Plutonian system

New Horizons is the first mission in NASA's New Frontiers mission category, larger and more expensive than the Discovery missions but smaller than the missions of the Flagship Program. The cost of the mission (including spacecraft and instrument development, launch vehicle, mission operations, data analysis, and education/public outreach) is approximately \$700 million over 15 years (2001–2016).^[32] The spacecraft was built primarily by Southwest Research Institute (SwRI) and the Johns Hopkins Applied Physics Laboratory. The mission's principal investigator is Alan Stern of the Southwest Research Institute (formerly NASA Associate Administrator).

After separation from the launch vehicle, overall control was taken by Mission Operations Center (MOC) at the Applied Physics Laboratory in Howard County, Maryland. The science instruments are operated at Clyde Tombaugh Science Operations Center (T-SOC) in Boulder, Colorado.^[33]

Navigation is performed at various contractor facilities, whereas the navigational positional data and related celestial reference frames are provided by the Naval Observatory Flagstaff Station through Headquarters NASA and JPL; KinetX is the lead on the *New Horizons* navigation team and is responsible for planning trajectory adjustments as the spacecraft speeds toward the outer Solar System. Coincidentally the Naval Observatory Flagstaff Station was where the photographic plates were taken for the discovery of Pluto's moon Charon; and the Naval Observatory itself is not far from the Lowell Observatory where Pluto was discovered.


New Horizons was originally planned as a voyage to the only unexplored planet in the Solar System. When the spacecraft was launched, Pluto was still classified as a planet, later to be reclassified as a dwarf planet by the International Astronomical Union (IAU). Some members of the *New Horizons* team, including Alan Stern, disagree with the IAU definition and still describe Pluto as the ninth planet.^[34] Pluto's satellites Nix and Hydra also have a connection with the spacecraft: the first letters of their names (N and H) are the initials of *New Horizons*. The moons' discoverers chose these names for this reason, plus Nix and Hydra's relationship to the mythological Pluto.^[35]

In addition to the science equipment, there are several cultural artifacts traveling with the spacecraft. These include a collection of 434,738 names stored on a compact disc,^[36] a piece of Scaled Composites's *SpaceShipOne*,^[37] a "Not Yet Explored" USPS stamp,^{[38][39]} and a Flag of the United States, along with other mementos.^[40]

About 30 grams (1 oz) of Clyde Tombaugh's ashes are aboard the spacecraft, to commemorate his discovery of Pluto in 1930.^{[41][42]} A Florida-state quarter coin, whose design commemorates human exploration, is included, officially as a trim weight.^[43] One of the science packages (a dust counter) is named after Venetia Burney, who, as a child, suggested the name "Pluto" after its discovery.

Goal

The goal of the mission is to understand the formation of the Plutonian system, the Kuiper belt, and the transformation of the early Solar System.^[44] The spacecraft collected data on the atmospheres, surfaces, interiors, and environments of Pluto and its moons. It will also study other objects in the Kuiper belt.^[45] "By way of comparison, *New Horizons* gathered 5,000 times as much data at Pluto as *Mariner* did at the *Red Planet*."^[46]



View of Mission Operations at the Applied Physics Laboratory in Laurel, Maryland (July 14, 2015)

Some of the questions the mission attempts to answer are: What is Pluto's atmosphere made of and how does it behave? What does its surface look like? Are there large geological structures? How do solar wind particles interact with Pluto's atmosphere?^[47]

Specifically, the mission's science objectives are to:^[48]

- Map the surface compositions of Pluto and Charon
- Characterize the geologies and morphologies of Pluto and Charon
- Characterize the neutral atmosphere of Pluto and its escape rate
- Search for an atmosphere around Charon
- Map surface temperatures on Pluto and Charon
- Search for rings and additional satellites around Pluto
- Conduct similar investigations of one or more Kuiper belt objects


Design and construction

Spacecraft subsystems



New Horizons in a factory at Kennedy Space Center in 2005

The spacecraft is comparable in size and general shape to a grand piano and has been compared to a piano glued to a cocktail bar-sized satellite dish.^[49] As a point of departure, the team took inspiration from the Ulysses spacecraft,^[50]



Interactive 3D model of *New Horizons*

which also carried a radioisotope thermoelectric generator (RTG) and dish on a box-in-box structure through the outer Solar System. Many subsystems and components have flight heritage from APL's

CONTOUR spacecraft, which in turn had heritage from APL's TIMED spacecraft.

New Horizons' body forms a triangle, almost 0.76 m (2.5 ft) thick. (The *Pioneers* have hexagonal bodies, whereas the *Voyagers*, *Galileo*, and *Cassini–Huygens* have decagonal, hollow bodies.) A 7075 aluminium alloy tube forms the main structural column, between the launch vehicle adapter ring at the "rear", and the 2.1 m (6 ft 11 in) radio dish antenna affixed to the "front" flat side. The titanium fuel tank is in this tube. The RTG attaches with a 4-sided titanium mount resembling a gray pyramid or stepstool. Titanium provides

strength and thermal isolation. The rest of the triangle is primarily sandwich panels of thin aluminum face sheet (less than $\frac{1}{64}$ in or 0.40 mm) bonded to aluminum honeycomb core. The structure is larger than strictly necessary, with empty space inside. The structure is designed to act as shielding, reducing electronics errors caused by radiation from the RTG. Also, the mass distribution required for a spinning spacecraft demands a wider triangle.

The interior structure is painted black to equalize temperature by radiative heat transfer. Overall, the spacecraft is thoroughly blanketed to retain heat. Unlike the *Pioneers* and *Voyagers*, the radio dish is also enclosed in blankets that extend to the body. The heat from the RTG adds warmth to the spacecraft while it is in the outer Solar System. While in the inner Solar System, the spacecraft must prevent overheating, hence electronic activity is limited, power is diverted to shunts with attached radiators, and louvers are opened to radiate excess heat. While the spacecraft is cruising inactively in the cold outer Solar System, the louvers are closed, and the shunt regulator reroutes power to electric heaters.

Propulsion and attitude control

New Horizons has both spin-stabilized (cruise) and three-axis stabilized (science) modes controlled entirely with hydrazine monopropellant. Additional post launch delta-v of over 290 m/s (1,000 km/h; 650 mph) is provided by a 77 kg (170 lb) internal tank. Helium is used as a pressurant, with an elastomeric diaphragm assisting expulsion. The spacecraft's on-orbit mass including fuel is over 470 kg (1,040 lb) on the Jupiter flyby trajectory, but would have been only 445 kg (981 lb) for the backup direct flight option to Pluto. Significantly, had the backup option been taken, this would have meant less fuel for later Kuiper belt operations.

There are 16 thrusters on *New Horizons*: four 4.4 N (1.0 lbf) and twelve 0.9 N (0.2 lbf) plumbed into redundant branches. The larger thrusters are used primarily for trajectory corrections, and the small ones (previously used on *Cassini* and the *Voyager* spacecraft) are used primarily for attitude control and spinup/spindown maneuvers. Two star cameras are used to measure the spacecraft attitude. They are mounted on the face of the spacecraft and provide attitude information while in spin-stabilized or 3-axis mode. In between the time of star camera readings, spacecraft orientation is provided by dual redundant miniature inertial measurement units. Each unit contains three solid-state gyroscopes and three accelerometers. Two Adcole Sun sensors provide attitude determination. One detects the angle to the Sun, whereas the other measures spin rate and clocking.

Power

A cylindrical radioisotope thermoelectric generator (RTG) protrudes in the plane of the triangle from one vertex of the triangle. The RTG provided 245.7 W of power at launch, and was predicted to drop approximately 3.5 W every year, decaying to 202 W by the time of its encounter with the Plutonian system in 2015 and will decay too far to power the transmitters in the 2030s.^[5] There are no onboard batteries since RTG output is predictable, and load transients are handled by a capacitor bank and fast circuit breakers. As of January 2019, the power output of the RTG is about 190 W.^[51]

The RTG, model "GPHS-RTG", was originally a spare from the *Cassini* mission. The RTG contains 9.75 kg (21.5 lb) of plutonium-238 oxide pellets.^[27] Each pellet is clad in iridium, then encased in a graphite shell. It was developed by the U.S. Department of Energy at the Materials and Fuels Complex, a part of the Idaho National Laboratory.^[52] The original



New Horizons' RTG

RTG design called for 10.9 kg (24 lb) of plutonium, but a unit less powerful than the original design goal was produced because of delays at the United States Department of Energy, including security activities, that delayed plutonium production.^[53] The mission parameters and observation sequence had to be modified for the reduced wattage; still, not all instruments can operate simultaneously. The Department of Energy transferred the space battery program from Ohio to Argonne in 2002 because of security concerns.

The amount of radioactive plutonium in the RTG is about one-third the amount on board the Cassini–Huygens probe when it launched in 1997. The Cassini launch had been protested by multiple organizations, due to the risk of such a large amount of plutonium being released into the atmosphere in case of an accident. The United States Department of Energy estimated the chances of a launch accident that would release radiation into the atmosphere at 1 in 350, and monitored the launch^[54] because of the inclusion of an RTG on board. It was estimated that a worst-case scenario of total dispersal of on-board plutonium would spread the equivalent radiation of 80% the average annual dosage in North America from background radiation over an area with a radius of 105 km (65 mi).^[55]

Flight computer


The spacecraft carries two computer systems: the Command and Data Handling system and the Guidance and Control processor. Each of the two systems is duplicated for redundancy, for a total of four computers. The processor used for its flight computers is the Mongoose-V, a 12 MHz radiation-hardened version of the MIPS R3000 CPU. Multiple redundant clocks and timing routines are implemented in hardware and software to help prevent faults and downtime. To conserve heat and mass, spacecraft and instrument electronics are housed together in IEMs (integrated electronics modules). There are two redundant IEMs. Including other functions such as instrument and radio electronics, each IEM contains 9 boards.^[56] The software of the probe runs on Nucleus RTOS operating system.^[57]

There have been two "safing" events, that sent the spacecraft into safe mode:

- On March 19, 2007, the Command and Data Handling computer experienced an uncorrectable memory error and rebooted itself, causing the spacecraft to go into safe mode. The craft fully recovered within two days, with some data loss on Jupiter's magnetotail. No impact on the subsequent mission was expected.^[58]
- On July 4, 2015, there was a CPU safing event caused by over-assignment of commanded science operations on the craft's approach to Pluto. Fortunately, the craft was able to recover within two days without major impacts on its mission.^{[59][60]}

Telecommunications and data handling

Communication with the spacecraft is via X band. The craft had a communication rate of 38 kbit/s at Jupiter; at Pluto's distance, a rate of approximately 1 kbit/s per transmitter was expected. Besides the low data rate, Pluto's distance also causes a latency of about 4.5 hours (one-way). The 70 m (230 ft) NASA Deep Space Network (DSN) dishes are used to relay commands once it is beyond Jupiter. The spacecraft uses dual modular redundancy transmitters and receivers, and either right- or left-hand circular polarization. The downlink signal is amplified by dual redundant 12-watt traveling-wave tube amplifiers (TWTAs) mounted on the body under the dish. The receivers are new, low-power designs. The system can be controlled to power both TWTAs at the same time, and transmit a dual-polarized downlink signal to the DSN that nearly doubles the downlink rate. DSN



New Horizons' antenna, with some test equipment attached.

tests early in the mission with this dual polarization combining technique were successful, and the capability is now considered operational (when the spacecraft power budget permits both TWTAs to be powered).

In addition to the high-gain antenna, there are two backup low-gain antennas and a medium-gain dish. The high-gain dish has a Cassegrain reflector layout, composite construction, of 2.1-meter (7 ft) diameter providing over 42 dBi of gain and a half-power beam width of about a degree. The prime-focus medium-gain antenna, with a 0.3-meter (1 ft) aperture and 10° half-power beam width, is mounted to the back of the high-gain antenna's secondary reflector. The forward low-gain antenna is stacked atop the feed of the medium-gain antenna. The aft low-gain antenna is mounted within the launch adapter at the rear of the spacecraft. This antenna was used only for early mission phases near Earth, just after launch and for emergencies if the spacecraft had lost attitude control.

New Horizons recorded scientific instrument data to its solid-state memory buffer at each encounter, then transmitted the data to Earth. Data storage is done on two low-power solid-state recorders (one primary, one backup) holding up to 8 gigabytes each. Because of the extreme distance from Pluto and the Kuiper belt, only one buffer load at those encounters can be saved. This is because *New Horizons* would require approximately 16 months after leaving the vicinity of Pluto to transmit the buffer load back to Earth.^[61] At Pluto's distance, radio signals from the space probe back to Earth took four hours and 25 minutes to traverse 4.7 billion km of space.^[62]

Part of the reason for the delay between the gathering of and transmission of data is that all of the *New Horizons* instrumentation is body-mounted. In order for the cameras to record data, the entire probe must turn, and the one-degree-wide beam of the high-gain antenna was not pointing toward Earth. Previous spacecraft, such as the *Voyager* program probes, had a rotatable instrumentation platform (a "scan platform") that could take measurements from virtually any angle without losing radio contact with Earth. *New Horizons* was mechanically simplified to save weight, shorten the schedule, and improve reliability during its 15-year lifetime.

The *Voyager 2* scan platform jammed at Saturn, and the demands of long time exposures at outer planets led to a change of plans such that the entire probe was rotated to make photos at Uranus and Neptune, similar to how *New Horizons* rotated.

Science payload

New Horizons carries seven instruments: three optical instruments, two plasma instruments, a dust sensor and a radio science receiver/radiometer. The instruments are to be used to investigate the global geology, surface composition, surface temperature, atmospheric pressure, atmospheric temperature and escape rate of Pluto and its moons. The rated power is 21 watts, though not all instruments operate simultaneously.^[63] In addition, *New Horizons* has an Ultrastable Oscillator subsystem, which may be used to study and test the Pioneer anomaly towards the end of the spacecraft's life.^[64]

Long-Range Reconnaissance Imager (LORRI)

The Long-Range Reconnaissance Imager (LORRI) is a long-focal-length imager designed for high resolution and responsivity at visible wavelengths. The instrument is equipped with a 1024×1024 pixel by 12-bits-per-pixel monochromatic CCD imager giving a resolution of 5 μrad (~ 1 arcsec).^[65] The CCD is chilled far below freezing by a passive radiator on the antisolar face of the spacecraft. This temperature differential requires insulation and isolation from the rest of the structure. The 208.3 mm (8.20 in) aperture Ritchey–Chretien mirrors and metering structure are made of silicon carbide to boost stiffness, reduce weight and prevent warping at low temperatures. The optical elements sit in a composite light shield and

mount with titanium and fiberglass for thermal isolation. Overall mass is 8.6 kg (19 lb), with the optical tube assembly (OTA) weighing about 5.6 kg (12 lb),^[66] for one of the largest silicon-carbide telescopes flown at the time (now surpassed by Herschel). For viewing on public web sites the 12-bit per pixel LORRI images are converted to 8-bit per pixel JPEG images.^[65] These public images do not contain the full dynamic range of brightness information available from the raw LORRI images files.^[65]

Principal investigator: Andy Cheng, Applied Physics Laboratory, Data: LORRI image search at jhuapl.edu^[67]



LORRI—long-range camera

Solar Wind Around Pluto (SWAP)

Solar Wind Around Pluto (SWAP) is a toroidal electrostatic analyzer and retarding potential analyzer (RPA), that makes up one of the two instruments comprising *New Horizons'* Plasma and high-energy particle spectrometer suite (PAM), the other being PEPSSI. SWAP measures particles of up to 6.5 keV and, because of the tenuous solar wind at Pluto's distance, the instrument is designed with the largest aperture of any such instrument ever flown.^[68]

Principal investigator: David McComas, Southwest Research Institute



SWAP – Solar Wind Around Pluto

Pluto Energetic Particle Spectrometer Science Investigation (PEPSSI)

Pluto Energetic Particle Spectrometer Science Investigation (PEPSSI) is a time of flight ion and electron sensor that makes up one of the two instruments comprising *New Horizons'* plasma and high-energy particle spectrometer suite (PAM), the other being SWAP. Unlike SWAP, which measures particles of up to 6.5 keV, PEPSSI goes up to 1 MeV.^[68]

Principal investigator: Ralph McNutt Jr., Applied Physics Laboratory

Alice


Alice is an ultraviolet imaging spectrometer that is one of two photographic instruments comprising *New Horizons'* Pluto Exploration Remote Sensing Investigation (PERSI); the other being the *Ralph* telescope. It resolves 1,024 wavelength bands in the far and extreme ultraviolet (from 50–180 nm), over 32 view fields. Its goal is to determine the composition of Pluto's atmosphere. This *Alice* instrument is derived from another *Alice* aboard ESA's Rosetta spacecraft.^[68]

Principal investigator: Alan Stern, Southwest Research Institute

In August 2018, NASA confirmed, based on results by *Alice* on the *New Horizons* spacecraft, a "hydrogen wall" at the outer edges of the Solar System that was first detected in 1992 by the two Voyager spacecraft.^{[23][24]}

Ralph telescope

The Ralph telescope, 75 mm^[69] in aperture, is one of two photographic instruments that make up *New Horizons'* Pluto Exploration Remote Sensing Investigation (PERSI), with the other being the Alice instrument. Ralph has two separate channels: MVIC (Multispectral Visible Imaging Camera), a visible-light CCD imager with broadband and color channels; and LEISA (Linear Etalon Imaging Spectral Array), a near-infrared imaging spectrometer. LEISA is derived from a similar instrument on the Earth Observing-1 spacecraft. Ralph was named after Alice's husband on The Honeymooners, and was designed after Alice.^[70]



Ralph—telescope and color camera

On June 23, 2017, NASA announced that it has renamed the LEISA instrument to the "Lisa Hardaway Infrared Mapping Spectrometer" in honor of Lisa Hardaway, the Ralph program manager at Ball Aerospace, who died in January 2017 at age 50.^[71]

Principal investigator: Alan Stern, Southwest Research Institute

Venetia Burney Student Dust Counter (VBSDC)

The Venetia Burney Student Dust Counter (VBSDC), built by students at the University of Colorado Boulder, is operating periodically to make dust measurements.^{[72][73]} It consists of a detector panel, about 460 mm × 300 mm (18 in × 12 in), mounted on the anti-solar face of the spacecraft (the ram direction), and an electronics box within the spacecraft. The detector contains fourteen polyvinylidene difluoride (PVDF) panels, twelve science and two reference, which generate voltage when impacted. Effective collecting area is 0.125 m² (1.35 sq ft). No dust counter has operated past the orbit of Uranus; models of dust in the outer Solar System, especially the Kuiper belt, are speculative. The VBSDC is always turned on measuring the masses of the interplanetary and interstellar dust particles (in the range of nano- and picograms) as they collide with the PVDF panels mounted on the *New Horizons* spacecraft. The measured data is expected to greatly contribute to the understanding of the dust spectra of the Solar System. The dust spectra can then be compared with those from observations of other stars, giving new clues as to where Earth-like planets can be found in the universe. The dust counter is named for Venetia Burney, who first suggested the name "Pluto" at the age of 11. A thirteen-minute short film about the VBSDC garnered an Emmy Award for student achievement in 2006.^[74]



VBSDC—Venetia Burney Student Dust Counter

Principal investigator: Mihaly Horanyi, University of Colorado Boulder

Radio Science Experiment (REX)

The Radio Science Experiment (REX) used an ultrastable crystal oscillator (essentially a calibrated crystal in a miniature oven) and some additional electronics to conduct radio science investigations using the communications channels. These are small enough to fit on a single card. Because there are two redundant communications subsystems, there are two, identical REX circuit boards.

Principal investigators: Len Tyler and Ivan Linscott, Stanford University

Journey to Pluto

Launch



Launch of *New Horizons*. The Atlas V rocket on the launchpad (left) and lift off from Cape Canaveral.

On September 24, 2005, the spacecraft arrived at the Kennedy Space Center on board a C-17 Globemaster III for launch preparations.^[75] The launch of *New Horizons* was originally scheduled for January 11, 2006, but was initially delayed until January 17, 2006, to allow for borescope inspections of the Atlas V's kerosene tank. Further delays related to low cloud ceiling conditions downrange, and high winds and technical difficulties—unrelated to the rocket itself—prevented launch for a further two days.^{[76][77]}

The probe finally lifted off from Pad 41 at Cape Canaveral Air Force Station, Florida, directly south of Space Shuttle Launch Complex 39, at 19:00 UTC on January 19, 2006.^{[78][79]} The Centaur second stage ignited at 19:04:43 UTC and burned for 5 minutes 25 seconds. It reignited at 19:32 UTC and burned for 9 minutes 47 seconds. The ATK Star 48B third stage ignited at 19:42:37 UTC and burned for 1 minute 28 seconds.^[80] Combined, these burns successfully sent the probe on a solar-escape trajectory at 16.26 kilometers per second (58,536 km/h; 36,373 mph).^[7] *New Horizons* took only nine hours to pass the Moon's orbit.^[81] Although there were backup launch opportunities in February 2006 and February 2007, only the first twenty-three days of the 2006 window permitted the Jupiter flyby. Any launch outside that period would have forced the spacecraft to fly a slower trajectory directly to Pluto, delaying its encounter by five to six years.^[82]

The probe was launched by a Lockheed Martin Atlas V 551 rocket, with a third stage added to increase the heliocentric (escape) speed. This was the first launch of the Atlas V 551 configuration, which uses five solid rocket boosters, and the first Atlas V with a third stage. Previous flights had used zero, two, or three solid boosters, but never five. The vehicle, AV-010, weighed 573,160 kilograms (1,263,600 lb) at lift-off,^[80] and had earlier been slightly damaged when Hurricane Wilma swept across Florida on October 24, 2005. One of the solid rocket boosters was hit by a door. The booster was replaced with an identical unit, rather than inspecting and requalifying the original.^[83]

The launch was dedicated to the memory of launch conductor Daniel Sarokon, who was described by space program officials as one of the most influential people in the history of space travel.^[84]

Inner Solar System

Trajectory corrections

On January 28 and 30, 2006, mission controllers guided the probe through its first trajectory-correction maneuver (TCM), which was divided into two parts (TCM-1A and TCM-1B). The total velocity change of these two corrections was about 18 meters per second (65 km/h; 40 mph). TCM-1 was accurate enough to permit the cancellation of TCM-2, the second of three originally scheduled corrections.^[85] On March 9, 2006, controllers performed TCM-3, the last of three scheduled course corrections. The engines burned for 76 seconds, adjusting the spacecraft's velocity by about 1.16 m/s (4.2 km/h; 2.6 mph).^[86] Further trajectory maneuvers were not needed until September 25, 2007 (seven months after the Jupiter flyby), when the engines were fired for 15 minutes and 37 seconds, changing the spacecraft's velocity by 2.37 m/s (8.5 km/h; 5.3 mph),^[87] followed by another TCM, almost three years later on June 30, 2010, that lasted 35.6 seconds, when *New Horizons* had already reached the halfway point (in time traveled) to Pluto.^[88]


In-flight tests and crossing of Mars orbit

During the week of February 20, 2006, controllers conducted initial in-flight tests of three onboard science instruments, the Alice ultraviolet imaging spectrometer, the PEPSSI plasma-sensor, and the LORRI long-range visible-spectrum camera. No scientific measurements or images were taken, but instrument electronics, and in the case of Alice, some electromechanical systems were shown to be functioning correctly.^[89]


On April 7, 2006, the spacecraft passed the orbit of Mars, moving at roughly 21 km/s (76,000 km/h; 47,000 mph) away from the Sun at a solar distance of 243 million kilometers.^{[90][91][92]}

Asteroid 132524 APL

Because of the need to conserve fuel for possible encounters with Kuiper belt objects subsequent to the Pluto flyby, intentional encounters with objects in the asteroid belt were not planned. After launch, the *New Horizons* team scanned the spacecraft's trajectory to determine if any asteroids would, by chance, be close enough for observation. In May 2006 it was discovered that *New Horizons* would pass close to the tiny asteroid 132524 APL on June 13, 2006. Closest approach occurred at 4:05 UTC at a distance of 101,867 km (63,297 mi) (around one quarter of the average Earth-Moon distance). The asteroid was imaged by Ralph (use of LORRI was not possible because of proximity to the Sun), which gave the team a chance to test Ralph's capabilities, and make observations of the asteroid's composition as well as light and phase curves. The asteroid was estimated to be 2.5 km (1.6 mi) in diameter.^{[93][94][95]} The spacecraft successfully tracked the rapidly moving asteroid over June 10–12, 2006.



Asteroid 132524 APL
viewed by *New Horizons* in June 2006



First images of Pluto in
September 2006


First Pluto sighting

The first images of Pluto from *New Horizons* were acquired September 21–24, 2006, during a test of LORRI. They were released on November 28, 2006.^[96] The images, taken from a distance of approximately 4.2 billion km (2.6 billion mi; 28 AU), confirmed the spacecraft's ability to track distant targets, critical for maneuvering toward Pluto and other Kuiper belt objects.

Jupiter encounter

New Horizons used LORRI to take its first photographs of Jupiter on September 4, 2006, from a distance of 291 million kilometers (181 million miles).^[97] More detailed exploration of the system began in January 2007 with an infrared image of the moon Callisto, as well as several black-and-white images of Jupiter itself.^[98] *New Horizons* received a gravity assist from Jupiter, with its closest approach at 05:43:40 UTC on February 28, 2007, when it was 2.3 million kilometers (1.4 million miles) from Jupiter. The flyby increased *New Horizons'* speed by 4 km/s (14,000 km/h; 9,000 mph), accelerating the probe to a velocity of 23 km/s (83,000 km/h; 51,000 mph) relative to the Sun and shortening its voyage to Pluto by three years.^[99]

The flyby was the center of a four-month intensive observation campaign lasting from January to June. Being an ever-changing scientific target, Jupiter has been observed intermittently since the end of the Galileo mission in September 2003. Knowledge about Jupiter benefited from the fact that *New Horizons'* instruments were built using the latest technology, especially in the area of cameras, representing a significant improvement over *Galileo's* cameras, which were modified versions of Voyager cameras, which, in turn, were modified Mariner cameras. The Jupiter encounter also served as a shakedown and dress rehearsal for the Pluto encounter. Because Jupiter is much closer to Earth than Pluto, the communications link can transmit multiple loadings of the memory buffer; thus the mission returned more data from the Jovian system than it was expected to transmit from Pluto.^[100]




Infrared image of Jupiter by *New Horizons*

One of the main goals during the Jupiter encounter was observing its atmospheric conditions and analyzing the structure and composition of its clouds. Heat-induced lightning strikes in the polar regions and "waves" that indicate violent storm activity were observed and measured. The Little Red Spot, spanning up to 70% of Earth's diameter, was imaged from up close for the first time.^[99] Recording from different angles and illumination conditions, *New Horizons* took detailed images of Jupiter's faint ring system, discovering debris left over from recent collisions within the rings or from other unexplained phenomena. The search for undiscovered moons within the rings showed no results. Travelling through Jupiter's magnetosphere, *New Horizons* collected valuable particle readings.^[99] "Bubbles" of plasma that are thought to be formed from material ejected by the moon Io were noticed in the magnetotail.^[101]


Jovian moons

The four largest moons of Jupiter were in poor positions for observation; the necessary path of the gravity-assist maneuver meant that *New Horizons* passed millions of kilometers from any of the Galilean moons. Still, its instruments were intended for small, dim targets, so they were scientifically useful on large, distant moons. Emphasis was put on Jupiter's innermost Galilean moon, Io, whose active volcanoes shoot out tons of material into Jupiter's magnetosphere, and further. Out of eleven observed eruptions, three were seen for the first time. That of Tvashtar reached an altitude of up to 330 km (210 mi). The event gave scientists an unprecedented look into the structure and motion of the rising plume and its subsequent fall back to the surface. Infrared signatures of a further 36 volcanoes were noticed.^[99] Callisto's surface was analyzed with LEISA, revealing how lighting and viewing conditions affect infrared spectrum readings of its surface water ice.^[102] Minor moons such as Amalthea had their orbit solutions refined. The cameras determined their positions, acting as "reverse optical navigation".


Jovian moons imaged by *New Horizons*




Io imaged on February 28, 2007. The feature near the north pole of the moon is a 290 km (180 mi) high plume from the volcano Tvashtar.



Europa imaged on February 27, 2007, from a distance of 3.1 million km (1.9 million mi). Image scale is 15 km per pixel (9.3 mi/px).



Ganymede imaged on February 27, 2007, from a distance of 3.5 million km (2.2 million mi). Image scale is 17 km per pixel (11 mi/px).



Callisto imaged on February 27, 2007, from a distance of 4.7 million km (2.9 million mi).

 Media related to [Photos of Jupiter system by New Horizons](#) at Wikimedia Commons

Outer Solar System

After passing Jupiter, *New Horizons* spent most of its journey towards Pluto in hibernation mode. Redundant components as well as guidance and control systems were shut down to extend their life cycle, decrease operation costs and free the Deep Space Network for other missions.^[103] During hibernation mode, the onboard computer monitored the probe's systems and transmitted a signal back to Earth; a "green" code if everything was functioning as expected or a "red" code if mission control's assistance was needed.^[103] The probe was activated for about two months a year so that the instruments could be calibrated and the systems checked. The first hibernation mode cycle started on June 28, 2007,^[103] the second cycle began on December 16, 2008,^[104] the third cycle on August 27, 2009,^[105] and the fourth cycle on August 29, 2014, after a 10-week test.^[106]

New Horizons crossed the orbit of Saturn on June 8, 2008,^[107] and Uranus on March 18, 2011.^[108] After astronomers announced the discovery of two new moons in the Pluto system, Kerberos and Styx, mission planners started contemplating the possibility of the probe running into unseen debris and dust left over from ancient collisions between the moons. A study based on 18 months of computer simulations, Earth-based telescope observations and occultations of the Pluto system revealed that the possibility of a catastrophic collision with debris or dust was less than 0.3% on the probe's scheduled course.^{[109][110]} If the hazard increased, *New Horizons* could have used one of two possible contingency plans, the so-called

SHBOTs (Safe Haven by Other Trajectories). Either the probe could have continued on its present trajectory with the antenna facing the incoming particles so the more vital systems would be protected, or it could have positioned its antenna to make a course correction that would take it just 3000 km from the surface of Pluto where it was expected that the atmospheric drag would have cleaned the surrounding space of possible debris.^[110]


While in hibernation mode in July 2012, *New Horizons* started gathering scientific data with SWAP, PEPSSI and VBSDC. Although it was originally planned to activate just the VBSDC, other instruments were powered on in order to collect valuable heliospheric data. Before activating the other two instruments, ground tests were conducted to make sure that the expanded data gathering in this phase of the mission would not limit available energy, memory and fuel in the future and that all systems were functioning during the flyby.^[111] The first set of data was transmitted in January 2013 during a three-week activation from hibernation. The command and data handling software was updated to address the problem of computer resets.^[112]

Possible Neptune trojan targets

Other possible targets were Neptune trojans. The probe's trajectory to Pluto passed near Neptune's trailing Lagrange point ("L₅"), which may host hundreds of bodies in 1:1 resonance. In late 2013, *New Horizons* passed within 1.2 AU (180,000,000 km; 110,000,000 mi) of the high-inclination L5 Neptune trojan 2011 HM₁₀₂,^[113] which was discovered shortly before by the New Horizons KBO Search task, a survey to find additional distant objects for *New Horizons* to fly by after its 2015 encounter with Pluto. At that range, 2011 HM₁₀₂ would have been bright enough to be detectable by *New Horizons*' LORRI instrument; however, the *New Horizons* team eventually decided that they would not target 2011 HM₁₀₂ for observations because the preparations for the Pluto approach took precedence.^[114]

Observations of Pluto and Charon 2013–14

Images from July 1 to 3, 2013, by LORRI were the first by the probe to resolve Pluto and Charon as separate objects.^[115] On July 14, 2014, mission controllers performed a sixth trajectory-correction maneuver (TCM) since its launch to enable the craft to reach Pluto.^[116] Between July 19–24, 2014, *New Horizons*' LORRI snapped 12 images of Charon revolving around Pluto, covering almost one full rotation at distances ranging from about 429 to 422 million kilometers (267,000,000 to 262,000,000 mi).^[117] In August 2014, astronomers made high-precision measurements of Pluto's location and orbit around the Sun using the Atacama Large Millimeter/submillimeter Array (ALMA) (an array of radio telescopes located in Chile) to help NASA's *New Horizons* spacecraft accurately home in on Pluto.^[118] On December 6, 2014,




Heliocentric positions of the five interstellar probes (squares) and other bodies (circles) until 2020, with launch and flyby dates. Markers denote positions on 1 January of each year, with every fifth year labelled.

Plot 1 is viewed from the north ecliptic pole, to scale; plots 2 to 4 are third-angle projections at 20% scale.

In the SVG file, (https://upload.wikimedia.org/wikipedia/commons/0/0a/Interstellar_probes_trajectory.svg) hover over a trajectory or orbit to highlight it and its associated launches and flybys.

mission controllers sent a signal for the craft to "wake up" from its final Pluto-approach hibernation and begin regular operations. The craft's response that it was "awake" reached Earth on December 7, 2014, at 02:30 UTC.^{[119][120][121]}

Pluto approach



Pluto and Charon photographed on April 9, 2015, (left) by Ralph and on June 29, 2015, (right) by LORRI.

Distant-encounter operations at Pluto began on January 4, 2015.^[122] On this date, images of the targets with the onboard LORRI imager plus the Ralph telescope were only a few pixels in width. Investigators began taking Pluto images and background starfield images to assist mission navigators in the design of course-correcting engine maneuvers that would precisely modify the trajectory of *New Horizons* to aim the approach.^[123]

On February 12, 2015, NASA released new images of Pluto (taken from January 25 to 31) from the approaching probe.^{[124][125]} *New Horizons* was more than 203 million kilometers (126,000,000 mi) away from Pluto when it began taking the photos, which showed Pluto and its largest moon, Charon. The exposure time was too short to see Pluto's smaller, much fainter moons.

Investigators compiled a series of images of the moons Nix and Hydra taken from January 27 through February 8, 2015, beginning at a range of 201 million kilometers (125,000,000 mi).^[126] Pluto and Charon appear as a single overexposed object at the center. The right side image has been processed to remove the background starfield. The other two, even smaller moons, Kerberos and Styx were seen on photos taken on April 25.^[127] Starting May 11 a hazard search was performed, looking for unknown objects that could be a danger to the spacecraft, such as rings or hitherto undiscovered moons, which could then possibly be avoided by a course change.^[128] No rings or additional moons were found.

Also in regard to the approach phase during January 2015, on August 21, 2012, the team announced that they would spend mission time attempting long-range observations of the Kuiper belt object temporarily designated VNH0004 (now designated 2011 KW₄₈), when the object was at a distance from *New Horizons* of 75 gigameters (0.50 AU).^[129] The object would be too distant to resolve surface features or take spectroscopy, but it would be able to make observations that cannot be made from Earth, namely a phase curve and a search for small moons. A second object was planned to be observed in June 2015, and a third in September after the flyby; the team hoped to observe a dozen such objects through 2018.^[129] On April 15, 2015, Pluto was imaged showing a possible polar cap.^[130]

Software glitch

On July 4, 2015, *New Horizons* experienced a software anomaly and went into safe mode, preventing the spacecraft from performing scientific observations until engineers could resolve the problem.^{[131][132]} On July 5, NASA announced that the problem was determined to be a timing flaw in a command sequence

used to prepare the spacecraft for its flyby, and the spacecraft would resume scheduled science operations on July 7. The science observations lost because of the anomaly were judged to have no impact on the mission's main objectives and minimal impact on other objectives.^[133]

The timing flaw consisted of performing two tasks simultaneously—compressing previously acquired data to release space for more data, and making a second copy of the approach command sequence—that together overloaded the spacecraft's primary computer. After the overload was detected, the spacecraft performed as designed: it switched from the primary computer to the backup computer, entered safe mode, and sent a distress call back to Earth. The distress call was received the afternoon of July 4 and alerted engineers that they needed to contact the spacecraft to get more information and resolve the issue. The resolution was that the problem happened as part of preparations for the approach, and was not expected to happen again because no similar tasks were planned for the remainder of the encounter.^{[133][134]}

Pluto system encounter

The closest approach of the *New Horizons* spacecraft to Pluto occurred at 11:49 UTC on July 14, 2015, at a range of 12,472 km (7,750 mi) from the surface^[135] and 13,658 km (8,487 mi) from the center of Pluto. Telemetry data confirming a successful flyby and a healthy spacecraft was received on Earth from the vicinity of the Pluto system on July 15, 2015, 00:52:37 UTC,^[136] after 22 hours of planned radio silence due to the spacecraft being pointed towards the Pluto system. Mission managers estimated a one in 10,000 chance that debris could have destroyed the probe or its communication-systems during the flyby, preventing it from sending data to Earth.^[137] The first details of the encounter were received the next day, but the download of the complete data set through the 2 kbps data downlink took just over 15 months,^[16] and analysis of the data will take even longer (several years).



Alan Stern and the *New Horizons* team celebrate after the spacecraft successfully completed its flyby of Pluto.

Objectives

The mission's science objectives were grouped in three distinct priorities. The "primary objectives" were required. The "secondary objectives" were expected to be met but were not demanded. The "tertiary objectives" were desired. These objectives could have been skipped in favor of the above objectives. An objective to measure any magnetic field of Pluto was dropped, due to mass and budget issues associated with including a magnetometer on the spacecraft. Instead, SWAP and PEPSSI could indirectly detect magnetic fields around Pluto.^[138]

■ Primary objectives (required)

- Characterize the global geology and morphology of Pluto and Charon
- Map chemical compositions of Pluto and Charon surfaces
- Characterize the neutral (non-ionized) atmosphere of Pluto and its escape rate

■ Secondary objectives (expected)

- Characterize the time variability of Pluto's surface and atmosphere
- Image select Pluto and Charon areas in stereo
- Map the terminators (day/night border) of Pluto and Charon with high resolution
- Map the chemical compositions of select Pluto and Charon areas with high resolution

- Characterize Pluto's ionosphere (upper layer of the atmosphere) and its interaction with the solar wind
- Search for molecular neutral species such as molecular hydrogen, hydrocarbons, hydrogen cyanide and other nitriles in the atmosphere
- Search for any Charon atmosphere
- Determine bolometric Bond albedos for Pluto and Charon
- Map surface temperatures of Pluto and Charon
- Map any additional surfaces of outermost moons: Nix, Hydra, Kerberos, and Styx
- **Tertiary objectives (desired)**
 - Characterize the energetic particle environment at Pluto and Charon
 - Refine bulk parameters (radii, masses) and orbits of Pluto and Charon
 - Search for additional moons and any rings

"The New Horizons flyby of the Pluto system was fully successful, meeting and in many cases exceeding, the Pluto objectives set out for it by NASA and the National Academy of Sciences."^[139]


Flyby details

New Horizons passed within 12,500 km (7,800 mi) of Pluto, with this closest approach on July 14, 2015, at 11:50 UTC. *New Horizons* had a relative velocity of 13.78 km/s (49,600 km/h; 30,800 mph) at its closest approach, and came as close as 28,800 km (17,900 mi) to Charon. Starting 3.2 days before the closest approach, long-range imaging included the mapping of Pluto and Charon to 40 km (25 mi) resolution. This is half the rotation period of the Pluto–Charon system and allowed imaging of all sides of both bodies. Close range imaging was repeated twice per day in order to search for surface changes caused by localized snow fall or surface cryovolcanism. Because of Pluto's tilt, a portion of the northern hemisphere would be in shadow at all times. During the flyby, engineers expected LORRI to be able to obtain select images with resolution as high as 50 m per pixel (160 ft/px) if closest distance were around 12,500 km, and MVIC was expected to obtain four-color global dayside maps at 1.6 km (1 mi) resolution. LORRI and MVIC attempted to overlap their respective coverage areas to form stereo pairs. LEISA obtained hyperspectral near-infrared maps at 7 km/px (4.3 mi/px) globally and 0.6 km/px (0.37 mi/px) for selected areas.

Meanwhile, Alice characterized the atmosphere, both by emissions of atmospheric molecules (airglow), and by dimming of background stars as they pass behind Pluto (occultation). During and after closest approach, SWAP and PEPSSI sampled the high atmosphere and its effects on the solar wind. VBSDC searched for dust, inferring meteoroid collision rates and any invisible rings. REX performed active and passive radio science. The communications dish on Earth measured the disappearance and reappearance of the radio occultation signal as the probe flew by behind Pluto. The results resolved Pluto's diameter (by their timing) and atmospheric density and composition (by their weakening and strengthening pattern). (Alice can perform similar occultations, using sunlight instead of radio beacons.) Previous missions had the spacecraft transmit through



Pluto's "encounter hemisphere" viewed by *New Horizons* on July 13, 2015




Pluto's Charon-facing opposing hemisphere viewed on July 11, 2015



[Play media](#)

Animation of *New Horizons*' flyby of Pluto in Eyes on the Solar System.



Patterns of blue-gray ridges and reddish material observed in the Tartarus Dorsa region on July 14, 2015

the atmosphere, to Earth ("downlink"). Pluto's mass and mass distribution were evaluated by the gravitational tug on the spacecraft. As the spacecraft speeds up and slows down, the radio signal exhibited a Doppler shift. The Doppler shift was measured by comparison with the ultrastable oscillator in the communications electronics.

Reflected sunlight from Charon allowed some imaging observations of the nightside. Backlighting by the Sun gave an opportunity to highlight any rings or atmospheric hazes. REX performed radiometry of the nightside.

Satellite observations

New Horizons' best spatial resolution of the small satellites is 330 m per pixel (1,080 ft/px) at Nix, 780 m/px (2,560 ft/px) at Hydra, and approximately 1.8 km/px (1.1 mi/px) at Kerberos and Styx. Estimates for the dimensions of these bodies are: Nix at $49.8 \times 33.2 \times 31.1$ km ($30.9 \times 20.6 \times 19.3$ mi); Hydra at $50.9 \times 36.1 \times 30.9$ km ($31.6 \times 22.4 \times 19.2$ mi); Kerberos at $19 \times 10 \times 9$ km ($11.8 \times 6.2 \times 5.6$ mi); and Styx at $16 \times 9 \times 8$ km ($9.9 \times 5.6 \times 5.0$ mi).^[140]

Initial predictions envisioned Kerberos as a relatively large and massive object whose dark surface led to it having a faint reflection. This proved to be wrong as images obtained by *New Horizons* on July 14 and sent back to Earth in October 2015 revealed that Kerberos was smaller in size, 19 km (12 mi) across with a highly reflective surface suggesting the presence of relatively clean water ice similarly to the rest of Pluto's smaller moons.^[141]


Satellites of Pluto imaged by *New Horizons*




Charon




Hydra



Nix



Kerberos



Styx

Post-Pluto events



View of Pluto as *New Horizons* left the system, catching the Sun's rays passing through Pluto's atmosphere, forming a ring

Soon after the Pluto flyby, in July 2015, *New Horizons* reported that the spacecraft was healthy, its flight path was within the margins, and science data of the Pluto–Charon system had been recorded.^{[142][143]} The spacecraft's immediate task was to begin returning the 6.25 gigabytes of information collected.^[16] The free-space path loss at its distance of 4.5 light-hours (3,000,000,000 km) is approximately 303 dB at 7 GHz. Using the high gain antenna and transmitting at full power, the signal from EIRP is +83 dBm, and at this distance the signal reaching Earth is −220 dBm. The received signal level (RSL) using one, un-arrayed Deep Space Network antenna with 72 dBi of forward gain equals −148 dBm.^[144] Because of the extremely low RSL, it could only transmit data at 1 to 2 kilobits per second.^[145]

By March 30, 2016, about nine months after the flyby, *New Horizons* reached the halfway point of transmitting this data.^[146] The transfer was completed on October 25, 2016 at 21:48 UTC, when the last piece of data—part of a Pluto–Charon observation

sequence by the Ralph/LEISA imager—was received by the Johns Hopkins University Applied Physics Laboratory.^{[16][147]}

As of November 2018, at a distance of 43 AU (6.43 billion km; 4.00 billion mi) from the Sun and 0.4 AU (60 million km; 37 million mi) from 486958 Arrokoth,^[148] *New Horizons* was heading in the direction of the constellation Sagittarius^[149] at 14.10 km/s (8.76 mi/s; 2.97 AU/a) relative to the Sun.^[148] The brightness of the Sun from the spacecraft was magnitude −18.5.^[149]

On 17 April 2021, *New Horizons* reached a distance of 50 astronomical units (AU) from the Sun, while remaining fully operational.^[150]


Mission extension

The *New Horizons* team requested, and received, a mission extension through 2021 to explore additional Kuiper belt objects (KBOs). Funding was secured on July 1, 2016.^[151] During this Kuiper Belt Extended Mission (KEM) the spacecraft performed a close fly-by of 486958 Arrokoth and will conduct more distant observations of an additional two dozen objects,^{[152][151][153]} and possibly make a fly-by of another KBO.

Kuiper belt object mission

Target background

Mission planners searched for one or more additional Kuiper belt objects (KBOs) of the order of 50–100 km (31–62 mi) in diameter as targets for flybys similar to the spacecraft's Plutonian encounter. However, despite the large population of KBOs, many factors limited the number of possible targets.



Big picture: from the inner Solar System to the Oort cloud with the Kuiper belt in between

Because the flight path was determined by the Pluto flyby, and the probe only had 33 kilograms of hydrazine propellant remaining, the object to be visited needed to be within a cone of less than a degree's width extending from Pluto. The target also needed to be within 55 AU, because beyond 55 AU, the communications link becomes too weak, and the RTG power output decays significantly enough to hinder observations.^[154] Desirable KBOs are well over 50 km (30 mi) in diameter, neutral in color (to contrast with the reddish Pluto), and, if possible, have a moon that imparts a wobble.

KBO Search

In 2011, mission scientists started the **New Horizons KBO Search**, a dedicated survey for suitable KBOs using ground telescopes. Large ground telescopes with wide-field cameras, notably the twin 6.5-meter Magellan Telescopes in Chile, the 8.2-meter Subaru Observatory in Hawaii and the Canada–France–Hawaii Telescope^{[113][155]} were used to search for potential targets. By participating in a citizen-science project called Ice Hunters the public helped to scan telescopic images for possible suitable mission candidates.^{[156][157][158][159][160]} The ground-based search resulted in the discovery of about 143 KBOs of potential interest,^[161] but none of these were close enough to the flight path of *New Horizons*.^[155] Only the Hubble Space Telescope was deemed likely to find a suitable target in time for a successful KBO mission.^[162] On June 16, 2014, time on Hubble was granted for a search.^[163] Hubble has a much greater ability to find suitable KBOs than ground telescopes. The probability that a target for *New Horizons* would be found was estimated beforehand at about 95%.^[164]


Suitable KBOs

On October 15, 2014, it was revealed that Hubble's search had uncovered three potential targets,^{[165][166][167][168][169]} temporarily designated PT1 ("potential target 1"), PT2 and PT3 by the *New Horizons* team. PT1, also known as 486958 Arrokoth, was the target eventually chosen.

All objects had estimated diameters in the 30–55 km (19–34 mi) range and were too small to be seen by ground telescopes. The targets were at distances from the Sun ranging from 43 to 44 AU, which would put the encounters in the 2018–2019 period.^[166] The initial estimated probabilities that these objects were reachable within *New Horizons*' fuel budget were 100%, 7%, and 97%, respectively.^[166] All were members of the "cold" (low-inclination, low-eccentricity) classical Kuiper belt objects, and thus were very different from Pluto.

PT1 (given the temporary designation "1110113Y" on the HST web site^[170]), the most favorably situated object, had a magnitude of 26.8, is 30–45 km (19–28 mi) in diameter, and was encountered in January 2019.^[171] A course change to reach it required about 35% of *New Horizons*' available trajectory-adjustment fuel supply. A mission to PT3 was in some ways preferable, in that it is brighter and therefore probably larger than PT1, but the greater fuel requirements to reach it would have left less for maneuvering and unforeseen events.^[166]

Once sufficient orbital information was provided, the Minor Planet Center gave provisional designations to the three target KBOs: 2014 MU₆₉ (later 486958 Arrokoth) (PT1), 2014 OS₃₉₃ (PT2), and 2014 PN₇₀ (PT3). By the fall of 2014, a possible fourth target, 2014 MT₆₉, had been eliminated by follow-up observations. PT2 was out of the running before the Pluto flyby.^{[172][173]}



486958 Arrokoth, the announced target for the Kuiper belt object mission

KBO selection

On August 28, 2015, 486958 Arrokoth (then known as (486958) 2014 MU₆₉ and nicknamed *Ultima Thule*) (PT1) was chosen as the flyby target. The necessary course adjustment was performed with four engine firings between October 22 and November 4, 2015.^{[174][175]} The flyby occurred on January 1, 2019, at 00:33 UTC.^{[176][177]}

Observations of other KBOs


Aside from its flyby of 486958 Arrokoth, the extended mission for *New Horizons* calls for the spacecraft to conduct observations of, and look for ring systems around, between 25 and 35 different KBOs.^[178] In addition, it will continue to study the gas, dust and plasma composition of the Kuiper belt before the mission extension ends in 2021.^{[152][153]}

On November 2, 2015, *New Horizons* imaged KBO 15810 Arawn with the LORRI instrument from 280 million km away (170 million mi; 1.9 AU), showing the shape of the object and one or two details.^[179] This KBO was again imaged by the LORRI instrument on April 7–8, 2016, from a distance of 111 million km (69 million mi; 0.74 AU). The new images allowed the science team to further refine the location of 15810 Arawn to within 1,000 km (620 mi) and to determine its rotational period of 5.47 hours.^{[180][181]}


In July 2016, the LORRI camera captured some distant images of Quaoar from 2.1 billion km away (1.3 billion mi; 14 AU); the oblique view will complement Earth-based observations to study the object's light-scattering properties.^[182]

On December 5, 2017, when *New Horizons* was 40.9 AU from Earth, a calibration image of the Wishing Well cluster marked the most distant image ever taken by a spacecraft (breaking the 27-year record set by *Voyager 1*'s famous *Pale Blue Dot*). Two hours later, *New Horizons* surpassed its own record, imaging the Kuiper belt objects 2012 HZ₈₄ and 2012 HE₈₅ from a distance of 0.50 and 0.34 AU, respectively. These were the closest images taken of a Kuiper belt object besides Pluto and Arrokoth as of February 2018.^{[183][184]}


Extended mission imaging targets




15810 Arawn in April 2016




50000 Quaoar in July 2016 at a distance of about 14 AU^[182]



Calibration image of the Wishing Well cluster from December 2017



False-color image of 2012 HZ₈₄ from December 2017



False-color image of 2012 HE₈₅ from December 2017

 Media related to Photos of Kuiper belt objects by *New Horizons* at Wikimedia Commons

Encounter with Arrokoth

Objectives

Science objectives of the flyby included characterizing the geology and morphology of Arrokoth^{[185][186]} and mapping the surface composition (by searching for ammonia, carbon monoxide, methane, and water ice). Searches will be conducted for orbiting moonlets, a coma, rings and the surrounding environment.^[187] Additional objectives include:^[188]

- Mapping the surface geology to learn how it formed and evolved
- Measuring the surface temperature
- Mapping the 3-D surface topography and surface composition to learn how it is similar to and different from comets such as 67P/Churyumov–Gerasimenko and dwarf planets such as Pluto
- Searching for any signs of activity, such as a cloud-like coma
- Searching for and studying any satellites or rings
- Measuring or constraining the mass




[Play media](#)

Animation of New Horizons' flyby of Arrokoth in Eyes on the Solar System.

Targeting maneuvers

Arrokoth is the first object to be targeted for a flyby that was discovered after the spacecraft was launched.^[189] *New Horizons* was planned to come within 3,500 km (2,200 mi) of Arrokoth, three times closer than the spacecraft's earlier encounter with Pluto. Images with a resolution of up to 30 m (98 ft) per pixel are expected.^[190]

The new mission began on October 22, 2015, when *New Horizons* carried out the first in a series of four initial targeting maneuvers designed to send it towards Arrokoth. The maneuver, which started at approximately 19:50 UTC and used two of the spacecraft's small hydrazine-fueled thrusters, lasted approximately 16 minutes and changed the spacecraft's trajectory by about 10 meters per second (33 ft/s). The remaining three targeting maneuvers took place on October 25, October 28, and November 4, 2015.^{[191][192]}



Animation of *New Horizons*'s trajectory from January 19, 2006 to December 30, 2030



Approach phase

The craft was brought out of its hibernation at approximately 00:33 UTC SCET on June 5, 2018 (06:12 UTC ERT, Earth-Received Time),^[a] in order to prepare for the approach phase.^{[194][195]} After verifying its health status, the spacecraft transitioned from a spin-stabilized mode to a three-axis-stabilized mode on August 13, 2018. The official approach phase began on August 16, 2018, and continued through December 24, 2018.^[196]

New Horizons made its first detection of Arrokoth on August 16, 2018, from a distance of 107 million mi (172 million km). At that time, Arrokoth was visible at magnitude 20 against a crowded stellar background in the direction of the constellation Sagittarius.^{[197][198]}



New Horizons image of Arrokoth

Flyby


The Core phase began a week before the encounter and continued for two days after the encounter. The spacecraft flew by the object at a speed of 51,500 km/h (32,000 mph; 14.3 km/s) and within 3,500 km (2,200 mi).^[199] The majority of the science data was collected within 48 hours of the closest approach in a phase called the Inner Core.^[196] Closest approach occurred January 1, 2019, at 05:33 UTC^[200] SCET at which point the probe was 43.4 AU from the Sun.^[201] At this distance, the one-way transit time for radio signals between Earth and *New Horizons* was six hours.^[187] Confirmation that the craft had succeeded in filling its digital recorders occurred when data arrived on Earth ten hours later, at 15:29 UTC.^[202]

Data download

After the encounter, preliminary, high-priority data was sent to Earth on January 1 and 2, 2019. On January 9, *New Horizons* returned to a spin-stabilized mode to prepare sending the remainder of its data back to Earth.^[196] This download is expected to take 20 months at a data rate of 1–2 kilobits per second.^[203]

Post Arrokoth events

In April 2020, *New Horizons* was used, in conjunction with telescopes on Earth, to take pictures of nearby stars Proxima Centauri and Wolf 359; the images from each vantage point – over 4 billion miles (6.4 billion km) apart – were compared to produce "the first demonstration of an easily observable stellar parallax."^[204]



New Horizons' position^[148]

Images taken by the LORRI camera while *New Horizons* was 42 to 45 AU from the Sun were used to measure the Cosmic Optical Background, the visible light analog of the Cosmic Microwave Background, in seven high galactic latitude fields. At that distance *New Horizons* saw a sky ten times darker than the sky seen by the Hubble Space Telescope because of the absence of diffuse background sky brightness from the zodiacal light in the inner solar system. These measurements indicate that the total amount of light emitted by all galaxies at ultraviolet and visible wavelengths may be lower than previously thought.^{[205][206]}

The spacecraft reached a distance of 50 AUs from the sun, almost 7.5 billion kilometres (5 billion miles) away, on 17 April 2021 at 12:42 UTC, a feat performed only four times before, by Pioneer 10, Pioneer 11, Voyager 1, and Voyager 2. Voyager 1 is the furthest spacecraft from the sun, more than 152 AUs away when *New Horizons* reached its landmark in 2021.^[207] The support team continued to use the spacecraft in 2021 to study the heliospheric environment (plasma, dust and gas) and to study other Kuiper Belt objects.^[208]

Plans

After the spacecraft's passage by Arrokoth, the instruments continue to have sufficient power to be operational until the 2030s.

Team leader Alan Stern stated there is potential for a third flyby in the 2020s at the outer edges of the Kuiper belt.^{[209][210]} This depends on a suitable Kuiper belt object being found or confirmed close enough to the spacecraft's current trajectory. Since May 2020, the New Horizons team has been using time on the Subaru Telescope to look for suitable candidates within the spacecraft's proximity. As of November 2020, none have been found close enough to the trajectory of *New Horizons* for it to be able to make a close flyby with its remaining fuel.^[211]

In addition, *New Horizons* may take a picture of Earth from its distance in the Kuiper belt, but only after completing all planned KBO flybys.^[212] This is because pointing a camera towards Earth could cause the camera to be damaged by sunlight,^[213] as none of *New Horizons'* cameras have an active shutter mechanism.^{[214][215]}

Speed

New Horizons has been called "the fastest spacecraft ever launched"^[6] because it left Earth at 16.26 kilometers per second (58,536 km/h; 36,373 mph).^{[7][8]} It is also the first spacecraft launched directly into a solar escape trajectory, which requires an approximate speed while near Earth of 16.5 km/s (59,000 km/h; 37,000 mph),^[b] plus additional delta-v to cover air and gravity drag, all to be provided by the launch vehicle.

However, it is not the fastest spacecraft to leave the Solar System. As of January 2018, this record is held by *Voyager 1*, traveling at 16.985 km/s (61,146 km/h; 37,994 mph) relative to the Sun.^[149] *Voyager 1* attained greater hyperbolic excess velocity than *New Horizons* thanks to gravity assists by Jupiter and Saturn. When *New Horizons* reaches the distance of 100 AU, it will be travelling at about 13 km/s (47,000 km/h; 29,000 mph), around 4 km/s (14,000 km/h; 8,900 mph) slower than *Voyager 1* at that distance.^[216] The Parker Solar Probe can also be measured as the fastest object, because of its orbital speed relative to the Sun at perihelion: 95.3 km/s (343,000 km/h; 213,000 mph).^[c] Because it remains in solar orbit, its specific orbital energy relative to the Sun is lower than *New Horizons* and other artificial objects escaping the Solar System.



Speed and distance from the Sun

New Horizons' Star 48B third stage is also on a hyperbolic escape trajectory from the Solar System, and reached Jupiter before the *New Horizons* spacecraft; it was expected to cross Pluto's orbit on October 15, 2015.^[217] Because it was not in controlled flight, it did not receive the correct gravity assist, and passed within 200 million km (120 million mi) of Pluto.^[217] The Centaur second stage did not achieve solar escape velocity, and remains in a heliocentric orbit.^{[218][c]}

Gallery

Images of the launch



The Atlas V 551 rocket, used to launch *New Horizons*, being processed a month before launch.



View of Cape Canaveral Launch Complex 41, with the Atlas V carrying *New Horizons* on the pad.




Distant view of Cape Canaveral during the launch of *New Horizons* on January 19, 2006.



NASA TV footage of *New Horizons'* launch from Cape Canaveral. (4:00)

Videos



(00:30; [released September 18, 2015](#))



(00:50; [released December 5, 2015](#))

Timeline

Preparation phase

- January 8, 2001: Proposal team meets face-to-face for the first time at the Johns Hopkins University Applied Physics Laboratory.^[220]
- February 5, 2001: *New Horizons* name chosen.^{[220][221]}
- April 6, 2001: *New Horizons* proposal submitted to NASA. It was one of five proposals submitted, which were later narrowed to two for Phase A study: POSSE (Pluto and Outer Solar System Explorer) and *New Horizons*.^[220]
- November 29, 2001: *New Horizons* proposal selected by NASA. Started Phase B study.^[222]
- March 2002: Budget zeroed by Bush administration, later overridden.^{[223][224]}
- June 13, 2005: Spacecraft departed Applied Physics Laboratory for final testing. It undergoes final testing at Goddard Space Flight Center (GSFC).^[225]
- September 24, 2005: Spacecraft shipped to Cape Canaveral. It was moved through Andrews Air Force Base aboard a C-17 Globemaster III cargo aircraft.^[75]
- December 17, 2005: Spacecraft ready for in rocket positioning. Transported from Hazardous Servicing Facility to Vertical Integration Facility at Space Launch Complex 41.^[226]
- January 11, 2006: Primary launch window opened. The launch was delayed for further testing.^[227]

- January 16, 2006: Rocket moved onto launch pad. Atlas V launcher, serial number AV-010, rolled out onto pad.^[228]
- January 17, 2006: Launch delayed. First day launch attempts scrubbed because of unacceptable weather conditions (high winds).^{[76][77]}
- January 18, 2006: Launch delayed again. Second launch attempt scrubbed because of morning power outage at the Applied Physics Laboratory.^[229]

Launch phase

- January 19, 2006: Successful launch at 19:00 UTC after a brief delay due to cloud cover.^{[78][79]}

Jupiter pre-encounter phase

- April 7, 2006: The probe passed Mars' orbit 1.5 AU from Earth.^{[90][230]}
- June 13, 2006: Flyby of asteroid 132524 APL. The probe passed closest to the asteroid 132524 APL in the Asteroid Belt at about 101,867 km at 04:05 UTC. Pictures were taken.^[231]
- November 28, 2006: First image of Pluto. The image of Pluto was taken from a great distance.^[96]

Jupiter encounter phase

- January 10, 2007: Navigation exercise near Jupiter. Long-distance observations of Jupiter's outer moon Callirrhoe as a navigation exercise.^[232]
- February 28, 2007: Jupiter flyby. Closest approach occurred at 05:43:40 UTC at 2.305 million km, 21.219 km/s.^[233]

Pluto pre-encounter phase

- June 8, 2008: The probe passed Saturn's orbit 9.5 AU from Earth.^{[233][234]}
- December 29, 2009: The probe becomes closer to Pluto than to Earth. Pluto was then 32.7 AU from Earth, and the probe was 16.4 AU from Earth.^{[235][236][237]}
- February 25, 2010: New Horizons completed 2.38 billion km (1.48 billion mi), half the total travel distance of 4.76 billion km (2.96 billion mi).^[238]
- March 18, 2011: The probe passes Uranus' orbit. This is the fourth planetary orbit the spacecraft crossed since its start. *New Horizons* reached Uranus's orbit at 22:00 UTC.^{[239][240]}
- December 2, 2011: *New Horizons* draws closer to Pluto than any other spacecraft has ever been. Previously, *Voyager 1* held the record for the closest approach. (~10.58 AU)^[241]
- February 11, 2012: *New Horizons* reaches the distance of 10 AU from the Pluto system, at around 4:55 UTC.^[242]
- July 1, 2013: *New Horizons* captures its first image of Charon. Charon is clearly separated from Pluto using the Long-Range Reconnaissance Imager (LORRI).^{[243][244]}
- October 25, 2013: *New Horizons* reaches the distance of 5 AU from the Pluto system.^{[242][245]}

- July 20, 2014: Photos of Pluto and Charon. Images obtained showing both bodies orbiting each other, distance 2.8 AU.^[246]
- August 25, 2014: The probe passes Neptune's orbit. This was the fifth planetary orbit crossed.^[247]
- December 7, 2014: *New Horizons* awakes from hibernation. NASA's Deep Sky Network station at Tidbinbilla, Australia received a signal confirming that it successfully awoke from hibernation.^{[119][120]}
- January 2015: Observation of Kuiper belt object 2011 KW₄₈. Distant observations from a distance of roughly 75 million km (~0.5 AU)^[248]
- January 15, 2015: Start of Pluto observations. *New Horizons* is now close enough to Pluto and begins observing the system.^{[249][250]}
- March 10–11, 2015: *New Horizons* reaches a distance of 1 AU from the Pluto system.^[251]
- March 20, 2015: NASA invites the general public to suggest names for surface features that may be discovered on Pluto and Charon.^[252]
- May 15, 2015: Images exceed best Hubble Space Telescope resolution.

Pluto science phase

- July 14, 2015: Flyby of the Pluto system: Pluto, Charon, Hydra, Nix, Kerberos and Styx.
 - Flyby of Pluto around 11:49:57 UTC at 12,500 km, 13.78 km/s.
 - Pluto is 32.9 AU from Sun.
 - Flyby of Charon around 12:03:50 UTC at 28,858 km, 13.87 km/s.^[253]
- July 14, 2015 to October 25, 2016: Transmission of collected data sent back to Earth, and ongoing science discovery based on the observations. The bit rate of the downlink is limited to 1–2 kb/s,^[145] so it took until October 25, 2016, to transmit all the data.^{[16][254][255][256]}

Arrokoth pre-encounter phase

- October 22 – November 4, 2015: Trajectory correction maneuver. A course adjustment for the January 2019 flyby of Arrokoth was performed in a series of four thruster firings of 22 minutes each.^{[174][257]}
- November 2, 2015: Observation of KBO 15810 Arawn. Long-range observations from a distance of 274 million kilometers (1.83 AU), the closest ever for any Trans-Neptunian Object other than Pluto and 486958 Arrokoth. More images were taken on April 7–8, 2016, at a range of 179 million kilometers (1.20 AU) as well.^[258]
- July 13–14, 2016: Observation of KBO 50000 Quaoar. Long-range observations from a distance of 2.1 billion kilometers (14 AU) gives mission scientists a different perspective in order to study the light-scattering properties of Quaoar's surface.^[259]
- February 1, 2017: Trajectory correction maneuver. A small course adjustment towards the January 2019 flyby of Arrokoth was performed with a 44-second thruster firing.^{[260][174]}
- March 12, 2017: Arrokoth's orbit is deemed to be sufficiently well-resolved that it is formally catalogued as minor planet #486,958 and announced as such via Minor Planet Circular 103886.^[261] From now until its naming in November 2019, the object's official designation is to be (486958) 2014 MU₆₉.
- 2017–2020: Observations of Kuiper belt objects (KBOs). The probe will have opportunities to perform observations of 10 to 20 KBOs visible from the spacecraft's trajectory after the Pluto system flyby. Heliosphere data collection is expected to begin.^{[189][262][263]}

- December 9, 2017: Trajectory correction maneuver. This delays the arrival at Arrokoth by a few hours, optimizing coverage by ground-based radio telescopes.^{[264][265]}
- December 23, 2017 – June 4, 2018: Final hibernation period before the (KBO) Arrokoth encounter.^{[266][264]}
- August 2018 – March 2019: Distant observations of at least a dozen distant KBOs. Recovered by Subaru Telescope in 2014–2017, enabling *New Horizons* observations^[178]
- August 13, 2018: Switch from spin stabilization to 3-axis stabilization.^[264]
- August 16, 2018 – December 24, 2018: Approach phase. Optical navigation, search for hazardous material around Arrokoth^[264]
- August 16, 2018: First detection of Kuiper belt object Arrokoth^[197]
- October 4, 2018 – December 2, 2018: Opportunities for trajectory correction maneuvers. Maneuvers scheduled for October 4 and November 20, with backups on October 23 and December 2, respectively^[264]

Arrokoth science phase and beyond

- January 1, 2019: Flyby of Arrokoth, then nicknamed Ultima Thule. The flyby occurred at 05:33 UTC, and is the outermost close encounter of any Solar System object.^[200]
- January 9, 2019: Switch from 3-axis stabilization to spin stabilization. This ended the Arrokoth flyby, marking the beginning of the downlink phase.^[264]
- 2019–2020: Downlink of data from the Arrokoth flyby. Predicted to take approximately 20 months.^[264]
- November 12, 2019: The object previously known by the provisional designation of 2014 MU₆₉ (later numbered 486958 and nicknamed Ultima Thule) was officially named Arrokoth.^[267]
- April 22–23, 2020: Stellar distance measurements to both Proxima Centauri, and Wolf 359 using stereoscopic images from New Horizons and Earth-based telescopes for usable parallax observation.^[268]
- April 15, 2021: New Horizons reaches 50 AU from the Sun, becoming the fifth spacecraft to reach the milestone. From that distance, the probe takes a photograph of Voyager 1 in the distance.^[269]
- April 30, 2021: End of the current extended mission. It is expected that the mission will be extended further if the spacecraft remains operational.^[264]
- 2020s: The probe may be able to fly by a third KBO. The probe approached Arrokoth along its rotational axis, which simplified trajectory correction maneuvers, saving fuel that could be used to target another KBO.^{[270][271]} After the flyby, the spacecraft was left with 11 kg (24 lb) of fuel.^[272]
- Mid to late 2030s: Expected end of the mission, based on RTG decay. Heliosphere data collection expected to be intermittent if instrument power sharing is required.^{[273][271]}

Post-mission phase

- 2038: *New Horizons* will be 100 AU from the Sun. If still functioning, the probe will explore the outer heliosphere and interstellar space along with the Voyager spacecraft.^[216]

See also

- 2006 in spaceflight

- [Exploration of Pluto](#)
- [List of artificial objects leaving the Solar System](#)
- [List of missions to the outer planets](#)
- [List of *New Horizons* topics](#)
- [Mariner Mark II](#), a planned family of NASA spacecraft including a Pluto mission
- [New Horizons 2](#), a proposed trans-Neptunian object flyby mission
- [Pioneer 10](#)
- [Pioneer 11](#)
- [Pluto Kuiper Express](#), a cancelled NASA Pluto flyby mission
- [TAU](#), a proposed mission to fly by Pluto
- [Timeline of Solar System exploration](#)
- [Voyager 1](#)
- [Voyager 2](#)

Notes

- a. Confirmation that *New Horizons* exited hibernation was received by ground stations at 06:12 UTC. [Spacecraft Event Time](#) is calculated by subtracting the one-way light-travel time (5 hours, 38 minutes, 38 seconds) from Earth-received time.^[193]
- b. To escape the Sun the spacecraft needs a speed relative to the Sun of the square root of 2 times the speed of the Earth (29.78 km/s), or 42.1 km/s. Relative to the Earth this is just 12.3 km/s. But the kinetic energy when near the surface of the Earth must include the energy to exit the gravity well of the Earth, which requires a speed of about 11 km/s. The total speed needed is the square root of the sum of the squares of these two speeds.
- c. The *Parker Solar Probe* is expected to beat this record at its next [perihelion](#) in April 2019. Following several more [gravity assists](#) at Venus, the spacecraft is expected to reach a maximum speed at perihelion of approximately 200 km/s (720,000 km/h; 450,000 mph) on December 24, 2024.^[219]

References

1. Cleary, Mark C. (August 2010). "Evolved Expendable Launch Operations at Cape Canaveral, 2002-2009" (<http://afspacemuseum.org/library/histories/EELV.pdf>) (PDF). Air Force Space & Missile Museum. 45th Space Wing History Office: 30.
2. "Atlas Launch Archives" (<http://www.ilslaunch.com/atlas-launch-archives>). International Launch Services. Archived (<https://web.archive.org/web/20180422132703/http://www.ilslaunch.com/atlas-launch-archives>) from the original on April 22, 2018. Retrieved April 21, 2018.
3. "HORIZONS Web-Interface" (<http://ssd.jpl.nasa.gov/horizons.cgi>). NASA/JPL. Archived (<http://web.archive.org/web/20121007034731/http://ssd.jpl.nasa.gov/horizons.cgi>) from the original on October 7, 2012. Retrieved July 25, 2016. To find results, change Target Body to "New Horizons", Center to "@Sun", and Time Span to include "2017-01-01".
4. Chang, Kenneth (July 18, 2015). "The Long, Strange Trip to Pluto, and How NASA Nearly Missed It" (<https://www.nytimes.com/2015/07/19/us/the-long-strange-trip-to-pluto-and-how-nasa-nearly-missed-it.html>). *The New York Times*. Archived (<https://web.archive.org/web/20190920084409/https://www.nytimes.com/2015/07/19/us/the-long-strange-trip-to-pluto-and-how-nasa-nearly-missed-it.html>) from the original on September 20, 2019. Retrieved July 19, 2015.

5. Leo Laporte (August 31, 2015). "Alan Stern: principal investigator for New Horizons" (<https://twit.tv/shows/triangulation/episodes/215>). *TWiT.tv* (Podcast). *TWiT.tv*. Retrieved September 1, 2015.
6. "New Horizons, The First Mission to Pluto and the Kuiper Belt: Exploring Frontier Worlds" (http://pluto.jhuapl.edu/News-Center/Resources/Press-Kits/011607_JupiterPressKit.pdf) (PDF) (Press Kit). Applied Physics Laboratory. January 16, 2007.
7. Scharf, Caleb A. (February 25, 2013). "The Fastest Spacecraft Ever?" (<https://blogs.scientificamerican.com/life-unbounded/the-fastest-spacecraft-ever/>). *Scientific American*. Retrieved July 12, 2017.
8. Dvorsky, George (June 9, 2015). "Here's Why The New Horizons Spacecraft Won't Be Stopping At Pluto" (<https://io9.gizmodo.com/heres-why-the-new-horizons-spacecraft-wont-be-stopping-1710069685>). *io9*. Retrieved July 12, 2017.
9. Whitwam, Ryan (December 13, 2017). "New Horizons Space Probe Target May Have its Own Tiny Moonlet – ExtremeTech" (<https://www.extremetech.com/extreme/260472-next-target-new-horizons-probe-may-tiny-moonlet>). Ziff Davis. Retrieved January 24, 2019.
10. "New Horizons: NASA's Mission to Pluto" (<http://pluto.jhuapl.edu/News-Center/index.php>). NASA. Retrieved April 15, 2015.
11. "New Horizons – News" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20141206>). *Johns Hopkins Applied Physics Laboratory*. December 6, 2014. Retrieved April 15, 2015.
12. Chang, Kenneth (July 14, 2015). "NASA's New Horizons Spacecraft Completes Flyby of Pluto" (<https://www.nytimes.com/2015/07/15/science/space/nasa-new-horizons-spacecraft-reaches-pluto.html>). *The New York Times*. Archived (<https://web.archive.org/web/20180118163357/https://www.nytimes.com/2015/07/15/science/space/nasa-new-horizons-spacecraft-reaches-pluto.html>) from the original on January 18, 2018. Retrieved July 14, 2015.
13. Dunn, Marcia (July 14, 2015). "Pluto close-up: Spacecraft makes flyby of icy, mystery world" (<http://apnews.excite.com/article/20150714/us-sci--pluto-1a20f848e7.html>). *Excite*. Associated Press (AP). Archived (<https://web.archive.org/web/20150716165559/http://apnews.excite.com/article/20150714/us-sci--pluto-1a20f848e7.html>) from the original on July 16, 2015. Retrieved July 14, 2015.
14. Brown, Dwayne; Cantillo, Laurie; Buckley, Mike; Stotoff, Maria (July 14, 2015). "15-149 NASA's Three-Billion-Mile Journey to Pluto Reaches Historic Encounter" (<http://www.nasa.gov/press-release/nasas-three-billion-mile-journey-to-pluto-reaches-historic-encounter>). NASA. Archived (<https://web.archive.org/web/20190617084402/https://www.nasa.gov/press-release/nasas-three-billion-mile-journey-to-pluto-reaches-historic-encounter/>) from the original on June 17, 2019. Retrieved July 14, 2015.
15. Cofield, Calia (August 24, 2016). "How We Could Visit the Possibly Earth-Like Planet Proxima b" (<https://www.space.com/33844-proxima-b-exoplanet-interstellar-mission.html>). *Space.com*. Retrieved October 1, 2019.
16. Chang, Kenneth (October 28, 2016). "No More Data From Pluto" (<https://www.nytimes.com/2016/10/29/science/pluto-nasa-new-horizons.html>). *The New York Times*. Archived (<https://web.archive.org/web/20190329002642/https://www.nytimes.com/2016/10/29/science/pluto-nasa-new-horizons.html>) from the original on March 29, 2019. Retrieved October 28, 2016.
17. Jayawardhana, Ray (December 11, 2015). "Give It Up for Pluto" (<https://www.nytimes.com/2015/12/13/opinion/give-it-up-for-pluto.html>). *The New York Times*. Archived (<https://web.archive.org/web/20180710011707/https://www.nytimes.com/2015/12/13/opinion/give-it-up-for-pluto.html>) from the original on July 10, 2018. Retrieved December 11, 2015.
18. Talbert, Tricia (August 28, 2015). "NASA's New Horizons Team Selects Potential Kuiper Belt Flyby Target" (<http://www.nasa.gov/feature/nasa-s-new-horizons-team-selects-potential-kuiper-belt-flyby-target>). NASA. Archived (<https://web.archive.org/web/20150926211423/https://www.nasa.gov/feature/nasa-s-new-horizons-team-selects-potential-kuiper-belt-flyby-target/>) from the original on September 26, 2015. Retrieved September 4, 2015.

19. Cofield, Calla (August 28, 2015). "Beyond Pluto: 2nd Target Chosen for New Horizons Probe" (<http://www.space.com/30415-new-horizons-pluto-mission-next-target.html>). *Space.com*. Archived (<https://web.archive.org/web/20190712201151/https://www.space.com/30415-new-horizons-pluto-mission-next-target.html>) from the original on July 12, 2019. Retrieved August 30, 2015.
20. Dunn, Marcia (October 22, 2015). "NASA's New Horizons on new post-Pluto mission" (http://apnews.excite.com/article/20151022/us-sci--pluto-next_stop-3b1bf3f8fc.html). Associated Press. Archived (https://web.archive.org/web/20151028230840/http://apnews.excite.com/article/20151022/us-sci--pluto-next_stop-3b1bf3f8fc.html) from the original on October 28, 2015. Retrieved October 25, 2015.
21. Corum, Jomathan (February 10, 2019). "New Horizons Glimpses the Flattened Shape of Ultima Thule - NASA's New Horizons spacecraft flew past the most distant object ever visited: a tiny fragment of the early solar system known as 2014 MU69 and nicknamed Ultima Thule. - Interactive" (<https://www.nytimes.com/interactive/2018/12/31/science/new-horizons-ultima-thule-flyby.html>). *The New York Times*. Retrieved February 11, 2019.
22. Chang, Kenneth (December 31, 2018). "New Horizons Spacecraft Completes Flyby of Ultima Thule, the Most Distant Object Ever Visited" (<https://www.nytimes.com/2018/12/31/science/new-horizons-ultima-thule.html>). *The New York Times*. Archived (<https://web.archive.org/web/20191119160017/https://www.nytimes.com/2018/12/31/science/new-horizons-ultima-thule.html>) from the original on November 19, 2019. Retrieved January 1, 2019.
23. Gladstone, G. Randall; et al. (August 7, 2018). "The Lyman- α Sky Background as Observed by New Horizons". *Geophysical Research Letters*. **45** (16): 8022. arXiv:1808.00400 (<https://arxiv.org/abs/1808.00400>). Bibcode:2018GeoRL..45.8022G (<https://ui.adsabs.harvard.edu/abs/2018GeoRL..45.8022G>). doi:10.1029/2018GL078808 (<https://doi.org/10.1029/2018GL078808>). S2CID 119395450 (<https://api.semanticscholar.org/CorpusID:119395450>).
24. Letzter, Rafi (August 9, 2018). "NASA Spotted a Vast, Glowing 'Hydrogen Wall' at the Edge of Our Solar System" (<https://www.livescience.com/63297-hydrogen-wall-glowing-interstellar-space.html>). *Live Science*. Archived (<https://web.archive.org/web/20200413080736/https://www.livescience.com/63297-hydrogen-wall-glowing-interstellar-space.html>) from the original on April 13, 2020. Retrieved August 10, 2018.
25. Sobel, Dava (May 1993). "The Last World" (<http://discovermagazine.com/1993/may/thelastworld215>). *Discover*. Archived (<https://web.archive.org/web/20180703111150/http://discovermagazine.com/1993/may/thelastworld215>) from the original on July 3, 2018. Retrieved April 13, 2007.
26. Hand, Eric (June 25, 2015). "Feature: How Alan Stern's tenacity, drive, and command got a NASA spacecraft to Pluto" (<http://news.sciencemag.org/people-events/2015/06/feature-how-alan-stern-s-tenacity-drive-and-command-got-nasa-spacecraft-pluto>). *Science*. American Association for the Advancement of Science. Archived (<https://web.archive.org/web/20150626200636/http://news.sciencemag.org/people-events/2015/06/feature-how-alan-stern-s-tenacity-drive-and-command-got-nasa-spacecraft-pluto>) from the original on June 26, 2015. Retrieved July 8, 2015.
27. Stern, Alan; Christopher, Russell (2009). *New Horizons: Reconnaissance of the Pluto-Charon System and the Kuiper Belt* (<https://books.google.com/books?id=oZfpYIUKDrUC>). Springer Publishing. pp. 6, 7. ISBN 978-0-387-89518-5. Retrieved July 8, 2015.
28. Savage, Donald (June 6, 2001). "NASA Selects Two Investigations for Pluto-Kuiper Belt Mission Feasibility Studies" (http://nssdc.gsfc.nasa.gov/planetary/text/pluto_pr_20010606.txt). National Aeronautics and Space Administration (NASA). Archived (https://web.archive.org/web/20151231054106/http://nssdc.gsfc.nasa.gov/planetary/text/pluto_pr_20010606.txt) from the original on December 31, 2015. Retrieved July 9, 2015.

29. Savage, Donald (February 14, 2001). "NEAR Shoemaker's Historic Landing on Eros Exceeds Science, Engineering Expectations" (https://web.archive.org/web/20150709132201/https://solarsystem.nasa.gov/news/display.cfm?News_ID=683). *National Aeronautics and Space Administration (NASA)*. Archived from the original (https://solarsystem.nasa.gov/news/display.cfm?News_ID=683) on July 9, 2015. Retrieved July 8, 2015.
30. Savage, Donald (November 29, 2001). "NASA Selects Pluto-Kuiper Belt Mission Phase B Study" (http://nssdc.gsfc.nasa.gov/planetary/text/pluto_pr_20011129.txt). National Aeronautics and Space Administration (NASA). Archived (https://web.archive.org/web/20110308190424/http://nssdc.gsfc.nasa.gov/planetary/text/pluto_pr_20011129.txt) from the original on March 8, 2011. Retrieved July 9, 2015.
31. "Alice Bowman: APL's First Female MOM" (<http://www.jhuapl.edu/employment/meet/bowman.asp>). Johns Hopkins Applied Physics Laboratory. Archived (<https://web.archive.org/web/20180511193720/http://www.jhuapl.edu/employment/meet/bowman.asp>) from the original on May 11, 2018. Retrieved April 11, 2016.
32. Knapp, Alex (July 14, 2015). "How Do New Horizons Costs Compare To Other Space Missions?" (<https://www.forbes.com/sites/alexknapp/2015/07/14/how-do-new-horizons-costs-compare-to-other-space-missions/>). *Forbes*.
33. "Departments of Space Studies & Space Operations" (http://www.boulder.swri.edu/swri_boulder_2009a.pdf) (PDF). *Southwest Research Institute Planetary Science Directorate website*. Southwest Research Institute. Retrieved March 14, 2010.
34. "Unabashedly Onward to the Ninth Planet" (https://web.archive.org/web/20141113224857/http://pluto.jhuapl.edu/overview/piPerspective.php?page=piPerspective_09_06_2006). *New Horizons website*. Johns Hopkins/APL. Archived from the original (http://pluto.jhuapl.edu/overview/piPerspective.php?page=piPerspective_09_06_2006) on November 13, 2014. Retrieved October 25, 2008.
35. "Pluto's Two Small Moons Christened Nix and Hydra" (<https://web.archive.org/web/20110113182546/http://www.jhuapl.edu/newscenter/pressreleases/2006/060622.asp>). *New Horizons website* (Press release). Johns Hopkins APL. Archived from the original (<http://www.jhuapl.edu/newscenter/pressreleases/2006/060622.asp>) on January 13, 2011. Retrieved October 25, 2008.
36. "Send Your Name to Pluto" (<https://web.archive.org/web/20141113224718/http://pluto.jhuapl.edu/spacecraft/searchName.php>). *New Horizons website*. Johns Hopkins APL. Archived from the original (<http://pluto.jhuapl.edu/spacecraft/searchName.php>) on November 13, 2014. Retrieved January 30, 2009.
37. "Pluto Mission to Carry Piece of SpaceShipOne" (<https://web.archive.org/web/20101224201249/http://www.space.com/astronotes/astronotes.html>). *Space.com*. December 20, 2005. Archived from the original (<http://www.space.com/astronotes/astronotes.html>) on December 24, 2010. Retrieved January 17, 2006.
38. Betz, Eric (June 26, 2015). "Postage for Pluto: A 29-cent stamp pissed off scientists so much they tacked it to New Horizons" (<http://www.astronomy.com/year-of-pluto/2015/06/postage-for-pluto-a-29-cent-stamp-pissed-off-scientists-enough-they-tacked-it-to-new-horizons>). *Astronomy*. Kalmbach Publishing. Retrieved July 8, 2015.
39. "'Not Yet Explored' no more: New Horizons flying Pluto stamp to dwarf planet" (<http://www.collectspace.com/news/news-070715a-newhorizons-pluto-explored-stamp.html>). *collectSPACE*. Robert Pearlman. July 7, 2015. Retrieved July 8, 2015.
40. "To Pluto, With Postage" (<http://www.collectspace.com/news/news-102808a.html>). *collectSPACE*. October 28, 2008. Archived (<https://web.archive.org/web/20101213192553/http://collectspace.com/news/news-102808a.html>) from the original on December 13, 2010.
41. "New Horizons launches on voyage to Pluto and beyond" (<http://www.spaceflightnow.com/atlas/av010/060119launch.html>). *spaceFlightNow*. January 19, 2006. Archived (<https://web.archive.org/web/20110607074815/http://spaceflightnow.com/atlas/av010/060119launch.html>) from the original on June 7, 2011. Retrieved December 1, 2010.

42. "To Pluto, with postage: Nine mementos fly with NASA's first mission to the last planet" (<http://www.collectspace.com/news/news-102808a.html>). collectSPACE. Archived (<https://web.archive.org/web/20150217045712/http://www.collectspace.com/news/news-102808a.html>) from the original on February 17, 2015. Retrieved October 29, 2013.
43. "NASA – A 'State' of Exploration" (http://www.nasa.gov/mission_pages/newhorizons/main/fl_quarter.html). Nasa.gov. March 8, 2006. Retrieved October 29, 2013.
44. "The Everest of Planetary Exploration: New Horizons Explores The Pluto System 2015" (<http://www.nasa.gov/sites/default/files/files/AGU-NH-Workshop.pdf>) (PowerPoint Presentation). NASA. Archived (<https://web.archive.org/web/20150710185202/http://www.nasa.gov/sites/default/files/files/AGU-NH-Workshop.pdf>) (PDF) from the original on July 10, 2015. Retrieved April 15, 2015.
45. "Solar System Exploration – New Horizons" (<https://solarsystem.nasa.gov/missions/profile.cfm?MCode=PKB>). NASA. February 27, 2015. Archived (<https://web.archive.org/web/20150711185410/http://solarsystem.nasa.gov/missions/profile.cfm?MCode=PKB>) from the original on July 11, 2015. Retrieved April 15, 2015.
46. New Horizons: Pluto map shows 'whale' of a feature (<https://www.bbc.com/news/science-environment-33440926>) Archived (<https://web.archive.org/web/20170704010737/http://www.bbc.com/news/science-environment-33440926>) July 4, 2017, at the [Wayback Machine](#) by Jonathan Amos, on July 8, 2015 (BBC – Science & Environment section)
47. "New Horizons Spacecraft and Instruments" (http://www.nasa.gov/mission_pages/newhorizons/spacecraft/index.html). NASA. November 10, 2014. Archived (https://web.archive.org/web/20150711010249/http://www.nasa.gov/mission_pages/newhorizons/spacecraft/index.html) from the original on July 11, 2015. Retrieved April 15, 2015.
48. "New Frontiers Program: New Horizons Science Objectives" (https://web.archive.org/web/20150415224640/http://discoverynewfrontiers.nasa.gov/missions/missions_nh.cfm). NASA – New Frontiers Program. Archived from the original (http://discoverynewfrontiers.nasa.gov/missions/missions_nh.cfm) on April 15, 2015. Retrieved April 15, 2015.
49. Moore, Patrick (2010). *The Sky at Night* (<https://books.google.com/books?id=7u7k3qBd-boC&pg=PA35>). Springer. p. 35. ISBN 978-1-4419-6408-3.
50. Fountain, G. H.; et al. (2008). "The New Horizons Spacecraft". *Space Science Reviews*. **140** (1–4): 23–47. arXiv:0709.4288 (<https://arxiv.org/abs/0709.4288>). Bibcode:2008SSRv..140...23F (<https://ui.adsabs.harvard.edu/abs/2008SSRv..140...23F>). doi:10.1007/s11214-008-9374-8 (<https://doi.org/10.1007/s11214-008-9374-8>). S2CID 119216290 (<https://api.semanticscholar.org/CorpusID:119216290>).
51. "New Horizons Systems and Components" (<http://pluto.jhuapl.edu/Mission/Spacecraft/Systems-and-Components.php>).
52. Friederich, Steven (December 16, 2003). "Argonne Lab is developing battery for NASA missions" (<https://web.archive.org/web/20040119190022/http://www.journalnet.com/articles/2003/12/16/news/local/news02.txt>). Idaho State Journal. Archived from the original (<http://www.journalnet.com/articles/2003/12/16/news/local/news02.txt>) on January 19, 2004. Alt URL (<http://www.matr.net/article-9139.html>)
53. Betts, Bruce. "Planetary Radio trivia question at 38m28s" (<http://www.planetary.org/multimedia/planetary-radio/show/2015/0728-the-royal-observatory-greenwich-quest-for-longitude.html>). *The Planetary Society*. Retrieved August 7, 2015.
54. "Pluto Probe Launch Scrubbed for Tuesday" (<https://web.archive.org/web/20110223120321/http://www.foxnews.com/story/0,2933,181880,00.html>). Fox News. January 18, 2006. Archived from the original (<http://www.foxnews.com/story/0,2933,181880,00.html>) on February 23, 2011.
55. "Draft Environmental Impact Statement for the New Horizons Mission" (https://web.archive.org/web/20141113230746/http://pluto.jhuapl.edu/overview/deis/docs/NH_DEIS_Full.pdf) (PDF). Johns Hopkins APL. Archived from the original (http://pluto.jhuapl.edu/overview/deis/docs/NH_DEIS_Full.pdf) (PDF) on November 13, 2014. Retrieved May 16, 2014.

56. "New Horizons" (<http://pluto.jhuapl.edu/Mission/Spacecraft/Systems-and-Components.php>). *jhuapl.edu*.
57. Voica, Alexandru. "MIPS in space: Inside NASA's New Horizons mission to Pluto" (<https://web.archive.org/web/20151017204133/http://blog.imgtec.com/mips-processors/mips-in-space-inside-nasa-new-horizons-mission-to-pluto>). *Imagination*. Archived from the original (<http://blog.imgtec.com/mips-processors/mips-in-space-inside-nasa-new-horizons-mission-to-pluto>) on October 17, 2015. Retrieved October 18, 2015.
58. "The PI's Perspective: Trip Report" (http://pluto.jhuapl.edu/News-Center/PI-Perspectives.php?page=piPerspective_3_26_2007). NASA/Johns Hopkins University/APL/New Horizons Mission. March 27, 2007. Retrieved August 5, 2009.
59. Los Angeles Times (July 6, 2015). "Computer glitch doesn't stop New Horizons: Pluto encounter almost a week away" (<https://www.latimes.com/science/sciencenow/la-sci-sn-pluto-encounter-mode-20150706-story.html>). *Los Angeles Times*. Retrieved July 13, 2015.
60. "Pluto Probe Suffers Glitch 10 Days Before Epic Flyby" (<http://www.space.com/29853-new-horizons-glitch-pluto-flyby.html>). *Space.com*. July 5, 2015. Retrieved July 13, 2015.
61. Brown, Dwayne; Buckley, Michael; Stothoff, Maria (April 14, 2015). "NASA's New Horizons Nears Historic Encounter with Pluto" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150414>). Johns Hopkins University Applied Physics Laboratory. Archived (<https://web.archive.org/web/20191101170955/http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150414>) from the original on November 1, 2019. Retrieved March 25, 2018.
62. Rincon, Paul (July 15, 2015). "New Horizons: Spacecraft survives Pluto encounter" (<https://www.bbc.com/news/science-environment-33531811>). BBC.
63. Y. Guo; R. W. Farquhar (2006). "Baseline design of New Horizons mission to Pluto and the Kuiper belt". *Acta Astronautica*. **58** (10): 550–559. Bibcode:2006AcAau..58..550G (<https://ui.adsabs.harvard.edu/abs/2006AcAau..58..550G>). doi:10.1016/j.actaastro.2006.01.012 (<https://doi.org/10.1016%2Fj.actaastro.2006.01.012>).
64. M.M. Nieto (2008). "New Horizons and the onset of the Pioneer anomaly". *Physics Letters B*. **659** (3): 483–485. arXiv:0710.5135 (<https://arxiv.org/abs/0710.5135>). Bibcode:2008PhLB..659..483N (<https://ui.adsabs.harvard.edu/abs/2008PhLB..659..483N>). doi:10.1016/j.physletb.2007.11.067 (<https://doi.org/10.1016%2Fj.physletb.2007.11.067>). S2CID 18137697 (<https://api.semanticscholar.org/CorpusID:18137697>).
65. "About LORRI Images" (http://pluto.jhuapl.edu/soc/lorri_about.html). The Johns Hopkins University – Applied Physics Laboratory.
66. Cheng, A. F.; et al. "Long-Range Reconnaissance Imager on New Horizons" (<https://web.archive.org/web/20090709151428/http://www.boulder.swri.edu/pkb/ssr/ssr-lorri.pdf>) (PDF). Archived from the original (<http://www.boulder.swri.edu/pkb/ssr/ssr-lorri.pdf>) (PDF) on July 9, 2009.
67. "Science Photos: LORRI" (https://web.archive.org/web/20150428072216/http://pluto.jhuapl.edu/Multimedia/Science-Photos/search.php?form_keywords=60). *JHUAPL.edu*. Archived from the original (http://pluto.jhuapl.edu/Multimedia/Science-Photos/search.php?form_keywords=60) on April 28, 2015. Retrieved May 2, 2015.
68. "New Horizons" (<https://web.archive.org/web/20180501224827/http://pluto.jhuapl.edu/Mission/Spacecraft/index.php>). *pluto.jhuapl.edu*. Archived from the original (<http://pluto.jhuapl.edu/Mission/Spacecraft/index.php>) on May 1, 2018. Retrieved May 1, 2018.
69. "Ralph: A Visible/Infrared Imager for the New Horizons Pluto/Kuiper Belt Mission" (<https://www.boulder.swri.edu/pkb/ssr/ssr-ralph.pdf>) (PDF). *boulder.swri.edu*. Retrieved August 16, 2021.
70. David, Leonard (July 11, 2015). "Meet Ralph, the New Horizons Camera Bringing Pluto into Sharp Focus" (<http://spacenews.com/new-horizons-about-to-bring-an-unknown-world-into-sharp-focus/>). *Space News*. Retrieved July 16, 2015.

71. Gipson, Lillian, ed. (June 23, 2017). "NASA's New Horizons Mission Honors Memory of Engineer Lisa Hardaway" (<https://www.nasa.gov/feature/nasa-s-new-horizons-mission-honors-memory-of-engineer-lisa-hardaway>). NASA. Retrieved June 27, 2017.
72. "Pluto-Bound, Student-Built Dust Detector Renamed "Venetia," Honoring Girl Who Named Ninth Planet" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=062906>). The Johns Hopkins University Applied Physics Laboratory.
73. [1] (<http://www.unmannedspaceflight.com/index.php?act=attach&type=post&id=21744>)
74. "Destination: Pluto and Beyond" (https://web.archive.org/web/20140619180449/http://www.youtube.com/watch?v=nes3cAh8_DI). *YouTube.com*. Archived from the original (https://www.youtube.com/watch?v=nes3cAh8_DI) on June 19, 2014.
75. "NASA'S Pluto Space Probe Begins Launch Preparations" (https://web.archive.org/web/20091231125211/http://www.spacedaily.com/reports/NASAS_Pluto_Space_Probe_Begins_Launch_Preparations.html). SpaceDaily. September 27, 2005. Archived from the original (http://www.spacedaily.com/reports/NASAS_Pluto_Space_Probe_Begins_Launch_Preparations.html) on December 31, 2009. Retrieved January 12, 2011.
76. Leary, Warren E. (January 17, 2006). "Winds Delay Launching for NASA Mission to Pluto" (<https://www.nytimes.com/2006/01/17/science/winds-delay-launching-for-nasa-mission-to-pluto.html>). *The New York Times*.
77. "Launch of NASA's Pluto Probe Delayed for 24 Hours" (<http://www.space.com/1957-launch-nasa-pluto-probe-delayed-24-hours.html>). *Space.com*. January 17, 2006. Retrieved June 3, 2013.
78. Alexander, Amir (January 19, 2006). "New Horizons Launched on its Way to Pluto" (https://web.archive.org/web/20120318214956/http://www.planetary.org/news/2006/0119_New_Horizons_Launched_on_its_Way_to.html). The Planetary Society. Archived from the original (http://www.planetary.org/news/2006/0119_New_Horizons_Launched_on_its_Way_to.html) on March 18, 2012.
79. Harwood, William (January 19, 2006). "New Horizons launches on voyage to Pluto and beyond" (<http://spaceflightnow.com/atlas/av010/060119launch.html>). *Spaceflight Now*. Archived (<https://web.archive.org/web/20101130001152/http://spaceflightnow.com/atlas/av010/060119launch.html>) from the original on November 30, 2010. Retrieved January 12, 2011.
80. "New Horizons: Mission Overview" (https://web.archive.org/web/20160909024832/http://pluto.jhuapl.edu/Mission/The-Path-to-Pluto/FINAL-PLUTO_MO.pdf) (PDF). International Launch Services. January 2006. Archived from the original (http://pluto.jhuapl.edu/Mission/The-Path-to-Pluto/FINAL-PLUTO_MO.pdf) (PDF) on September 9, 2016. Retrieved April 21, 2018.
81. Neufeld, Michael (July 10, 2015). "First Mission to Pluto: The Difficult Birth of New Horizons" (<https://airandspace.si.edu/stories/editorial/first-mission-pluto-difficult-birth-new-horizons>). *Smithsonian*. Retrieved April 21, 2018.
82. Granath, Bob (July 2, 2015). "NASA Met Unprecedented Challenges Sending Spacecraft to Pluto" (<https://www.nasa.gov/feature/nasa-met-unprecedented-challenges-sending-spacecraft-to-pluto>). NASA. Retrieved April 21, 2018.
83. Ray, Justin (November 2, 2005). "Damage prompts booster replacement for Pluto probe" (<https://web.archive.org/web/20110424103844/http://spaceflightnow.com/atlas/av010/051102srbreplace.html>). *Spaceflight Now*. Archived from the original (<http://spaceflightnow.com/atlas/av010/051102srbreplace.html>) on April 24, 2011. Retrieved July 31, 2007.
84. Schuster, Patrick (January 16, 2006). "Spacecraft will carry memory of Sagamore native" (http://triblive.com/x/leadertimes/news/s_414000.html). TribLIVE. Retrieved June 3, 2013.
85. Stern, Alan (January 31, 2006). "Our Aim Is True" (https://web.archive.org/web/20141010030345/http://pluto.jhuapl.edu/overview/piPerspectives/piPerspective_1_31_2006.php). *The PI's Perspective*. Johns Hopkins APL. Archived from the original (http://pluto.jhuapl.edu/overview/piPerspectives/piPerspective_1_31_2006.php) on October 10, 2014. Retrieved June 11, 2006.

86. "New Horizons Adjusts Course Towards Jupiter" (https://web.archive.org/web/20141113224837/http://pluto.jhuapl.edu/news_center/news/030906.php). Johns Hopkins APL. March 9, 2006. Archived from the original (http://pluto.jhuapl.edu/news_center/news/030906.php) on November 13, 2014. Retrieved May 29, 2011.
87. "Maneuver Puts New Horizons on a Straight Path to Pluto" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=092707>) (Press release). Johns Hopkins APL. September 27, 2007. Archived (https://web.archive.org/web/20080725071941/http://pluto.jhuapl.edu/news_center/news/092707.html) from the original on July 25, 2008. Retrieved July 16, 2015.
88. "Course Correction Keeps New Horizons on Path to Pluto" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20100701>) (Press release). Johns Hopkins APL. July 1, 2010. Archived (https://web.archive.org/web/20141113224818/http://pluto.jhuapl.edu/news_center/news/20100701.php) from the original on November 13, 2014. Retrieved July 16, 2015.
89. Stern, Alan (February 27, 2006). "Boulder and Baltimore" (https://web.archive.org/web/20060901080153/http://pluto.jhuapl.edu/overview/piPerspectives/piPerspective_2_27_2006.php). *The PI's Perspective*. Johns Hopkins APL. Archived from the original (http://pluto.jhuapl.edu/overview/piPerspectives/piPerspective_2_27_2006.php) on September 1, 2006. Retrieved June 11, 2006.
90. Malik, T. (April 7, 2006). "Pluto-Bound Probe Passes Mars' Orbit" (<https://web.archive.org/web/20111127062040/http://www.space.com/2263-pluto-bound-probe-passes-mars-orbit.html>). *Space.com*. Archived from the original (<http://www.space.com/2263-pluto-bound-probe-passes-mars-orbit.html>) on November 27, 2011. Retrieved January 14, 2011.
91. "Outbound for the Frontier, New Horizons Crosses the Orbit of Mars" (https://web.archive.org/web/20150213042523/https://solarsystem.nasa.gov/news/display.cfm?News_ID=14396). Johns Hopkins APL. April 7, 2006. Archived from the original (https://solarsystem.nasa.gov/news/display.cfm?News_ID=14396) on February 13, 2015.
92. "Outbound for the Frontier, NASA New Horizons Crosses the Orbit of Mars" (<https://web.archive.org/web/20060426224005/http://www.plutotoday.com/news/viewsr.html?pid=20190>). *Pluto Today*. SpaceRef Interactive Inc. April 7, 2006. Archived from the original (<http://www.plutotoday.com/news/viewsr.html?pid=20190>) on April 26, 2006. Retrieved February 3, 2013.
93. Stern, Alan (June 1, 2006). "A Summer's Crossing of the Asteroid Belt" (https://web.archive.org/web/20141113224821/http://pluto.jhuapl.edu/overview/piPerspective.php?page=piPerspective_6_1_2006). *The PI's Perspective*. Johns Hopkins APL. Archived from the original (http://pluto.jhuapl.edu/overview/piPerspective.php?page=piPerspective_6_1_2006) on November 13, 2014. Retrieved June 20, 2010.
94. "JF56 Encounter, Encounter Date June 13, 2006 UT" (<https://web.archive.org/web/20070805184931/http://smass.mit.edu/2002jf56.html>). *Pluto New Horizons Mission, Supporting Observations for 2002*. International Astronomical Union. Archived from the original (<http://smass.mit.edu/2002jf56.html>) on August 5, 2007. Retrieved June 20, 2010.
95. "New Horizons Tracks an Asteroid" (https://web.archive.org/web/20141113224827/http://pluto.jhuapl.edu/news_center/news/061506.php). Johns Hopkins APL. June 15, 2006. Archived from the original (http://pluto.jhuapl.edu/news_center/news/061506.php) on November 13, 2014. Retrieved June 20, 2010.
96. K. Beisser (November 28, 2006). "New Horizons, Not Quite to Jupiter, Makes First Pluto Sighting" (https://web.archive.org/web/20141113224846/http://pluto.jhuapl.edu/news_center/news/112806.php). JHU/APL. Archived from the original (http://pluto.jhuapl.edu/news_center/news/112806.php) on November 13, 2014. Retrieved January 13, 2011.
97. "Jupiter Ahoy!" (https://web.archive.org/web/20080907192302/http://pluto.jhuapl.edu/news_center/news/092606.html). Johns Hopkins APL. September 26, 2006. Archived from the original (http://pluto.jhuapl.edu/news_center/news/092606.html) on September 7, 2008. Retrieved October 27, 2008.

98. "Jupiter Encounter Begins" (https://web.archive.org/web/20141113224807/http://pluto.jhuapl.edu/news_center/news/011007.php). Johns Hopkins APL. Archived from the original (http://pluto.jhuapl.edu/news_center/news/011007.php) on November 13, 2014. Retrieved December 17, 2013.
99. "Pluto-Bound New Horizons Spacecraft Gets a Boost from Jupiter" (https://web.archive.org/web/20141113224828/http://pluto.jhuapl.edu/news_center/news/022807.php). Johns Hopkins APL. February 28, 2007. Archived from the original (http://pluto.jhuapl.edu/news_center/news/022807.php) on November 13, 2014. Retrieved December 17, 2008.
100. Malik, Tariq (February 28, 2007). "Pluto probe gets an eyeful in Jupiter flyby" (<https://www.nbcnews.com/id/17381933>). *NBC News*. Retrieved May 29, 2011.
101. Than, Ker (October 9, 2007). "Spacecraft Surfs Jupiter's Magnetic Tail" (<http://www.space.com/4446-spacecraft-surfs-jupiter-magnetic-tail.html>). *Space.com*. Retrieved December 17, 2013.
102. "Capturing Callisto" (https://web.archive.org/web/20141113224826/http://pluto.jhuapl.edu/gallery/sciencePhotos/image.php?page=4&gallery_id=2&image_id=21). Johns Hopkins APL. Archived from the original (http://pluto.jhuapl.edu/gallery/sciencePhotos/image.php?page=4&gallery_id=2&image_id=21) on November 13, 2014. Retrieved December 17, 2013.
103. "New Horizons Slips into Electronic Slumber" (https://web.archive.org/web/20141113224815/http://pluto.jhuapl.edu/news_center/news/062807.php). Johns Hopkins APL. 2007. Archived from the original (http://pluto.jhuapl.edu/news_center/news/062807.php) on November 13, 2014. Retrieved December 14, 2013.
104. New Horizons Earns a Holiday (http://pluto.jhuapl.edu/news_center/news/121908.php) Archived (https://web.archive.org/web/20141113224845/http://pluto.jhuapl.edu/news_center/news/121908.php) November 13, 2014, at the [Wayback Machine](#) JHUAPL December 19, 2008
105. New Horizons Checks Out, Enters Hibernation (http://pluto.jhuapl.edu/news_center/news/20090828.php) Archived (https://web.archive.org/web/20141113224816/http://pluto.jhuapl.edu/news_center/news/20090828.php) November 13, 2014, at the [Wayback Machine](#) JHUAPL August 28, 2009
106. New Horizons Commanded into Last Pre-Pluto Slumber (http://pluto.jhuapl.edu/news_center/news/20140829.php) Archived (https://web.archive.org/web/20141113224855/http://pluto.jhuapl.edu/news_center/news/20140829.php) November 13, 2014, at the [Wayback Machine](#) JHUAPL August 29, 2014
107. "New Horizons Ventures Beyond Saturn's Orbit" (https://web.archive.org/web/20141113224829/http://pluto.jhuapl.edu/news_center/news/060808.php). Johns Hopkins APL. 2008. Archived from the original (http://pluto.jhuapl.edu/news_center/news/060808.php) on November 13, 2014. Retrieved December 14, 2013.
108. "Later, Uranus: New Horizons Passes Another Planetary Milestone" (https://web.archive.org/web/20141113224830/http://pluto.jhuapl.edu/news_center/news/20110318.php). Johns Hopkins APL. 2011. Archived from the original (http://pluto.jhuapl.edu/news_center/news/20110318.php) on November 13, 2014. Retrieved December 14, 2013.
109. "At Pluto, Moons and Debris May Be Hazardous to New Horizons" (https://web.archive.org/web/20141113224823/http://pluto.jhuapl.edu/news_center/news/20121016.php). Johns Hopkins APL. 2012. Archived from the original (http://pluto.jhuapl.edu/news_center/news/20121016.php) on November 13, 2014. Retrieved December 14, 2013.
110. "New Horizons Team Sticking to Original Flight Plan at Pluto" (https://web.archive.org/web/20141113224851/http://pluto.jhuapl.edu/news_center/news/20130614.php). Johns Hopkins APL. 2013. Archived from the original (http://pluto.jhuapl.edu/news_center/news/20130614.php) on November 13, 2014. Retrieved December 14, 2013.

111. "New Horizons Doing Science in Its Sleep" (https://web.archive.org/web/20141113224851/http://pluto.jhuapl.edu/news_center/news/20120709.php). Johns Hopkins APL. 2012. Archived from the original (http://pluto.jhuapl.edu/news_center/news/20120709.php) on November 13, 2014. Retrieved December 14, 2013.
112. "New Horizons Gets a New Year's Workout" (https://web.archive.org/web/20141113224830/http://pluto.jhuapl.edu/news_center/news/20130110.php). Johns Hopkins APL. 2013. Archived from the original (http://pluto.jhuapl.edu/news_center/news/20130110.php) on November 13, 2014. Retrieved December 14, 2013.
113. Parker, Alex H.; and 21 co-authors. (2013). "2011 HM102: Discovery of a High-Inclination L5 Neptune Trojan in the Search for a post-Pluto New Horizons Target". *The Astronomical Journal*. **145** (4): 96. arXiv:1210.4549 (<https://arxiv.org/abs/1210.4549>). Bibcode:2013AJ....145...96P (<https://ui.adsabs.harvard.edu/abs/2013AJ....145...96P>). doi:10.1088/0004-6256/145/4/96 (<https://doi.org/10.1088/0004-6256/145/4/96>). S2CID 119267735 (<https://api.semanticscholar.org/CorpusID:119267735>).
114. Parker, Alex (April 30, 2013). "2011 HM102: A new companion for Neptune" (<http://www.planetary.org/blogs/guest-blogs/2013/0430-2011hm102-new-neptune-companion.html>). *The Planetary Society*. Archived (<https://web.archive.org/web/20141009183627/http://www.planetary.org/blogs/guest-blogs/2013/0430-2011hm102-new-neptune-companion.html>) from the original on October 9, 2014. Retrieved October 7, 2014.
115. Atkinson, Nancy (July 10, 2013). "New Horizons: I Spy Pluto and Charon!" (<http://www.universetoday.com/103429/new-horizons-i-spy-pluto-and-charon/>). *Universe Today*. Retrieved October 7, 2014.
116. New Horizons Marks a 'Year Out' with a Successful Course Correction (http://pluto.jhuapl.edu/news_center/news/20140715.php) Archived (https://web.archive.org/web/20141113224821/http://pluto.jhuapl.edu/news_center/news/20140715.php) November 13, 2014, at the Wayback Machine, New Horizons NASA July 17, 2014
117. "A Moon over Pluto (Close up)" (https://web.archive.org/web/20160826101411/http://pluto.jhuapl.edu/Multimedia/Science-Photos/pics/PR_E12_proper_nosat_3fps.png). Johns Hopkins APL. August 7, 2014. Archived from the original (http://pluto.jhuapl.edu/Multimedia/Science-Photos/pics/PR_E12_proper_nosat_3fps.png) on August 26, 2016. Retrieved February 11, 2015.
118. "ALMA Pinpoints Pluto to Help Guide New Horizons Spacecraft" (<http://www.eso.org/public/announcements/ann14059/>). *ESO Announcement*. Retrieved August 7, 2014.
119. "NASA New Horizons (@NASANewHorizons) – Twitter" (<https://twitter.com/NASANewHorizons>).
120. Nally, Jonathan. "Ready for a Close Encounter". *Australian Sky & Telescope* (83): 14. ISSN 1832-0457 (<https://www.worldcat.org/issn/1832-0457>).
121. "It's Alive! NASA's New Horizons Pluto Probe 'Wakes Up' for Work" (<https://www.nbcnews.com/science/space/its-alive-nasas-new-horizons-pluto-probe-wakes-work-n262996>). *NBC News*. December 6, 2014.
122. "New Horizons Commanded into Last Pre-Pluto Slumber" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20140829>). Applied Physics Laboratory. August 29, 2014. Retrieved October 7, 2014.
123. "New Horizons Begins First Stages of Pluto Encounter" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150115>). Applied Physics Laboratory. January 15, 2015. Archived (<https://web.archive.org/web/20150714232102/http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150115>) from the original on July 14, 2015. Retrieved November 5, 2016.

124. "Happy Birthday Clyde Tombaugh: New Horizons Returns New Images of Pluto" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150204>). Applied Physics Laboratory. February 4, 2015. Archived (<https://web.archive.org/web/20150714231810/http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150204>) from the original on July 14, 2015. Retrieved November 5, 2016.
125. "The View from New Horizons: A Full Day on Pluto-Charon" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150212>). Applied Physics Laboratory. February 12, 2015. Archived (<https://web.archive.org/web/20150714133648/http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150212>) from the original on July 14, 2015. Retrieved November 5, 2016.
126. "85 Years after Pluto's Discovery, New Horizons Spots Small Moons Orbiting Pluto" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150218>). Applied Physics Laboratory. February 18, 2015. Archived (<https://web.archive.org/web/20150714232053/http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150218>) from the original on July 14, 2015. Retrieved November 5, 2016.
127. "New Horizons Spots Pluto's Faintest Known Moons" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150512>). Applied Physics Laboratory. May 12, 2015. Archived (<https://archive.today/20150712141848/http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150512>) from the original on July 12, 2015. Retrieved November 5, 2016.
128. "So Far, All Clear: New Horizons Team Completes First Search for Pluto System Hazards" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150528>). Applied Physics Laboratory. May 28, 2015. Archived (<https://web.archive.org/web/20150714232040/http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150528>) from the original on July 14, 2015. Retrieved November 5, 2016.
129. "New Horizons to Encounter KBO Ahead of Pluto Flyby" (<http://www.americaspace.com/?p=24691>). *Americaspace.com*. 2012. Archived (<https://web.archive.org/web/20150629191044/http://www.americaspace.com/?p=24691>) from the original on June 29, 2015. Retrieved April 22, 2014.
130. Brown, Dwayne; Buckley, Michael (April 29, 2015). "NASA's New Horizons Detects Surface Features, Possible Polar Cap on Pluto" (<http://www.nasa.gov/press-release/nasa-s-new-horizons-detects-surface-features-possible-polar-cap-on-pluto>). NASA. Archived (<https://web.archive.org/web/20150705011700/http://www.nasa.gov/press-release/nasa-s-new-horizons-detects-surface-features-possible-polar-cap-on-pluto/>) from the original on July 5, 2015. Retrieved April 30, 2015.
131. Gipson, Lillian (July 4, 2015). "New Horizons Team Responds to Spacecraft Anomaly" (<http://www.nasa.gov/nh/new-horizons-responds-spacecraft-anomaly>). NASA. Archived (<https://web.archive.org/web/20150715222035/http://www.nasa.gov/nh/new-horizons-responds-spacecraft-anomaly/>) from the original on July 15, 2015. Retrieved July 5, 2015.
132. Klotz, Irene (July 5, 2015). "New Horizons space probe suffers glitch on approach to Pluto" (<https://www.reuters.com/article/us-space-pluto-idUSKCN0PF0HW20150705>). *Reuters*. Reuters.
133. "NASA's New Horizons Plans July 7 Return to Normal Science Operations" (<http://www.nasa.gov/nh/new-horizons-plans-july-7-return-to-normal-science-operations>). *NASA.gov*. NASA. July 5, 2015. Archived (<https://web.archive.org/web/20150706043056/http://www.nasa.gov/nh/new-horizons-plans-july-7-return-to-normal-science-operations/>) from the original on July 6, 2015. Retrieved July 6, 2015.
134. Feltman, Rachel (July 6, 2015). "New Horizons computer overload won't hurt the mission to Pluto, NASA says" (<https://www.washingtonpost.com/news/speaking-of-science/wp/2015/07/06/after-a-heart-stopping-glitch-nasas-new-horizons-prepares-for-its-historic-pluto-flyby/>). *The Washington Post*.
135. "NASA's Three-Billion-Mile Journey to Pluto Reaches Historic Encounter" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150714-2>). Johns Hopkins University Applied Physics Laboratory. July 14, 2015.

136. Lakdawalla, Emily (July 15, 2015). "New Horizons "phones home" after Pluto flyby" (<http://www.planetary.org/blogs/emily-lakdawalla/2015/07142231-new-horizons-phones-home.html>). The Planetary Society.
137. Phipps, Claire (July 15, 2015). "Pluto: New Horizons probe makes contact with Earth" (<http://www.theguardian.com/science/2015/jul/15/new-horizons-pluto-probe-makes-contact-with-earth>). *The Guardian*.
138. Jones, Barrie W. (2010). *Pluto: Sentinel of the Outer Solar System* (<https://books.google.com/books?id=8nKZnNnWjE0C&pg=PA189>). Cambridge University Press. p. 189. ISBN 9781139490221. Retrieved May 1, 2018.
139. Stern, S. A.; Weaver, H. A.; Spencer, J. R.; Elliott, H. A.; the New Horizons Team (2018). "The New Horizons Kuiper Belt Extended Mission". S.A. Stern, H.A. Weaver, J.R. Spencer, H.A. Elliott, the New Horizons Team. **214** (4): 4. arXiv:1806.08393 (<https://arxiv.org/abs/1806.08393>). Bibcode:2018SSRv..214...77S (<https://ui.adsabs.harvard.edu/abs/2018SSRv..214...77S>). doi:10.1007/s11214-018-0507-4 (<https://doi.org/10.1007%2Fs11214-018-0507-4>). S2CID 119506499 (<https://api.semanticscholar.org/CorpusID:119506499>).
140. Verbiscer, A. J.; Porter, S. B.; Buratti, B. J.; Weaver, H. A.; Spencer, J. R.; Showalter, M. R.; Buie, M. W.; Hofgartner, J. D.; Hicks, M. D.; Ennico-Smith, K.; Olkin, C. B.; Stern, S. A.; Young, L. A.; Cheng, A. (2018). "Phase Curves of Nix and Hydra from the *New Horizons* Imaging Cameras" (<https://doi.org/10.3847%2F2041-8213%2Faaa486>). *The Astrophysical Journal*. **852** (2): L35. Bibcode:2018ApJ...852L..35V (<https://ui.adsabs.harvard.edu/abs/2018ApJ...852L..35V>). doi:10.3847/2041-8213/aaa486 (<https://doi.org/10.3847%2F2041-8213%2Faaa486>).
141. "Last of Pluto's moons – mysterious Kerberos – revealed by New Horizons" (<http://www.astronomy.com/news/2015/10/last-of-plutos-moons--mysterious-kerberos--revealed-by-new-horizons>). *Astronomy.com*. October 23, 2015. Retrieved December 6, 2015.
142. Chang, Kenneth (July 14, 2015). "NASA's New Horizons Spacecraft Sends Signal From Pluto to Earth" (<https://www.nytimes.com/2015/07/15/science/space/nasa-new-horizons-spacecraft-reaches-pluto.html>). *The New York Times*. Archived (<https://web.archive.org/web/20180118163357/https://www.nytimes.com/2015/07/15/science/space/nasa-new-horizons-spacecraft-reaches-pluto.html>) from the original on January 18, 2018. Retrieved July 14, 2015.
143. Boyle, Alan (July 14, 2015). "NASA's New Horizons Probe Phones Home After Historic Pluto Flyby" (<https://www.nbcnews.com/science/space/nasas-new-horizons-probe-phones-home-after-pluto-flyby-n391611>). *NBC News*. Retrieved July 14, 2015.
144. "How Much Bandwidth Does a Satellite Have | Microwaves | Planet Fox" (<http://planetfox.net/microwaves/bandwidth.html>).
145. Rienzi, Greg (July 17, 2015). "How exactly does New Horizons send all that data back from Pluto?" (<http://hub.jhu.edu/2015/07/17/new-horizons-data-transmission/>). *The Hub*. Johns Hopkins University. Retrieved July 17, 2015.
146. Smith-Strickland, Kiona (March 30, 2016). "New Horizons is Still Only Halfway Through Its Download from Pluto" (<http://www.airspacemag.com/daily-planet/new-horizons-still-only-half-way-through-its-download-pluto-180958617/>). *Air & Space/Smithsonian*. Retrieved November 5, 2016.
147. Talbert, Tricia, ed. (October 27, 2016). "New Horizons Returns Last Bits of 2015 Flyby Data to Earth" (<http://www.nasa.gov/feature/new-horizons-returns-last-bits-of-2015-flyby-data-to-earth>). NASA. Archived (<https://web.archive.org/web/20161028152315/http://www.nasa.gov/feature/new-horizons-returns-last-bits-of-2015-flyby-data-to-earth/>) from the original on October 28, 2016. Retrieved October 27, 2016.
148. "New Horizons Current Position" (<http://pluto.jhuapl.edu/Mission/Where-is-New-Horizons/index.php>). Applied Physics Laboratory. Archived (<https://web.archive.org/web/20150509174048/http://pluto.jhuapl.edu/Mission/Where-is-New-Horizons/index.php>) from the original on May 9, 2015. Retrieved November 26, 2018.

149. Peat, Chris. "Spacecraft escaping the Solar System" (<http://www.heavens-above.com/SolarEscape.aspx>). *Heavens-Above*. Archived (<https://web.archive.org/web/20180511013456/http://www.heavens-above.com/SolarEscape.aspx>) from the original on May 11, 2018. Retrieved November 26, 2018.
150. "After Visiting Pluto, NASA's New Horizons Spacecraft Reaches Another Cosmic Milestone" (<https://time.com/5955695/new-horizons-50-au/>). *TIME*. April 16, 2021. Retrieved April 18, 2021.
151. Wall, Mike (July 1, 2016). "It's Official! NASA Pluto Probe to Fly by Another Object in 2019" (<http://www.space.com/33332-new-horizons-pluto-probe-mission-extension.html>). *Space.com*. Retrieved July 3, 2016.
152. Wall, Mike (April 25, 2016). "New Horizons Encore? Pluto Probe's Team Proposes Extension" (<http://www.space.com/32660-new-horizons-extended-mission-kuiper-belt.html>). *Space.com*. Retrieved April 27, 2016.
153. Grush, Loren (July 1, 2016). "NASA extends the New Horizons mission to fly by another small world beyond Pluto" (<https://www.theverge.com/2016/7/1/11686404/nasa-new-horizons-mission-funding-extension-mu69>). *The Verge*. Retrieved September 11, 2016.
154. Chris Gebhardt (2015). "New Horizons conducts flyby of Pluto in historic Kuiper Belt encounter" (<https://www.nasaspaceflight.com/2015/07/new-horizons-pluto-historic-kuiper-encounter/>). NASA. Retrieved August 30, 2019.
155. Pluto-bound probe faces crisis (<http://www.nature.com/news/pluto-bound-probe-faces-crisis-1.15261>) (nature.com May 20, 2014)
156. "IceHunters" (<https://web.archive.org/web/20140505003325/http://demo.icehunters.org/>). Zooniverse. 2011. Archived from the original (<http://demo.icehunters.org/>) on May 5, 2014. Retrieved June 27, 2011.
157. "IceHunters project complete" (<https://www.zooniverse.org/project/icehunters>). Zooniverse. 2012. Retrieved August 7, 2012.
158. "Ice Hunters web site" (<https://web.archive.org/web/20120721055846/http://www.icehunters.org/>). Zooniverse.Org. Archived from the original (<http://www.icehunters.org/>) on July 21, 2012. Retrieved July 8, 2011.
159. "Citizen Scientists: Discover a New Horizons Flyby Target" (https://www.webcitation.org/6BAniTkqF?url=http://solarsystem.nasa.gov/news/display.cfm?News_ID=37726). NASA. June 21, 2011. Archived from the original (http://solarsystem.nasa.gov/news/display.cfm?News_ID=37726) on October 4, 2012. Retrieved August 23, 2011.
160. Lakdawalla, Emily (June 21, 2011). "The most exciting citizen science project ever (to me, anyway)" (<http://planetary.org/blog/article/00003073/>). The Planetary Society. Archived (<https://www.webcitation.org/6BANrk3iT?url=http://planetary.org/blogs/emily-lakdawalla/2011/3073.html>) from the original on October 4, 2012. Retrieved August 31, 2011.
161. "Confirmed KBOs" (<https://web.archive.org/web/20141211123836/http://www.icehunters.org/catalogue.php?task=6&page=1>). *New Horizons Ice Hunters*. Zooniverse. Archived from the original (<http://www.icehunters.org/catalogue.php?task=6&page=1>) on December 11, 2014. Retrieved August 21, 2012.
162. Witze, Alexandra (May 20, 2014). "Pluto-Bound Spacecraft Faces Crisis" (<http://www.scientificamerican.com/article/pluto-bound-spacecraft-faces-crisis/>). *Nature*. Retrieved May 26, 2014.
163. "Hubble recruited to find New Horizons probe post-Pluto target" (<http://www.nasaspaceflight.com/2014/06/hubble-recruited-new-horizons-pluto-target/>). *nasaspaceflight.com*. June 16, 2014.
164. Hubble To Lend Pluto Probe Helping Hand in Search for Secondary Target (<https://archive.today/20140625194129/http://www.spacenews.com/article/civil-space/40944hubble-to-lend-pluto-probe-helping-hand-in-search-for-secondary-target>) *spacenews.com* June 25, 2014.

165. Brown, Dwayne; Villard, Ray (October 15, 2014). "RELEASE 14-281 NASA's Hubble Telescope Finds Potential Kuiper Belt Targets for New Horizons Pluto Mission" (<http://www.nasa.gov/press/2014/october/nasa-s-hubble-telescope-finds-potential-kuiper-belt-targets-for-new-horizons>). NASA. Archived (<https://web.archive.org/web/20200406132923/https://www.nasa.gov/press/2014/october/nasa-s-hubble-telescope-finds-potential-kuiper-belt-targets-for-new-horizons>) from the original on April 6, 2020. Retrieved October 16, 2014.
166. Lakdawalla, Emily (October 15, 2014). "Finally! New Horizons has a second target" (<http://www.planetary.org/blogs/emily-lakdawalla/2014/10151024-finally-new-horizons-has-a-kbo.html>). *Planetary Society blog*. Planetary Society. Archived (<https://web.archive.org/web/20141015230432/http://www.planetary.org/blogs/emily-lakdawalla/2014/10151024-finally-new-horizons-has-a-kbo.html>) from the original on October 15, 2014. Retrieved October 15, 2014.
167. "NASA's Hubble Telescope Finds Potential Kuiper Belt Targets for New Horizons Pluto Mission" (https://web.archive.org/web/20141016023345/http://www.jhuapl.edu/newscenter/pressreleases/2014/141015_2.asp). *press release*. Johns Hopkins Applied Physics Laboratory. October 15, 2014. Archived from the original (http://www.jhuapl.edu/newscenter/pressreleases/2014/141015_2.asp) on October 16, 2014. Retrieved October 16, 2014.
168. Wall, Mike (October 15, 2014). "Hubble Telescope Spots Post-Pluto Targets for New Horizons Probe" (<https://web.archive.org/web/20141015233156/http://www.space.com/27445-hubble-telescope-new-horizons-kuiper-belt.html>). *Space.com*. Archived from the original (<http://www.space.com/27445-hubble-telescope-new-horizons-kuiper-belt.html>) on October 15, 2014. Retrieved October 15, 2014.
169. Buie, Marc (October 15, 2014). "New Horizons HST KBO Search Results: Status Report" (<https://wayback.archive-it.org/all/20150727213348/http://www.stsci.edu/institute/stuc/oct-2014/New-Horizons.pdf>) (PDF). Space Telescope Science Institute. p. 23. Archived from the original (<http://www.stsci.edu/institute/stuc/oct-2014/New-Horizons.pdf>) (PDF) on July 27, 2015. Retrieved May 10, 2015.
170. "Hubble to Proceed with Full Search for New Horizons Targets" (<http://hubblesite.org/newscenter/archive/releases/2014/35/image/a/>). *HubbleSite news release*. Space Telescope Science Institute. July 1, 2014. Archived (<https://web.archive.org/web/20150512031618/http://hubblesite.org/newscenter/archive/releases/2014/35/image/a/>) from the original on May 12, 2015. Retrieved October 15, 2014.
171. Stromberg, Joseph (April 14, 2015). "NASA's New Horizons probe is visiting Pluto – and just sent back its first color photos" (<https://www.vox.com/2015/4/14/8412031/pluto-new-horizons>). *Vox*. Archived (<https://web.archive.org/web/20200406132908/https://www.vox.com/2015/4/14/8412031/pluto-new-horizons>) from the original on April 6, 2020. Retrieved April 14, 2015.
172. Corey S. Powell (March 29, 2015). "Alan Stern on Pluto's Wonders, New Horizons' Lost Twin, and That Whole "Dwarf Planet" Thing" (<http://blogs.discovermagazine.com/outthere/2015/03/29/alan-stern-on-plutos-wonders/>). *Discover*. Archived (<https://web.archive.org/web/20191116104116/http://blogs.discovermagazine.com/outthere/2015/03/29/alan-stern-on-pluto-s-wonders/>) from the original on November 16, 2019. Retrieved May 7, 2015.
173. "Archived copy" (<http://www.hou.usra.edu/meetings/lpsc2015/pdf/1301.pdf>) (PDF). Archived (<https://web.archive.org/web/20160303182211/http://www.hou.usra.edu/meetings/lpsc2015/pdf/1301.pdf>) (PDF) from the original on March 3, 2016. Retrieved December 12, 2018.
174. Stockton, Nick (November 4, 2015). "How NASA Is Steering New Horizons Toward a Tiny Space Rock in the Kuiper Belt" (<https://www.wired.com/2015/11/how-nasa-is-steering-new-horizons-toward-a-tiny-space-rock-in-the-kuiper-belt/>). *Wired*. Retrieved May 30, 2017.
175. Gebhardt, Chris (January 3, 2017). "New Horizons prepares for New Year's Day 2019 Kuiper Belt Object encounter" (<https://www.nasaspaceflight.com/2017/01/new-horizons-2019-kuiper-belt-encounter/>). *NASASpaceFlight.com*.
176. "NASA's New Horizons Team Selects Potential Kuiper Belt Flyby Target" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150828>). Johns Hopkins University Applied Physics Laboratory. August 15, 2015.

177. McKinnon, Mika (August 28, 2015). "New Horizons Locks Onto Next Target: Let's Explore the Kuiper Belt!" (<http://space.io9.com/new-horizons-locks-onto-next-target-lets-explore-the-k-1727298103>). *io9*.
178. Porter, Simon; et al. (December 11, 2017). *Constraints on the Shapes and Rotational States of the Distant New Horizons Kuiper Belt Targets* (<https://www.youtube.com/watch?v=KqOfJ6p1JmQ&t=1h22m55s>). AGU Fall Meeting. December 11–15, 2017. New Orleans, Louisiana. 1:22:55–1:36:00. P13F-07.
179. "New Horizons' catches a wandering Kuiper Belt Object not far off" (http://www.spacedaily.com/reports/New_Horizons_catches_a_wandering_Kuiper_Belt_Object_not_far_off_999.html). *Space Daily*. December 7, 2015. Retrieved December 19, 2015.
180. Gough, Evan (June 13, 2016). "New Horizons Sends Back First Science On Distant Kuiper Belt Object" (<http://www.universetoday.com/129014/new-horizons-sends-back-first-science-distant-kuiper-belt-object/>). *Universe Today*. Retrieved November 5, 2016.
181. "New Horizons Collects First Science on a Post-Pluto Object" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20160518-2>). Applied Physics Laboratory. May 18, 2016. Retrieved November 5, 2016.
182. Talbert, Tricia (August 31, 2016). "New Horizons Spies a Kuiper Belt Companion" (<http://www.nasa.gov/image-feature/new-horizons-spies-a-kuiper-belt-companion>). *NASA*. Retrieved September 12, 2016.
183. Keeter, Bill, ed. (February 8, 2018). "New Horizons Captures Record-Breaking Images in the Kuiper Belt" (<https://www.nasa.gov/feature/new-horizons-captures-record-breaking-images-in-the-kuiper-belt>). *NASA*. Retrieved February 9, 2018.
184. "HORIZONS Web-Interface, Ephemeris Type: VECTORS, Target Body: Asteroid (2012 HE85), Coordinate Origin: New Horizons Spacecraft [500@-98], Time Span: Start=2017-12-05, Stop=2017-12-06, Intervals=1" (<https://ssd.jpl.nasa.gov/horizons.cgi>). *JPL Horizons On-Line Ephemeris System*. Archived (<https://www.webcitation.org/615Qqql46?url=http://ssd.jpl.nasa.gov/horizons.cgi>) from the original on August 20, 2011. Retrieved February 8, 2018.
185. Chang, Kenneth (December 31, 2018). "NASA's New Horizons Will Visit Ultima Thule on New Year's Day – The probe that visited Pluto will study a mysterious icy world just after midnight. Arrokoth will be the most distant object ever visited by a spacecraft" (<https://www.nytimes.com/2018/12/31/science/ultima-thule-pictures-new-horizons.html>). *The New York Times*. Archived (<https://web.archive.org/web/20200229203949/https://www.nytimes.com/2018/12/31/science/ultima-thule-pictures-new-horizons.html>) from the original on February 29, 2020. Retrieved December 31, 2018.
186. Chang, Kenneth (December 30, 2018). "A Journey Into the Solar System's Outer Reaches, Seeking New Worlds to Explore" (<https://www.nytimes.com/2018/12/30/science/nasa-new-horizons-kuiper-belt.html>). *The New York Times*. Archived (<https://web.archive.org/web/20200403135023/https://www.nytimes.com/2018/12/30/science/nasa-new-horizons-kuiper-belt.html>) from the original on April 3, 2020. Retrieved December 30, 2018.
187. Green, Jim (December 12, 2017). "New Horizons Explores the Kuiper Belt" (<https://web.archive.org/web/20171213092759/http://pluto.jhuapl.edu/News-Center/Press-Conferences/December-12-2017.php>). *2017 American Geophysical Union (AGU) Fall Meeting in New Orleans: 12–15*. Archived from the original (<http://pluto.jhuapl.edu/News-Center/Press-Conferences/December-12-2017.php>) on December 13, 2017. Retrieved December 13, 2017.
188. Stern, Alan (October 1, 2015). "New Horizons: A Billion Miles to (486958) 2014 MU₆₉" (<http://www.skyandtelescope.com/astronomy-news/new-horizons-a-billion-miles-to-2014-mu69-10012015/>). *Sky & Telescope*. Retrieved October 3, 2015.
189. Lakdawalla, Emily (September 1, 2015). "New Horizons extended mission target selected" (<http://www.planetary.org/blogs/emily-lakdawalla/2015/09011608-new-horizons-extended-mission-pt1.html>). The Planetary Society. Archived (<https://web.archive.org/web/20151018200350/http://www.planetary.org/blogs/emily-lakdawalla/2015/09011608-new-horizons-extended-mission-pt1.html>) from the original on October 18, 2015. Retrieved September 22, 2015.

190. "New Horizons Files Flight Plan for 2019 Flyby" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20170906>). Johns Hopkins University Applied Physics Laboratory. September 6, 2017. Archived (<https://web.archive.org/web/20190831062326/http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20170906>) from the original on August 31, 2019. Retrieved December 28, 2017.
191. "New Horizons Completes Targeting Maneuvers" (http://www.spacedaily.com/reports/New_Horizons_Completes_Targeting_Maneuvers_999.html). *Space Daily*. November 6, 2015. Retrieved December 19, 2015.
192. "On Track: New Horizons Carries Out Third KBO Targeting Maneuver" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20151029>). Johns Hopkins University Applied Physics Laboratory. October 29, 2015. Archived (<https://web.archive.org/web/20160105082024/http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20151029>) from the original on January 5, 2016. Retrieved December 19, 2015.
193. "New Horizons: Current Position" (<https://web.archive.org/web/20180607001308/http://pluto.jhuapl.edu/Mission/Where-is-New-Horizons/index.php>). Johns Hopkins University Applied Physics Laboratory. June 6, 2018. Archived from the original (<http://pluto.jhuapl.edu/Mission/Where-is-New-Horizons/index.php>) on June 7, 2018.
194. Grush, Loren (June 5, 2018). "NASA's New Horizons probe woke up today to prep for its next deep space flyby" (<https://www.theverge.com/2018/6/5/17429698/nasa-new-horizons-ultima-thule-2014-mu69-pluto-flyby>). *The Verge*. Retrieved June 6, 2018.
195. "New Horizons Wakes for Historic Kuiper Belt Flyby" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20180605>). Johns Hopkins University Applied Physics Laboratory. June 5, 2018. Retrieved June 6, 2018.
196. Lakdawalla, Emily (January 24, 2018). "New Horizons prepares for encounter with 2014 MU69" (<http://www.planetary.org/blogs/emily-lakdawalla/2018/0124-new-horizons-prepares-for-2014mu69.html>). The Planetary Society. Archived (<https://web.archive.org/web/20180220213605/http://www.planetary.org/blogs/emily-lakdawalla/2018/0124-new-horizons-prepares-for-2014mu69.html>) from the original on February 20, 2018. Retrieved January 26, 2018.
197. "Ultima in View: NASA's New Horizons Makes First Detection of Kuiper Belt Flyby Target" (<https://www.nasa.gov/feature/ultima-in-view-nasa-s-new-horizons-makes-first-detection-of-kuiper-belt-flyby-target>). NASA. August 28, 2018. Archived (<https://web.archive.org/web/20200124212405/https://www.nasa.gov/feature/ultima-in-view-nasa-s-new-horizons-makes-first-detection-of-kuiper-belt-flyby-target>) from the original on January 24, 2020. Retrieved August 28, 2018.
198. "JPL Horizons" (<https://ssd.jpl.nasa.gov/horizons.cgi>). JPL. Archived (<https://www.webcitation.org/615Qqq146?url=http://ssd.jpl.nasa.gov/horizons.cgi>) from the original on August 20, 2011. Retrieved August 28, 2018.
199. New Horizons: Ultima Thule is Dead Ahead (<https://www.skyandtelescope.com/astronomy-news/new-horizons-approaching-ultima-thule/>). Allan Stern, *Sky and Telescope*. December 26, 2018.
200. Clark, Stephen (January 6, 2018). "Plot thickens as New Horizons moves within year of next flyby" (<https://spaceflightnow.com/2018/01/06/plot-thickens-as-new-horizons-moves-within-year-of-next-flyby/>). *Spaceflight Now*. Retrieved January 11, 2018.
201. "Maneuver Moves New Horizons Spacecraft toward Next Potential Target" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20151023>). October 23, 2015. Archived (<https://web.archive.org/web/20151025193927/http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20151023>) from the original on October 25, 2015. Retrieved November 5, 2015.
202. "New Horizons Successfully Explores Ultima Thule" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20190101>). Johns Hopkins Applied Physics Laboratory. January 1, 2019. Archived (<https://web.archive.org/web/20190101164301/http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20190101>) from the original on January 1, 2019. Retrieved January 4, 2019.

203. "New Horizons Data Collection" (<https://pluto.jhuapl.edu/Mission/Spacecraft/Data-Collection.php>). Johns Hopkins Applied Physics Center. Retrieved January 1, 2019.
204. Talbert, Tricia (June 10, 2020). "New Horizons Conducts the First Interstellar Parallax Experiment" (<http://www.nasa.gov/feature/nasa-s-new-horizons-conducts-the-first-interstellar-parallax-experiment>). NASA. Retrieved July 14, 2020.
205. Lauer, Tod R.; Postman, Marc; Weaver, Harold A.; Spencer, John R.; Stern, S. Alan; Buie, Marc W.; Durda, Daniel D.; Lisse, Carey M.; Poppe, A.R.; Binzel, Richard P.; Britt, Daniel T.; Buratti, Bonnie J.; Cheng, Andrew F.; Grundy, W.M.; Horanyi, Mihaly; Kavelaars, J.J.; Linscott, Ivan R.; McKinnon, William B.; Moore, Jeffrey M.; Nunez, J.I.; Olkin, Catherine B.; Parker, Joel W.; Porter, Simon B.; Reuter, Dennis C.; Robbins, Stuart J.; Schenk, Paul; Showalter, Mark R.; Singer, Kelsi N.; Verbiscer, Anne. J.; Young, Leslie A. "New Horizons Observations of the Cosmic Optical Background" (https://imgsrc.hubblesite.org/hvi/uploads/science_paper/file_attachment/622/2011.03052.pdf) (PDF). *Hubblesite*. NASA. Retrieved January 18, 2021.
206. "New Horizons Spacecraft Answers Question: How Dark Is Space?" (<https://hubblesite.org/content/news-releases/2021/news-2021-01>). *Hubblesite*. NASA. Retrieved January 18, 2021.
207. NASA's New Horizons Reaches a Rare Space Milestone (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20210415>) NASA, 2021-04-15.
208. NASA's New Horizons reaches rare distance, looks out to Voyager (<http://www.collectspace.com/news/news-041521a-new-horizons-50-au-voyager-photo.html>) CollectSpace, 2021-04-15.
209. "New Horizons May Make Yet Another Flyby After Ultima Thule" (<https://www.space.com/42808-nasa-new-horizons-possible-third-flyby.html>). *Space.com*. December 21, 2018. Retrieved January 2, 2019.
210. "New Horizons planning additional extended missions" (<https://spacenews.com/new-horizons-planning-additional-extended-missions/>). *SpaceNews.com*. September 11, 2017. Retrieved January 1, 2019.
211. "New Horizons: The PI's Perspective: Far from Home" (http://pluto.jhuapl.edu/News-Center/PI-Perspectives.php?page=piPerspective_11_04_2020).
212. Stern, Alan (December 11, 2018). "Hi, I am Alan Stern, head of NASA's New Horizons spacecraft on its way to explore Ultima Thule, a Kuiper Belt object one billion miles beyond Pluto! AMA" (https://www.reddit.com/r/space/comments/a581g4/hi_i_am_alan_stern_head_of_nasas_new_horizons/ebkny1l).
213. Koren, Marina (February 13, 2018). "Astronomers Are Already Planning for the Next 'Pale Blue Dot'" (<https://www.theatlantic.com/science/archive/2018/02/new-horizons-pale-blue-dot-nasa/553160/>). *The Atlantic*. Retrieved January 1, 2019.
214. "About LORRI Images" (http://pluto.jhuapl.edu/soc/lorri_about.html). *pluto.jhuapl.edu*. Retrieved December 14, 2019.
215. "New Horizons SOC to Instrument Pipeline ICD" (https://pds-rings.seti.org/newhorizons/SOC_INST_ICD.PDF) (PDF). Southwest Research Institute. September 2007. Retrieved November 3, 2020.
216. "New Horizons Salutes Voyager" (https://web.archive.org/web/20141113224847/http://pluto.jhuapl.edu/news_center/news/081706.php). Johns Hopkins APL. August 17, 2006. Archived from the original (<http://spaceref.com/news/viewpr.html?pid=20620>) on November 13, 2014. Retrieved November 3, 2009.
217. Malik, Tariq (January 26, 2006). "Derelict Booster to Beat Pluto Probe to Jupiter" (<http://www.space.com/1991-derelict-booster-beat-pluto-probe-jupiter.html>). *Space.com*. Archived (https://web.archive.org/web/20100823144822/http://www.space.com/missionlaunches/060126_newhorizons_update.html) from the original on August 23, 2010. Retrieved September 22, 2006.

218. Stern, Alan; Guo, Yanping (October 28, 2010). "Where Is the New Horizons Centaur Stage?" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20101028>). Applied Physics Laboratory.
219. Hollingum, Ben (October 30, 2018). "NASA probe breaks speed records as it tops 150,000 mph on way to the Sun" (<http://www.guinnessworldrecords.com/news/2018/10/nasa-probe-breaks-speed-records-as-it-tops-150-000-mph-on-way-to-the-sun-546192>). Guinness World Records. Retrieved November 1, 2018.
220. Stern, Alan (2008). "The New Horizons Pluto Kuiper belt Mission: An Overview with Historical Context" (<http://www.boulder.swri.edu/pkb/ssr/ssr-intro.pdf>) (PDF). *Space Science Reviews*. **140** (1–4): 3–21. arXiv:0709.4417 (<https://arxiv.org/abs/0709.4417>). Bibcode:2008SSRv..140....3S (<https://ui.adsabs.harvard.edu/abs/2008SSRv..140....3S>). doi:10.1007/s11214-007-9295-y (<https://doi.org/10.1007/s11214-007-9295-y>). S2CID 119197398 (<https://api.semanticscholar.org/CorpusID:119197398>). Archived (<https://web.archive.org/web/20150923194028/http://www.boulder.swri.edu/pkb/ssr/ssr-intro.pdf>) (PDF) from the original on September 23, 2015. Retrieved May 20, 2015.
221. Stern, S. Alan (May 9, 2005). "New Horizons indeed" (<http://www.thespacereview.com/article/369/1>). *The Space Review*.
222. Savage, D. (November 29, 2001). "NASA Selects Pluto-Kuiper Belt Mission For Phase B Study" (http://nssdc.gsfc.nasa.gov/planetary/text/pluto_pr_20011129.txt). NASA. Archived (https://web.archive.org/web/20110308190424/http://nssdc.gsfc.nasa.gov/planetary/text/pluto_pr_20011129.txt) from the original on March 8, 2011. Retrieved January 12, 2011.
223. "Cuts threaten mission to Pluto" (http://articles.baltimoresun.com/2002-03-04/news/0203040036_1_study-pluto-pluto-mission-apl). Archived (https://web.archive.org/web/20150607020128/http://articles.baltimoresun.com/2002-03-04/news/0203040036_1_study-pluto-pluto-mission-apl) from the original on June 7, 2015. Retrieved May 13, 2015.
224. "The Planetary Society" (<http://www.planetary.org/explore/projects/pluto/>). Retrieved May 13, 2015.
225. Buckley, Michael; Brown, Dwayne; Diller, George (September 26, 2005). "APL-Built Pluto Spacecraft Begins Launch Preparations" (<https://web.archive.org/web/20150115020755/http://www.jhuapl.edu/newscenter/pressreleases/2005/050926.asp>) (Press release). Johns Hopkins University Applied Physics Laboratory. Archived from the original (<http://www.jhuapl.edu/newscenter/pressreleases/2005/050926.asp>) on January 15, 2015. Retrieved August 30, 2014.
226. Granath, Bob (June 30, 2015). "NASA Met Unprecedented Challenges Sending Spacecraft to Pluto" (<https://www.nasa.gov/feature/nasa-met-unprecedented-challenges-sending-spacecraft-to-pluto>). NASA. Retrieved May 1, 2018.
227. Leonard, David (September 1, 2005). "New Horizons Pluto Probe Readied For Launch" (<http://www.space.com/1508-horizons-pluto-probe-readied-launch.html>).
228. Cooper, Ben (January 2006). "New Horizons Rollout" (<http://www.launchphotography.com/NewHorizonsRollout.html>). Launch Photography. Retrieved July 5, 2015.
229. Malik, Tariq (January 18, 2006). "Power Outage Delays Launch of NASA's Pluto Probe" (<http://www.space.com/1962-power-outage-delays-launch-nasa-pluto-probe.html>). *Space.com*. Retrieved May 12, 2015.
230. "Distance between Mars and Earth on April 7, 2006" (<http://www.wolframalpha.com/input/?i=mars+7+april+2006>).
231. Olkin, Catherine B.; Reuter; Lunsford; Binzel; et al. (2006). "The New Horizons Distant Flyby of Asteroid 2002 JF56". *Bulletin of the American Astronomical Society*. **38**: 597. Bibcode:2006DPS....38.5922O (<https://ui.adsabs.harvard.edu/abs/2006DPS....38.5922O>).
232. "New Horizons Jupiter Encounter Timeline" (http://www.planetary.org/blogs/emily-lakdawalla/2007/jupiter_timeline.html). The Planetary Society. Retrieved October 24, 2014.

233. "Mission Timeline" (https://web.archive.org/web/20080723174449/http://www.pluto.jhuapl.edu/mission/mission_timeline.php). Johns Hopkins APL. Archived from the original (http://www.pluto.jhuapl.edu/mission/mission_timeline.php) on July 23, 2008. Retrieved August 1, 2012.
234. "Distance between Saturn and Earth on June 8, 2008" (<http://www.wolframalpha.com/input/?i=saturn+on+8+june+2008>). Retrieved March 14, 2011.
235. Villard, R. (December 29, 2009). "New Horizons Crosses Halfway Point to Pluto" (<https://web.archive.org/web/20101225175153/http://news.discovery.com/space/new-horizons-crosses-halfway-point-to-pluto.html>). Discovery Communications, LLC. Archived from the original (<http://news.discovery.com/space/new-horizons-crosses-halfway-point-to-pluto.html>) on December 25, 2010. Retrieved January 12, 2011.
236. "Distance between Pluto and Earth on December 29, 2009" (<http://www.wolframalpha.com/input/?i=pluto+29+december+2009>). Retrieved March 14, 2011.
237. "New Horizon properties on December 29, 2009" (<http://www.wolframalpha.com/input/?i=new+horizons+probe+29+december+2009>). Retrieved March 14, 2011.
238. "Spacecraft Hits Midpoint on Flight to Pluto" (<http://www.space.com/7979-spacecraft-hits-midpoint-flight-pluto.html>). *Space.com*. February 26, 2010. Retrieved August 11, 2011.
239. "Space Spin – New Horizons ventures beyond Saturn's orbit" (<https://web.archive.org/web/20110723084517/http://spacespin.org/article.php/80636-new-horizons-beyond-saturn-orbit>). June 9, 2008. Archived from the original (<http://spacespin.org/article.php/80636-new-horizons-beyond-saturn-orbit>) on July 23, 2011. Retrieved March 14, 2011.
240. SPACE.com Staff (March 18, 2011). "NASA Pluto Probe Passes Orbit of Uranus" (<http://www.space.com/11171-nasa-spacecraft-passes-uranus-orbit.html>). SPACE.com. Retrieved March 19, 2011.
241. "Twitter.com – NewHorizons2015" (<https://twitter.com/NewHorizons2015/status/142249340247879681>).
242. "New Horizons on Approach: 22 AU Down, Just 10 to Go" (https://web.archive.org/web/20141113224823/http://pluto.jhuapl.edu/news_center/news/20120210.php). JHU/APL. February 10, 2012. Archived from the original (http://pluto.jhuapl.edu/news_center/news/20120210.php) on November 13, 2014. Retrieved March 22, 2012.
243. Plait, Phil (July 11, 2013). "New Horizons Gets a First Glimpse of Pluto's Moon Charon" (http://www.slate.com/blogs/bad_astronomy/2013/07/11/new_horizons_pluto_s_moon_charon_now_visible.html). *Slate*.
244. "Charon Revealed! New Horizons Camera Spots Pluto's Largest Moon" (https://web.archive.org/web/20131208200701/http://pluto.jhuapl.edu/news_center/news/20130710.php). *New Horizons; Headlines*. The Johns Hopkins University Applied Physics Laboratory. July 10, 2013. Archived from the original (http://pluto.jhuapl.edu/news_center/news/20130710.php) on December 8, 2013.
245. "On the Path to Pluto, 5 AU and Closing" (https://web.archive.org/web/20141113224829/http://pluto.jhuapl.edu/news_center/news/20131025.php). *New Horizons; Headlines*. The Johns Hopkins University Applied Physics Laboratory. October 25, 2013. Archived from the original (http://pluto.jhuapl.edu/news_center/news/20131025.php) on November 13, 2014.
246. "New Horizons Spies Charon Orbiting Pluto" (https://web.archive.org/web/20140808090015/http://pluto.jhuapl.edu/news_center/news/20140807.php). Johns Hopkins APL. Archived from the original (http://pluto.jhuapl.edu/news_center/news/20140807.php) on August 8, 2014.
247. "Passing the Planets" (https://web.archive.org/web/20140714214438/http://pluto.jhuapl.edu/mission/passingplanets/passingPlanets_current.php). Johns Hopkins APL. March 18, 2011. Archived from the original (http://pluto.jhuapl.edu/mission/passingplanets/passingPlanets_current.php) on July 14, 2014. Retrieved April 3, 2012.

248. NewHorizons2015. "About the Jan 21o5 KBO, It's VNH0004" (<https://twitter.com/NewHorizons2015/status/237925999982034944>). Retrieved August 21, 2012. Buie, Marc W. "Orbit Fit and Astrometric record for VNH0004" (<http://www.boulder.swri.edu/~buie/kbo/astrom/VNH0004.html>). *User pages*. Southwest Research Institute Planetary Science Directorate. Retrieved August 21, 2012.
249. Brown, Dwayne; Buckley, Michael; Stothoff, Maria (January 15, 2015). "January 15, 2015 Release 15-011 – NASA's New Horizons Spacecraft Begins First Stages of Pluto Encounter" (<http://www.nasa.gov/press/2015/january/nasa-s-new-horizons-spacecraft-begins-first-stages-of-pluto-encounter>). NASA. Archived (<https://web.archive.org/web/20200407083332/https://www.nasa.gov/press/2015/january/nasa-s-new-horizons-spacecraft-begins-first-stages-of-pluto-encounter>) from the original on April 7, 2020. Retrieved January 15, 2015.
250. "New Frontier News" (<https://web.archive.org/web/20150108160447/http://discoverynewfrontiers.nasa.gov/news/index.cfm?ID=33>). December 6, 2014. Archived from the original (<http://discoverynewfrontiers.nasa.gov/news/index.cfm?ID=33>) on January 8, 2015. Retrieved January 8, 2015.
251. "New Horizons" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20150310>). *jhuapl.edu*. Retrieved July 13, 2015.
252. "pluto-update" (<https://web.archive.org/web/20160423054711/http://www.ourpluto.org/>). *ourpluto.org*. Archived from the original (<http://www.ourpluto.org/>) on April 23, 2016. Retrieved July 13, 2015.
253. "New Horizons Pluto Flyby Press Kit" (<http://pluto.jhuapl.edu/News-Center/Resources/Press-Kits/NHPlutoFlybyPressKitJuly2015.pdf>) (PDF). July 2, 2015. Retrieved July 4, 2015.
254. Szondy, David (September 7, 2015). "New Horizons begins massive 'treasure trove' data downlink" (<http://www.gizmag.com/new-horizons-downlink/39295/>). *Gizmag*. Retrieved February 28, 2016.
255. Lakdawalla, Emily (September 10, 2015). "Pretty Pictures: Downlink of the Full New Horizons Data Set Has Begun" (<http://www.planetary.org/blogs/emily-lakdawalla/2015/09101452-pluto-new-horizons-browse.html>). The Planetary Society. Retrieved February 28, 2016.
256. Talbert, Tricia (September 10, 2015). "New Pluto Images from NASA's New Horizons: It's Complicated" (<https://www.nasa.gov/feature/new-pluto-images-from-nasa-s-new-horizons-it-s-complicated>). NASA. Retrieved February 28, 2016.
257. Gebhardt, Chris (January 3, 2017). "New Horizons prepares for New Year's Day 2019 Kuiper Belt Object encounter" (<https://www.nasaspaceflight.com/2017/01/new-horizons-2019-kuiper-belt-encounter/>). *NASASpaceflight.com*. Retrieved May 30, 2017.
258. "A Distant Close-up: New Horizons' Camera Captures a Wandering Kuiper Belt Object" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20151204b>). *New Horizons*. NASA/JHUAPL. December 4, 2015. Retrieved July 23, 2016.
259. Talbert, Tricia (August 31, 2016). "New Horizons Spies a Kuiper Belt Companion" (<https://www.nasa.gov/image-feature/new-horizons-spies-a-kuiper-belt-companion>). NASA. Retrieved July 16, 2017.
260. Talbert, Tricia (February 1, 2017). "New Horizons Refines Course for Next Flyby" (<https://www.nasa.gov/feature/new-horizons-refines-course-for-next-flyby>). NASA. Retrieved May 30, 2017.
261. "Minor Planet Circular 103886" (https://www.minorplanetcenter.org/iau/ECS/MPCArchive/2017/MPC_2017031#page=856). Minor Planet Center. March 12, 2017.
262. Stern, Alan (August 2015). "OPAG: We Did It!" (http://www.lpi.usra.edu/opag/meetings/aug2015/presentations/day-2/13_stern.pdf) (PDF). *Presentation to the Outer Planets Assessment Group (OPAG) of the Lunar and Planetary Institute*. Universities Space Research Association. pp. 32, 35. Archived (https://web.archive.org/web/20150907000920/http://www.lpi.usra.edu/opag/meetings/aug2015/presentations/day-2/13_stern.pdf) (PDF) from the original on September 7, 2015. Retrieved September 30, 2015.

263. "Why Go to Pluto?" (<http://pluto.jhuapl.edu/Pluto/Why-Pluto.php>). Johns Hopkins APL. Retrieved December 5, 2015.
264. Lakdawalla, Emily (January 24, 2018). "New Horizons prepares for encounter with 2014 MU69" (<http://www.planetary.org/blogs/emily-lakdawalla/2018/0124-new-horizons-prepares-for-2014mu69.html>). Planetary Society. Archived (<https://web.archive.org/web/20180220213605/http://www.planetary.org/blogs/emily-lakdawalla/2018/0124-new-horizons-prepares-for-2014mu69.html>) from the original on February 20, 2018. Retrieved January 26, 2018.
265. "New Horizons Corrects Its Course in the Kuiper Belt" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20171209>). December 9, 2017.
266. Kornfeld, Laurel (December 24, 2017). "New Horizons put in final hibernation before 2019 KBO flyby" (<http://www.spaceflightinsider.com/missions/solar-system/new-horizons-final-hibernation-2019-kbo-flyby/>). *Spaceflight Insider*. Retrieved January 11, 2018.
267. "New Horizons Kuiper Belt Flyby Object Officially Named 'Arrokoth'" (<http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20191112>). *pluto.jhuapl.edu*. Applied Physics Laboratory. November 12, 2019. Archived (<https://web.archive.org/web/20200102130243/http://pluto.jhuapl.edu/News-Center/News-Article.php?page=20191112>) from the original on January 2, 2020. Retrieved November 14, 2019.
268. *Nature* Davide Castelvetti (11 June 2020) Pluto probe offers eye-popping view of neighbouring star Proxima Centauri (<https://www.nature.com/articles/d41586-020-01699-6>) doi: 10.1038/d41586-020-01699-6
269. "NASA's New Horizons probe reaches rare distance, looks out to farthest Voyager | collectSPACE" (<http://www.collectspace.com/news/news-041521a-new-horizons-50-au-voyager-photo.html>). *collectSPACE.com*.
270. Clark, Stephen (September 21, 2017). "Scientists firm up flyby plan for New Horizons's next destination" (<https://spaceflightnow.com/2017/09/21/scientists-firm-up-flyby-plan-for-new-horizons-next-destination/>). Spaceflight Now.
271. Wall, Mike (December 21, 2018). "New Horizons May Make Yet Another Flyby After Ultima Thule" (<https://www.space.com/42808-nasa-new-horizons-possible-third-flyby.html>). *space.com*.
272. New Horizons: Nasa waits for signal from Ultima Thule probe (<https://www.bbc.com/news/science-environment-46699737>). Jonathan Amos, *BBC News*. January 1, 2019.
273. NASA (July 20, 2011). "New Horizons" (<https://web.archive.org/web/20031026205743/http://sse.jpl.nasa.gov/missions/profile.cfm?Sort=Chron>). *NASA Solar System Exploration*. National Aeronautics and Space Administration. Archived from the original (<http://sse.jpl.nasa.gov/missions/profile.cfm?Sort=Chron&Target=Jupiter&MCode=PKB&StartYear=2020&EndYear=2029&Display=Dates>) on October 26, 2003. Retrieved February 21, 2012.

Further reading

- Guo, Yanping; Farquhar, Robert W. (February 2005). "New Horizons Pluto–Kuiper Belt mission: design and simulation of the Pluto–Charon encounter" (http://www.boulder.swri.edu/~tcase/Guo_Acta56_2005.pdf) (PDF). *Acta Astronautica*. **56** (3): 421–429. Bibcode:2005AcAau..56..421G (<https://ui.adsabs.harvard.edu/abs/2005AcAau..56..421G>). doi:10.1016/j.actaastro.2004.05.076 (<https://doi.org/10.1016/j.actaastro.2004.05.076>).
- Neufeld, Michael J. (November 2012). "First Mission to Pluto: Policy, Politics, Science, and Technology in the Origins of New Horizons, 1989–2003" (<https://web.archive.org/web/20150907015621/https://airandspace.si.edu/blogmedia/neufeld-new-horizons-2015.pdf>) (PDF). *Historical Studies in the Natural Sciences*. **44** (3): 234–276. doi:10.1525/hsns.2014.44.3.234 (<https://doi.org/10.1525/hsns.2014.44.3.234>). Archived from the original (<https://airandspace.si.edu/blogmedia/neufeld-new-horizons-2015.pdf>) (PDF) on September 7, 2015.
- Russell, Christopher T. (2009). *New Horizons: Reconnaissance of the Pluto-Charon System and the Kuiper Belt*. Springer. ISBN 978-0-387-89517-8.

- Stern, Alan; Grinspoon, David (2018). *Chasing New Horizons: Inside the Epic First Mission to Pluto*. Picador. ISBN 978-125009896-2.

External links

- *New Horizons* website (<https://www.nasa.gov/newhorizons/>) by NASA
- *New Horizons* website (<http://pluto.jhuapl.edu/>) by the Applied Physics Laboratory
- *New Horizons* profile (<https://web.archive.org/web/20160205053300/http://solarsystem.nasa.gov/missions/newhorizons>) by NASA's Planetary Science Division
- *New Horizons* profile (<https://nssdc.gsfc.nasa.gov/nmc/spacecraft/display.action?id=2006-001A>) by the National Space Science Data Center
- *New Horizons* Flyby (<http://pluto.jhuapl.edu/News-Center/Where-to-Watch.php>) of *Ultima Thule* – Best Places to Follow Future News.
- *New Horizons* Flyby (<https://www.youtube.com/watch?v=j3Jm5POCAj8>) – Musical Tribute by astrophysicist Brian May (who consulted on the project^[1]) and the band Queen.
- *New Horizons* Mission Archive (https://pdssbn.astro.umd.edu/data_sb/missions/newhorizons/index.shtml) at the NASA Planetary Data System, Small Bodies Node
- *New Horizons: Kuiper Belt Extended Mission (KEM)* Mission Archive (https://pdssbn.astro.umd.edu/data_sb/missions/nh-kem/index.shtml) at the NASA Planetary Data System, Small Bodies Node

1. "NASA Gets Some Help From Guitarist Brian May On Its New Horizons Probe (<https://www.npr.org/2019/01/02/681535239/queen-guitarist-brian-may-contributes-to-nasa-s-new-horizons-probe>)", NPR, aired January 2, 2019.

Retrieved from "https://en.wikipedia.org/w/index.php?title=New_Horizons&oldid=1044678720"

This page was last edited on 16 September 2021, at 14:03 (UTC).

Text is available under the Creative Commons Attribution-ShareAlike License; additional terms may apply. By using this site, you agree to the Terms of Use and Privacy Policy. Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc., a non-profit organization.