

A5 — Integration Evidence · Team 14 (Helpdesk) × Team 16 (Wellbeing)

Joint record of one cross-team integration, structured on the six proofs of the *Evidence Audit for A5 Submission*.

	Team 14 — Helpdesk	Team 16 — Wellbeing
Role in this pairing	Consumer	Provider
Deployed base URL	<code>https://helpdesk-api.team-helpdesk.workers.dev</code> (Cloudflare Workers)	<code>https://wellbeing-intake.vercel.app/api/v1</code> (Vercel, region <code>sin1</code> ; Supabase Postgres, Singapore)
Source	Team 14's repository	https://github.com/TEERAPAT-SUKKASEM/wellbeing-intake
Contact	Pupattarak Masomjit (6731503115)	Teerapat Sukkasem (6731503015)

Contract: [integration/team14/Team14-Integration-Contract.md](#) v1.2 — `GET /services` and `GET /health`, public, read-only. **Evidence captured:** 2026-09-21. Timestamps are ISO-8601 **UTC** (z); add 7 h for local time (UTC+7). **Correlation-ID labels:** `team14-a5-0001` (the evidenced call), `team14-a5-0003` (recovery call), `team14-a5-idem-check` (second idempotency call). Each was sent once.

How to read this document. Every proof below has a part for each team, and says plainly whose system the evidence comes from. Where a proof does not exist between the two teams it is marked **N/A with the reason** — not skipped. Team 16's webhook proofs (3, 4) are real captures from its deployed system run against its own contract mock, because neither team is paired with a Notification Hub; they are labelled as self-run and are not presented as a partner's confirmation. All data is seeded and fictional. No secret, token, or student record appears in any capture.

Summary

#	Proof	Between the two teams	Team 14 (Helpdesk)	Team 16 (Wellbeing)
1	Consumer	Team 14 → <code>GET /services</code>	Done	N/A — no consumer role
2	Provider	Team 16 serves Team 14	N/A — no provider role	Done
3	Webhook receiver	N/A — privacy boundary	N/A	Done (self-run)
4	Webhook sender	N/A — privacy boundary	N/A	Done (self-run, contract mock)
5	Idempotency	Repeated <code>GET</code> is read-only	Done	Done — <code>submission_key</code> , <code>eventId</code> , with DB proof

#	Proof	Between the two teams	Team 14 (Helpdesk)	Team 16 (Wellbeing)
6	Degradation	Helpdesk survives a Wellbeing outage	Done	Done — hub outage and LLM outage, automatic recovery

1. Consumer Proof

Required: partner URL, request timestamp, response body screenshot.

Team 14 — consumes Wellbeing's API

Field	Value
Partner URL	<code>https://wellbeing-intake.vercel.app/api/v1/services</code> (Postman variable <code>wellbeing_base</code>)
Method · header	<code>GET · X-Correlation-Id: team14-a5-0001</code>
Request timestamp	<code>2026-09-21T11:35:49.718Z</code> (18:35:48 UTC+7) — server time from the provider's log, §2
HTTP status	<code>200 OK</code> — 1.4 KB in 1.44 s
Calling code	As described by Team 14: the Helpdesk Worker's <code>GET /wellbeing/services</code> and <code>GET /tickets/:id/wellbeing-suggestion</code> ; keyword matching runs locally in the Worker (<code>matchWellbeingService()</code> in <code>src/index.ts</code>), so no ticket text is sent to Wellbeing. Consistent with Team 16's logs: every Helpdesk request seen is a bare <code>GET /services</code> with no body

Response body screenshot (Team 14's Postman): the catalogue, starting counselling → health-clinic → physiotherapy .

HTTP

{{wellbeing_base}}/services

Save

Share

GET

{{wellbeing_base}} /services

Send

Docs

Params

Authorization

Headers 8

Body

Scripts

Settings

Cookies

Headers

7 hidden

Key	Value	Descr...	Bulk Edit	Presets	...
X-Correlation-Id	team14-a5-0001				
Key	Value	Description			

Body

200 OK

1.44 s

1.4 KB

JSON

Preview

Visualize

```
1 {
2   "services": [
3     {
4       "id": "689dfeea-2a43-4aa9-87b4-55cfacaf29bc",
5       "slug": "counselling",
6       "name": "Counselling",
7       "whatFor": "Talking through stress, low mood, anxiety, relationships,
8         grief, or anything that is weighing on you. You do not need a
9         diagnosis or a 'big enough' problem.",
10      "firstSession": "A relaxed 50-minute conversation with a counsellor
11        about what is going on and what might help. Nothing is decided for
12        you.",
13      "whoWillKnow": "Only the counsellors of this service. Not your
14        lecturers, not your parents, not other students."
15    },
16    {
17      "id": "e82330e2-747f-42ce-831c-a0fe844036f3",
18      "slug": "health-clinic",
19      "name": "Health clinic",
20      "whatFor": "Everyday physical health: vaccinations and flu shots,
21        feeling unwell, minor injuries, medical certificates, and general
22        health questions."
23    }
24  ]
25 }
```

Postman

Overview

Fork

0

Share

Variable	Value ↑	Q ...
helpdesk_base	https://helpdesk-api.team-helpdesk.workers.dev	
wellbeing_base	https://wellbeing-intake.vercel.app/api/v1	
Add variable		

What Helpdesk does with it: suggests a relevant Wellbeing service on a ticket and stores only the stable `wellbeing_service_slug` — never the UUID `id` (it changes when Wellbeing reseeds), and never any case, appointment or status, which Wellbeing does not share.

Team 16 — N/A

Wellbeing has no consumer role in this pairing: Helpdesk exposes nothing the Wellbeing product needs, and we did not invent a call for the sake of this proof. (Wellbeing's designed consumer integration is Team 01 Identity; Team 16 is not paired with Team 01 and runs in fixture identity mode.)

2. Provider Proof

Required: your endpoint URL, internal request log, partner confirmation.

Team 16 — serves Team 14

Field	Value
Endpoint URL	https://wellbeing-intake.vercel.app/api/v1/services
Calling partner	Team 14 — Helpdesk, from Postman (User-Agent: PostmanRuntime/7.56.1)
Request timestamp	2026-09-21T11:35:49.718Z
Correlation ID	team14-a5-0001 — sent by Team 14, echoed in the response, written to the log
HTTP status	200 · deploy f2b620c, received in Singapore (sin1)

Internal request log (Vercel function log — no body is ever logged):

```
{ "t": "2026-09-21T11:35:49.718Z", "svc": "wellbeing", "cid": "team14-a5-0001", "method": "GET", "path": "/api/v1/services", "status": 200, "role": "visitor", "ms": 476 }
```

The log search for `team14-a5-0001` returns this one request only. `role: "visitor"`: the endpoint is public, so Helpdesk receives exactly what a signed-out visitor receives.

The screenshot shows a log management interface with a search bar at the top containing 'team14-a5-0001'. Below the search bar, a table lists log entries. The first entry is highlighted, showing a GET request to `/api/v1/services` with a status of 200. The right sidebar provides details for this request, including the Request ID, Path, Host, User Agent, and a timeline of events: 'Request started', 'Received in Singapore (sint)', 'Firewall' (Allowed), 'Function Invocation' (Route: `/api/v1/services`, Execution Duration: 958ms), 'External APIs' (GET `jwtgrgcmfghfklddyatv.supabase.co...`), 'Fluid' (221 MB), and 'Response finished in 1.1s'. The bottom section shows the raw log entry for the function invocation.

```
11:35:49.719 {
  "t": "2026-09-21T11:35:49.718Z",
  "svc": "wellbeing",
  "cid": "team14-a5-0001",
  "method": "GET",
  "path": "/api/v1/services",
  "status": 200,
  "role": "visitor",
  "ms": 476
}
```

Partner confirmation: Team 14's Postman capture in §1 — same URL, same `team14-a5-0001`, same `200`.

Also seen — Team 14's deployed backend, not only a manual test. Team 14's Worker proxies our catalogue and, per their evidence plan, generates its own correlation ID (`team14-a5- $\langle$ uuid $\rangle$`) per call. This request carries such an ID and no browser or Postman user agent — a server-to-server call, which is how the contract asks to be called (we send no CORS headers):

```
{ "t": "2026-09-21T11:19:24.677Z", "svc": "wellbeing", "cid": "team14-a5-c006d636-c04e-4d40-9653-2c1138a03ad4", "method": "GET", "path": "/api/v1/services", "status": 200, "role": "visitor", "ms": 371
}
```

The screenshot shows a log viewer interface with a table of requests and a detailed view on the right. The table has columns for Time, Status, Host, Request, and Messages. The detailed view on the right shows the request details for a GET request to /api/v1/services, including the Request ID, Path, Host, and Function Invocation details.

Time	Status	Host	Request	Messages
SEP 21 18:35:48.61	GET 200	wellbeing-intake.vercel.app	/api/v1/services	{ "t": "2026-09-21T11:35:49.718Z", "svc": "wellbeing" }
SEP 21 18:19:23.39	GET 200	wellbeing-intake.vercel.app	/api/v1/services	{ "t": "2026-09-21T11:19:24.677Z", "svc": "wellbeing" }
SEP 21 18:15:15.96	GET 200	wellbeing-intake.vercel.app	/	
SEP 21 18:15:15.96	GET 200	wellbeing-intake.vercel.app	/emergency	
SEP 21 18:10:37.22	GET 200	wellbeing-intake.vercel.app	/api/v1/services	{ "t": "2026-09-21T11:10:38.210Z", "svc": "wellbeing" }
SEP 21 18:08:45.88	GET 401	wellbeing-intake.vercel.app	/api/v1/requests/me	{ "t": "2026-09-21T11:08:45.916Z", "svc": "wellbeing" }
SEP 21 18:08:45.36	POST 405	wellbeing-intake.vercel.app	/api/v1/services	
SEP 21 18:08:45.05	GET 200	wellbeing-intake.vercel.app	/api/v1/health	{ "t": "2026-09-21T11:08:45.111Z", "svc": "wellbeing" }
SEP 21 18:08:44.70	GET 200	wellbeing-intake.vercel.app	/api/v1/services	{ "t": "2026-09-21T11:08:44.794Z", "svc": "wellbeing" }
SEP 21 18:08:44.32	GET 200	wellbeing-intake.vercel.app	/api/v1/health	{ "t": "2026-09-21T11:08:44.473Z", "svc": "wellbeing" }
SEP 21 18:07:17.05	GET 200	wellbeing-intake.vercel.app	/api/v1/services	{ "t": "2026-09-21T11:07:18.064Z", "svc": "wellbeing" }
SEP 21 18:00:30.98	GET 200	wellbeing-intake.vercel.app	/api/v1/services	{ "t": "2026-09-21T11:00:31.368Z", "svc": "wellbeing" }
SEP 21 17:55:08.07	GET 200	wellbeing-intake.vercel.app	/api/v1/services	{ "t": "2026-09-21T10:55:08.397Z", "svc": "wellbeing" }
SEP 21 17:51:09.55	GET 200	wellbeing-intake.vercel.app	/api/v1/services	{ "t": "2026-09-21T10:51:09.778Z", "svc": "wellbeing" }
SEP 21 17:50:11.06	GET 200	wellbeing-intake.vercel.app	/request/new	
SEP 21 17:50:10.70	GET 200	wellbeing-intake.vercel.app	/request/new	
SEP 21 17:50:10.38	GET 200	wellbeing-intake.vercel.app	/request/new	
SEP 21 17:50:10.38	GET 200	wellbeing-intake.vercel.app	/request/new	

Request Details:

- Request ID: jtsxv-1789989563395-840865d017e4
- Path: /api/v1/services
- Host: wellbeing-intake.vercel.app
- Received in Singapore (sint)
- Firewall: Allowed
- Function Invocation: /api/v1/services
- Execution Duration / Maximum: 868ms / 5m
- External APIs: GET jtwrgfcmfghfklddyatv.supabase.co...
- Fluid: 226 MB
- Response finished in 1.3s
- Deployment ID: dp1_8cBgkHfDt8bM5tezAmH7ZkCKs...

Function Log:

```
11:19:24.678 {
  t: "2026-09-21T11:19:24.677Z",
  svc: "wellbeing",
  cid: "team14-a5-c006d636-c04e-4d40-9653-2c1138a03ad4",
  method: "GET",
  path: "/api/v1/services",
  status: 200,
  role: "visitor",
  ms: 371
}
```

Checked from Team 16's side the same day: GET `https://helpdesk-api.team-helpdesk.workers.dev/wellbeing/services` → 200, "degraded": false, all four services.

Team 14 — N/A

Helpdesk is consumer-only in this pairing; Wellbeing calls no Helpdesk endpoint.

3. Webhook Receiver

Required: incoming payload, secret verification result, stored log.

Between the two teams — N/A (a deliberate boundary, not a missing feature)

Wellbeing sends Helpdesk **no event**. Wellbeing's only outbound events, `appointment.reminder` and `appointment.cancelled`, go to the platform Notification Hub addressed to the individual student. The reason is privacy: "the fact that a student contacted a wellbeing service is itself private" (contract §2). Any per-student event reaching Helpdesk — even a timestamp with an opaque ID — would disclose that the student uses Wellbeing. So Helpdesk has no webhook receiver **for the Wellbeing pairing**, no payload shape, no secret, and nothing to test. (Team 14, C1.)

Team 16 — its own receiver, self-run

POST `/api/v1/webhooks/notification-hub` receives Notification Hub delivery receipts. Signed by Team 16 with its own inbound secret (no Hub partner). Deploy 27d4920.

Incoming payload (exactly as received):

```
{"eventId":"d277ab91-6e47-40d8-9c63-d65d8e46dc71","type":"notification.delivered","occurredAt":"2026-09-21T00:56:16Z","source":"notification-hub","subject":"reference:demo","data":{"reference":"02193392-d6f3-48fc-af68-d887ddaa7349"}}
```

Secret verification result — HMAC-SHA256 over "<timestamp>.<raw body>":

Case	cid · server time	signature	Status	Work done
Valid signature (sha256=a71e8c..., masked)	a5r-3-valid · 00:56:20.217Z	verified	200 {"received":true,"duplicate":false}	one database write
Body changed by one character after signing	a5r-3-tampered · 00:56:20.658Z	rejected, reason mismatch	401 {"error":"invalid_signature"}	no outgoing requests — rejected in 9 ms, before the database

Stored log — the row in `inbound_event` on the deployed database:

```
[{"event_id": "d277ab91-6e47-40d8-9c63-d65d8e46dc71", "source": "notification-hub", "type": "notification.delivered", "reference": "02193392-d6f3-48fc-af68-d887ddaa7349", "received_at": "2026-09-21T00:56:20.136655+00:00"}]
```

a5r-3-valid

07:29:00

07:36:00

07:42:40

07:49:20

07:59:00

Time

Status

Host

Request

Messages

SEP 21 07:56:19.75 POST 200 wellbeing-intake.vercel...
/api/v1/webhooks/notification-hub
{*t:"2026-09-21T00:56:20.217Z", "svc":"wellbeing"

No more logs to show within selected timeline

Logs

1 Total

Function

00:56:20.217 ~ {
 t: "2026-09-21T00:56:20.217Z",
 svc: "wellbeing",
 kind: "webhook_in",
 cid: "a5r-3-valid",
 signature: "verified",
 status: 200,
 eventId: "d277ab91-6e47-40d8-9c63-d65d8e46dc71",
 type: "notification.delivered",
 duplicate: false
}

POST /api/v1/webhooks/notification-hub

Request started SEP 21 07:56:19.75 GMT+7

Request ID nsxv2-1789952179754-5535abc5dbdf

Path /api/v1/webhooks/notification-hub

Host wellbeing-intake.vercel.app

User Agent curl/8.18.0

Received in Singapore (sint)

Firewall Allowed

Function Invocation

Route /api/v1/webhooks/notification-hub

Execution Duration / Maximum 153ms / 5m

External APIs

POST jtwzgfcmfghfklddyatv.supabase.co...


Fluid 236 MB

Response finished in 465ms

Deployment Information

Deployment ID dp1_BHf6zpRANmFagLmfYyooVkoH4_

Environment production



4. Webhook Sender

Required: internal trigger action, outgoing payload, partner response log.

Between the two teams — N/A

Helpdesk sends Wellbeing no webhook either. The integration is one-way and read-only: nothing on the Helpdesk side (a ticket created, resolved...) is Wellbeing's business, Wellbeing exposes no endpoint that accepts Helpdesk events, and the contract (§2.1) asks Helpdesk not to forward ticket text — a wellbeing request must be written and submitted by the student. In the other direction the catalogue is static seed data with no "service changed" event. (Team 14, C2.)

Team 16 — its own sender, self-run against the contract mock

The receiver here is Team 16's built-in contract mock hub (/api/v1/mock/hub), which verifies the HMAC signature, the platform envelope and the data allowlist over real HTTP before answering 202 . Deploy 27d4920 .

Internal trigger action: a student books an appointment (POST /api/v1/appointments); the reminder is due, so it is dispatched inline.

Step	Server time (UTC)	cid	Evidence
Booking created	2026-09-21T00:56:24Z	a5r-4-booking	201 {"id":"65132edf-0d2d-4882-9a4e-c340fec2f2b5","startAt":"2026-09-21T06:56:19.269+00:00","status":"confirmed"}

SEP 21 07:56:24.12 POST 202 wellbeing-intake.verc... /api/v1/mock/hub {"t":"2026-09-21T00:56:24.139Z","svc":"mock-hub"}

SEP 21 07:56:23.90 POST 201 wellbeing-intake.verc... /api/v1/appointments {"t":"2026-09-21T00:56:24.171Z","svc":"wellb

No more logs to show within selected timeline

Logs

Function

```
00:56:24.140 {
  t: "2026-09-21T00:56:24.139Z",
  svc: "mock-hub",
  cid: "b5f-4-booking",
  eventId: "6e6f17f3-9038-449b-b757-9220dfe9ef77",
  type: "appointment.reminder",
  accepted: true
}
```

POST /api/v1/mock/h... 202

Request started SEP 21 07:56:24.12 GMT+7

Request ID wpv81-1789952184127-1f0db42d558c

Path /api/v1/mock/hub

Host wellbeing-intake.vercel.app

User Agent node

Received in Singapore (sin1)

Firewall Allowed

Function Invocation

Route /api/v1/mock/hub

Execution Duration / Maximum 9ms / 5m

External APIs No outgoing requests

Fluid 250 MB

Response finished in 15ms

Deployment Information

Deployment ID dp1_BHf6zpRANmFagLmfYYooVkoH4...

Environment production


5. Idempotency Proof

Required: Req 1 vs Req 2 payloads, showing DB proof of single creation.

Team 14 — the same GET twice

	Req 1	Req 2
Request	GET /api/v1/services	GET /api/v1/services
X-Correlation-Id	team14-a5-0001	team14-a5-idem-check
Status · time	200 · 1.44 s	200 · 256 ms
Body	catalogue — counselling 689dfeea..., health-clinic e82330e2..., physiotherapy e9af0c7e...	the same — same ids, same order, same text in everything visible in both captures

Req 1 is the screenshot in §1; Req 2:



DB proof of single creation — nothing is created at all. The provider's log for Req 1 (§2) shows the only outgoing call the request made: one `GET` to the database (Vercel's *External APIs* panel) — a single `SELECT`, no write. A `GET` on this API cannot create a row however many times it is repeated, and Helpdesk stores only a slug, so repeating the call creates nothing on either side.

Team 16 — writes that must not duplicate

5a. The same `POST /requests` **twice with one** `submission_key` (deploy 818596e). The body is byte-identical both times and uses an obviously fake description:

```
{"serviceId":"689dfeea-2a43-4aa9-87b4-55cfacaf29bc","structuredDescription":"demo-sentinel-A5","preferredTimes":"any","triageLevelId":1,"submissionKey":"19267117-022d-4128-a196-1348548429b3"}
```


Moment	Time	Evidence
Breakage	TODO Team 14 – time of the degraded call	GET /wellbeing/services still answers 200 in 1.18 s
Fallback JSON	—	<code>{"services":[],"degraded":true}</code> — the Wellbeing suggestion is hidden; tickets are never blocked
Recovery	TODO Team 14 – time of the recovered call	URL restored → 200, services [4], "degraded": false; no repair beyond restoring the configuration
First call reaching the provider again	2026-09-21T12:11:39.631Z (19:11:38 UTC+7)	Team 16's log, cid team14-a5-0003

HTTP

http://localhost:8787/wellbeing/services

Save

GET

http://localhost:8787/wellbeing/services

Docs

Params

Authorization

Headers 8

Body

Scripts

Settings

Key	Value	Description	Bulk Edit
☐ X-Correlation-Id	team14-a5-idem-check		
Key	Value	Description	

Body

200 OK • 1.18 s • 18

{ } JSON

Preview

Visualize

```
1 {
2   "services": [],
3   "degraded": true
4 }
```

http://localhost:8787/wellbeing/services

GET http://localhost:8787/wellbeing/services

Docs Params Authorization Headers 8 Body Scripts Settings

Key	Value	Description
X-Correlation-Id	team14-a5-idem-check	


Body 200 OK • 1.44 s • 962 B

JSON Preview Visualize

```
> services [4]
{
  degraded: false
}
```

Recovery log, from the provider's side. The outage never reaches Wellbeing by design, so Wellbeing's log can only show the recovery — and it does:

```
{ "t": "2026-09-21T12:11:39.631Z", "svc": "wellbeing", "cid": "team14-a5-0003", "method": "GET", "path": "/api/v1/services", "status": 200, "role": "visitor", "ms": 537 }
```



Team 16 — two dependencies break, the product keeps working, both recover by themselves

6a. Notification Hub unreachable (deploy `818596e`). Broken by switching the hub target into outage mode, so every delivery got `503` over real HTTP. One event throughout: `7639a8f8-ba9a-426a-b960-ab9be25715b0`.

Moment	Time (UTC)	Evidence
Breakage	2026-09-20T22:51:05Z	cid <code>a5-6a-break</code> → <code>{"fail":true}</code>
Booking during the outage	22:51:06Z	<code>201 {"id":"fcbe8a2f-0847-4ac3-8a67-1a6f97d825c1","startAt":"2026-09-21T08:01:25.449+00:00","status":"confirmed"}</code> — the fallback JSON: identical to a normal booking, the student is never blocked
Attempt 1, then 2	22:51:06Z, 22:51:49Z	<code>503</code> , <code>503</code> ; retry intervals grow (≈ 30 s, then ≈ 70 s); same <code>event_id</code>
Restored	22:52:17Z	cid <code>a5-6a-restore</code> → <code>{"fail":false}</code>
Automatic recovery	22:53:07Z	dispatcher: <code>{"claimed":1,"delivered":1,"retrying":0,"parked":0}</code> ; outbox: <code>attempts 3, last_status 202, delivered_at 22:53:21Z</code>

No row was edited and nothing was re-queued by hand; recovery was the ordinary dispatcher call made when the row's next attempt came due (in production, the scheduled `dispatch.yml` workflow). The appointment stayed `confirmed` throughout.

6b. LLM provider unavailable (deploy `73b18dc`). Groq's per-minute token quota was exhausted from outside the app, so Groq answered `429 rate_limit_exceeded (retry-after: 55)` — a real provider-side failure. Request body in every call: `{"text":"trouble sleeping before exams"}`.

Moment	Server time (UTC)	cid	Result
Before	2026-09-21T00:33:29Z	a5-6b-before	200, mode:"ai"
Breakage	00:33:30Z	—	Groq → 429, retry-after: 55
During	00:33:35.913Z	a5-6b-during	200, mode:"fallback", reason ai_unavailable, 112 ms
Automatic recovery	00:34:45.502Z	a5-6b-recovered	200, mode:"ai", 920 ms — no redeploy, no configuration change, no action by anyone

Fallback JSON — a ranked list of seeded service IDs from the deterministic keyword matcher; the visitor gets an answer, not an error:

```
{"mode":"fallback","serviceIds":["6c940476-f362-4090-b96a-40d75ed2564b"]}
```

After recovery — the model ranks a second relevant service:

```
{"mode":"ai","serviceIds":["6c940476-f362-4090-b96a-40d75ed2564b","689dfeea-2a43-4aa9-87b4-55cfacaf29bc"]}
```

In both modes the response carries only seeded service IDs; model-written text never reaches a screen. The log lines carry mode, reason and latency only — never the typed text.

👤 ⚙️ 🔍 a5-6b-during

07:15:0007:21:5007:28:3007:35:1007:45:00

Time	Status	Host	Request	Messages
SEP 21 07:33:36.21	POST 200	wellbeing-intake.verc...	/api/v1/finder/suggest	1 {"t":"2026-09-21T00:33:36.381Z","svc":"wellb...
SEP 21 07:33:35.77	POST 200	wellbeing-intake.verc...	/api/v1/finder/suggest	2 {"t":"2026-09-21T00:33:35.913Z","svc":"wellb...

No more logs to show within selected timeline

Logs2 Total

Function

00:33:35.913 {
 t: "2026-09-21T00:33:35.913Z",
 svc: "wellbeing",
 kind: "finder",
 cid: "a5-6b-during",
 mode: "fallback",
 reason: "ai_unavailable",
 matches: 1,
 ms: 112
}

POST /api/v1/finder... 200

Request startedSEP 21 07:33:35.77 GMT+7

Request IDcvqhx-1789950815773-70a209dd0490

Path/api/v1/finder/suggest

Hostwellbeing-intake.vercel.app

User Agentcurl/8.18.0

Received in Singapore (sin1)

FirewallAllowed

Function Invocation

Route/api/v1/finder/suggest

Execution Duration / Maximum120ms / 5m

External APIs


GET jtwrgfcmfghfklddyatv.supabase.co...
POST jtwrgfcmfghfklddyatv.supabase.co...
POST api.groq.com/openai/v1/chat/comp...

Fluid231 MB

Response finished in 142ms

Deployment Information

Deployment IDdp1_9jxBmBLxEWz5BPq9fgrA953Uc...



Sign-off

Both teams confirm that the evidence above attributed to their own system is a real capture from that system, and that the contract (v1.2) is agreed.

Team	Name	Confirms	Date
Team 16 — Wellbeing	Teerapat Sukkasem	\$2, and Team 16's parts of \$3–\$6	2026-09-21
Team 14 — Helpdesk	Pupattarak Masomjit (6731503115)	\$1, and Team 14's parts of \$5–\$6	2026-09-21

Team 16's full evidence, with raw captures: [A5-Team16-Integration-Evidence.md](#) and [evidence/](#).