

Step 1: Importing Required Python Libraries

We will use pandas,numpy,matplotlib and seaborn

Step 2: Importing Zomato Dataset

Source = [Zomato Data](#)

Step 3 : Checking Data of columns

name	object
online_order	object
book_table	object
rate	object
votes	int64
approx_cost(for two people)	int64
listed_in(type)	object

Step 4: Data Cleaning

1.Modify Rate = Removing Denominator(/)

Like $4.5/5 = 4.5$

rate	
4.1/5	4.1
4.1/5	4.1
3.8/5	= 3.8
3.7/5	3.7
3.8/5	3.8

2.Getting information using [df.info\(\)](#) : info()

function provides quick summary of dataset and overview of its structure and content

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 148 entries, 0 to 147
Data columns (total 7 columns):
 #   Column              Non-Null Count  Dtype
---  -

```

```
0    name                                148 non-null    object
1    online_order                        148 non-null    object
2    book_table                          148 non-null    object
3    rate                                148 non-null    float64
4    votes                               148 non-null    int64
5    approx_cost(for two people)         148 non-null    int64
6    listed_in(type)                     148 non-null    object
dtypes: float64(1), int64(2), object(4)
memory usage: 8.2+ KB
```


3.Checking Null value in dataset using isnull()

```
name                                0
online_order                        0
book_table                          0
rate                                0
votes                               0
approx_cost(for two people)         0
listed_in(type)                     0
dtype: int64
```

There is no null value in our dataset


Step 5 : Analyzing Dataset

1. Checking Most popular restaurant type via visualization



Most Popular restaurant is Dining

2. Checking Most voted Restaurant Analyzing the most voted restaurant



Dining restaurants mainly focus on providing a comfortable and family-friendly dining experience, where customers can sit and enjoy their meals in a relaxed environment. In contrast, buffet restaurants often offer limited food options and may lack the same level of personalized service. Additionally, in recent times, people tend to prefer table service over self-service due to convenience and hygiene concerns, which makes dining restaurants more appealing.

Step 6 : Checking Max voted restaurant : Now today people are not aware of where the restaurant is and how the food, facility and all , they are searching the restaurant and checking reviews and rating and all. To get to know the best restaurant via voting.

Maximum Votes: 4884

	name	online_order	book_table	rate	votes	\
38	Empire Restaurant	Yes	No	4.4	4884	


	approx_cost(for two people)	listed_in(type)
38	750	other

Empire Restaurant with max votes : 4884


Step 7: Checking How many restaurant Have online delivery facility :

Number of Customer Who dont have online order option : 90


Number of Customer Who have online order option : 58




Step 8 : Rating Analyze : Checking the distribution of ratings from the rate column.



Step 9 : Approximate Cost for Couples



Step 10 : Rating comparison : Compare ratings between restaurants that accept online orders and those that don't.



Step 11 : Order mode Preference by Restaurant type

Find the relationship between order mode (online_order) and restaurant type (listed_in(type)).

