```
ValueError at /home
The view privacypolicy.views.home didn't return an HttpResponse object. It returned None instead.
                             Request URL: http://127.0.0.1:8000/home
                       Django Version: 4.0.5
                       Exception Type: ValueError
                   Exception Value: The view privacypolicy.views.home didn't return an HttpResponse object. It returned None instead.
             Exception Location: C:\Users\CyberlawAppData\Loca\Programs\Python\Python\10\lib\site-packages\django\core\handlers\base.py, line 332, in check_response
              Python Executable: C:\Users\Cyberlaw\AppData\Local\Programs\Python\Python310\python.exe
                       Python Version: 3.10.4
                            Server time: Mon, 01 Aug 2022 06:15:47 +0000
Traceback Switch to copy-and-paste view
\verb|C:\Users\Cyberlaw\AppData\Local\Programs\Python\Python310\Lib\site-packages\django\core\handlers\exception.py, \\ \begin{picture}(1,0) \put(0,0) \put(0
               55.
                                              response = get response(request)
               ▶ Local vars
C:\Users\Cyberlaw\AppData\Local\Programs\Python\Python310\lib\site-packages\django\core\handlers\base.py, line 204, in get response
               204. self.check_response(response, callback)
332. raise ValueError(
              ▶ Local vars
Request information
USER
                                     AnonymousUser
GET
                                     No GET data
POST
                                     No POST data
FILES
                                      No FILES data
COOKIES
                                   No cookie data
META
                                       Variable
                                                                                                                              Value
                                       ALLUSERSPROFILE
                                                                                                                              'C:\\ProgramData'
                                                                                                                              'C:\\Users\\Cyberlaw\\AppData\\Roaming'
                                       APPDATA
                                       CHROME_CRASHPAD_PIPE_NAME
                                                                                                                              '\\\.\pipe\\crashpad_18824_PYFANUXULXPIQVUM'
                                        COLORTERM
                                                                                                                              'truecolor'
                                        COMMONPROGRAMFILES
                                                                                                                              'C:\\Program Files\\Common Files
                                        COMMONIPROGRAMETTES (X86)
                                                                                                                              'C:\\Program Files (x86)\\Common Files
                                                                                                                               'C:\\Program Files\\Common Files'
                                       COMMONPROGRAMW6432
                                        COMPUTERNAME
                                                                                                                              'BALAN'
                                       COMSPEC
                                                                                                                              'C:\\WINDOWS\\system32\\cmd.exe
                                        CONTENT_LENGTH
                                       CONTENT_TYPE
DJANGO SETTINGS_MODULE
                                                                                                                              'text/plain'
                                                                                                                              'PolicyAnalyser.settings'
                                                                                                                              'C:\\Program Files\\Dokan\\Dokan Library-1.4.1\\'
                                       DOKANLIBRARY1
                                        DOKANLIBRARY1_LIBRARYPATH_X64
                                                                                                                             'C:\\Program Files\\Dokan\\Dokan Library-1.4.1\\lib\\'
                                        DOKANLIBRARY1 LIBRARYPATH X86
                                                                                                                             'C:\\Program Files\\Dokan\\Dokan Library-1.4.1\\x86\\lib\\'
                                        DRIVERDATA
                                                                                                                              'C:\\Windows\\Svstem32\\Drivers\\DriverData'
                                       FPS_BROWSER_APP_PROFILE_STRING 'Internet Explorer'
                                        FPS_BROWSER_USER_PROFILE_STRING 'Default'
                                       GATEWAY INTERFACE
                                                                                                                              'CGI/1.1'
                                        HOMEDRIVE
                                                                                                                             'C:'
                                                                                                                             '\\Users\\Cyberlaw'
                                       HOMEPATH
                                        HTTP_ACCEPT
                                                                                                                             "text/html, application/xhtml+xml, application/xml; q=0.9, */*; q=0.8"
                                       HTTP_ACCEPT_ENCODING
HTTP_ACCEPT_LANGUAGE
                                                                                                                              'gzip'
                                        HTTP CONNECTION
                                                                                                                              'Keep-Alive'
                                                                                                                              '127.0.0.1:8000'
                                        HTTP_HOST
                                                                                                                             ('Mozilla/5.0 (Windows NT 6.2; Win64; x64) AppleWebKit/534.34 (KHTML, like ''Gecko) wkhtmltopdf Safari/534.34')
'C:\\Program Files\\Java\\jdk-18'
                                        HTTP USER AGENT
                                        JAVA_HOME
                                       LANG
                                                                                                                              'en US.UTF-8'
                                       LOCALAPPDATA
                                                                                                                              'C:\\Users\\Cyberlaw\\AppData\\Local'
                                        LOGONSERVER
                                                                                                                             '\\\BALAN'
                                       NUMBER OF PROCESSORS
                                        ONEDRIVE
                                                                                                                              'C:\\Users\\Cyberlaw\\OneDrive'
                                       ORIGINAL XDG CURRENT DESKTOP
                                                                                                                              'undefined'
                                                                                                                             ('C:\\Program Files\\Common '
'Files\\Caracle\\Java\\javapath;C:\\Windows\\System32;C:\\Windows\\System32\\Wbem;C:\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\System32\\Windows\\Sy
                                        PATH
                                                                                                                             Corporation\PhysX\/Common;C:\\WINDOWS\\system32;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\\\indowsPowerShell\\\\indowsPowerShell\\v1.0\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\\\indowsPowerShell\\
                                                                                                                             'VS Code\bin;C:\Users\Cyberlaw\Downloads;C:\Program '
'Files\Java\jdk-18\bin;C:\Program Files\wkhtmltopdf\bin;')
'.COM; .EXE; .BAT; .CMD; .VBS; .VBE; .JS; .JSE; .WSF; .WSH; .MSC; .CPL'
                                        PATH_INFO
                                                                                                                              '/home'
                                        PROCESSOR_ARCHITECTURE
                                                                                                                               'AMD64'
                                       PROCESSOR_IDENTIFIER
PROCESSOR_LEVEL
                                                                                                                              'Intel64 Family 6 Model 165 Stepping 2, GenuineIntel'
                                        PROCESSOR_REVISION
                                                                                                                              'a502'
                                        PROGRAMDATA
                                                                                                                              'C:\\ProgramData'
                                                                                                                             'C:\\Program Files'
                                        PROGRAMFILES
                                                                                                                              'C:\\Program Files (x86)'
                                        PROGRAMFILES (X86)
                                        PROGRAMW6432
                                                                                                                              'C:\\Program Files'
                                        PSMODULEPATH
                                                                                                                              ('C:\\Users\\Cyberlaw\\Documents\\WindowsPowerShell\\Modules;C:\\Program ' 'Files\\WindowsPowerShell\\Modules;C:\\WINDOWS\\system32\\WindowsPowerShell\\v1.0\\Modules')
                                                                                                                              'C:\\Users\\Public'
                                       QUERY_STRING
REMOTE_ADDR
                                                                                                                             '127.0.0.1'
                                        REMOTE HOST
                                       REQUEST METHOD
                                                                                                                              'GET
```

```
Variable
                                 Value
RUN_MAIN
                                 'true'
SCRIPT_NAME
SERVER_NAME
                                 'kubernetes.docker.internal'
SERVER PORT
                                 '8000'
SERVER_PROTOCOL
                                 'HTTP/1.1'
                                 'WSGIServer/0.2'
SERVER SOFTWARE
SESSIONNAME
                                 'Console'
SYSTEMDRIVE
                                 'C:'
SYSTEMROOT
                                 'C:\\WINDOWS'
TEMP
                                 'C:\\Users\\Cyberlaw\\AppData\\Local\\Temp
                                 'vscode'
TERM_PROGRAM
TERM_PROGRAM_VERSION
                                 '1.69.2'
TMP
                                 'C:\\Users\\Cyberlaw\\AppData\\Local\\Temp
USERDOMAIN
                                 'BALAN'
USERDOMAIN_ROAMINGPROFILE
                                 'BALAN'
USERNAME
                                 'Cyberlaw'
USERPROFILE
                                 'C:\\Users\\Cyberlaw'
VBOX_MSI_INSTALL_PATH
                                 'C:\\Program Files\\Oracle\\VirtualBox\\'
WINDIR
                                 'C:\\WINDOWS'
ZES_ENABLE_SYSMAN
wsgi.errors
                                 <colorama.ansitowin32.StreamWrapper object at 0x000001FAFCD697E0>
wsgi.file_wrapper
                                 <class 'wsgiref.util.FileWrapper'>
wsgi.input
                                 <django.core.handlers.wsgi.LimitedStream object at 0x000001FA814881F0>
wsgi.multiproc
wsgi.multithread
                                 True
                                 False
wsgi.run once
wsgi.url_scheme
                                 'http'
wsgi.version
                                 (1, 0)
```

## Settings

## Using settings module PolicyAnalyser.settings

```
Setting
ABSOLUTE URL OVERRIDES
ADMINS
ALLOWED HOSTS
APPEND SLASH
                                                True
AUTHENTICATION_BACKENDS
                                                ['django.contrib.auth.backends.ModelBackend']
AUTH PASSWORD VALIDATORS
AUTH_USER_MODEL
                                                'auth.User'
BASE DIR
                                               WindowsPath('D:/policyanalyser_django/PolicyAnalyser') {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHES
CACHE_MIDDLEWARE_ALIAS
CACHE_MIDDLEWARE_KEY_PREFIX
                                                 'default'
                                                ****************
CACHE_MIDDLEWARE_SECONDS
CSRF_COOKIE_AGE
                                                600
                                                31449600
CSRF_COOKIE_DOMAIN
CSRF_COOKIE_HTTPONLY
                                                None
                                                False
CSRF_COOKIE_NAME
                                                'csrftoken'
CSRF COOKIE PATH
CSRF_COOKIE_SAMESITE
                                                'Tax'
CSRF COOKIE SECURE
                                                False
CSRF_FAILURE_VIEW
                                                'django.views.csrf.csrf_failure'
CSRF HEADER NAME
                                                 'HTTP X CSRFTOKEN'
CSRF_TRUSTED_ORIGINS
CSRF USE SESSIONS
                                                False
                                               'NAME': WindowsPath('D:/policyanalys')
'OPTIONS: {},
'PASSWORD': '***************,
'PORT': '',
'TEST': ('CHARSET': None,
'COLLATION': None,
'MIGRATE': True,
'MIRROR': None,
'NAME': None,
'TIME ZOME': None,
'USER': ')}
DATABASE ROUTERS
DATA_UPLOAD_MAX_MEMORY_SIZE
                                                2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS
                                                1000
                                                 'N j, Y, P'
DATETIME FORMAT
                                                'N j, Y, P'
['8Y-8m-8d 8H:8M:8S',
'8Y-8m-8d 8H:8M:8S.8f',
'8Y-8m-8d 8H:8M:8S.8f',
'8Y-8m-8d 8H:8M:8S.8f',
'8m/8d/8Y 8H:8M:8S.8f',
'8m/8d/8Y 8H:8M:8S.8f',
'8m/8d/8Y 8H:8M']
'8m/8d/8Y 8H:8M']
'N j, Y'
'18Y-8m-8d', Y
DATETIME_INPUT_FORMATS
                                               'N j, Y'
['$Y-$m-$d',
'$m/$d/$Y',
'$m/$d/$Y',
'$b %d %Y',
'%b %d, %Y',
'%d %b %Y',
'%d %b, %Y',
'%B %d %Y',
'%B %d, %Y',
'%B %d, %Y',
'%B %d, %Y',
'%d %B, %Y',
'%d %B, %Y',
'%d %B, %Y']
Frue
DATE FORMAT
DATE_INPUT_FORMATS
DEBUG
                                                True
DEBUG_PROPAGATE_EXCEPTIONS
                                                False
DECIMAL_SEPARATOR
DEFAULT_AUTO_FIELD
                                                1.1
                                                 'django.db.models.BigAutoField'
DEFAULT_CHARSET
                                                'utf-8'
DEFAULT EXCEPTION REPORTER
                                                 'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE 'django.core.files.storage.FileSystemStorage'
                                                'webmaster@localhost'
DEFAULT_FROM_EMAIL
DEFAULT INDEX TABLESPACE
DEFAULT_TABLESPACE
                                               . .
DISALLOWED_USER_AGENTS
EMAIL_BACKEND
                                                 'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST_PASSWORD
                                                'localhost'
                                               EMAIL HOST USER
EMAIL_PORT
                                                25
EMAIL_SSL_CERTFILE
EMAIL SSL KEYFILE
EMAIL_SUBJECT_PREFIX
                                                '[Django] '
EMAIL TIMEOUT
                                               None
```

```
Setting
                                                                                                                                              Value
 EMAIL_USE_LOCALTIME
                                                                                                                                            False
EMAIL_USE_SSL
                                                                                                                                            False
EMAIL_USE_TLS
                                                                                                                                            False
 FILE UPLOAD DIRECTORY PERMISSIONS None
  FILE_UPLOAD_HANDLERS
                                                                                                                                           ['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
  FILE UPLOAD MAX MEMORY SIZE
                                                                                                                                           2621440
  FILE_UPLOAD_PERMISSIONS
 FILE UPLOAD TEMP DIR
                                                                                                                                           None
  FIRST_DAY_OF_WEEK
 FIXTURE DIRS
  FORCE_SCRIPT_NAME
                                                                                                                                            None
  FORMAT MODULE PATH
                                                                                                                                            None
  FORM_RENDERER
                                                                                                                                              'django.forms.renderers.DjangoTemplates
  IGNORABLE_404_URLS
                                                                                                                                            ['django.contrib.admin',
'django.contrib.auth',
'django.contrib.contenttypes',
'django.contrib.sessions',
  INSTALLED APPS
                                                                                                                                         'django.contrib.messages',
'django.contrib.staticfiles']
[]
[('af', 'Afrikaans'),
('ar', 'Arabic'),
('ar', 'Astwiran'),
('ar', 'Astwiran'),
('ba', 'Bulgarian'),
('bg', 'Bulgarian'),
('bb', 'Belarusian'),
('bb', 'Belarusian'),
('bb', 'Bengali'),
('br', 'Bengali'),
('br', 'Bengali'),
('br', 'Bengali'),
('ca', 'Catalan'),
('ca', 'Catalan'),
('ca', 'German'),
('de', 'German'),
('de', 'German'),
('el', 'Greek'),
('en', 'Fanjish'),
('en', 'Esperanto'),
('en', 'Esperanto'),
('en', 'Esperanto'),
('es', 'Spanish'),
('es-wa', 'Argentinian Spanish'),
('es-wa', 'Mexican Spanish'),
('es-wa', 'Herisan'),
('fa', 'Frisian'),
('fa', 'Frisian'),
('fa', 'Frisian'),
('fa', 'Frisian'),
('fa', 'Gottish Gaelic'),
('fa', 'Galician'),
('he', 'Hindi'),
('hh', 'Hingarian'),
('ha', 'Amerian'),
('ha', 'Amerian'),
('ha', 'Interlingua'),
('id', 'Intonesian'),
('id', 'Indonesian'),
('id', 'Ido'),
                                                                                                                                                  'django.contrib.messages',
'django.contrib.staticfiles']
  INTERNAL IPS
  LANGUAGES
                                                                                                                                                 ('id', 'Interlingua')
('id', 'Indonesian'),
('ig', 'Igbo'),
('io', 'Ido'),
('io', 'Ido'),
('it', 'Italian'),
('ja', 'Japanese'),
('ka', 'Georgian'),
('ka', 'Kazakh'),
('km', 'Karakh'),
('kn', 'Karakh'),
('kn', 'Korean'),
('ko', 'Korean'),
('kv', 'Kvozv'),
                                                                                                                                          ('km', 'Kkmer'),
('kn', 'Kkmer'),
('kc', 'Korean'),
('kc', 'Kyrgz'),
('lb', 'Luxembourgish'),
('lt', 'Lithuanian'),
('m', 'Macedonian'),
('m', 'Malaylam'),
('m', 'Marathi'),
('m', 'Marathi'),
('m', 'Nearathi'),
('m', 'Neyali'),
('nb', 'Norwegian Bokmâl'),
('nb', 'Norwegian Bokmâl'),
('nc', 'Noseai'),
('nl', 'Putch'),
('nl', 'Putch'),
('nl', 'Putch'),
('pl', 'Polish'),
('pl', 'Polish'),
('pl', 'Portuguese'),
('ro', 'Romanian'),
('ro', 'Romanian'),
('s', 'Slovenian'),
('s', 'Slovenian'),
('s', 'Serbian'),
('s', 'Swedish'),
('s', 'Swedish'),
('s', 'Swedish'),
('tt', 'Talyi'),
('tt', 'Talar'),
('ut', 'Udwar'),
('ut', 'Udwar'),
('ut', 'Udrah'),
('ut', 'Udrah'),
('ut', 'Wichamse'),
('zh-hans', 'Simplified Chinese'),
('zh-hans', 'Simplified Chinese')]
  LANGUAGES BIDI
  LANGUAGE_CODE
  LANGUAGE COOKIE AGE
                                                                                                                                            None
  LANGUAGE_COOKIE_DOMAIN
  LANGUAGE COOKIE HTTPONLY
                                                                                                                                            False
  LANGUAGE_COOKIE_NAME
LANGUAGE_COOKIE_PATH
LANGUAGE_COOKIE_SAMESITE
 LANGUAGE COOKIE SECURE
                                                                                                                                           False
  LOCALE_PATHS
                                                                                                                                            []
LOGGING
```

```
Setting
                                           Value
LOGGING CONFIG
                                            'logging.config.dictConfig'
                                           '/accounts/profile/
LOGIN REDIRECT URL
LOGIN_URL
LOGOUT_REDIRECT_URL
                                           '/accounts/login/'
                                           None
MANAGERS
                                           []
MEDIA ROOT
MEDIA_URL
                                           1/1
MESSAGE STORAGE
                                           'django.contrib.messages.storage.fallback.FallbackStorage
                                           'django.contrib.messages.storage.fallback.FallbackStorage'
['django.middleware.security.SecurityMiddleware',
'django.contrib.sessions.middleware.SessionMiddleware',
'django.middleware.common.CommonMiddleware',
'django.middleware.comf.CommonMiddleware',
'django.contrib.auth.middleware.AuthenticationMiddleware',
'django.contrib.messages.middleware.MessageMiddleware',
'django.middleware.clickjacking.XFrameOptionsMiddleware',
'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIDDLEWARE
                                           {}
'F j'
MIGRATION MODULES
MONTH_DAY_FORMAT
NUMBER GROUPING
PASSWORD_HASHERS
                                           PASSWORD_RESET_TIMEOUT
                                           ****************
PREPEND WWW
                                           False
ROOT_URLCONF
                                           'PolicyAnalyser.urls'
SECRET KEY
SECURE_CONTENT_TYPE_NOSNIFF
                                           True
SECURE CROSS ORIGIN OPENER POLICY 'same-origin'
SECURE_HSTS_INCLUDE_SUBDOMAINS
SECURE_HSTS_PRELOAD
SECURE_HSTS_SECONDS
                                           False
SECURE PROXY SSL HEADER
                                           None
SECURE_REDIRECT_EXEMPT
                                           []
SECURE REFERRER POLICY
SECURE SSL HOST
                                           'same-origin'
                                           None
SECURE_SSL_REDIRECT
                                           False
SERVER_EMAIL
                                           'root@localhost'
SESSION_CACHE_ALIAS
                                           'default'
SESSION COOKIE AGE
                                           1209600
SESSION_COOKIE_DOMAIN
SESSION COOKIE HTTPONLY
                                           True
SESSION_COOKIE_NAME
SESSION COOKIE PATH
SESSION_COOKIE_SAMESITE
SESSION_COOKIE_SECURE
                                           False
SESSION_ENGINE
                                            'django.contrib.sessions.backends.db'
SESSION EXPIRE AT BROWSER CLOSE
                                           False
SESSION_FILE_PATH
                                           None
SESSION_SAVE_EVERY_REQUEST
SESSION_SERIALIZER
                                           False
                                            'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE
SHORT DATETIME FORMAT
                                           'PolicyAnalyser.settings'
'm/d/Y P'
SHORT_DATE_FORMAT
                                           'm/d/Y'
SIGNING BACKEND
                                           'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS
                                           ['D:\policyanalyser_django\PolicyAnalyser\static']
['django.contrib.staticfiles.finders.FileSystemFinder',
'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES DIRS
STATICFILES_FINDERS
STATICFILES STORAGE
                                           'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT
                                           None
STATIC URL
                                           '/static/'
                                          TEMPLATES
TEST_NON_SERIALIZED_APPS
TEST RUNNER
                                            'django.test.runner.DiscoverRunner
THOUSAND_SEPARATOR
                                           ','
'P'
TIME FORMAT
TIME_INPUT_FORMATS
                                           ['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
                                           'UTC'
TIME ZONE
USE_DEPRECATED_PYTZ
USE I18N
                                           True
USE_L10N
USE_THOUSAND_SEPARATOR
USE_TZ
                                           False
                                           True
USE_X_FORWARDED_HOST
USE_X_FORWARDED_PORT
                                           False
                                           False
WSGI APPLICATION
                                           'PolicyAnalyser.wsgi.application'
X FRAME OPTIONS
                                            'DENY
YEAR MONTH FORMAT
                                           'F Y'
```