


Machine Learning Workshop

9/30/2024




Subdivisions of Artificial Intelligence

- Artificial intelligence - the ability of software to mimic human intelligence
- Most research dedicated to deep learning
 - Models how biological intelligence is structured
 - Removes humans from the learning process (after labeling)



Deep Learning



Deep Learning

- Models biological intelligence
 - Neurons in organic brains are highly interconnected
 - Action potentials travel through networks of neurons producing thoughts
 - Deep learning mimics this behavior with math
- Neural networks draw connections between data points to complete tasks
- Providing a diverse, high quality dataset is important to creating a robust machine learning model



General Neural Network (NN)

- Foundation of neural networks is linear algebra and activation functions
- Incoming data is converted into a tensor (an n-dimensional matrix)
- Data is then normalized, typically between 0 and 1
- The normalized data tensor is multiplied by weights (tuned matrices)
- Final layer maps the data into the number of classification classes
- Nonlinear activation functions add nonlinearity between linear layers
- Different NNs have slight variations in these steps



Evaluating Neural Networks


- The NN model needs to know how it's doing as its predicting classes
 - This can't use the data the machine learning model is using for training
- Model validity needs to be tested with an unseen dataset after training
- Therefore, input dataset is typically split into 3 categories
 - Training set (60%-80%): used to teach the model to classify into different classes
 - Validation set (10%-20%): used to evaluate model performance during training
 - Test test (10%-20%): used to evaluate model performance after training is complete



Background Concepts

$$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \times \begin{bmatrix} 10 & 11 \\ 20 & 21 \\ 30 & 31 \end{bmatrix}$$
$$= \begin{bmatrix} 1 \times 10 + 2 \times 20 + 3 \times 30 & 1 \times 11 + 2 \times 21 + 3 \times 31 \\ 4 \times 10 + 5 \times 20 + 6 \times 30 & 4 \times 11 + 5 \times 21 + 6 \times 31 \end{bmatrix}$$
$$= \begin{bmatrix} 10+40+90 & 11+42+93 \\ 40+100+180 & 44+105+186 \end{bmatrix} = \begin{bmatrix} 140 & 146 \\ 320 & 335 \end{bmatrix}$$

Matrix Multiplication



Activation Functions

Learning as a Machine Step 1: Normalize Data

Raw Data

Age	Sex	Max heart rate	Cholesterol
63	1	145	233
37	1	130	250
56	0	140	294



Normalized Data

Age	Sex	Max heart rate	Cholesterol
1	1	1	0
0	1	0	0.28
0.73	0	0.67	1

Normalization equation:
$$x_i = \frac{x_i - x_{min}}{x_{max} - x_{min}}$$

Learning as a Machine Step 2: Split Data

Normalized Data

Age	Sex	Max heart rate	Cholesterol
1	1	1	0
0	1	0	0.28
0.73	0	0.67	1



Train Data


Age	Sex	Max heart rate	Cholesterol
1	1	1	0
0	1	0	0.28

Learning as a Machine Step 3: Draw Connections

Train Data

Age	Sex	Max heart rate	Cholesterol
1	1	1	0
0	1	0	0.28

Black Box




Learning as a Machine Step 4: Still Drawing



The size and number of 'black boxes' can be tuned to optimize the models performance

Learning as a Machine Step 5: Classify



The predicted class is whichever number the final form is closest to

Learning as a Machine Step 6: Check Your Work

- The model now compares its answer with the actual classification
- The difference is calculated using a loss function
 - For two classes, binary cross entropy loss is a popular choice
- Using the loss, the model then updates the 'black boxes' to make them more accurate
- At the end of each training cycle, between epochs, the validation set is used to indicate how well training is going

Learning as a Machine Step 7: Run it back

- The training/validation cycle repeats until the model converges, like reaching the minimum value on a parabola
 - Adjusting the weights/'black boxes' after convergence will only make the loss higher
- After the model has run through all epochs, the test set is used to measure how well the model works on unseen data
- The accuracy of the model at this point is a good indicator of the model's performance



Implementation

