

## Car ID: 1

id\_trim: 1

Make: AC

Modle: ACE

Generation: 1 generation

Year\_from: 1993.0

Year\_to: 2000.0

Series: Cabriolet

Trim: 3.5 MT

Body\_type: Cabriolet

load\_height\_mm: nan

number\_of\_seats: 2

length\_mm: 4420.0

width\_mm: 1870.0

height\_mm: 1300.0

wheelbase\_mm: 2470.0

front\_track\_mm: 1590

rear\_track\_mm: 1570.0

curb\_weight\_kg: 1510.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 130

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 300.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 185.0

maximum\_torque\_n\_m: 407

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 8.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: Turbo

cylinder\_bore\_mm: 83.0

stroke\_cycle\_mm: 81.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4000.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3505.0

engine\_hp: 354.0

engine\_hp\_rpm: 6500

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 6.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 450|1,000

emission\_standards: nan

fuel\_tank\_capacity\_l: 90

acceleration\_0\_100\_km/h\_s: 5.0

max\_speed\_km\_per\_h: 250

city\_fuel\_per\_100km\_l: 20.0

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 9.0

back\_suspension: Helical springs

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 2

id\_trim: 2

Make: AC

Modle: ACE

Generation: 1 generation

Year\_from: 1993.0

Year\_to: 2000.0

Series: Cabriolet

Trim: 4.6 MT

Body\_type: Cabriolet

load\_height\_mm: nan

number\_of\_seats: 2

length\_mm: 4420.0

width\_mm: 1870.0

height\_mm: 1300.0

wheelbase\_mm: 2470.0

front\_track\_mm: 1590

rear\_track\_mm: 1570.0

curb\_weight\_kg: 1510.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 300.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 185.0

maximum\_torque\_n\_m: 427

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 8.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 90.0

stroke\_cycle\_mm: 90.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4600.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 4601.0

engine\_hp: 326.0

engine\_hp\_rpm: 5800

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 600|900

emission\_standards: nan

fuel\_tank\_capacity\_l: 90

acceleration\_0\_100\_km/h\_s: 5.0

max\_speed\_km\_per\_h: 250

city\_fuel\_per\_100km\_l: 15.0

CO2\_emissions\_g/km: nan

fuel\_grade: 98

highway\_fuel\_per\_100km\_l: 10.0

back\_suspension: Helical springs

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

### Car ID: 3

id\_trim: 3

Make: AC

Modle: ACE

Generation: 1 generation

Year\_from: 1993.0

Year\_to: 2000.0

Series: Cabriolet

Trim: 4.9 AT

Body\_type: Cabriolet

load\_height\_mm: nan

number\_of\_seats: 2

length\_mm: 4420.0

width\_mm: 1870.0

height\_mm: 1300.0

wheelbase\_mm: 2472.0

front\_track\_mm: 1590

rear\_track\_mm: 1570.0

curb\_weight\_kg: 1440.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 300.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 185.0

maximum\_torque\_n\_m: 434

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 8.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 2.0

boost\_type: nan

cylinder\_bore\_mm: 101.0

stroke\_cycle\_mm: 76.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3250.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 4942.0

engine\_hp: 260.0

engine\_hp\_rpm: 5250

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0



turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: 8.0

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: 80

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: 225

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: nan

back\_suspension: Helical springs

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 4

id\_trim: 4

Make: AC

Modle: ACE

Generation: 1 generation

Year\_from: 1993.0

Year\_to: 2000.0

Series: Roadster

Trim: 2.9 AT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 5

id\_trim: 5

Make: AC

Modle: ACE

Generation: 1 generation

Year\_from: 1993.0

Year\_to: 2000.0

Series: Roadster

Trim: 2.9 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 6

id\_trim: 6

Make: AC

Modle: ACE

Generation: 1 generation

Year\_from: 1993.0

Year\_to: 2000.0

Series: Roadster

Trim: 3.0 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan



front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 7

id\_trim: 7

Make: AC

Modle: ACE

Generation: 1 generation

Year\_from: 1993.0

Year\_to: 2000.0

Series: Roadster

Trim: 3.5 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 8

id\_trim: 8

Make: AC

Modle: ACE

Generation: 1 generation

Year\_from: 1993.0

Year\_to: 2000.0

Series: Roadster

Trim: 4.6 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan



## Car ID: 9

id\_trim: 9

Make: AC

Modle: ACE

Generation: 1 generation

Year\_from: 1993.0

Year\_to: 2000.0

Series: Roadster

Trim: 4.9 AT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 10

id\_trim: 10

Make: AC

Modle: Aceca

Generation: 1 generation

Year\_from: 1998.0

Year\_to: 2001.0

Series: Coupe

Trim: 3.5 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 4

length\_mm: 4660.0

width\_mm: 1890.0

height\_mm: 1340.0

wheelbase\_mm: 2720.0

front\_track\_mm: 1590

rear\_track\_mm: 1570.0

curb\_weight\_kg: 1615.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 500.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 500.0

maximum\_torque\_n\_m: 407

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 8.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 83.0

stroke\_cycle\_mm: 81.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4000.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3506.0

engine\_hp: 354.0

engine\_hp\_rpm: 6500

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 6.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 13.4

range\_km: 350|780

emission\_standards: nan

fuel\_tank\_capacity\_l: 70

acceleration\_0\_100\_km/h\_s: 5.6

max\_speed\_km\_per\_h: 250

city\_fuel\_per\_100km\_l: 20.0

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 9.0

back\_suspension: Helical springs

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 11

id\_trim: 11

Make: AC

Modle: Aceca

Generation: 1 generation

Year\_from: 1998.0

Year\_to: 2001.0

Series: Coupe

Trim: 4.6 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 4

length\_mm: 4660.0

width\_mm: 1890.0

height\_mm: 1340.0

wheelbase\_mm: 2720.0

front\_track\_mm: 1590

rear\_track\_mm: 1570.0

curb\_weight\_kg: 1615.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 500.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 500.0

maximum\_torque\_n\_m: 427

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 8.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 90.0

stroke\_cycle\_mm: 90.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4800.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 4601.0

engine\_hp: 307.0

engine\_hp\_rpm: 5800

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0



turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 460

emission\_standards: nan

fuel\_tank\_capacity\_l: 70

acceleration\_0\_100\_km/h\_s: 6.1

max\_speed\_km\_per\_h: 250

city\_fuel\_per\_100km\_l: 15.1

CO2\_emissions\_g/km: nan

fuel\_grade: 98

highway\_fuel\_per\_100km\_l: nan

back\_suspension: Wishbone

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Wishbone

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 12

id\_trim: 12

Make: AC

Modle: Aceca

Generation: 1 generation

Year\_from: 1998.0

Year\_to: 2001.0

Series: Coupe

Trim: 4.6 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 4

length\_mm: 4660.0

width\_mm: 1890.0

height\_mm: 1340.0

wheelbase\_mm: 2720.0

front\_track\_mm: 1590

rear\_track\_mm: 1570.0

curb\_weight\_kg: 1615.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 300.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 185.0

maximum\_torque\_n\_m: 427

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 8.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 90.0

stroke\_cycle\_mm: 90.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4600.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 4601.0

engine\_hp: 326.0

engine\_hp\_rpm: 5800

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 12.2

range\_km: 460|670

emission\_standards: nan

fuel\_tank\_capacity\_l: 70

acceleration\_0\_100\_km/h\_s: 6.1

max\_speed\_km\_per\_h: 250

city\_fuel\_per\_100km\_l: 15.1

CO2\_emissions\_g/km: nan

fuel\_grade: 98

highway\_fuel\_per\_100km\_l: 10.5

back\_suspension: Helical springs

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 13

id\_trim: 13

Make: AC

Modle: Cobra

Generation: 1 generation

Year\_from: 1990.0

Year\_to: 2001.0

Series: Roadster

Trim: 4.9 MT

Body\_type: Roadster

load\_height\_mm: nan

number\_of\_seats: 2

length\_mm: 4155.0

width\_mm: 1745.0

height\_mm: 1230.0

wheelbase\_mm: 2285.0

front\_track\_mm: 1410

rear\_track\_mm: 1485.0

curb\_weight\_kg: 1155.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1340.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: 407

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 8.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 2.0

boost\_type: nan

cylinder\_bore\_mm: 101.0

stroke\_cycle\_mm: 76.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3200.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 4942.0

engine\_hp: 228.0

engine\_hp\_rpm: 4000

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 14.4

range\_km: 410|700

emission\_standards: nan

fuel\_tank\_capacity\_l: 70

acceleration\_0\_100\_km/h\_s: 5.2

max\_speed\_km\_per\_h: 215

city\_fuel\_per\_100km\_l: 17.0

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 10.0

back\_suspension: Helical springs

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 14

id\_trim: 14

Make: AC

Modle: Cobra

Generation: 1 generation

Year\_from: 1990.0

Year\_to: 2001.0

Series: Roadster

Trim: 4.9 MT

Body\_type: Roadster

load\_height\_mm: nan

number\_of\_seats: 2

length\_mm: 4115.0

width\_mm: 1735.0

height\_mm: 1245.0

wheelbase\_mm: 2285.0

front\_track\_mm: 1420

rear\_track\_mm: 1520.0

curb\_weight\_kg: 980.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1340.0



front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: 407

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 8.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 2.0

boost\_type: nan

cylinder\_bore\_mm: 101.0

stroke\_cycle\_mm: 76.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3200.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 4942.0

engine\_hp: 250.0

engine\_hp\_rpm: 4200

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 390|580

emission\_standards: nan

fuel\_tank\_capacity\_l: 70

acceleration\_0\_100\_km/h\_s: 5.2

max\_speed\_km\_per\_h: 250

city\_fuel\_per\_100km\_l: 18.0

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 12.0

back\_suspension: Helical springs

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 15

id\_trim: 15

Make: AC

Modle: Cobra

Generation: 1 generation

Year\_from: 1990.0

Year\_to: 2001.0

Series: Roadster

Trim: 4.9 MT

Body\_type: Roadster

load\_height\_mm: nan

number\_of\_seats: 2

length\_mm: 4200.0

width\_mm: 1745.0

height\_mm: 1200.0

wheelbase\_mm: 2285.0

front\_track\_mm: 1410

rear\_track\_mm: 1485.0

curb\_weight\_kg: 1160.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1360.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: 522

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 8.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 2.0

boost\_type: Turbo

cylinder\_bore\_mm: 101.0

stroke\_cycle\_mm: 76.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3750.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 4942.0

engine\_hp: 326.0

engine\_hp\_rpm: 5700

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 450|640

emission\_standards: nan

fuel\_tank\_capacity\_l: 70

acceleration\_0\_100\_km/h\_s: 4.2

max\_speed\_km\_per\_h: 250

city\_fuel\_per\_100km\_l: 15.7

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 10.9

back\_suspension: Helical springs

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 16

id\_trim: 16

Make: AC

Modle: Cobra

Generation: 1 generation

Year\_from: 1990.0

Year\_to: 2001.0

Series: Roadster

Trim: 4.9 MT

Body\_type: Roadster

load\_height\_mm: nan

number\_of\_seats: 2

length\_mm: 4115.0

width\_mm: 1735.0

height\_mm: 1245.0

wheelbase\_mm: 2285.0

front\_track\_mm: 1420

rear\_track\_mm: 1525.0

curb\_weight\_kg: 980.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1340.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: 579

injection\_type: carburetor

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 8.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 2.0

boost\_type: nan

cylinder\_bore\_mm: 101.0

stroke\_cycle\_mm: 76.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 4942.0

engine\_hp: 370.0

engine\_hp\_rpm: 5750

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 15.7

range\_km: 420|630

emission\_standards: nan

fuel\_tank\_capacity\_l: 75

acceleration\_0\_100\_km/h\_s: 5.2

max\_speed\_km\_per\_h: 215

city\_fuel\_per\_100km\_l: 18.0

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 12.0

back\_suspension: Helical springs

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan



## Car ID: 17

id\_trim: 17

Make: AC

Modle: Cobra

Generation: 1 generation

Year\_from: 1990.0

Year\_to: 2001.0

Series: Roadster

Trim: 4.9 MT Lightweight

Body\_type: Roadster

load\_height\_mm: nan

number\_of\_seats: 2

length\_mm: 4155.0

width\_mm: 1745.0

height\_mm: 1230.0

wheelbase\_mm: 2285.0

front\_track\_mm: 1410

rear\_track\_mm: 1485.0

curb\_weight\_kg: 1065.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1153.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: 310

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 8.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 2.0

boost\_type: nan

cylinder\_bore\_mm: 101.0

stroke\_cycle\_mm: 76.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3750.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 4942.0

engine\_hp: 340.0

engine\_hp\_rpm: 6000

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: 70

acceleration\_0\_100\_km/h\_s: 5.0

max\_speed\_km\_per\_h: 225

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: nan

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 18

id\_trim: 18

Make: AC

Modle: Cobra

Generation: Mk IV

Year\_from: 1990.0

Year\_to: 2001.0

Series: Roadster

Trim: 4.9 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 19

id\_trim: 19

Make: AC

Modle: Cobra

Generation: Mk IV

Year\_from: 1990.0

Year\_to: 2001.0

Series: Roadster

Trim: 4.9 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan



turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

**Car ID: 20**

id\_trim: 20

Make: AC

Modle: Cobra

Generation: Mk IV

Year\_from: 1990.0

Year\_to: 2001.0

Series: Roadster

Trim: 4.9 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

**Car ID: 21**

id\_trim: 21

Make: AC

Modle: Cobra

Generation: Mk IV

Year\_from: 1990.0

Year\_to: 2001.0

Series: Roadster

Trim: 4.9 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 22

id\_trim: 22

Make: AC

Modle: Cobra

Generation: Mk IV

Year\_from: 1990.0

Year\_to: 2001.0

Series: Roadster

Trim: 4.9 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan



front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 23

id\_trim: 23

Make: Acura

Modle: CL

Generation: 1 generation

Year\_from: 1996.0

Year\_to: 2000.0

Series: Coupe

Trim: 2.2 AT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4825.0

width\_mm: 1780.0

height\_mm: 1390.0

wheelbase\_mm: 2715.0

front\_track\_mm: 1515

rear\_track\_mm: 1500.0

curb\_weight\_kg: 1390.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 110

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 340.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 340.0

maximum\_torque\_n\_m: 199

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 85.0

stroke\_cycle\_mm: 95.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 2156.0

engine\_hp: 147.0

engine\_hp\_rpm: 5500

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 550|770

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: 8.2

max\_speed\_km\_per\_h: 220

city\_fuel\_per\_100km\_l: 11.8

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 8.4

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 24

id\_trim: 24

Make: Acura

Modle: CL

Generation: 1 generation

Year\_from: 1996.0

Year\_to: 2000.0

Series: Coupe

Trim: 2.2 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4825.0

width\_mm: 1780.0

height\_mm: 1390.0

wheelbase\_mm: 2715.0

front\_track\_mm: 1515

rear\_track\_mm: 1500.0

curb\_weight\_kg: 1390.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 110

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 340.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 340.0

maximum\_torque\_n\_m: 199

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 85.0

stroke\_cycle\_mm: 95.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 2156.0

engine\_hp: 147.0

engine\_hp\_rpm: 5500

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 680|860

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: 8.2

max\_speed\_km\_per\_h: 205

city\_fuel\_per\_100km\_l: 9.6

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 7.6

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan



## Car ID: 25

id\_trim: 25

Make: Acura

Modle: CL

Generation: 1 generation

Year\_from: 1996.0

Year\_to: 2000.0

Series: Coupe

Trim: 2.3 AT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4825.0

width\_mm: 1780.0

height\_mm: 1390.0

wheelbase\_mm: 2715.0

front\_track\_mm: 1515

rear\_track\_mm: 1500.0

curb\_weight\_kg: 1390.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 110

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 340.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 340.0

maximum\_torque\_n\_m: 205

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 86.0

stroke\_cycle\_mm: 97.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4900.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 2254.0

engine\_hp: 152.0

engine\_hp\_rpm: 5700

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 550|770

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: 8.2

max\_speed\_km\_per\_h: 220

city\_fuel\_per\_100km\_l: 11.8

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 8.4

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 26

id\_trim: 26

Make: Acura

Modle: CL

Generation: 1 generation

Year\_from: 1996.0

Year\_to: 2000.0

Series: Coupe

Trim: 2.3 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4825.0

width\_mm: 1780.0

height\_mm: 1390.0

wheelbase\_mm: 2715.0

front\_track\_mm: 1515

rear\_track\_mm: 1500.0

curb\_weight\_kg: 1390.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 110

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 340.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 340.0

maximum\_torque\_n\_m: 205

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 86.0

stroke\_cycle\_mm: 97.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4900.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 2254.0

engine\_hp: 152.0

engine\_hp\_rpm: 5700

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 680|860

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: 8.2

max\_speed\_km\_per\_h: 205

city\_fuel\_per\_100km\_l: 9.6

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 7.6

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 27

id\_trim: 27

Make: Acura

Modle: CL

Generation: 1 generation

Year\_from: 1996.0

Year\_to: 2000.0

Series: Coupe

Trim: 3.0 AT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4825.0

width\_mm: 1780.0

height\_mm: 1390.0

wheelbase\_mm: 2715.0

front\_track\_mm: 1515

rear\_track\_mm: 1500.0

curb\_weight\_kg: 1465.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 110

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 340.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 340.0

maximum\_torque\_n\_m: 264

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 86.0

stroke\_cycle\_mm: 86.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4700.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 2997.0

engine\_hp: 203.0

engine\_hp\_rpm: 5000

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0



turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 550|770

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: 11.8

CO2\_emissions\_g/km: nan

fuel\_grade: 80

highway\_fuel\_per\_100km\_l: 8.4

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 28

id\_trim: 28

Make: Acura

Modle: CL

Generation: 2 generation

Year\_from: 2000.0

Year\_to: 2003.0

Series: Coupe

Trim: 3.2 AT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4877.0

width\_mm: 1793.0

height\_mm: 1410.0

wheelbase\_mm: 2715.0

front\_track\_mm: 1552

rear\_track\_mm: 1547.0

curb\_weight\_kg: 1610.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 396.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 396.0

maximum\_torque\_n\_m: 315

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 86.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3195.0

engine\_hp: 225.0

engine\_hp\_rpm: 6200

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 520|800

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: 7.8

max\_speed\_km\_per\_h: 215

city\_fuel\_per\_100km\_l: 12.4

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 8.1

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 29

id\_trim: 29

Make: Acura

Modle: CL

Generation: 2 generation

Year\_from: 2000.0

Year\_to: 2003.0

Series: Coupe

Trim: 3.2 AT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4877.0

width\_mm: 1793.0

height\_mm: 1410.0

wheelbase\_mm: 2715.0

front\_track\_mm: 1552

rear\_track\_mm: 1547.0

curb\_weight\_kg: 1615.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 396.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 396.0

maximum\_torque\_n\_m: 314

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 86.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3195.0

engine\_hp: 260.0

engine\_hp\_rpm: 6100

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 520|800

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: 6.8

max\_speed\_km\_per\_h: 235

city\_fuel\_per\_100km\_l: 12.4

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 8.1

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 30

id\_trim: 30

Make: Acura

Modle: CL

Generation: 2 generation

Year\_from: 2000.0

Year\_to: 2003.0

Series: Coupe

Trim: 3.2 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4877.0

width\_mm: 1793.0

height\_mm: 1410.0

wheelbase\_mm: 2715.0

front\_track\_mm: 1552

rear\_track\_mm: 1547.0

curb\_weight\_kg: 1610.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan



front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 396.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 396.0

maximum\_torque\_n\_m: 315

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 86.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3195.0

engine\_hp: 225.0

engine\_hp\_rpm: 6200

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 6.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 520|800

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: 7.8

max\_speed\_km\_per\_h: 215

city\_fuel\_per\_100km\_l: 12.4

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 8.1

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 31

id\_trim: 31

Make: Acura

Modle: CL

Generation: 2 generation

Year\_from: 2000.0

Year\_to: 2003.0

Series: Coupe

Trim: 3.2 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4877.0

width\_mm: 1793.0

height\_mm: 1410.0

wheelbase\_mm: 2715.0

front\_track\_mm: 1552

rear\_track\_mm: 1547.0

curb\_weight\_kg: 1615.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 396.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 396.0

maximum\_torque\_n\_m: 314

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 86.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3195.0

engine\_hp: 260.0

engine\_hp\_rpm: 6100

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 6.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 520|770

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: 6.6

max\_speed\_km\_per\_h: 235

city\_fuel\_per\_100km\_l: 12.4

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 8.4

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 32

id\_trim: 32

Make: Acura

Modle: CSX

Generation: 1 generation

Year\_from: 2006.0

Year\_to: 2010.0

Series: Sedan

Trim: 2.0 AT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4544.0

width\_mm: 1752.0

height\_mm: 1435.0

wheelbase\_mm: 2700.0

front\_track\_mm: 1499

rear\_track\_mm: 1528.0

curb\_weight\_kg: 1290.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 340.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 340.0

maximum\_torque\_n\_m: 188

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 86.0

stroke\_cycle\_mm: 86.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1998.0

engine\_hp: 157.0

engine\_hp\_rpm: 6000

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 530|770

emission\_standards: EURO IV

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: 9.5

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 6.5

back\_suspension: Independent, Multi wishbone, spring, Stabilizer bar

rear\_brakes: Disc

front\_brakes: Disc

front\_suspension: Independent, McPherson Struts, spring, Stabilizer bar

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan



## Car ID: 33

id\_trim: 33

Make: Acura

Modle: CSX

Generation: 1 generation

Year\_from: 2006.0

Year\_to: 2010.0

Series: Sedan

Trim: 2.0 MT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4544.0

width\_mm: 1752.0

height\_mm: 1435.0

wheelbase\_mm: 2700.0

front\_track\_mm: 1499

rear\_track\_mm: 1528.0

curb\_weight\_kg: 1290.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 340.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 340.0

maximum\_torque\_n\_m: 188

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 86.0

stroke\_cycle\_mm: 86.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1998.0

engine\_hp: 157.0

engine\_hp\_rpm: 6000

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 570|780

emission\_standards: EURO IV

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: 8.7

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 6.4

back\_suspension: Independent, Multi wishbone, spring, Stabilizer bar

rear\_brakes: Disc

front\_brakes: Disc

front\_suspension: Independent, McPherson Struts, spring, Stabilizer bar

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 34

id\_trim: 34

Make: Acura

Modle: EL

Generation: 2 generation

Year\_from: 2001.0

Year\_to: 2003.0

Series: Sedan

Trim: 1.7 AT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4505.0

width\_mm: 1715.0

height\_mm: 1440.0

wheelbase\_mm: 2620.0

front\_track\_mm: 1469

rear\_track\_mm: 1469.0

curb\_weight\_kg: 1182.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1560.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 600.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 225.0

maximum\_torque\_n\_m: 114

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4800.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1700.0

engine\_hp: 127.0

engine\_hp\_rpm: 6300

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 640|820

emission\_standards: nan

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: 7.8

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 6.1

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 35

id\_trim: 35

Make: Acura

Modle: EL

Generation: 2 generation

Year\_from: 2001.0

Year\_to: 2003.0

Series: Sedan

Trim: 1.7 MT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4505.0

width\_mm: 1715.0

height\_mm: 1440.0

wheelbase\_mm: 2620.0

front\_track\_mm: 1469

rear\_track\_mm: 1469.0

curb\_weight\_kg: 1182.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1560.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 600.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 225.0

maximum\_torque\_n\_m: 114

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4800.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1700.0

engine\_hp: 127.0

engine\_hp\_rpm: 6300

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0



turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 640|820

emission\_standards: nan

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: 7.8

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 6.1

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 36

id\_trim: 36

Make: Acura

Modle: ILX

Generation: 1 generation [2th redesign]

Year\_from: 2018.0

Year\_to: 2019.0

Series: Sedan

Trim: 2.4 AMT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 37

id\_trim: 37

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Coupe

Trim: 1.8 AT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4380.0

width\_mm: 1710.0

height\_mm: 1338.0

wheelbase\_mm: 2570.0

front\_track\_mm: 1476

rear\_track\_mm: 1468.0

curb\_weight\_kg: 1225.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 150

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 376.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 376.0

maximum\_torque\_n\_m: 172

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 81.0

stroke\_cycle\_mm: 89.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 5200.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1834.0

engine\_hp: 144.0

engine\_hp\_rpm: 6300

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0

turning\_circle\_m: 10.8

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: 8.5

range\_km: 530|660

emission\_standards: nan

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: 6.8

max\_speed\_km\_per\_h: 220

city\_fuel\_per\_100km\_l: 9.4

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 7.6

back\_suspension: Multi wishbone, Trailing arms, Stabilizer bar

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Multi wishbone, spring, Stabilizer bar

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 38

id\_trim: 38

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Coupe

Trim: 1.8 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4380.0

width\_mm: 1710.0

height\_mm: 1338.0

wheelbase\_mm: 2570.0

front\_track\_mm: 1476

rear\_track\_mm: 1468.0

curb\_weight\_kg: 1225.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 150

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan



front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 376.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 376.0

maximum\_torque\_n\_m: 172

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 81.0

stroke\_cycle\_mm: 89.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 5200.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1834.0

engine\_hp: 144.0

engine\_hp\_rpm: 6300

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: 10.8

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 8.5

range\_km: 530|660

emission\_standards: nan

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: 6.8

max\_speed\_km\_per\_h: 220

city\_fuel\_per\_100km\_l: 9.4

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 7.6

back\_suspension: Multi wishbone, Trailing arms, Stabilizer bar

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Multi wishbone, spring, Stabilizer bar

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 39

id\_trim: 39

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Coupe

Trim: 1.8 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4380.0

width\_mm: 1710.0

height\_mm: 1338.0

wheelbase\_mm: 2570.0

front\_track\_mm: 1476

rear\_track\_mm: 1468.0

curb\_weight\_kg: 1235.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 150

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 376.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 376.0

maximum\_torque\_n\_m: 173

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 81.0

stroke\_cycle\_mm: 87.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 6200.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1797.0

engine\_hp: 172.0

engine\_hp\_rpm: 7600

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: 10.8

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 8.4

range\_km: 530|660

emission\_standards: nan

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: 7.0

max\_speed\_km\_per\_h: 214

city\_fuel\_per\_100km\_l: 9.4

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 7.6

back\_suspension: Multi wishbone, Trailing arms, Stabilizer bar

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Multi wishbone, spring, Stabilizer bar

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 40

id\_trim: 40

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Coupe

Trim: 1.8 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4380.0

width\_mm: 1695.0

height\_mm: 1320.0

wheelbase\_mm: 2570.0

front\_track\_mm: 1480

rear\_track\_mm: 1475.0

curb\_weight\_kg: 1220.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 150

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1550.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 376.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 376.0

maximum\_torque\_n\_m: 178

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 7300.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1797.0

engine\_hp: 190.0

engine\_hp\_rpm: 8000

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: 10.8

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 8.8

range\_km: 520|640

emission\_standards: nan

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: 6.7

max\_speed\_km\_per\_h: 234

city\_fuel\_per\_100km\_l: 9.7

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 7.8

back\_suspension: Multi wishbone, Trailing arms, Stabilizer bar

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Multi wishbone, spring, Stabilizer bar

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan



## Car ID: 41

id\_trim: 41

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Coupe

Trim: 1.8 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4380.0

width\_mm: 1695.0

height\_mm: 1320.0

wheelbase\_mm: 2570.0

front\_track\_mm: 1480

rear\_track\_mm: 1475.0

curb\_weight\_kg: 1220.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 150

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 376.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 376.0

maximum\_torque\_n\_m: 176

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 81.0

stroke\_cycle\_mm: 87.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 7500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1797.0

engine\_hp: 197.0

engine\_hp\_rpm: 8000

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: 10.8

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 8.6

range\_km: 530|660

emission\_standards: nan

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: 6.6

max\_speed\_km\_per\_h: 230

city\_fuel\_per\_100km\_l: 9.4

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 7.6

back\_suspension: Multi wishbone, Trailing arms, Stabilizer bar

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Multi wishbone, spring, Stabilizer bar

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 42

id\_trim: 42

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Hatchback 3 doors

Trim: 1.5 AT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 43

id\_trim: 43

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Hatchback 3 doors

Trim: 1.5 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan



turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 44

id\_trim: 44

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Hatchback 3 doors

Trim: 1.6 AT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 45

id\_trim: 45

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Hatchback 3 doors

Trim: 1.6 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 46

id\_trim: 46

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Hatchback 5 doors

Trim: 1.5 AT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan



front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 47

id\_trim: 47

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Hatchback 5 doors

Trim: 1.5 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 48

id\_trim: 48

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Hatchback 5 doors

Trim: 1.6 AT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan



## Car ID: 49

id\_trim: 49

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Hatchback 5 doors

Trim: 1.6 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 50

id\_trim: 50

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Sedan

Trim: 1.8 AT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4525.0

width\_mm: 1710.0

height\_mm: 1370.0

wheelbase\_mm: 2620.0

front\_track\_mm: 1475

rear\_track\_mm: 1470.0

curb\_weight\_kg: 1190.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 150

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1600.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 370.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 370.0

maximum\_torque\_n\_m: 173

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 81.0

stroke\_cycle\_mm: 89.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 5200.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1834.0

engine\_hp: 144.0

engine\_hp\_rpm: 6300

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0

turning\_circle\_m: 10.8

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: 8.4

range\_km: 530|660

emission\_standards: nan

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: 7.5

max\_speed\_km\_per\_h: 205

city\_fuel\_per\_100km\_l: 9.4

CO2\_emissions\_g/km: nan

fuel\_grade: 80

highway\_fuel\_per\_100km\_l: 7.6

back\_suspension: Multi wishbone, Trailing arms, Stabilizer bar

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Multi wishbone, spring, Stabilizer bar

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 51

id\_trim: 51

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Sedan

Trim: 1.8 MT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4525.0

width\_mm: 1710.0

height\_mm: 1370.0

wheelbase\_mm: 2620.0

front\_track\_mm: 1475

rear\_track\_mm: 1470.0

curb\_weight\_kg: 1190.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 150

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1600.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 370.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 370.0

maximum\_torque\_n\_m: 173

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 81.0

stroke\_cycle\_mm: 89.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 5200.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1834.0

engine\_hp: 144.0

engine\_hp\_rpm: 6300

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0



turning\_circle\_m: 10.8

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 8.4

range\_km: 530|660

emission\_standards: nan

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: 7.5

max\_speed\_km\_per\_h: 205

city\_fuel\_per\_100km\_l: 9.4

CO2\_emissions\_g/km: nan

fuel\_grade: 80

highway\_fuel\_per\_100km\_l: 7.6

back\_suspension: Multi wishbone, Trailing arms, Stabilizer bar

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Multi wishbone, spring, Stabilizer bar

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 52

id\_trim: 52

Make: Acura

Modle: Integra

Generation: 1 generation

Year\_from: 1991.0

Year\_to: 2002.0

Series: Sedan

Trim: 1.8 MT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4525.0

width\_mm: 1710.0

height\_mm: 1370.0

wheelbase\_mm: 2620.0

front\_track\_mm: 1476

rear\_track\_mm: 1468.0

curb\_weight\_kg: 1275.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 150

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1650.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 311.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 311.0

maximum\_torque\_n\_m: 173

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 81.0

stroke\_cycle\_mm: 87.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 6200.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1797.0

engine\_hp: 172.0

engine\_hp\_rpm: 7600

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: 10.8

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 8.6

range\_km: 530|660

emission\_standards: nan

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: 7.2

max\_speed\_km\_per\_h: 210

city\_fuel\_per\_100km\_l: 9.4

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 7.6

back\_suspension: Multi wishbone, Trailing arms, Stabilizer bar

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Multi wishbone, spring, Stabilizer bar

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 53

id\_trim: 53

Make: Acura

Modle: MDX

Generation: 1 generation

Year\_from: 2001.0

Year\_to: 2006.0

Series: Crossover

Trim: 3.5 AT

Body\_type: Crossover

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4788.0

width\_mm: 1938.0

height\_mm: 1745.0

wheelbase\_mm: 2700.0

front\_track\_mm: 1685

rear\_track\_mm: 1690.0

curb\_weight\_kg: 1980.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 2580.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 2308.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 419.0

maximum\_torque\_n\_m: 313

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 93.0

stroke\_cycle\_mm: 85.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 2800.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3494.0

engine\_hp: 228.0

engine\_hp\_rpm: 5200

drive\_wheels: All wheel drive (AWD)

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 560|730

emission\_standards: nan

fuel\_tank\_capacity\_l: 73

acceleration\_0\_100\_km/h\_s: 9.0

max\_speed\_km\_per\_h: 180

city\_fuel\_per\_100km\_l: 13.0

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 10.0

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 54

id\_trim: 54

Make: Acura

Modle: MDX

Generation: 1 generation

Year\_from: 2001.0

Year\_to: 2006.0

Series: Crossover

Trim: 3.5 AT 4WD

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan



front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 55

id\_trim: 55

Make: Acura

Modle: MDX

Generation: 1 generation

Year\_from: 2001.0

Year\_to: 2006.0

Series: Crossover

Trim: 3.5 AT 4WD

Body\_type: Crossover

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4788.0

width\_mm: 1938.0

height\_mm: 1745.0

wheelbase\_mm: 2700.0

front\_track\_mm: 1685

rear\_track\_mm: 1690.0

curb\_weight\_kg: 1963.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 203

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 2580.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 2308.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 203.0

maximum\_torque\_n\_m: 332

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 93.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3000.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3471.0

engine\_hp: 240.0

engine\_hp\_rpm: 5750

drive\_wheels: All wheel drive (AWD)

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: 13.2

range\_km: 530|720

emission\_standards: nan

fuel\_tank\_capacity\_l: 73

acceleration\_0\_100\_km/h\_s: 8.7

max\_speed\_km\_per\_h: 190

city\_fuel\_per\_100km\_l: 13.8

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 10.2

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 56

id\_trim: 56

Make: Acura

Modle: MDX

Generation: 1 generation

Year\_from: 2001.0

Year\_to: 2006.0

Series: Crossover

Trim: 3.5 AT 4WD

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan



## Car ID: 57

id\_trim: 57

Make: Acura

Modle: MDX

Generation: 1 generation

Year\_from: 2001.0

Year\_to: 2006.0

Series: Crossover

Trim: 3.5 AT 4WD

Body\_type: Crossover

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4789.0

width\_mm: 1955.0

height\_mm: 1744.0

wheelbase\_mm: 2700.0

front\_track\_mm: 1685

rear\_track\_mm: 1690.0

curb\_weight\_kg: 2065.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 203

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 2600.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 2308.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 419.0

maximum\_torque\_n\_m: 339

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 93.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3471.0

engine\_hp: 263.0

engine\_hp\_rpm: 5750

drive\_wheels: All wheel drive (AWD)

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 560|730

emission\_standards: nan

fuel\_tank\_capacity\_l: 73

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: 190

city\_fuel\_per\_100km\_l: 13.0

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 10.0

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 58

id\_trim: 58

Make: Acura

Modle: MDX

Generation: 1 generation

Year\_from: 2001.0

Year\_to: 2006.0

Series: Crossover

Trim: 3.5 AT 4WD

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 59

id\_trim: 59

Make: Acura

Modle: MDX

Generation: 2 generation

Year\_from: 2006.0

Year\_to: 2009.0

Series: Crossover

Trim: 3.5 AT 4WD

Body\_type: Crossover

load\_height\_mm: nan

number\_of\_seats: 7

length\_mm: 4789.0

width\_mm: 1955.0

height\_mm: 1744.0

wheelbase\_mm: 2700.0

front\_track\_mm: 1685

rear\_track\_mm: 1690.0

curb\_weight\_kg: 2065.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 203

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 2600.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 2308.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 419.0

maximum\_torque\_n\_m: 339

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 93.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3471.0

engine\_hp: 256.0

engine\_hp\_rpm: 5800

drive\_wheels: All wheel drive (AWD)

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0



turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 560|730

emission\_standards: nan

fuel\_tank\_capacity\_l: 73

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: 190

city\_fuel\_per\_100km\_l: 13.0

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 10.0

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: 5.0

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 60

id\_trim: 60

Make: Acura

Modle: MDX

Generation: 2 generation

Year\_from: 2006.0

Year\_to: 2009.0

Series: Crossover

Trim: 3.7 AT 4WD

Body\_type: Crossover

load\_height\_mm: nan

number\_of\_seats: 7

length\_mm: 4844.0

width\_mm: 1994.0

height\_mm: 1732.0

wheelbase\_mm: 2751.0

front\_track\_mm: 1720

rear\_track\_mm: 1715.0

curb\_weight\_kg: 2059.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 203

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 425.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 425.0

maximum\_torque\_n\_m: 375

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 93.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 5000.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3700.0

engine\_hp: 304.0

engine\_hp\_rpm: 6000

drive\_wheels: Four wheel drive (4WD)

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: 12.1

range\_km: 580|750

emission\_standards: nan

fuel\_tank\_capacity\_l: 80

acceleration\_0\_100\_km/h\_s: 7.7

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: 13.8

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 10.7

back\_suspension: Independent, Multi wishbone, spring, Stabilizer bar

rear\_brakes: nan

front\_brakes: nan

front\_suspension: Independent, McPherson Struts, spring, Stabilizer bar

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 61

id\_trim: 61

Make: Acura

Modle: MDX

Generation: 3 generation

Year\_from: 2013.0

Year\_to: 2020.0

Series: Crossover

Trim: 3.5 AT 4WD

Body\_type: Crossover

load\_height\_mm: nan

number\_of\_seats: 7

length\_mm: 4935.0

width\_mm: 1960.0

height\_mm: 1730.0

wheelbase\_mm: 2825.0

front\_track\_mm: 1685

rear\_track\_mm: 1700.0

curb\_weight\_kg: 2039.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 200

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: 536.0

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 2575.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 1344.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 234.0

maximum\_torque\_n\_m: 355

injection\_type: direct injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 93.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3471.0

engine\_hp: 290.0

engine\_hp\_rpm: 6200

drive\_wheels: All wheel drive (AWD)

bore\_stroke\_ratio: nan

number\_of\_gears: 6.0

turning\_circle\_m: 12.2

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: 10.4

range\_km: 480|950

emission\_standards: EURO V

fuel\_tank\_capacity\_l: 73

acceleration\_0\_100\_km/h\_s: 7.6

max\_speed\_km\_per\_h: 220

city\_fuel\_per\_100km\_l: 15.1

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 7.7

back\_suspension: Independent, Multi wishbone, Dampers, spring

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Independent, McPherson Struts, Stabilizer bar

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 62

id\_trim: 62

Make: Acura

Modle: MDX

Generation: 3 generation [2th redesign]

Year\_from: 2016.0

Year\_to: 2019.0

Series: SUV 5 doors

Trim: 3.0 AMT 4WD

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan



front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 63

id\_trim: 63

Make: Acura

Modle: MDX

Generation: 3 generation [2th redesign]

Year\_from: 2016.0

Year\_to: 2019.0

Series: SUV 5 doors

Trim: 3.5 AT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 64

id\_trim: 64

Make: Acura

Modle: MDX

Generation: 3 generation [2th redesign]

Year\_from: 2016.0

Year\_to: 2019.0

Series: SUV 5 doors

Trim: 3.5 AT 4WD

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan



## Car ID: 65

id\_trim: 65

Make: Acura

Modle: NSX

Generation: 1 generation

Year\_from: 1990.0

Year\_to: 2001.0

Series: Cabriolet

Trim: 3.0 MT

Body\_type: Cabriolet

load\_height\_mm: nan

number\_of\_seats: 2

length\_mm: 4425.0

width\_mm: 1810.0

height\_mm: 1175.0

wheelbase\_mm: 2530.0

front\_track\_mm: 1510

rear\_track\_mm: 1530.0

curb\_weight\_kg: 1425.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 120

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1610.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 154.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 154.0

maximum\_torque\_n\_m: 284

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 90.0

stroke\_cycle\_mm: 78.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 5400.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 2977.0

engine\_hp: 274.0

engine\_hp\_rpm: 7300

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 10.0

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: 70

acceleration\_0\_100\_km/h\_s: 5.0

max\_speed\_km\_per\_h: 270

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: nan

back\_suspension: Double wishbone

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Double wishbone

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 66

id\_trim: 66

Make: Acura

Modle: NSX

Generation: 1 generation

Year\_from: 1990.0

Year\_to: 2001.0

Series: Coupe

Trim: 3.0 AT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

**Car ID: 67**

id\_trim: 67

Make: Acura

Modle: NSX

Generation: 1 generation

Year\_from: 1990.0

Year\_to: 2001.0

Series: Coupe

Trim: 3.0 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan



turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 68

id\_trim: 68

Make: Acura

Modle: NSX

Generation: 1 generation

Year\_from: 1990.0

Year\_to: 2001.0

Series: Coupe

Trim: 3.2 MT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 69

id\_trim: 69

Make: Acura

Modle: NSX

Generation: 1 generation [redesign]

Year\_from: 2002.0

Year\_to: 2005.0

Series: Coupe

Trim: 3.0 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 2

length\_mm: 4425.0

width\_mm: 1810.0

height\_mm: 1175.0

wheelbase\_mm: 2530.0

front\_track\_mm: 1510

rear\_track\_mm: 1530.0

curb\_weight\_kg: 1410.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 120

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1610.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 154.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 154.0

maximum\_torque\_n\_m: 284

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 90.0

stroke\_cycle\_mm: 78.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 5400.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 2977.0

engine\_hp: 255.0

engine\_hp\_rpm: 6800

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 10.0

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: 70

acceleration\_0\_100\_km/h\_s: 5.0

max\_speed\_km\_per\_h: 260

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: nan

back\_suspension: Double wishbone

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Double wishbone

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 70

id\_trim: 70

Make: Acura

Modle: NSX

Generation: 1 generation [redesign]

Year\_from: 2002.0

Year\_to: 2005.0

Series: Coupe

Trim: 3.0 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 2

length\_mm: 4425.0

width\_mm: 1810.0

height\_mm: 1175.0

wheelbase\_mm: 2530.0

front\_track\_mm: 1510

rear\_track\_mm: 1530.0

curb\_weight\_kg: 1370.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 120

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1610.0



front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 154.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 154.0

maximum\_torque\_n\_m: 284

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 90.0

stroke\_cycle\_mm: 78.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 5400.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 2977.0

engine\_hp: 274.0

engine\_hp\_rpm: 7300

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 10.0

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: 70

acceleration\_0\_100\_km/h\_s: 5.0

max\_speed\_km\_per\_h: 270

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: nan

back\_suspension: Double wishbone

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Double wishbone

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 71

id\_trim: 71

Make: Acura

Modle: NSX

Generation: 1 generation [redesign]

Year\_from: 2002.0

Year\_to: 2005.0

Series: Coupe

Trim: 3.2 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 2

length\_mm: 4425.0

width\_mm: 1810.0

height\_mm: 1175.0

wheelbase\_mm: 2530.0

front\_track\_mm: 1510

rear\_track\_mm: 1530.0

curb\_weight\_kg: 1445.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 120

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 1610.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 154.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 154.0

maximum\_torque\_n\_m: 298

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 93.0

stroke\_cycle\_mm: 78.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 5300.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3179.0

engine\_hp: 280.0

engine\_hp\_rpm: 7300

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 6.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 12.0

range\_km: 440|780

emission\_standards: nan

fuel\_tank\_capacity\_l: 70

acceleration\_0\_100\_km/h\_s: 5.0

max\_speed\_km\_per\_h: 270

city\_fuel\_per\_100km\_l: 16.0

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 9.0

back\_suspension: Double wishbone

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Double wishbone

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 72

id\_trim: 72

Make: Acura

Modle: NSX

Generation: 1 generation [redesign]

Year\_from: 2002.0

Year\_to: 2005.0

Series: Coupe

Trim: 3.2 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 2

length\_mm: 4425.0

width\_mm: 1811.0

height\_mm: 1175.0

wheelbase\_mm: 2530.0

front\_track\_mm: 1510

rear\_track\_mm: 1530.0

curb\_weight\_kg: 1470.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 120

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 154.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 154.0

maximum\_torque\_n\_m: 303

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 93.0

stroke\_cycle\_mm: 78.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 5500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3179.0

engine\_hp: 293.0

engine\_hp\_rpm: 7100

drive\_wheels: Rear wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 6.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 540|780

emission\_standards: nan

fuel\_tank\_capacity\_l: 70

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: 280

city\_fuel\_per\_100km\_l: 13.0

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 9.0

back\_suspension: Double wishbone

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Double wishbone

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan



## Car ID: 73

id\_trim: 73

Make: Acura

Modle: RDX

Generation: 1 generation

Year\_from: 2006.0

Year\_to: 2010.0

Series: Crossover

Trim: 2.3 AT

Body\_type: Crossover

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4590.0

width\_mm: 1870.0

height\_mm: 1655.0

wheelbase\_mm: 2650.0

front\_track\_mm: 1572

rear\_track\_mm: 1590.0

curb\_weight\_kg: 1780.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 159

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 787.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 787.0

maximum\_torque\_n\_m: 353

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 86.0

stroke\_cycle\_mm: 99.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 2300.0

engine\_hp: 240.0

engine\_hp\_rpm: 6000

drive\_wheels: All wheel drive (AWD)

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: 11.0

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: 11.8

range\_km: 560|760

emission\_standards: nan

fuel\_tank\_capacity\_l: 68

acceleration\_0\_100\_km/h\_s: 7.0

max\_speed\_km\_per\_h: 204

city\_fuel\_per\_100km\_l: 12.2

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 9.0

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Strut

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 74

id\_trim: 74

Make: Acura

Modle: RDX

Generation: 1 generation [redesign]

Year\_from: 2009.0

Year\_to: 2012.0

Series: SUV 5-doors

Trim: 2.3 AT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 75

id\_trim: 75

Make: Acura

Modle: RDX

Generation: 2 generation

Year\_from: 2012.0

Year\_to: 2020.0

Series: Crossover

Trim: 3.5 AT AWD

Body\_type: Crossover

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4685.0

width\_mm: 1870.0

height\_mm: 1680.0

wheelbase\_mm: 2885.0

front\_track\_mm: 1625

rear\_track\_mm: 1625.0

curb\_weight\_kg: 1761.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 200

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: 499.0

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 2260.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 404.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 404.0

maximum\_torque\_n\_m: 340

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 93.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 5000.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3471.0

engine\_hp: 273.0

engine\_hp\_rpm: 6200

drive\_wheels: All wheel drive (AWD)

bore\_stroke\_ratio: nan

number\_of\_gears: 6.0



turning\_circle\_m: 12.4

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: 10.0

range\_km: 520|960

emission\_standards: EURO V

fuel\_tank\_capacity\_l: 73

acceleration\_0\_100\_km/h\_s: 7.9

max\_speed\_km\_per\_h: 210

city\_fuel\_per\_100km\_l: 14.0

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 7.6

back\_suspension: Independent, Double wishbone, Stabilizer bar

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Independent, McPherson Struts

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 76

id\_trim: 76

Make: Acura

Modle: RDX

Generation: 2 generation [redesign]

Year\_from: 2015.0

Year\_to: 2018.0

Series: Crossover

Trim: 3.5 gasoline, Automatic transmission, all-wheel drive (4WD)

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 77

id\_trim: 77

Make: Acura

Modle: RDX

Generation: 2 generation [redesign]

Year\_from: 2015.0

Year\_to: 2018.0

Series: Crossover

Trim: 3.5 gasoline, Automatic transmission, front drive

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 78

id\_trim: 78

Make: Acura

Modle: RDX

Generation: 3 generation

Year\_from: 2018.0

Year\_to: 2019.0

Series: Crossover

Trim: 2.0 gasoline, Automatic transmission, all-wheel drive (4WD)

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan



front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 79

id\_trim: 79

Make: Acura

Modle: RDX

Generation: 3 generation

Year\_from: 2018.0

Year\_to: 2019.0

Series: Crossover

Trim: 2.0 gasoline, Automatic transmission, front drive

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 80

id\_trim: 80

Make: Acura

Modle: RL

Generation: 1 generation [redesign]

Year\_from: 1998.0

Year\_to: 2004.0

Series: Sedan

Trim: 3.5 AT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan



**Car ID: 81**

id\_trim: 81

Make: Acura

Modle: RL

Generation: 1 generation [redesign]

Year\_from: 1998.0

Year\_to: 2004.0

Series: Sedan

Trim: 3.5 AT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 82

id\_trim: 82

Make: Acura

Modle: RL

Generation: 2 generation [redesign]

Year\_from: 2008.0

Year\_to: 2012.0

Series: Sedan

Trim: 3.7 AT 4WD

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 83

id\_trim: 83

Make: Acura

Modle: RL

Generation: KA9

Year\_from: 1999.0

Year\_to: 2004.0

Series: Sedan

Trim: 3.5 AT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4980.0

width\_mm: 1810.0

height\_mm: 1430.0

wheelbase\_mm: 2910.0

front\_track\_mm: 1550

rear\_track\_mm: 1540.0

curb\_weight\_kg: 1625.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 2130.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 450.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 450.0

maximum\_torque\_n\_m: 297

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 90.0

stroke\_cycle\_mm: 91.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 2800.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3474.0

engine\_hp: 208.0

engine\_hp\_rpm: 5200

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0



turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 570|760

emission\_standards: nan

fuel\_tank\_capacity\_l: 68

acceleration\_0\_100\_km/h\_s: 8.0

max\_speed\_km\_per\_h: 210

city\_fuel\_per\_100km\_l: 12.0

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 9.0

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 84

id\_trim: 84

Make: Acura

Modle: RL

Generation: KA9

Year\_from: 1999.0

Year\_to: 2004.0

Series: Sedan

Trim: 3.5 AT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4995.0

width\_mm: 1822.0

height\_mm: 1435.0

wheelbase\_mm: 2910.0

front\_track\_mm: 1552

rear\_track\_mm: 1540.0

curb\_weight\_kg: 1780.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 396.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 396.0

maximum\_torque\_n\_m: 313

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 93.0

stroke\_cycle\_mm: 85.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 2800.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3494.0

engine\_hp: 228.0

engine\_hp\_rpm: 5200

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 520|760

emission\_standards: nan

fuel\_tank\_capacity\_l: 68

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: 210

city\_fuel\_per\_100km\_l: 13.0

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 9.0

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 85

id\_trim: 85

Make: Acura

Modle: RL

Generation: KB1

Year\_from: 2004.0

Year\_to: 2008.0

Series: Sedan

Trim: 3.5 AT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4917.0

width\_mm: 1847.0

height\_mm: 1452.0

wheelbase\_mm: 2800.0

front\_track\_mm: 1575

rear\_track\_mm: 1585.0

curb\_weight\_kg: 1845.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 110

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 450.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 450.0

maximum\_torque\_n\_m: 347

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 93.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 5000.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3471.0

engine\_hp: 294.0

engine\_hp\_rpm: 6200

drive\_wheels: All wheel drive (AWD)

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: 12.0

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 560|810

emission\_standards: nan

fuel\_tank\_capacity\_l: 73

acceleration\_0\_100\_km/h\_s: 6.0

max\_speed\_km\_per\_h: 215

city\_fuel\_per\_100km\_l: 13.0

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 9.0

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Double wishbone

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 86

id\_trim: 86

Make: Acura

Modle: RL

Generation: KB1

Year\_from: 2004.0

Year\_to: 2008.0

Series: Sedan

Trim: 3.7 AT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4973.0

width\_mm: 1847.0

height\_mm: 1455.0

wheelbase\_mm: 2800.0

front\_track\_mm: 1576

rear\_track\_mm: 1585.0

curb\_weight\_kg: 1845.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 110

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan



front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 450.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 450.0

maximum\_torque\_n\_m: 275

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 93.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 5000.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3700.0

engine\_hp: 304.0

engine\_hp\_rpm: 6000

drive\_wheels: All wheel drive (AWD)

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: 12.1

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 560|800

emission\_standards: EURO IV

fuel\_tank\_capacity\_l: 73

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: 215

city\_fuel\_per\_100km\_l: 13.1

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 9.1

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Double wishbone

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 87

id\_trim: 87

Make: Acura

Modle: RL

Generation: KB2

Year\_from: 2008.0

Year\_to: 2010.0

Series: Sedan

Trim: 3.7 AT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4973.0

width\_mm: 1847.0

height\_mm: 1455.0

wheelbase\_mm: 2800.0

front\_track\_mm: 1576

rear\_track\_mm: 1585.0

curb\_weight\_kg: 1845.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 110

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 450.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 450.0

maximum\_torque\_n\_m: 275

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 93.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 5000.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3700.0

engine\_hp: 304.0

engine\_hp\_rpm: 6000

drive\_wheels: All wheel drive (AWD)

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: 12.1

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 560|800

emission\_standards: EURO IV

fuel\_tank\_capacity\_l: 73

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: 215

city\_fuel\_per\_100km\_l: 13.1

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: 9.1

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Double wishbone

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 88

id\_trim: 88

Make: Acura

Modle: RLX

Generation: 1 generation [redesign]

Year\_from: 2017.0

Year\_to: 2019.0

Series: Sedan

Trim: 3.5 AMT 4WD

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan



## Car ID: 89

id\_trim: 89

Make: Acura

Modle: RLX

Generation: 1 generation [redesign]

Year\_from: 2017.0

Year\_to: 2019.0

Series: Sedan

Trim: 3.5 AT

Body\_type: nan

load\_height\_mm: nan

number\_of\_seats: nan

length\_mm: nan

width\_mm: nan

height\_mm: nan

wheelbase\_mm: nan

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: nan

injection\_type: nan

overhead\_camshaft: nan

cylinder\_layout: nan

number\_of\_cylinders: nan

compression\_ratio: nan

engine\_type: nan

valves\_per\_cylinder: nan

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: nan

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: nan

engine\_hp: nan

engine\_hp\_rpm: nan

drive\_wheels: nan

bore\_stroke\_ratio: nan

number\_of\_gears: nan

turning\_circle\_m: nan

transmission: nan

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: nan

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: nan

highway\_fuel\_per\_100km\_l: nan

back\_suspension: nan

rear\_brakes: nan

front\_brakes: nan

front\_suspension: nan

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 90

id\_trim: 90

Make: Acura

Modle: RSX

Generation: 1 generation

Year\_from: 2002.0

Year\_to: 2007.0

Series: Coupe

Trim: 2.0 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 4

length\_mm: 4374.0

width\_mm: 1725.0

height\_mm: 1390.0

wheelbase\_mm: 2570.0

front\_track\_mm: 1483

rear\_track\_mm: 1483.0

curb\_weight\_kg: 1234.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 504.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 504.0

maximum\_torque\_n\_m: 191

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 86.0

stroke\_cycle\_mm: 86.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4000.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1998.0

engine\_hp: 160.0

engine\_hp\_rpm: 6500

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 6.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 570|700

emission\_standards: nan

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: 8.7

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 7.1

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 91

id\_trim: 91

Make: Acura

Modle: RSX

Generation: 1 generation

Year\_from: 2002.0

Year\_to: 2007.0

Series: Coupe

Trim: 2.0 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 4

length\_mm: 4374.0

width\_mm: 1725.0

height\_mm: 1390.0

wheelbase\_mm: 2570.0

front\_track\_mm: 1483

rear\_track\_mm: 1483.0

curb\_weight\_kg: 1260.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 112

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 504.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 504.0

maximum\_torque\_n\_m: 193

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 86.0

stroke\_cycle\_mm: 86.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 6000.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1991.0

engine\_hp: 200.0

engine\_hp\_rpm: 7400

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 6.0



turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: 8.7

range\_km: 510|660

emission\_standards: nan

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: 6.6

max\_speed\_km\_per\_h: 230

city\_fuel\_per\_100km\_l: 9.8

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 7.6

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 92

id\_trim: 92

Make: Acura

Modle: RSX

Generation: 1 generation

Year\_from: 2002.0

Year\_to: 2007.0

Series: Coupe

Trim: 2.0 MT

Body\_type: Coupe

load\_height\_mm: nan

number\_of\_seats: 4

length\_mm: 4374.0

width\_mm: 1725.0

height\_mm: 1400.0

wheelbase\_mm: 2570.0

front\_track\_mm: 1486

rear\_track\_mm: 1486.0

curb\_weight\_kg: 1310.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 504.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 504.0

maximum\_torque\_n\_m: 194

injection\_type: Injector

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 4.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 86.0

stroke\_cycle\_mm: 86.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 7000.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 1998.0

engine\_hp: 210.0

engine\_hp\_rpm: 7800

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 6.0

turning\_circle\_m: nan

transmission: Manual

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: 50

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: nan

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 93

id\_trim: 93

Make: Acura

Modle: SLX

Generation: 1 generation

Year\_from: 1996.0

Year\_to: 1999.0

Series: SUV

Trim: 3.2 AT

Body\_type: Crossover

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4740.0

width\_mm: 1750.0

height\_mm: 1840.0

wheelbase\_mm: 2760.0

front\_track\_mm: 1460

rear\_track\_mm: 1460.0

curb\_weight\_kg: 1880.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 2800.0

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 2550.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 1465.0

maximum\_torque\_n\_m: 260

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4000.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3165.0

engine\_hp: 177.0

engine\_hp\_rpm: 5200

drive\_wheels: All wheel drive (AWD)

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: 16.0

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: 85

acceleration\_0\_100\_km/h\_s: 10.0

max\_speed\_km\_per\_h: 165

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: nan

back\_suspension: Independent, Multi wishbone, Stabilizer bar

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Independent, Double wishbone, spring, Stabilizer bar

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 94

id\_trim: 94

Make: Acura

Modle: SLX

Generation: 1 generation

Year\_from: 1996.0

Year\_to: 1999.0

Series: SUV

Trim: 3.5 AT

Body\_type: Crossover

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4720.0

width\_mm: 1835.0

height\_mm: 1835.0

wheelbase\_mm: 2760.0

front\_track\_mm: 1515

rear\_track\_mm: 1520.0

curb\_weight\_kg: 2095.0

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: 2500.0



front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 2554.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 1237.0

maximum\_torque\_n\_m: 312

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: nan

stroke\_cycle\_mm: nan

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3000.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3494.0

engine\_hp: 215.0

engine\_hp\_rpm: 5400

drive\_wheels: All wheel drive (AWD)

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: 15.0

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: 85

acceleration\_0\_100\_km/h\_s: 9.0

max\_speed\_km\_per\_h: 175

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: 92

highway\_fuel\_per\_100km\_l: nan

back\_suspension: Independent, Multi wishbone, Stabilizer bar

rear\_brakes: ventilated disc

front\_brakes: ventilated disc

front\_suspension: Independent, Double wishbone, spring, Stabilizer bar

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 95

id\_trim: 95

Make: Acura

Modle: TL

Generation: 1 generation

Year\_from: 1995.0

Year\_to: 1998.0

Series: Sedan

Trim: 2.5 AT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4864.0

width\_mm: 1786.0

height\_mm: 1405.0

wheelbase\_mm: 2840.0

front\_track\_mm: nan

rear\_track\_mm: nan

curb\_weight\_kg: nan

wheel\_size\_r14: nan

ground\_clearance\_mm: nan

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: 225

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 5.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 85.0

stroke\_cycle\_mm: 86.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3800.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 2500.0

engine\_hp: 176.0

engine\_hp\_rpm: 6300

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: nan

back\_suspension: Drive axle, Trailing arms, Helical springs, Stabilizer bar

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Double wishbone

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 96

id\_trim: 96

Make: Acura

Modle: TL

Generation: 1 generation

Year\_from: 1995.0

Year\_to: 1998.0

Series: Sedan

Trim: 3.2 AT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4869.0

width\_mm: 1801.0

height\_mm: 1415.0

wheelbase\_mm: 2840.0

front\_track\_mm: 1555

rear\_track\_mm: 1535.0

curb\_weight\_kg: 1614.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 160

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: nan

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: nan

maximum\_torque\_n\_m: 284

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 90.0

stroke\_cycle\_mm: 84.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3206.0

engine\_hp: 203.0

engine\_hp\_rpm: 5300

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: nan

back\_suspension: Multi wishbone, Trailing arms, Stabilizer bar

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Double wishbone

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan



## Car ID: 97

id\_trim: 97

Make: Acura

Modle: TL

Generation: 2 generation

Year\_from: 1998.0

Year\_to: 2003.0

Series: Sedan

Trim: 2.5 AT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4840.0

width\_mm: 1785.0

height\_mm: 1410.0

wheelbase\_mm: 2840.0

front\_track\_mm: 1520

rear\_track\_mm: 1510.0

curb\_weight\_kg: 1380.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 150

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 400.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 400.0

maximum\_torque\_n\_m: 230

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: Inline

number\_of\_cylinders: 5.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 85.0

stroke\_cycle\_mm: 86.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4400.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 2451.0

engine\_hp: 176.0

engine\_hp\_rpm: 6300

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: nan

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: nan

city\_fuel\_per\_100km\_l: nan

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: nan

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 98

id\_trim: 98

Make: Acura

Modle: TL

Generation: 2 generation

Year\_from: 1998.0

Year\_to: 2003.0

Series: Sedan

Trim: 3.2 AT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4840.0

width\_mm: 1785.0

height\_mm: 1410.0

wheelbase\_mm: 2840.0

front\_track\_mm: 1520

rear\_track\_mm: 1510.0

curb\_weight\_kg: 1500.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 150

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 400.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 400.0

maximum\_torque\_n\_m: 284

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 90.0

stroke\_cycle\_mm: 84.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4400.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3206.0

engine\_hp: 203.0

engine\_hp\_rpm: 5300

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 540|720

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: 8.0

max\_speed\_km\_per\_h: 217

city\_fuel\_per\_100km\_l: 12.0

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 9.0

back\_suspension: Helical springs

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Helical springs

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 99

id\_trim: 99

Make: Acura

Modle: TL

Generation: 2 generation

Year\_from: 1998.0

Year\_to: 2003.0

Series: Sedan

Trim: 3.2 AT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4900.0

width\_mm: 1785.0

height\_mm: 1425.0

wheelbase\_mm: 2745.0

front\_track\_mm: 1555

rear\_track\_mm: 1535.0

curb\_weight\_kg: 1575.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 150

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 405.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 400.0

maximum\_torque\_n\_m: 293

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 89.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 4700.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3206.0

engine\_hp: 228.0

engine\_hp\_rpm: 5600

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 4.0



turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 520|750

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: 7.7

max\_speed\_km\_per\_h: 225

city\_fuel\_per\_100km\_l: 12.4

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 8.7

back\_suspension: Independent, Multi wishbone, Dampers, spring

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Double wishbone

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan

## Car ID: 100

id\_trim: 100

Make: Acura

Modle: TL

Generation: 2 generation

Year\_from: 1998.0

Year\_to: 2003.0

Series: Sedan

Trim: 3.2 AT

Body\_type: Sedan

load\_height\_mm: nan

number\_of\_seats: 5

length\_mm: 4900.0

width\_mm: 1785.0

height\_mm: 1425.0

wheelbase\_mm: 2745.0

front\_track\_mm: 1552

rear\_track\_mm: 1535.0

curb\_weight\_kg: 1638.0

wheel\_size\_r14: nan

ground\_clearance\_mm: 150

trailer\_load\_with\_brakes\_kg: nan

payload\_kg: nan

back\_track\_width\_mm: nan

front\_track\_width\_mm: nan

clearance\_mm: nan

full\_weight\_kg: nan

front\_rear\_axle\_load\_kg: nan

max\_trunk\_capacity\_l: 405.0

cargo\_compartment\_length\_width\_height\_mm: nan

cargo\_volume\_m3: nan

minimum\_trunk\_capacity\_l: 405.0

maximum\_torque\_n\_m: 232

injection\_type: Multi-point fuel injection

overhead\_camshaft: nan

cylinder\_layout: V-type

number\_of\_cylinders: 6.0

compression\_ratio: nan

engine\_type: Gasoline

valves\_per\_cylinder: 4.0

boost\_type: nan

cylinder\_bore\_mm: 89.0

stroke\_cycle\_mm: 86.0

engine\_placement: nan

cylinder\_bore\_and\_stroke\_cycle\_mm: nan

turnover\_of\_maximum\_torque\_rpm: 3500.0

max\_power\_kw: nan

presence\_of\_intercooler: nan

capacity\_cm3: 3210.0

engine\_hp: 263.0

engine\_hp\_rpm: 6100

drive\_wheels: Front wheel drive

bore\_stroke\_ratio: nan

number\_of\_gears: 5.0

turning\_circle\_m: nan

transmission: Automatic

mixed\_fuel\_consumption\_per\_100\_km\_l: nan

range\_km: 520|800

emission\_standards: nan

fuel\_tank\_capacity\_l: 65

acceleration\_0\_100\_km/h\_s: nan

max\_speed\_km\_per\_h: 235

city\_fuel\_per\_100km\_l: 12.4

CO2\_emissions\_g/km: nan

fuel\_grade: 95

highway\_fuel\_per\_100km\_l: 8.1

back\_suspension: Independent, Multi wishbone, Dampers, spring

rear\_brakes: Disc

front\_brakes: ventilated disc

front\_suspension: Double wishbone

steering\_type: nan

car\_class: nan

country\_of\_origin: nan

number\_of\_doors: nan

safety\_assessment: nan

rating\_name: nan

battery\_capacity\_KW\_per\_h: nan

electric\_range\_km: nan

charging\_time\_h: nan