

DISEASES AND DISORDERS

- Abscess, 695
- Acquired immune deficiency syndrome (AIDS), 668, 668*f*
- Acromegaly, 355–57, 356*f*
- Addison's disease, 344
- Adrenal insufficiency, 344
- Age-related macular degeneration (AMD), 215
- Allergy (hypersensitivity), 670–72
- Altitude sickness, 476
- Alzheimer's disease, 166, 247, 673
- Amenorrhea, 577, 624, 639–40, 639*f*
- Amnesia, 247–48, 251–52
- Anaphylaxis, 672
- Androgen insensitivity syndrome, 601
- Andropause (male climacteric), 612
- Anemia, 363–64, 364*t*, 463, 538
- Anemic hypoxia, 475
- Anorexia nervosa, 583, 624
- Anosmia, 225
- Anterograde amnesia, 247–48
- Aphasia, 249
- Appendicitis, 690–91, 691*f*
- Aprosodia, 249
- Arrhythmias, 382, 424–25, 430, 511
- Arteriosclerosis, 390
- Asphyxia, 480
- Asthma, 454, 673
- Astigmatism, 208
- Astrocytoma, 695
- Atherosclerosis, 425–27, 425*f*, 566–68, 673
- Atrial fibrillation, 382
- Attention–deficit/hyperactivity disorder (AD/HD), 240
- Autoimmune disease, 672, 672*t*, 678–79
- Autoimmune thyroiditis, 340–41
- AV conduction disorder, 376
- Benign paroxysmal positional vertigo (BPPV), 228, 229*f*
- Bipolar disorder, 244–45
- Botulism, 165, 263
- Brain death, 238, 239*t*
- Breech presentation, 630
- Bulimia nervosa, 583
- Carbon monoxide hypoxia, 475
- Cardiogenic shock, 417
- Cataract, 215
- Celiac disease, 538
- Central diabetes insipidus, 501
- Central sleep apnea, 480–81
- Cerebellar disease, 308
- Cholera, 557
- Chronic bronchitis, 454
- Chronic inflammatory disease, 673
- Chronic obstructive pulmonary disease (COPD), 454
- Ciliopathies, 56
- Color blindness, 213–14
- Coma, 238
- Concussion, 251–52
- Congenital adrenal hyperplasia (CAH), 324, 601, 602*f*
- Congenital hypothyroidism, 340
- Congestive heart failure, 403, 422–24, 423*f*, 424*t*, 435–37, 436*f*–37*f*, 514
- Coronary artery disease, 424–28, 425*f*
- Coronary thrombosis, 426
- Crohn's disease, 561–62
- Cryptorchidism, 598
- Cushing's disease, 344–45
- Cushing's phenomenon, 415
- Cushing's syndrome, 344–45, 344*f*
- Cystic fibrosis (CF), 445, 548–49
- Cytotoxic hypersensitivity, 671, 671*t*
- Deep vein thrombosis, 688
- Delayed hypersensitivity, 671, 671*t*
- Denervation atrophy, 277
- Depressive disorder (depression), 244
- Diabetes insipidus, 501
- Diabetes mellitus, 494, 521–23, 573–74, 590–92, 591*f*, 672
- Diabetic ketoacidosis, 591, 591*f*
- Diastolic dysfunction, 423
- Diffuse interstitial fibrosis, 461
- Diffusion impairment, 475*t*
- Disuse atrophy, 277
- Down syndrome, 628
- Duchenne muscular dystrophy, 281, 281*f*
- Dysmenorrhea, 622
- Eating disorders, 583, 624
- Eclampsia, 630
- Ectopic pacemakers, 375
- Ectopic pregnancies, 626
- Elephantiasis, 406, 406*f*
- Embolism, 427, 475, 687–90, 688*f*
- Embolus, 427
- Emphysema, 475–76
- Epidural hematoma, 252, 252*f*
- Epilepsy, 233–34, 234*f*, 694–97
- Erectile dysfunction (ED), 609
- Exercise-associated hyponatremia, 114–15, 115*f*
- Exercise-induced amenorrhea, 577
- Familial hypercholesterolemia, 567–68
- Familial renal glucosuria, 495
- Fasting hypoglycemia, 576
- Feminization, 601
- Gallstones, 556
- Gastroesophageal reflux, 543
- Gigantism, 355–57, 356*f*
- Glaucoma, 215
- Glioblastoma multiforme, 694–97, 696*f*
- Gluten-sensitive enteropathy, 538
- Graft rejection, 669
- Graves' disease, 341, 685–86
- Growth hormone–insensitivity syndrome, 347
- Hashimoto's disease, 341
- Head injury, 251–52
- Heart attack, 424–28
- Heart disease, 424–28
- Heart failure, 403, 422–24, 423*f*, 424*t*, 435–37, 436*f*–37*f*, 514
- Heart murmurs, 382–83, 382*f*
- Heat exhaustion, 588–89
- Heat intolerance, 341
- Heatstroke, 17–18, 18*f*, 589
- Hemochromatosis, 363, 538
- Hemolytic disease of the newborn, 670
- Hemophilia, 431
- Hemorrhage, 411–17, 411*f*, 416*f*, 417*t*
- Histotoxic hypoxia, 475
- Humoral hypercalcemia of malignancy, 354
- Hydrocephalus, 182, 696
- Hypercoagulability, 432
- Hyperparathyroidism, 353–54
- Hyperprolactinemia, 612
- Hyperresponsiveness, 328, 329
- Hypersecretion, 328, 329
- Hypertension, 344, 421–22, 422*t*, 480–81, 514, 522, 630
- Hyperthermia, 587–89
- Hyperthyroidism, 341, 683–87
- Hypertrophic cardiomyopathy, 424
- Hyperventilation, 460, 470, 470*f*
- Hypogonadism, 611–12
- Hypoparathyroidism, 354
- Hypopituitarism, 612
- Hyporesponsiveness, 328, 329
- Hyposecretion, 328–29
- Hypotension, 344, 416–17, 416*f*
- Hypothyroidism, 340–41
- Hypoventilation, 460, 475*t*
- Hypovolemic shock, 417
- Hypoxia, 475–76, 475*t*

Hypoxic hypoxia, 475, 475*t*
 IgE-mediated hypersensitivity, 671–72, 671*f*
 Immediate hypersensitivity, 671–72, 671*f*, 671*t*
 Immune-complex hypersensitivity, 671, 671*t*
 Immunodeficiency, 667–69
 Incontinence, 497
 Inflammation, 645–50, 647*t*, 672–73
 Inflammatory bowel disease, 561–62, 673
 Insufficiency (valve), 382–83, 382*f*
 Intracranial hemorrhage, 415
 Iron deficiency, 363
 Iron–deficiency anemia, 363, 364*t*
 Ischemic hypoxia, 475
 Jaundice, 556
 Kallmann syndrome, 225
 Kaposi's sarcoma, 668
 Klinefelter's syndrome, 611–12, 612*f*
 Kwashiorkor, 403
 Lactose intolerance, 557
 Lockjaw, 313–14
 Low-resistance shock, 417, 692
 Macular degeneration, 215
 Malabsorption, 538
 Malaria, 364
 Male pattern baldness, 611
 Malignant hyperthermia, 293–94, 294*f*
 Mania, 244
 Ménière's disease, 228
 Meningitis, 182
 Metabolic acidosis, 472, 519–20, 520*t*
 Metabolic alkalosis, 472, 519–20, 520*t*
 Miscarriage, 628
 Mood disorders, 244–45
 Mountain sickness (altitude sickness), 476
 Multiple sclerosis (MS), 185–86, 185*f*, 672
 Muscular dystrophy, 281, 281*f*
 Myasthenia gravis, 281–82, 672
 Myocardial infarction, 424–28
 Neoplasm, 695
 Nephritis, 679
 Nephrogenic diabetes insipidus, 501
 Nontropical sprue, 538
 Obesity, 582–83
 Obstructive lung diseases, 455
 Obstructive sleep apnea, 480–81, 480*f*–81*f*
 Osteomalacia, 353
 Osteoporosis, 344, 353, 636–37
 Overweight, 582–83
 Parkinson's disease, 142, 307–8
 Peritonitis, 691–94
 Pernicious anemia, 363, 538
 Persistent vegetative state, 238
 Phantom limb, 198
 Physical dependence, 245
 Pneumothorax, 449, 449*f*
 Poliomyelitis, 280
 Precocious puberty, 624
 Preeclampsia, 630
 Pregnancy sickness, 630

Premenstrual dysphoric disorder (PMDD), 623
 Premenstrual syndrome, 623
 Premenstrual tension, 623
 Presbyopia, 207
 Presyncope, 228
 Primary adrenal insufficiency, 344
 Primary hyperparathyroidism, 353–54
 Primary hypersecretion, 329
 Primary hypertension, 422
 Primary hypoparathyroidism, 354
 Primary hyposecretion, 328–29
 Prognathism, 356
 Prolactinomas, 640
 Prolapse (valve), 370
 Prostate cancer, 611
 Pseudohypoparathyroidism, 133–34, 354
 Psychological dependence, 245
 Pulmonary edema, 423–24, 461, 476, 692
 Pulmonary embolism, 475, 687–90, 688*f*
 Pulmonary hypertension, 480
 Renal hypertension, 422, 522
 Respiratory acidosis, 519, 520*t*
 Respiratory alkalosis, 519, 520*t*
 Respiratory distress syndrome of the newborn, 453
 Restrictive lung diseases, 455
 Retrograde amnesia, 247
 Rhabdomyolysis, 294
 Rheumatoid arthritis, 672
 Rickets, 353
 Schizophrenia, 198, 243–44
 Secondary adrenal insufficiency, 344
 Secondary amenorrhea, 639–40, 639*f*
 Secondary hyperparathyroidism, 354
 Secondary hypersecretion, 329
 Secondary hypertension, 422
 Secondary hyposecretion, 329
 Sensory neglect, 240–41, 240*f*
 Sepsis, 692–93
 Septal defect, 382
 Septic shock, 672, 692–94, 692*f*
 Severe combined immunodeficiency (SCID), 667
 Sexually transmitted diseases (STDs), 635
 Shock, 417, 672, 692–93, 692*f*
 Short stature, 347, 348–49
 Shunt, 461, 475*t*
 Sick cell disease, 38, 41–42, 42*f*, 364
 Sick cell trait, 41–42
 Sjögren's syndrome, 541
 Sleep apnea, 234, 480–81, 480*f*–81*f*
 Steatorrhea, 556
 Stenosis (valve), 382–83, 382*f*, 435–37, 436*f*
 Stress incontinence, 497
 Strictures, 561–62, 561*f*
 Stroke, 182, 422, 426–27
 Subdural hematoma, 252

Substance dependence, 245, 246*t*
 Syncope, 228, 417
 Systemic lupus erythematosus (SLE), 678–79, 679*f*
 Systolic dysfunction, 423, 423*f*
 Testicular feminization, 601
 Tetanus, 271, 271*f*, 313–14
 Thrombocytopenia, 679
 Thrombus, 429–30, 688
 Thyrotoxicosis, 341, 683–87
 Tinnitus, 219
 Toxemia of pregnancy, 630
 Transfusion reaction, 669–70
 Transient ischemic attacks (TIAs), 427
 Tuberculosis, 344
 Type 1 diabetes mellitus (T1DM), 590–91, 591*f*, 672
 Type 2 diabetes mellitus (T2DM), 329, 590–92
 Ulcerative colitis, 561–62
 Ulcers, 554–56, 555*f*
 Upper motor neuron disorders, 310
 Urbach–Wiethe disease, 242
 Uremia, 521
 Urge incontinence, 497
 Valve insufficiency, 382–83, 382*f*
 Valve prolapse, 370
 Vasovagal syncope, 417
 Ventilation-perfusion inequality, 461–62, 461*f*, 475, 475*t*
 Ventricular fibrillation, 425
 Vertigo, 228

INFECTIOUS OR CAUSATIVE AGENTS

Allergens, 670
 Anabolic steroids, 349, 611
 Bacteria, 644, 663–64
 Beta-amyloid protein, 166
 Carbon monoxide, 169, 464–65, 470
Clostridium botulinum, 165
Clostridium tetani, 164–65, 313–14, 314*f*
Helicobacter pylori, 556
 Human immunodeficiency virus (HIV), 668, 668*f*
 LSD, 168
 Microbes, 643
 MPTP (1-methyl-4-phenyl-12,3,6-tetrahydropyridine), 308
 Nicotine, 166
 Pharmacological effects, 327
 PTH-related peptide (PTHrp), 354
 Sarin, 166
 Strychnine, 169
 Teratogen, 629
 Tetanospasmin (tetanus toxin), 314
 Tetrodotoxin, 153
 Thyroid-stimulating immunoglobulins (TSIs), 684–86, 685*f*
 Viruses, 644, 663–65, 664*f*, 666*t*

SIGNS AND SYMPTOMS

Acidosis, 472, 517, 519–20, 519*t*, 520*t*
Akinesia, 308
Alkalosis, 472, 517, 519–20, 519*t*, 520*t*
Altered states of consciousness, 243–46
Ambiguous genitalia, 601
Angina pectoris, 424, 435–37
Atelectasis, 687
Bradykinesia, 308
Bruit, 683
Butterfly (malar) rash, 679, 679*f*
Catatonia, 243
Clasp-knife phenomenon, 310
Cold intolerance, 341
Constipation, 557
Convulsions, 233–34, 234*f*, 694
Cramps, 280, 310
Cross-tolerance, 245
Daytime somnolence, 480
Diabetic ketoacidosis, 591, 591*f*
Diabetic nephropathy, 494, 521–23
Diarrhea, 557, 561–62
Diplopia, 683
Dyspnea, 475, 678
Edema, 403
Epileptic seizure, 233–34, 234*f*, 694–97
Epley maneuver, 228, 229*f*
Exophthalmos, 683, 684*f*
Farsighted, 208, 208*f*
Fever, 8–9, 587–89, 588*f*, 665–66, 692
Flaccid, 310
Flatus, 554
Galactorrhea, 639–40, 639*f*
Gastritis, 556
Glucosuria, 494–95
Goiter, 339, 340, 340*f*, 684, 684*f*
Gynecomastia, 612, 612*f*
Heartburn, 543
Hematoma, 252
Hemolytic anemia, 679
Hot flashes, 637
Hyperalgesia, 202
Hypercalcemia, 350, 353–54
Hypercapnea, 475
Hyperkalemia, 511
Hyperopia, 208, 208*f*
Hypertonia, 310
Hypocalcemia, 280–81, 350, 354
Hypocalcemic tetany, 280–81, 354
Hypoglycemia, 274, 576
Hypokalemia, 511
Hypotonia, 310
Hypoxemia, 688, 688*t*
Hypoxia, 475–76, 475*t*
Immune tolerance, 660
Immunosuppression, 344
Insulin resistance, 591
Intention tremor, 308

Ischemia, 424, 692
Jaundice, 556
Late phase reaction, 672
Left ventricular hypertrophy, 421–22
Motion sickness, 223
Muscle cramps, 280, 310
Myopic, 208, 208*f*
Myxedema, 341
Narcolepsy, 237
Nearsighted, 208, 208*f*
Necrosis, 691
Nystagmus, 222
Palpitations, 683–87
Perforation, 691
Polycythemia, 364
Presyncope, 228
Prognathism, 356
Proptosis, 683, 684*f*
Pus, 691
Referred pain, 201–2, 201*f*, 203*f*
Retching, 556
Rigidity, 310
Spasms, 310
Spasticity, 310
Steatorrhea, 556
Tachycardia, 683
Tachypnea, 683
Thrombocytopenia, 679
Tolerance, 245–46, 246*t*
Traveler's diarrhea, 557
Uremia, 521
Virilization, 601, 602*f*
Withdrawal, 245, 246*t*

TREATMENTS, DIAGNOSTICS, AND THERAPEUTIC DRUGS

Abortifacients, 635
Acetylcholinesterase inhibitors, 282
Acupuncture, 203
Alprazolam, 169, 237
Amiloride, 514
Amitriptyline (*Elavil*), 244
Amniocentesis, 628
Amphetamines, 242
Analgesia, 202–3, 203*f*
Analgesics, 169
Angiostatin, 398
Angiotensin-converting enzyme (ACE) inhibitors, 422*t*, 508
Anti-inflammatory drugs, 131
Antibiotic, 669
Anticoagulants, 433–34
Antihistamines, 121–22
Artificial pacemaker, 376
Aspirin, 131, 434
Atropine, 166, 262
Automatic electronic defibrillators (AEDs), 425

Balloon valvuloplasty, 437
Benzodiazepines, 169, 237
Beta-adrenergic receptor blocker (also called beta-blocker), 121–22, 422*t*, 424*t*
Biopsy, 554
Bisphosphonates, 353
Botox, 165
Bronchodilator drugs, 454
Calcium channel blockers, 422*t*
Cardiac angiography, 386
Cardiac inotropic drugs, 424*t*
Cardiopulmonary resuscitation (CPR), 425
Castration, 611
Catheter, 690
Cesarean section, 630
CGMP phosphodiesterase type 5 inhibitors, 609
Chlorpromazine, 242
Cholecystectomy, 556
Cholesterol-lowering drugs, 426, 567
Chorionic villus sampling, 628
Cimetidine, 556
Cochlear implants, 219–20
Codeine, 169
Colonoscopy, 554
Computed tomography (CT), 691, 691*f*
Continuous positive airway pressure (CPAP), 480–81, 481*f*
Contraceptives, 635–36, 636*t*
Coronary artery bypass grafting, 426
Coronary balloon angioplasty, 425*f*, 426
Coronary stents, 425*t*, 426
Craniotomy, 695
Cross-matching, 670
Cross-tolerance, 245
Curare, 262
Cyclosporine, 562, 669
Dantrolene, 294
Deep brain stimulation, 308
Defibrillation, 425
Desipramine, 244
Desmodus rotundus salivary plasminogen activator (DSPA), 434
Dialysis, 522–23, 522*f*
Diazepam (*Valium*), 169, 237
Digitalis, 424*t*
Dilantin, 697
Diuretics, 422, 422*t*, 424*t*, 513–14
Doxepin, 244
Echocardiography, 386
Electroconvulsive therapy (ECT), 244
Emetics, 556
Endoscopy, 554, 555*f*
Eplerenone, 508, 514
Epley maneuver, 228, 229*f*
Erythromycin, 669
Escitalopram (*Lexapro*), 244
Eskalith, 244–45
Fluoxetine, 244

- Folic acid, 363–64
- Forced expiratory volume in 1 sec (FEV₁), 455
- Furosemide, 220, 513–14
- HAART, 668
- Hearing aids, 219
- Hemodialysis, 522–23, 522*f*
- Hydroxychloroquine, 679
- In vitro fertilization, 636
- Intrauterine device (IUD), 635
- Lansoprazole, 556
- Laxatives, 557
- Levitra*, 609
- Levodopa (L-dopa), 308
- Lidocaine, 153, 293
- Lisinopril, 508
- Lithium, 244–45
- Lithobid*, 244–45
- Local anesthetics, 153
- Loop diuretics, 513–14
- Losartan, 508
- Magnetic resonance imaging (MRI), 233, 695, 695*f*, 696*f*
- Mannitol, 514
- Methimazole, 686
- Methylphenidate (*Ritalin*), 240
- Mifepristone, 635
- Monoamine oxidase (MAO) inhibitors, 167, 244
- Morphine, 169, 183
- Nitroglycerin, 426
- Nonsteroidal anti-inflammatory drugs (NSAIDs), 131
- Norpramin*, 244
- Omeprazole, 556
- Oncogenes, 659
- Ophthalmoscope, 206
- Oral anticoagulants, 434
- Oral contraceptives, 635
- Osmotic diuretics, 514
- Oxymetazoline, 122
- Paroxetine (*Paxil*), 167, 244
- Penicillin, 669
- Percutaneous transcatheter aortic valve replacement (TAVR), 437
- Peritoneal dialysis, 522–23
- PET (positron emission tomography) scans, 22, 22*f*, 233
- Phenylephrine, 122
- Phenytoin (*Dilantin*), 697
- Phlebotomy, 538
- Placebo, 203
- Plasmapheresis, 282
- Potassium-sparing diuretics, 514
- Pralidoxime, 262
- Procaine (*Novocaine*), 153
- Propylthiouracil, 686
- Prozac*, 244
- Pulmonary function tests, 455
- Pyridostigmine, 282
- Radioactive iodine, 686–87
- Recombinant t-PA, 434, 689–90
- Recombinant tissue plasminogen activator (rec-tPA), 434, 689–90
- Repetitive transcranial magnetic stimulation (rTMS), 244
- Rhythm method, 636
- Rocuronium, 263
- Selective estrogen receptor modulators (SERMs), 353
- Serotonin-specific reuptake inhibitors (SSRIs), 167, 244
- Sertraline, 244
- Sevoflurane, 293
- Sigmoidoscopy, 554
- Sildenafil (*Viagra*), 395, 609
- Sinequan*, 244
- Sphygmomanometer, 391, 392*f*
- Spironolactone, 514
- Statins, 91–92, 92*f*, 426, 567
- Stimulation-produced analgesia, 202–3
- Succinylcholine, 262–63
- Sulfasalazine, 561–62
- Sulfonyleureas, 592
- Tacrolimus, 562
- Tadalafil (*Cialis*), 395, 609
- Tetanus immune globulin (TIG), 314
- Thrombolytic therapy, 434
- Thymectomy, 282
- Transcutaneous electrical nerve stimulation (TENS), 203
- Transcutaneous oxygen monitor, 694
- Triamterene, 514
- Tricyclic antidepressant drugs, 244
- Vaccine, 663
- Vardenafil, 609
- Vasectomy, 608
- Vasodilator drugs, 424*t*, 426
- Vecuronium, 263
- Ventilation-perfusion scan, 688–90, 688*f*
- Xanax*, 169, 237
- Xylocaine*, 153, 293
- Zoloft*, 244