

# Index of Exercise Physiology

## EFFECTS ON CARDIOVASCULAR SYSTEM, 418–21

Atrial pumping (atrial fibrillation), 376  
Cardiac output (increases), 383, 418–21, 418*f*–19*f*, 420*t*, 421*f*  
    Distribution during exercise, 418, 418*f*  
Control mechanisms, 419–20, 419*f*  
Coronary blood flow (increases), 418, 418*f*  
Gastrointestinal blood flow (decreases), 418, 418*f*  
Heart attacks (protective against), 426  
Heart rate (increases), 419–21, 419*f*, 420*t*, 421*f*  
Lymph flow (increases), 406  
Maximal oxygen consumption (increases), 421, 421*f*  
Mean arterial pressure (increases), 409, 418–20, 419*f*, 420*t*  
Renal blood flow (decreases), 364, 418, 418*f*  
Skeletal muscle blood flow (increases), 275, 393, 409, 418–19, 418*f*  
Skin blood flow (increases), 418, 418*f*  
Stroke volume (increases), 419–21, 419*f*, 420*t*, 421*f*  
Summary, 427  
Venous return (increases), 419–21  
    Role of respiratory pump, 404, 419–20, 420*f*  
    Role of skeletal muscle pump, 404, 419–20, 420*f*

## EFFECTS ON ORGANIC METABOLISM, 576–77

Cortisol secretion (increases), 576  
Diabetes mellitus (protects against), 592  
Epinephrine secretion (increases), 576–77  
Fuel homeostasis, 576–77  
Fuel source, 80, 84, 273, 576  
Glucagon secretion (increases), 576–77, 576*f*  
Glucose mobilization from liver (increases), 576  
Glucose uptake by muscle (increases), 273, 576–77, 576*f*  
Growth hormone secretion (increases), 576  
Insulin secretion (decreases), 576–77, 576*f*  
Metabolic rate (increases), 580  
Plasma glucose changes, 273, 576–77, 576*f*  
Plasma lactic acid (increases), 273, 472–73, 473*f*  
Sympathetic nervous system activity (increases), 577

## EFFECTS ON RESPIRATION, 473

Airflow (increases), 443  
Alveolar gas pressures (no change in moderate exercise), 459–60, 472–73, 474*f*  
Capillary diffusion, 461  
Control of respiration in exercise, 467–75, 474*f*  
Oxygen debt, 273

Ventilation (increases), 473, 474*f*  
    Breathing depth (increases), 273, 456  
    Expiration, 451, 468*f*  
    Respiratory rate (increases), 456, 469  
    Role of Hering-Breuer reflex, 469

## EFFECTS ON SKELETAL MUSCLE, 277–79

Adaptation to exercise, 277–79  
Arterioles (dilate), 409, 418–20, 419*f*  
Changes with aging, 278  
Cramps, 280  
Fatigue, 274, 274*f*  
Glucose uptake and utilization (increase), 273, 576–77, 576*f*  
Hypertrophy, 257, 278  
Local blood flow (increases), 275, 393, 409, 418–19, 418*f*  
Local metabolic rate (increases), 580  
Local temperature (increases), 294, 418  
Nutrient utilization, 273, 576–77  
Oxygen extraction from blood (increases), 464  
Recruitment of motor units, 277  
Soreness, 278–79  
Summary, 282–83

## OTHER EFFECTS

Aging, 278  
Body temperature (increases), 74, 588, 588*f*  
Central command fatigue, 274  
Gastrointestinal blood flow (decreases), 418, 418*f*  
Immune function, 667  
Menstrual function, 624  
Metabolic acidosis, 519  
Metabolic rate (increases), 580  
Muscle fatigue, 274, 274*f*  
Osteoporosis (protects against), 353  
Stress, 342  
Sweating, 510  
Weight loss, 583, 592

## TYPES OF EXERCISE

Aerobic, 278  
Endurance exercise, 277–78, 421, 592  
Long-distance running, 274, 278  
Moderate exercise, 420, 420*t*, 473  
Swimming, 420, 420*t*, 474  
Weightlifting, 274, 278–79, 420