

LAB-12

2100030723

Q)

```
public class Employee
{
    public int Id { get; set; }
    public string Name { get; set; }
    public string Email { get; set; }
    public string Department { get; set; }
}

public class EmployeeController : Controller
{
    private readonly ApplicationDbContext _context;

    public EmployeeController()
    {
        _context = new ApplicationDbContext();
    }

    // Action methods for CRUD operations

    // GET: Employee
    public ActionResult Index()
    {
        var employees = _context.Employees.ToList();
        return View(employees);
    }
}
```

```

// GET: Employee/Create

public ActionResult Create()
{
    return View();
}

[HttpPost]
[ValidateAntiForgeryToken]
public ActionResult Create(Employee employee)
{
    if (ModelState.IsValid)
    {
        _context.Employees.Add(employee);
        _context.SaveChanges();
        return RedirectToAction("Index");
    }
    return View(employee);
}

// Other CRUD actions (Read, Update, Delete) would be implemented similarly
}

public class RouteConfig
{
    public static void RegisterRoutes(RouteCollection routes)
    {
        routes.IgnoreRoute("{resource}.axd/{*pathInfo}");

        routes.MapRoute(
            name: "Default",
            url: "{controller}/{action}/{id}",
            defaults: new { controller = "Employee", action = "Index", id = UrlParameter.Optional }

```

```
);  
}  
}
```

OUTPUT :

