

1. install git to local PC https://git-scm.com/download/win



2. register in github https://github.com/



3. solve 13 topics from githowto https://githowto.com/ru

Task: 2. Создание проекта

```
D:\githowto\repositories>mkdir work
D:\githowto\repositories>cd work
D:\githowto\repositories\work>touch hello.html
D:\githowto\repositories\work>git init
Initialized empty Git repository in D:/githowto/repositories/work/.git/
D:\githowto\repositories\work>git add hello.html
D:\githowto\repositories\work>git commit -m "Initial Commit"
[main (root-commit) c318f72] Initial Commit
1 file changed, 1 insertion(+)
create mode 100644 hello.html
D:\githowto\repositories\work>
```

```
♦ hello.html
1 Hello, World
6 hello
24.01.2025 3:26 Chrome HTML Do...
1 K5
```

Task: 3. Проверка состояния

```
D:\githowto\repositories\work>git status
On branch main
nothing to commit, working tree clean
D:\githowto\repositories\work>_
```

Task: 4. Внесение изменений

Task: 5. Индексация изменений

Task: 6. Индексация и коммит

```
D:\githowto\repositories\work>git add a.html
fatal: pathspec 'a.html' did not match any files

D:\githowto\repositories\work>git add b.html
fatal: pathspec 'b.html' did not match any files

D:\githowto\repositories\work>git commit -m "Changes for a and b"
[main 4258282] Changes for a and b
  1 file changed, 1 insertion(+), 1 deletion(-)

D:\githowto\repositories\work>
```

```
D:\githowto\repositories\work>git add c.html
fatal: pathspec 'c.html' did not match any files

D:\githowto\repositories\work>git commit -m "Unrelated change to c"

On branch main
nothing to commit, working tree clean

D:\githowto\repositories\work>
```

Task: 7. Коммит изменений

```
hello.html > ♦ h2

hello.html > h2

hello.html > ♦ h2

hello.html > h2

hello.html > ♦ h2

hello.html > h2

hello.html > ♦ h2

hello.html >
```

```
Added h1 tag

# Please enter the commit message for your changes. Lines starting

# with '#' will be ignored, and an empty message aborts the commit.

# #

# On branch main

# Changes to be committed:

# modified: hello.html

# #

9
```

```
D:\githowto\repositories\work>git commit -a
[main 5d113d4] Added h1 tag
1 file changed, 1 insertion(+), 1 deletion(-)

D:\githowto\repositories\work>fvfsbs

D:\githowto\repositories\work>git status
On branch main
nothing to commit, working tree clean

D:\githowto\repositories\work>
```

Task: 8. Изменения, а не файлы

```
<h1>Hello, World!</h1>
D:\githowto\repositories\work>git add hello.html
D:\githowto\repositories\work>_
 ♦ hello.html > ♦ html > ♦ head
            <html>
    2
                <head>
    3
                </head>
                <body>
                   <h1>Hello, World!</h1>
                </body>
            </html>
D:\githowto\repositories\work>git status
On branch main
Changes to be committed:
(use "git restore --staged <file>..." to unstage)

modified: hello.html
Changes not staged for commit:
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
D:\githowto\repositories\work>_
D:\githowto\repositories\work>git commit -m "Added standard HTML page tags"
[main 627e470] Added standard HTML page tags
1 file changed, 5 insertions(+), 1 deletion(-)
D:\githowto\repositories\work>git status
On branch main
Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)
no changes added to commit (use "git add" and/or "git commit -a")
D:\githowto\repositories\work>_
```

```
D:\githowto\repositories\work>git commit -m "Added HTML header"
[main Oce1145] Added HTML header
1 file changed, 2 insertions(+)
D:\githowto\repositories\work>
```

Task: 9. История

```
D:\githowto\repositories\work>git_log
commit Oce11459dc9b0ee37c5b38216dfa0e56e3e719d7 (HEAD -> main)
Author: Puro1234 <nu_serik@kbtu.kz>
                 Fri Jan 24 04:12:23 2025 +0500
         Added HTML header
      nmit 627e470a09cffc96a441ab4c2274e2e913d38b5d
Author: Puro1234 <nu_serik@kbtu.kz>
                 Fri Jan 24 04:10:48 2025 +0500
Date:
         Added standard HTML page tags
commit 5d113d4bca1645a553a9a46dee32908c47d15ea3
Author: Puro1234 <nu_serik@kbtu.kz>
              Fri Jan 24 03:58:59 2025 +0500
Date:
         Added h1 tag
commit 425828253b37567eccd492766f2438f45ac2f74f
Author: Puro1234 <nu_serik@kbtu.kz>
Date: Fri Jan 24 03:48:49 2025 +0500
        Changes for a and b
  commit c318f7245ca7436c58ca9f997477c50a6cc685c5
D:\githowto\repositories\work>git log --pretty=oneline
0cel1459dc9b0ee37c5b38216dfa0e56e3e719d7 (HEAD -> main) Added HTML header
627e470a09cffc96a441ab4c2274e2e913d38b5d Added standard HTML page tags
5d113d4bca1645a553a9a46dee32908c47d15ea3 Added h1 tag
425828253b37567eccd492766f2438f45ac2f74f Changes for a and b
c318f7245ca7436c58ca9f997477c50a6cc685c5 Initial Commit
D:\githowto\repositories\work>git log --all --pretty=format:"%h %cd %s (%an)" --since="7 days ago"
Oce1145 Fri Jan 24 04:12:23 2025 +0500 Added HTML header (Puro1234)
627e470 Fri Jan 24 04:10:48 2025 +0500 Added standard HTML page tags (Puro1234)
5d113d4 Fri Jan 24 03:58:59 2025 +0500 Added h1 tag (Puro1234)
4258282 Fri Jan 24 03:48:49 2025 +0500 Changes for a and b (Puro1234)
c318f72 Fri Jan 24 03:30:35 2025 +0500 Initial Commit (Puro1234)
```

- --pretty="..." определяет формат вывода.
- %h укороченный хеш коммита.
- %ad дата коммита.

```
    П— просто визуальный разделитель.
    %s — комментарий.
    %d — дополнения коммита («головы» веток или теги).
    %an — имя автора.
    --date=short — сохраняет формат даты коротким и симпатичным.
```

Task: 10. Получение старых версий

```
D:\githowto\repositories\work>git log
                                           |fa0e56e3e719d7 (HEAD -> main)
   mit Oce114
Author: Puro1234 <nu_serik@kbtu.kz>
Date: Fri Jan 24 04:12:23 2025 +0500
     Added HTML header
commit 627e470a09cffc96a441ab4c2274e2e913d38b5d
Author: Puro1234 <nu_serik@kbtu.kz>
Date:
         Fri Jan 24 04:10:48 2025 +0500
    Added standard HTML page tags
commit 5d113d4bca1645a553a9a46dee32908c47d15ea3
Author: Puro1234 <nu_serik@kbtu.kz>
        Fri Jan 24 03:58:59 2025 +0500
    Added h1 tag
commit 425828253b37567eccd492766f2438f45ac2f74f
Author: Puro1234 <nu_serik@kbtu.kz>
        Fri Jan 24 03:48:49 2025 +0500
Date:
    Changes for a and b
commit c318f7245ca7436c58ca9f997477c50a6cc685c5
Author: Puro1234 <nu_serik@kbtu.kz>
Date: Fri Jan 24 03:30:35 2025 +0500
     Initial Commit
D:\githowto\repositories\work>_
```

```
D:\githowto\repositories\work>git checkout Oce1145
Note: switching to 'Oce1145'.

You are in 'detached HEAD' state. You can look around, make experimental changes and commit them, and you can discard any commits you make in this state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may do so (now or later) by using -c with the switch command. Example:

git switch -c <new-branch-name>

Or undo this operation with:

git switch -

Turn off this advice by setting config variable advice.detachedHead to false

HEAD is now at Oce1145 Added HTML header
```

```
D:\githowto\repositories\work>cat hello.html
<html>
 <head>
 </head>
 <body>
   <h1>Hello, World!</h1>
 </body>
</html>
D:\githowto\repositories\work>_
D:\githowto\repositories\work>git switch main
Switched to branch 'main
D:\githowto\repositories\work>cat hello.html
<html>
 <head>
 </head>
  <body>
   <h1>Hello, World!</h1>
  </body>
</html>
D:\githowto\repositories\work>_
```

Task: 11. Создание тегов версий

```
D:\githowto\repositories\work>git tag v1
D:\githowto\repositories\work>git log --oneline

0cel145 (HEAD -> main, tag: v1) Added HTML header

627e470 Added standard HTML page tags

5d113d4 Added h1 tag

4258282 Changes for a and b

c318f72 Initial Commit
D:\githowto\repositories\work>_
D:\githowto\repositories\work>git checkout v1~1
Note: switching to 'v1~1'.
You are in 'detached HEAD' state. You can look around, make experimental changes and commit them, and you can discard any commits you make in this state without impacting any branches by switching back to a branch.
If you want to create a new branch to retain commits you create, you may do so (now or later) by using -c with the switch command. Example:
   git switch -c <new-branch-name>
Or undo this operation with:
   git switch -
Turn off this advice by setting config variable advice.detachedHead to false
HEAD is now at 627e470 Added standard HTML page tags
D:\githowto\repositories\work>cat hello.html
<html>
   <body>
     <h1>Hello, World!</h1>
    </body>
 </html>
D:\githowto\repositories\work>_
```

```
D:\githowto\repositories\work>git tag v1-beta

D:\githowto\repositories\work>git log
commit 62/e470a09cffc96a441ab4c2274e2e913d38b5d (HEAD, tag: v1-beta)
Author: Puro1234 <nu_serik@kbtu.kz>
Date: Fri Jan 24 04:10:48 2025 +0500

Added standard HTML page tags

commit 5d113d4bca1645a553a9a46dee32908c47d15ea3
Author: Puro1234 <nu_serik@kbtu.kz>
Date: Fri Jan 24 03:58:59 2025 +0500

Added h1 tag

commit 425828253b37567eccd492766f2438f45ac2f74f
Author: Puro1234 <nu_serik@kbtu.kz>
Date: Fri Jan 24 03:48:49 2025 +0500

Changes for a and b

commit c318f7245ca7436c58ca9f997477c50a6cc685c5
Author: Puro1234 <nu_serik@kbtu.kz>
Date: Fri Jan 24 03:30:35 2025 +0500

Initial Commit

D:\githowto\repositories\work>

D:\githowto\repositories\work>

D:\githowto\repositories\work>

D:\githowto\repositories\work>

D:\githowto\repositories\work>

D:\githowto\repositories\work>

D:\githowto\repositories\work>
```

```
D:\githowto\repositories\work>git checkout v1
Previous HEAD position was 627e470 Added standard HTML page tags
HEAD is now at 0ce1145 Added HTML header
D:\githowto\repositories\work>git checkout v1-beta
Previous HEAD position was 0ce1145 Added HTML header
HEAD is now at 627e470 Added standard HTML page tags
```

```
D:\githowto\repositories\work>git tag
v1
v1-beta
```

```
D:\githowto\repositories\work>git log --oneline
627e470 (HEAD, tag: v1-beta) Added standard HTML page tags
5d113d4 Added h1 tag
4258282 Changes for a and b
c318f72 Initial Commit
```

Task: 12. Отмена локальных изменений (до индексации)

D:\githowto\repositories\work>git switch main Previous HEAD position was 627e470 Added standard HTML page tags Switched to branch 'main'

```
D:\githowto\repositories\work>git restore hello.html

D:\githowto\repositories\work>git status
On branch main
nothing to commit, working tree clean

D:\githowto\repositories\work>cat hello.html
<html>
    <head>
    </head>
    <hbody>
        <h1>Hello, World!</h1>
        </body>
    </html>
D:\githowto\repositories\work>
```

Task: 13. Отмена проиндексированных изменений (перед коммитом)

D:\githowto\repositories\work>git add hello.html

nothing to commit, working tree clean

4. read and make exercises from w3school from: HOME to Python Strings. https://www.w3schools.com/python/default.asp



You completed the Python Get Started Exercises from W3Schools.com



Congratulations!


You completed the Python Syntax Exercises from W3Schools.com




Congratulations!

You completed the Python Comments Exercises from W3Schools.com







You completed the Python Multiple Variable Values Exercises from W3Schools.com

Share on:

in X f

You completed the Python Output Variable Exercises from W3Schools.com



Congratulations!

You completed the Python Global Variable Exercises from W3Schools.com



Congratulations!

You completed the Python Data Types Exercises from W3Schools.com



You completed the Python Numbers Exercises from W3Schools.com



Congratulations!

You completed the Python Casting Exercises from W3Schools.com



Congratulations!

You completed the Python Strings Exercises from W3Schools.com



You completed the Python Slicing Strings Exercises from W3Schools.com



Congratulations!

You completed the Python Modify Strings Exercises from W3Schools.com



Congratulations!

You completed the Python Concatenate Strings Exercises from W3Schools.com



