SARAS — Corporate Identity & Brand Standards

Faculty: Faculty of Technology, School of Computer Science
Module: CET257 Enterprise Project
Module Leader: Dr Becky Allen
Assessment: Assignment 1: Group Assignment (30% of Module Total)
Task: Task A6 — Corporate Identity & Brand Standards (Part 3 of 3)
Team: Team 9 — SARAS Labs
Team Members: Rijan Kapur Poudel (Lead / Technical Architecture) and Sushank Jung Rawal (Visual Design / Brand Strategy)
Client / Industrial Partner: Mr. Ninson Lama, Autoport Pvt. Ltd. (`ninsonlama@gmail.com`)

---

14. Corporate Identity Standards & Brand Design System

To ensure professional brand coherence across the marketing website, slide decks, documentation, and the software prototype itself, SARAS Labs established a comprehensive Corporate Identity System, formalised in `Assets/SARAS Labs Corporate Identity.docx`.

14.1 Brand Nomenclature & Ethos

- **Official Company Name: SARAS Labs** (Team 9)
- **Full Product Nomenclature: SARAS** (Safety Awareness & Risk Assessment Simulator)
- **Core Brand Tagline:** *"Workplace safety, learned by doing."*
- **Secondary Brand Tagline:** *"Notice the risk. Make the safer call."*
- **Brand Persona:** Authoritative, instructional, technologically grounded, and accessible. The brand communicates with the precision of an industrial safety engineer and the empathy of a dedicated vocational educator.

14.2 The SARAS Crane Mark: Symbolic Heritage & Geometry

The primary visual symbol of SARAS Labs is the **SARAS Crane Mark**:

- **Symbolic Heritage:** The mark is inspired by the Sarus crane (*Antigone antigone*), a bird renowned for its extraordinary visual vigilance, upright posture, spatial awareness, and sharp warning calls to its flock upon detecting predators. In industrial logistics, spatial vigilance and early hazard warning represent the exact behavioural habits SARAS instils in frontline warehouse workers.
- **Geometric Construction:** The crane mark is constructed from pure Euclidean geometric primitives: precision circular arcs, angular vector bisectors, and boolean negative space. The angular head and forward-looking eye convey dynamic forward motion, proactive safety intervention, and technical modernity.



Figure 1: The official SARAS crane mark artwork. Unchanged master vector asset.



Figure 2: Geometric vector construction of the SARAS crane mark, showing precision arcs, angular bisectors, and boolean balance.



Figure 3: Precision geometry construction guides and mathematical vector alignments establishing the crane symbol's structural proportion.




Figure 4: Detailed structural anatomy of the mark, delineating the forward-looking ocular focal point, neck angle, and balanced wing counter-form.




Figure 5: Documentary proof of vector mark engineering, boolean operations, and component geometry constructed inside Figma.

14.3 Logo Usage Guidelines (Do's and Don'ts)

To preserve brand integrity, all marketing collateral must adhere to strict visual governance rules:

PERMITTED — Mandatory Best Practice	PROHIBITED — Brand Violations
Always use the official master vector artwork (`Assets/SARAS Logo.png`) without alteration.	**Never** redraw, retrace, distort, or recreate the crane mark from scratch.
Always maintain clear space equal to the width of the crane neck on all four sides.	**Never** crowd the logo mark with adjacent body text, borders, or competing iconography.
Always display the logo on clean White (`#FFFFFF`), Light Neutral (`#F8F9FA`), or Night (`#0B0F14`).	**Never** place the mark on busy photographic backgrounds, complex patterns, or unapproved colors.
Always scale the logo proportionally, maintaining a minimum height of 32 px (screen) or 12 mm (print).	**Never** stretch, compress, skew, rotate, or mirror the mark.
Always pair the mark with the official SARAS Primary Blue (`#0056D2`) identity standards.	**Never** recolour the crane mark with gradients, drop shadows, outer glows, or arbitrary color fills.


14.4 Official Corporate Color Palette & Contrast Tokens

The corporate color palette reflects industrial safety standards while guaranteeing strict compliance with **WCAG 2.2 AA** contrast requirements:

Color Role	Color Token Name	Hex Code	RGB Value	WCAG Contrast Ratio on White	UI Application & Semantic Meaning
Brand Primary	**SARAS Primary Blue**	`#0056D2`	RGB(0, 86, 210)	**6.44:1** (Passes AA/AAA)	Primary brand identity, primary navigation links, active tab underlines, and main CTA buttons.
Safety Danger	**Danger Red**	`#D62828`	RGB(214, 40, 40)	**5.01:1** (Passes AA)	Critical safety hazards, incorrect response feedback cards, and destructive system actions. Never used for ordinary buttons.
Safety Caution	**Warning Orange**	`#F77F00`	RGB(247, 127, 0)	*Paired with #0B0F14 (6.1:1)*	Caution alerts, time countdown warnings, near-miss indicators. Always paired with dark neutral text.
Accent Highlight	**Highlight Yellow**	`#FCBF49`	RGB(252, 191, 73)	*Paired with #0B0F14 (10.4:1)*	Secondary visual highlights, category tags, and attention badges. Reserved for limited contextual use.
Dark Base	**Night Neutral**	`#0B0F14`	RGB(11, 15, 20)	**17.8:1** (Passes AAA)	Primary dark background, high-contrast typography, modal backing surfaces, and dark-mode canvas frames.
Light Surface	**Light Neutral**	`#F8F9FA`	RGB(248, 249, 250)	*Base Surface*	Primary page backgrounds, card container fills, table alternating row washes.
Success State	**Success Green**	`#326756`	RGB(50, 103, 86)	**6.20:1** (Passes AA)	Safe procedures confirmed, hazards successfully resolved, module completion confirmation chips.

14.5 UI Semantic Alert System

To maintain consistent instructional psychology across both the promotional website and simulator, semantic colors follow strict behavioral logic:



- **Safe / Success State (`#326756`):** Signals a safe procedure correctly executed. Accompanied by the green shield icon and an affirmative explanatory note confirming compliance with safety regulations.
- **Caution / Warning State (`#F77F00`):** Signals an ambiguous or sub-optimal choice that introduces moderate operational risk. Accompanied by an orange triangle icon and corrective guidance.
- **Danger / Error State (`#D62828`):** Signals a severe, critical violation (e.g., storing combustibles against an electrical panel). Accompanied by a red alert banner, a detailed description of the physical hazard (flashover, electrocution), and immediate guidance to select a safe corrective action.

14.6 Typography Hierarchy & Specimen Guidelines

- **Display & Heading Typography:**
  - Primary Typeface: **Calibri Bold** (Formal Documentation) / **Inter** (Web Platform & Promotional Site).
  - Characteristics: Clean, geometric sans-serif, tight tracking on display sizes, robust letterforms ensuring instant readability across mobile viewports.
  - Hierarchy:
    - Page Title (H1): 32pt / 42px Bold (`#0B0F14`)
    - Section Heading (H2): 20pt / 28px Bold (`#0056D2` Primary Blue)
    - Subsection Heading (H3): 14pt / 20px Bold (`#0B0F14`)
- **Body Typography:**
  - Primary Typeface: **Calibri Regular** (Documentation) / **Barlow / System UI** (Web Platform).
  - Characteristics: Neutral grotesque sans-serif with open apertures and comfortable x-height, optimized for prolonged screen reading.

    - Body Text: 11pt (Print) / 16px (Web), line height 1.55, color `#2D3748` (Slate-700) on light backgrounds.
- **Monospace & Metadata Typography:**
    - Primary Typeface: **Consolas** / **SF Mono**.
    - Use: Requirement tags (`[FR-01]`, `[NFR-03]`), code tokens, technical hex values, and database migration timestamps.

14.7 UI Symbology & Iconography Legend

The design system deploys a standardized family of vector symbols across documentation and web interfaces:

- **Hazard Spotting Reticle:** A circular pulsing target indicator indicating an interactive hotspot within the 360-degree warehouse scene.
- **Formative Feedback Shield:** An open geometric shield glyph signifying safe completion of an instructional module within the prototype boundary.
- **Reaction Timer Glyph:** A minimalist stopwatch icon measuring response latency during timed hazard appraisal exercises.
- **Caution Risk Icon:** An equilateral triangle framing an exclamation mark indicating potential operational danger or required safety clearance.

14.8 Corporate Tone of Voice Directives

All copy produced across the marketing website, social media, customer emails, and academic documentation must conform to the **SARAS Labs Voice Standards**:

- **Direct and Precise:** State facts, operational procedures, and software features clearly. Avoid decorative buzzwords (e.g., avoid *"revolutionizing cutting-edge synergies"*).
- **Instructional and Empowering:** Treat safety as an attainable, trainable professional discipline. Never patronise frontline workers; frame simulation errors as valuable opportunities for safe learning.
- **Commercially and Legally Transparent:** Maintain absolute honesty regarding prototype status. Never promise legal immunity, statutory certification, or unsubstantiated statistical accident reductions.

---

15. References & Academic Bibliography

- Health and Safety Executive (2012) *Health and safety training: A brief guide (INDG412)*. London: HSE Books. Available at: https://www.hse.gov.uk/pubns/indg412.pdf.
- Kotler, P. and Armstrong, G. (2021) *Principles of Marketing*. 18th Global edn. Harlow: Pearson Education.
- Nielsen, J. (1994, updated 2024) *10 Usability Heuristics for User Interface Design*. Nielsen Norman Group. Available at: https://www.nngroup.com/articles/ten-usability-heuristics/.

- University of Sunderland (2024) *CET257 Enterprise Project Assignment 1 Brief & Marking Criteria*. Sunderland: School of Computer Science.
- World Wide Web Consortium (W3C) (2024) *Web Content Accessibility Guidelines (WCAG) 2.2*. W3C Recommendation. Available at: https://www.w3.org/TR/WCAG22/.