# **VISAGO**

# GRADE 12 IT PAT 2020 ANDREAS HUGH VISAGIE



# **TABLE OF CONTENTS**

**SCENARIO AND SCOPE** 

**USER REQUIREMENTS** 

**NAVIGATION** 

**DATABASE** 

GRAPHICAL USER INTERFACE (GUI)

**DATA DICTIONARY** 

**SOFTWARE TOOLS** 


**REGISTER VALIDATION** 

**OUTPUT FORMAT** 

# SCENARIO AND SCOPE

Imagine a situation where you and your friends/family want to go on an exotic trip to another country. So initially you would consult google for what would be the best deals for you to go to these desired destinations, but then you are unsure if you are getting a good deal or not. Now what if you could have an application that when you sign up, you are able to consult with people that are local to that country directly and plan your trip with these local people. People don't have much trust over the internet and are usually advised to be cautious when talking to strangers on the internet, that's why this application will need to verify and ensure prospective travellers that the person they are talking to about their travels is reliable and safe, hence the application will work on a peer-to-peer rating system. So let's outline what type of users this application should be catering for, so firstly we will need people that are local to these desired countries to assist those in desire of travelling, we will name this group of people "Agents". Secondly we will have people wanting to travel, hence we will name this group of people "Travellers". From this point on we will be referring to the two groups by their group names. The basic outline of this application is that when you sign up you will be faced with two options, Travellers or, Agents where you may select either one or both, then once registered the database will add the user based on the registration process. The Travellers will then be given the option to select a country and then specify what they would like to do in that country, then this data will be sent on to a stream where there are available Agents in that country. Agents may either accept or decline this Traveller help, once the Agent has accepted this Traveller, all data will be processed to the database and the Traveller will then be notified about this Agent, and a prompt message will show the Traveller the statistics of this Agent where the Traveller may ask either for a request or may accept this Agent. Once accepted both the Traveller and Agent will then be put in a chat room for planning and once they have an idea outlined they will enter the data into another form where the database will initiate a row in the Trips table. Note\*(The trips table is where the planning for the trip will be stored. This will be further discussed in the design of the database.)

### **USER REQUIREMENTS**




\*(UML Use Case Diagram overview of the system/application)

- Agent may only register as a user and plan trips with the database.
- Agent Finds Travellers to help, the Agent may accept or decline Traveller.
- Traveller may register, rate Agent and plan a trip with the database.
- Traveller may find an Agent to help them plan a trip, the Traveller may accept or decline Agent

### **NAVIGATION**

### VISAGO global system overview



- User starts by opening application, then will be faced with two options, "Login" or "Register".
- Depending on what the user selects the flow diagram will follow to what the user selects at the initial screen.


### **DATABASE**




- Travellers to Users has a one to one relationship
- Agents to Users has a one to one relationship
- Agents to Trips has a one to many relationships
- Travellers has a one to many relationships
- String [15] -> means that the datatype is of string and the field size is of 15. E.g. "Status String [15]".

# **GRAPHICAL USER INTERFACE (GUI)**


### **Initial Forms (Figures A)**




### Agent's Forms (Figures B)




### Traveller's Form (Figures C)



An Idea of what the Error messages will look like.



\*(All Admin forms will be a part of the server which was not scoped for general user requirements, But the Admin forms will have a simple CRUD interface. E.g)




### DATA DICTIONARY

**Text Files** — VISAGO will need a way of tracking logs in case the application or users run into any problems. This means VISAGO will be using text files to store logs, these logs will be updated frequently and VISAGO will only allow permission to super users to access these logs. Text files will also store countries with their codes.

**Arrays** — An Array will be populated by a text file containing countries with their codes. Another array will be used for storing Travellers, this will be used in the Agent side of the application.

**Advanced** — VISAGO will make use of sockets for internet protocols, so that online chatting may be possible, this means that a server will be necessary. The server will do some database interactions etc., hence it was not put in scope as this part is not a normal user requirement, this will be for developers and admins only as the server is very technical itself.

### VISAGO's Classes



# **SOFTWARE TOOLS**

# \*(Figures A "Register Form")

INPUT	INPUT	DATA	DATA
INTERFACES	VALIDATION	PROCESSING	OUTPUT
"Home Country" – The user will select a country from the combo box. The data type will be String and the combo box will be populated from an array. No specific format	If value not selected user will be prompted with a retry message.  The retry message will prevent the user from progressing.	The program will store this value in a String variable which will also be saved to the database.	Will be displayed in a memo for statistics. Store in database.
"Username" – User will type their username into the edit box, this data type will consist of String. No specific format	If edit box is empty prompt user with retry message.	The Program will store this in a String variable which will be processed to the database.	Store in the database. Will be displayed in a memo for statistics. Will be displayed to Travellers seeking Agents form.
" Password" – User types in password. Data type will consist of String. Format will be encrypted.	If edit box is empty prompt user with retry message.	Run encryption algorithm on String. Process encrypted data to the database.	Store in the database. No specific GUI output.
"Name" – User will type their name into the edit box, this data type will consist of String. No specific format	If edit box is empty prompt user with retry message.	The Program will store this in a String variable which will be processed to the database.	Store in the database. Will be displayed in a memo for statistics.
"Surname" – User will type their name into the edit box, this data type will consist of String. No specific format	If edit box is empty prompt user with retry message.	The Program will store this in a String variable which will be processed to the database.	Store in the database. Will be displayed in a memo for statistics.
"Country Code" – The user will select a country code from the combo box. The data type will be String and the combo box will be populated from an array. Format "+27" "+###"	If value not selected user will be prompted with a retry message.	The program will store this value in a String variable which will also be saved to the database.	Will be displayed in a memo for statistics. Store in database.
"Email" – User will type their Email into the edit box, this data type will consist of String. Format "abc@domain.com" "##@###.###"	If edit box is empty or the format is incorrect prompt the user with retry message.	The program will store this value in a String variable which will also be saved to the database.	Will be displayed in a memo for statistics. Store in database.
"Cell Number" – User will type their phone	If edit box is empty or the format is incorrect	The program will store this value in a Integer	Will be displayed in a memo for statistics.


number into the edit box, this data type will consist of Integer. Format "013 555 1111" "##########""	prompt the user with retry message. Ensure Input is consisting of only Integer Values.	variable which will also save to the database.	Store in database.
"Agent Only" – User	Prompt user with a	Generate an Agent ID	User will be directed to
clicks button. No other	verification message.	only and process	Agent Form. Agent ID
input required		relevant information to	will be displayed in a
		the database.	memo.
"Traveller Only" – User	Prompt user with a	Generate a Traveller ID	User will be directed to
clicks button. No other	verification message	only and process	Traveller Form. Traveller
input required		relevant information to	ID will be displayed in a
		the database.	memo.
"Agent + Traveller" –	Prompt user with a	Generate an Agent ID	User will be directed to a
User clicks button. No	verification message	and a Traveller ID and	form where they will
other input required		process relevant	select which they mode
		information to the	would like to enter. All
		database.	IDs will be displayed in a
			memo.

# \*(Figures C "Traveller find Agent Form (1)")

INPUT	INPUT	DATA	DATA
INTERFACES	VALIDATION	PROCESSING	OUTPUT
"Find Agent" – User	Prompt user with a	Program will search the	The recommended
clicks button. No other	search message.	database for an Agent	Agent's statistics will be
input required.		that meets the Selected	outputted to the
		Country field	dynamically created
		requirements. Create a	memo.
		memo.	
"Desired Budget" – User	If edit box is empty	This value will be added	Will be outputted to the
will type their desired	prompt user with retry	to the stream for the	Agent's Form in a memo
budget into the edit box,	message. Ensure Input is	agent to view, it will also	for Travellers.
this data type will	consisting of only	be processed to the	Store in database.
consist of Real/Float. No	Real/Float Values.	database.	
specific format			
"Amount of Travellers" –	If edit box is empty is	This value will be added	Will be outputted to the
User will type their party	incorrect prompt the	to the stream for the	Agent's Form in a memo
size into the edit box,	user with retry message.	agent to view, it will also	for Travellers.
this data type will	Ensure Input is	be processed to the	Store in database.
consist of Integer. No	consisting of only	database.	
specific format	Integer Values.		
"Select Country" – The	If value not selected	This value will be used to	Will be outputted to the
user will select a country	user will be prompted	find an Agent in that	dynamically created
from the combo box.	with a retry message.	country, it will also be	memo.
The data type will be		processed to the	
String and the combo		database.	
box will be populated			
from an array. No			
specific format			

### **REGISTER VALIDATION**

• Empty Field Validation



• If a field is left empty, the program will continue to prompt the user with an error

message.



### **Email Validation**




- Email must contain '@' character.
- Email must contain '.' Character.
- If email is incorrect, Prompt user with 'Invalid Email'


error.



**Selected Home Country or Country Code Validation** 




- If a country has not been selected,
   Prompt user with error.
- If a Code has not been selected, Prompt user with error.




• If a user selects a Country, the program will automatically select a country code correlating to that Country.


### **Password Validation**



• If password is less than 8 characters, prompt user with error message.


### **Cell Phone Validation**






- If there is any other character other than numbers, the user will be prompted with an error message and the edit box will be reset to the value '0'.
- If cell number is too short, the user will be prompted with an error message stating that the number is too short (Number may not be less than 7 numbers).
- If cell number is too long, the user will be prompted with an error message stating that the number is too long (Number may not exceed 10 numbers).

### **User Existence Validation**



- Check Database if this username exists.
- If this username exists, prompt user with error message.
- If this username does not exist, proceed to posting data to the Database.

# **OUTPUT FORMAT**



- Once user has planned their trip, the program will format a slip for the user.
- The illustration above is an example of the formatted slip.