

William Van Uitert

CICS 160 OOP

Cole Reilly

1 October 2026

3.1 Defect Table:

Log Entry	Defect	The one sentence that would have prevented it
Entry 1	D5	The file may only contain integer values and commas.
Entry 2	D5	The input of the ranking function is an integer for the id of an adopter.
Entry 3	D2	Rank starts at 1 as the adopters favorite pet and increases with lower preference for a pet.
Entry 4	D1	A pet's ranking is based on the number of pets ranked below it.
Entry 5	D3	popularity_order() returns a list of pets ranked favorite (position 0) to least favorite (last position).
Entry 6	D1	ranking() returns an integer that represents the preference of the adopter for a pet according to the input parameter (i.e. 1 is the favorite, 2 is the second preference, and so on).

3.2 Cost/Difficulty:

Overall Part2 of the project took me about 80 minutes to complete. I spent around 30-40 minutes trying to figure out why the preferences.csv would not load and how I could elegantly work around this without being able to change the parsing code in util.py. After spending a considerable amount of time on this issue, I simply decided to remove the header row from the CSV. While coding, I occasionally would run into questions about how things worked, but these were quickly resolved by using print statements either directly on function returns or using dir().

I think that it would not have taken long (maybe 10 minutes) for V. Vaughn to write these; which would have cleared up confusion about how functions of the PrefTable class worked, avoiding unnecessary confusion and debugging while writing the report function .

3.3 What would I do Differently:

If I were V. Vaughn, I would have written documentation for the code as I was writing it by following a general outline and then revising it based on what I coded. Additionally, I would try to keep the documentation/notations on the code in one location, rather than in 3 different files. Lastly, I would try to imagine the code from another's perspective: asking what the input/output of a function is both structurally and functionally. Hopefully, this would allow for my code to be more usable and accessible through good, informative documentation.