## .HTML

```
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>practices</title>
  <link rel="stylesheet" href="./stylep.css" />
  <script src="practic.js"></script>
 </head>
 <body>
  <h1>Hi this my second practicess</h1>
  <h2>hi ok for your comments</h2>
  <h3>hi ok for your responces</h3>
  <a href="../sri.html" target="_blank"> wecome to my first project</a><br/>>br />
  <a href="../sri.html"> wecome to my first project</a>
  >
   In Singapore Online. Save Now at Shopwebly! Search and Discover. Many
   Products. Easy Access. Quick Results. Find Easily. Compare Product
  <div class="example">
   Online <sup class="w">ok <</sup>
   <!-- <p class="w">ok -->
   clas
  </div>
  <!-- flexbox -->
  <div class="using">
   <div class="use">hi ok va this is flex</div>
   <div class="use">ok ok but not clear</div>
   <div class="use">css</div>
  </div>
  <section class="image">
   <img src="1.jpg" alt="profil picture" width="800" height="800" />
   hi this is PURUSHOTH
  </section>
  <details>
   <summary>Thank you</summary>
   hi this is my first htms and css web creation
```

```
</details>
<input type="button" value="submit" onclick="play();" />
</body>
</html>
```

## .CSS

```
body {
 border: 2px solid rgb(15, 173, 241);
 margin: 15px 15px;
}
h1 {
 color: yellow;
 text-shadow: 1px 1px 0px rgb(187, 146, 50);
}
/* The important tag is given for if we give colors in id class h2 tag
in which tag we give !important is applyed try to avoid this tag */
h2 {
 color: burlywood;
 position: sticky;
 top: 0;
 width: 50%;
h2:hover {
 transition: 2s;
 width: 100%;
 background-color: blue;
```

```
position: sticky;
 top: 0;
 width: 10%;
}
h3 {
 color: rgb(18, 235, 43);
}
a:hover {
 color: rgb(19, 120, 208);
}
a:visited {
 color: brown;
}
a:active {
 color: aquamarine;
}
p::first-letter {
 font-family: Impact, Haettenschweiler, "Arial Narrow Bold", sans-serif;
p::first-line {
 font-family: "Segoe UI", Tahoma, Geneva, Verdana, sans-serif;
/* beforeand after c carfully */
h1::after {
 content: "learning over";
h1::before {
 content: "hi okvA";
}
/* c th brackets */
a[href="../sri.html"] {
 font-family: cursive;
h1 {
 font-size: large;
 font-style: italic;
 font-weight: 900;
/* p { reference
 text-align:;
 text-decoration:;
 text-transform: capitalize,uppercase,lowercase;
 letter-spacing: 10px;
 word-spacing:;
```

```
line-height:;
 border: 1px solid color;
 box-shadow: px px px color;
 text-shadow: px px px color;
  --direction--x---y--opacity-color} */
body {
 background-image: url("./BG.jpg");
 /* background-position:0% 0%; */
 background-repeat: no-repeat;
 background-size: cover;
 background-attachment: scroll;
 /*background: url() repeat center fixed; */
}
.example {
 display: inline; /* not working dought*/
 color: rgb(211, 123, 14);
} p.
 display: inline-block;
 padding: 10px;
 font-size: x-large;
 background-color: aliceblue;
 position: relative;
 top: 10px;
 left: 10px;
} /* relative and absolute connection dought */
 color: rgb(16, 179, 57);
}
.s {
 display: inline-block;
 padding: 10px;
 font-size: x-large;
 background-color: aliceblue;
 position: relative;
 top: 10px;
 /* height: 50px; */
 left: 50px;
}
.use:nth-child(1) {
 border: 5px solid slategrey;
 background-color: blanchedalmond;
 margin: 2px;
 /* height: 100px; */
```

```
flex-shrink: 1; /* say that occupay the free space*/
 height: auto;
 /* flex-shrink: 1; reduce the space how much can u done */
 /* grow strink dont go bellow */
 /* align-self: flex-end flex-start; it helps to align down or up only one box */
.using {
 display: flex;
 flex-wrap: wrap;
 /*flex-direction: row-reverse;
  align-items:; */
 border: 1px solid sandybrown;
 height: 100px;
 width: auto;
 justify-content: center;
 flex-direction: row-reverse;
 align-items: center;
}
.use:nth-child(2) {
 border: 5px solid slategrey;
 background-color: blanchedalmond;
 margin: 2px;
 height: auto;
 flex-grow: 1;
 justify-content: center;
 text-align: center;
.use:nth-child(3) {
 /* width: 100px; */
 border: 5px solid slategrey;
 background-color: blanchedalmond;
 margin: 2px;
 height: auto;
}
.image {
 /* width: 0%; */
 display: flex;
 flex-direction: column;
 justify-content: center;
```

```
.image img {
  width: 200px;
  border: 5px double darkblue;
  /* min-width: 100px; */
  border-radius: 50%;
  padding: 3px;
  height: 200px;
  align-self: center;
}
.image p {
  background-color: azure;
  display: inline-block;
  padding: 3px;
  font-family: Arial, Helvetica, sans-serif;
  text-align: center;
  align-self: center;
}
```