```
import pandas as pd
import numpy as np
import seaborn as sn
import matplotlib.pyplot as plt
```

```
titanic = sn.load_dataset('titanic')
```

```
titanic.isnull().sum()
```

	0
survived	0
pclass	0
sex	0
age	177
sibsp	0
parch	0
fare	0
embarked	2
class	0
who	0
adult_male	0
deck	688
embark_town	2
alive	0
alone	0

dtype: int64

```
titanic['age'].dropna()
```

	age
0	22.0
1	38.0
2	26.0
3	35.0
4	35.0
...	...
885	39.0
886	27.0
887	19.0
889	26.0
890	32.0

714 rows × 1 columns

dtype: float64

```
titanic['embarked'].dropna()
```

	embarked
0	S
1	C
2	S
3	S
4	S
...	...
886	S
887	S
888	S
889	C
890	Q

889 rows × 1 columns

dtype: object

```
titanic['embark_town'].dropna()
```

	embark_town
0	Southampton
1	Cherbourg
2	Southampton
3	Southampton
4	Southampton
...	...
886	Southampton
887	Southampton
888	Southampton
889	Cherbourg
890	Queenstown

889 rows × 1 columns

dtype: object

```
sn.displot(x = titanic['age'], bins = 10)
```

```
<seaborn.axisgrid.FacetGrid at 0x78ee954478d0>
```



```
sn.jointplot(x = titanic['age'], y = titanic['fare'], kind = 'scatter')
```

```
<seaborn.axisgrid.JointGrid at 0x78ee95c14f10>
```




```
sn.jointplot(x = titanic['age'], y = titanic['fare'], kind = 'hex')
```

```
<seaborn.axisgrid.JointGrid at 0x78ee90f67790>
```




```
sn.rugplot(titanic['fare'])
```

```
<Axes: xlabel='fare'>
```




```
sn.barplot(x='sex', y='age', data=titanic, palette={'male': 'green', 'female': 'red'})
```

```
<ipython-input-30-8f5ed0905f91>:1: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `x` variable to `hue` and set `le

  sn.barplot(x='sex', y='age', data=titanic, palette={'male': 'green', 'female': 'red'})
<Axes: xlabel='sex', ylabel='age'>
```




```
sn.countplot(x='sex', data=titanic, palette={'male': 'green', 'female': 'red'})
```

```
<ipython-input-31-d44eb98e1cc2>:1: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `x` variable to `hue` and set `le

  sn.countplot(x='sex', data=titanic, palette={'male': 'green', 'female': 'red'})
<Axes: xlabel='sex', ylabel='count'>
```




```
sn.boxplot(x='sex', y='age', data=titanic, palette={'male': 'green', 'female': 'red'})
```

```
<ipython-input-29-cbdd41592f1e>:1: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `x` variable to `hue` and set `le

  sn.boxplot(x='sex', y='age', data=titanic, palette={'male': 'green', 'female': 'red'})
<Axes: xlabel='sex', ylabel='age'>
```




```
sn.boxplot(x='sex', y='age', data=titanic, hue='survived')
```

<Axes: xlabel='sex', ylabel='age'>




```
sn.violinplot(x='sex', y='age', data=titanic, palette={'male': 'green', 'female': 'red'})
```

<ipython-input-34-240f0d0ac587>:1: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `x` variable to `hue` and set `le

```
  sn.violinplot(x='sex', y='age', data=titanic, palette={'male': 'green', 'female': 'red'})
```

<Axes: xlabel='sex', ylabel='age'>




```
sn.violinplot(x='sex', y='age', data=titanic, hue='survived')
```

```
<Axes: xlabel='sex', ylabel='age'>
```




```
sn.stripplot(x='sex', y='age', data=titanic, jitter=True, palette={'male': 'green', 'female': 'red'})
```

```
<ipython-input-37-b1ca2420575a>:1: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `x` variable to `hue` and set `le

  sn.stripplot(x='sex', y='age', data=titanic, jitter=True, palette={'male': 'green', 'female': 'red'})
<Axes: xlabel='sex', ylabel='age'>
```




```
sn.stripplot(x='sex', y='age', data=titanic, jitter=True, hue='survived')
```

```
<Axes: xlabel='sex', ylabel='age'>
```




```
sn.swarmplot(x='sex', y='age', data=titanic)
```

```
<Axes: xlabel='sex', ylabel='age'>
```




```
sn.swarmplot(x='sex', y='age', data=titanic,hue='survived')
```

```
<Axes: xlabel='sex', ylabel='age'>
```




```
# Specify the columns you want to include in the correlation calculation
columns_to_include = ['survived', 'pclass', 'age', 'fare', 'sibsp','parch','fare','adult_male','alone'
```

```
# Calculate the correlation matrix for the selected columns
corr = titanic[columns_to_include].corr()

# Display the correlation matrix
print(corr)
```

```
              survived    pclass       age      fare     sibsp     parch  \
survived      1.000000 -0.338481 -0.077221  0.257307 -0.035322  0.081629
pclass       -0.338481  1.000000 -0.369226 -0.549500  0.083081  0.018443
age          -0.077221 -0.369226  1.000000  0.096067 -0.308247 -0.189119
fare          0.257307 -0.549500  0.096067  1.000000  0.159651  0.216225
sibsp        -0.035322  0.083081 -0.308247  0.159651  1.000000  0.414838
parch         0.081629  0.018443 -0.189119  0.216225  0.414838  1.000000
fare          0.257307 -0.549500  0.096067  1.000000  0.159651  0.216225
adult_male   -0.557080  0.094035  0.280328 -0.182024 -0.253586 -0.349943
alone        -0.203367  0.135207  0.198270 -0.271832 -0.584471 -0.583398

                  fare  adult_male     alone
survived      0.257307   -0.557080 -0.203367
pclass       -0.549500    0.094035  0.135207
age           0.096067    0.280328  0.198270
fare          1.000000   -0.182024 -0.271832
sibsp         0.159651   -0.253586 -0.584471
parch         0.216225   -0.349943 -0.583398
fare          1.000000   -0.182024 -0.271832
adult_male   -0.182024    1.000000  0.404744
alone        -0.271832    0.404744  1.000000
```

```
sn.heatmap(corr)
```

```
<Axes: >
```