


Mini Project

Q1. Create a MySQL table called playlists to store Spotify-style music playlists, with columns: playlist_id (primary key), user_id (foreign key), name (varchar), and created_at (datetime). Write the CREATE TABLE statement.




The screenshot shows the MySQL Workbench interface. The SQL editor contains the following code:

```
93. create table playlist(  
94     playlist_id Integer primary key,  
95     user_id Integer,  
96     name text,  
97     created_at DATETIME,  
98     foreign key(user_id) references spotifyuser(user_id));  
99  
00. Select * from playlist;
```

The 'Schemas' pane on the left shows the 'instacore' database selected. The 'Result Grid' is empty. The 'Action Output' pane at the bottom shows the execution results:

#	Time	Action	Message	Duration / Fetch
3	16:07:02	drop table playlist	0 row(s) affected	0.047 sec
4	16:07:05	create table playlist(playlist_id Integer primary key, user_id Integer, name text, created_at DATETIME, fore...	0 row(s) affected	0.063 sec
5	16:09:57	Select * from playlist LIMIT 0, 1000	Error Code: 1146. Table 'instacore.playlist' doesn't exist	0.000 sec
6	16:10:11	Select * from playlist LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Q2. Insert three sample records into the playlists table: one for a user with a 'Workout Mix', one with a 'Chill Vibes', and one with a 'Top Hits' playlist. Use realistic data for each field.



The screenshot shows the MySQL Workbench interface. The SQL editor contains the following code:

```
01  
02. insert into playlist(playlist_id,user_id,name,created_at)values  
03     (1,1,"Workout Mix","2026-10-5 09:30:00"),  
04     (2,2,"Chill Vibes","2026-10-4 14:15:00"),  
05     (3,3,"Tops Hits","2026-10-3 18:45:00");  
06  
07. Select * from playlist;  
08
```

The 'Schemas' pane on the left shows the 'instacore' database selected. The 'Result Grid' displays the following data:

playlist_id	user_id	name	created_at
1	1	Workout Mix	2026-10-05 09:30:00
2	2	Chill Vibes	2026-10-04 14:15:00
3	3	Tops Hits	2026-10-03 18:45:00

The 'Action Output' pane at the bottom shows the execution results:

#	Time	Action	Message	Duration / Fetch
7	16:15:05	insert into playlist(user_id,name,created_at)values (1,"Workout Mix","10-5-2026"), (2,"Chill Vibes","10-4-2026")...	Error Code: 1292. Incorrect datetime value: '10-5-2026' for column 'created_at' at row 1	0.000 sec
8	16:16:27	insert into playlist(user_id,name,created_at)values (1,"Workout Mix","2026-10-5 09:30:00"), (2,"Chill Vibes","2...	Error Code: 1364. Field 'playlist_id' doesn't have a default value	0.000 sec
9	16:16:53	insert into playlist(playlist_id,user_id,name,created_at)values (1,1,"Workout Mix","2026-10-5 09:30:00"), (2,2...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.047 sec
10	16:17:21	Select * from playlist LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Q3. Write an SQL UPDATE statement to rename the 'Chill Vibes' playlist to 'Evening Chill' for a specific user_id.

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following code:

```
05 (3,3,"Tops Hits","2026-10-3 18:45:00");
06
07 • Select * from playlist;
08
09 • update playlist set name="Evening Chill" where user_id=2;
10
11
```

The Result Grid shows the following data:

playlist_id	user_id	name	created_at
1	1	Workout Mix	2026-10-05 09:30:00
2	2	Evening Chill	2026-10-04 14:15:00
3	3	Tops Hits	2026-10-03 18:45:00

The Action Output shows the following messages:

#	Time	Action	Message	Duration / Fetch
10	16:17:21	Select * from playlist LIMIT 0. 1000	3 row(s) returned	0.000 sec / 0.000 sec
11	16:19:57	update playlist set name="Evening Chill" from user_id=2	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se...	0.000 sec
12	16:20:54	update playlist set name="Evening Chill" where user_id=2	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
13	16:20:59	Select * from playlist LIMIT 0. 1000	3 row(s) returned	0.000 sec / 0.000 sec

Q4. Write a DELETE statement to remove a playlist named 'Workout Mix' for a given user_id from the playlists table. Hint: Make sure your WHERE clause targets only the intended row.

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following code:

```
08
09 • update playlist set name="Evening Chill" where user_id=2;
10
11 • DELETE FROM playlist
12 WHERE name = 'Workout Mix'
13 AND user_id = 1;
14
```

The Result Grid shows the following data:

playlist_id	user_id	name	created_at
2	2	Evening Chill	2026-10-04 14:15:00
3	3	Tops Hits	2026-10-03 18:45:00

The Action Output shows the following messages:

#	Time	Action	Message	Duration / Fetch
14	16:25:54	DELETE NAME="Workout Mix" FROM playlist WHERE user_id=1	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se...	0.000 sec
15	16:26:32	DELETE FROM playlist WHERE name = 'Workout Mix' AND user_id = 1	Error Code: 1054. Unknown column 'name' in 'where clause'	0.000 sec
16	16:26:44	DELETE FROM playlist WHERE name = 'Workout Mix' AND user_id = 1	1 row(s) affected	0.000 sec
17	16:26:47	Select * from playlist LIMIT 0. 1000	2 row(s) returned	0.000 sec / 0.000 sec

Q5. Create a stored procedure named GetMonthlyPlaylistCount that takes a user_id and a month (as an integer) as input, and returns the total number of playlists the user created in that month. Hint: Use the MONTH() function in your WHERE clause.

The screenshot shows the MySQL Workbench interface. The main editor window contains the following SQL code:

```
414
415 DELIMITER //
416 CREATE PROCEDURE GetMonthlyPlaylistCount(
417     IN p_user_id INT,
418     IN p_month INT
419 )
420 BEGIN
421     SELECT COUNT(*) AS total_playlists
422     FROM playlist
423     WHERE user_id = p_user_id
424           AND MONTH(created_at) = p_month;
425 END //
426 DELIMITER ;
427 CALL GetMonthlyPlaylistCount(2,10);
```

The Results grid shows the output of the query:

total_playlists
1

The Output tab shows the execution log:

#	Time	Action	Message	Duration / Fetch
22	16:37:06	call GetMonthlyPlaylistCount()	Error Code: 1318. Incorrect number of arguments for PROCEDURE instadone.GetMonthlyPlaylistCount: expect...	0.000 sec
23	16:37:39	call GetMonthlyPlaylistCount()	Error Code: 1318. Incorrect number of arguments for PROCEDURE instadone.GetMonthlyPlaylistCount: expect...	0.000 sec
24	16:37:50	call GetMonthlyPlaylistCount()	Error Code: 1318. Incorrect number of arguments for PROCEDURE instadone.GetMonthlyPlaylistCount: expect...	0.000 sec
25	16:38:25	Call GetMonthlyPlaylistCount(2,10)	1 row(s) returned	0.016 sec / 0.000 sec