Automated plant care systems

"Plants often wither or die when people travel or get busy because manual care like watering, lighting, and fertilizing is inconsistent and unreliable. Without an automated way to manage these needs, keeping plants healthy requires constant daily attention, leading to high rates of plant neglect."
Generated by LeapSpace

Automated Plant-Care Systems at a Glance

Key Findings Table

Key finding	Population / setting	Practical implication	Citations
Soil-moisture-sensor closed-loop watering usually outperforms inconsistent manual care and fixed timers for maintaining plant-appropriate moisture, while often preserving or improving growth and quality	Greenhouse vegetables, ornamentals, floriculture, residential landscapes	Best-supported anti-neglect automation layer is sensor-based watering	[1] [2] [3] [4]
Automated irrigation often reduces water use, leaching, and unnecessary irrigation events	Soilless lettuce, green bean, cucumber, turf/landscape, field crops	Automation can reduce waste as well as missed watering	[1] [4] [5] [6] [7]
Outcomes depend strongly on control setpoints; moderate thresholds can work well, but overly dry or averaged thresholds can reduce growth or increase losses	Greenhouse vegetables, woody ornamentals, basil	Automation must be tuned by species and substrate rather than treated as universal	[5] [8] [9]
Automation is expanding beyond watering into integrated fertigation and multi-sensor care systems	Small horticulture, hydroponics, IoT prototypes	Higher-value systems combine irrigation, nutrient dosing, pH/EC monitoring, and alerts	[10] [11] [12] [13] [14]
Automated fertigation can improve growth and resource efficiency while reducing day-to-day labor	Hydroponic vertical farming, basil, tomato, pepper, cucumber systems	Nutrient delivery automation is promising for reducing maintenance burden	[11] [12] [15] [16] [17]

Key finding	Population / setting	Practical implication	Citations
Remote dashboards, alerts, and mobile/web interfaces help users monitor plants without constant inspection	IoT home/indoor gardening systems, farm monitoring systems	Useful for busy or traveling users, especially for exception handling	[18] [19] [20] [21] [22] [23]
Reliability, calibration, setup effort, cost, and network dependence remain major adoption barriers	IoT systems, vertical farming, controlled-environment systems	Systems reduce neglect only if they remain trustworthy over time	[24] [25] [26] [27] [28] [29] [30]
Direct evidence for long-term houseplant neglect reduction during travel is still limited	Home/indoor and prototype literature	Strong evidence supports technical feasibility, but home-use neglect outcomes are mostly indirect	[18] [21] [22] [31]

Direct Answer

Yes—automated plant-care systems are supported by the evidence as a practical way to reduce plant neglect caused by travel or inconsistent routines, with the strongest support for **soil-moisture-sensor closed-loop watering**. Compared with manual care or fixed timers, these systems more consistently maintain moisture and often match or improve plant growth, quality, survival-related outcomes, and water efficiency while reducing labor and missed watering risk [1] [2] [3] [4].

The clearest near-term solution is not full “AI plant care,” but a layered system: **local closed-loop watering**, optional **fertigation**, and **remote alerts/dashboard visibility** for exceptions when the user is away [12] [22] [31]. Taken together, these findings suggest that the most effective anti-neglect design is one that automates survival-critical tasks first and uses connectivity mainly for monitoring and overrides rather than for core control alone [4] [30].

However, automation is not fully set-and-forget. Performance depends on correct moisture thresholds, plant-specific tuning, sensor calibration, and overall system reliability; poor setup can still produce drought stress, overwatering, or operational failures [5] [8] [24] [25] [27].

Confidence level: High for automated watering; **Medium** for integrated fertigation and user adherence benefits; **Low-to-Medium** for direct evidence of long-term neglect reduction in everyday home houseplant use, because much of the literature is prototype-, greenhouse-, or small-system-based [1] [4] [12] [21].

Study Scope

This report synthesizes evidence from studies and reviews spanning roughly **2010-2025**, covering greenhouse horticulture, floriculture, soilless cultivation, hydroponics, residential landscape irrigation, indoor gardening, IoT monitoring systems, and controlled-environment agriculture [1] [3] [4] [12] [21] [29]. Methods include comparative irrigation trials, prototype deployments, field studies, and review-level synthesis of sensing, control, usability, and scaling barriers [6] [28] [32] [33].

Assumptions & Limitations

- The evidence base is strongest for **automated watering**, weaker for automated lighting, and moderate for fertigation and multi-sensor monitoring [1] [11] [14].
- Much of the literature measures **technical or agronomic proxies** such as moisture stability, water savings, biomass, and yield rather than direct owner neglect, missed-care events during travel, or long-term houseplant survival in homes [18] [21] [31].
- Results are not universally transferable because many studies stress **species-specific thresholds, local microclimate, and crop-specific tuning** [5] [19] [34] [35] [36].
- Some automation strategies save water only within safe control ranges; thresholds that are too dry or poorly averaged can harm plants [5] [8] [9].

Suggested Further Research

- Run longitudinal home-use trials that directly measure neglect reduction, plant survival during travel, and adherence versus manual care or timer-based systems [21] [22] [37].
- Compare automated lighting control against inconsistent manual lighting in indoor houseplant settings [13] [18].
- Quantify long-term failure modes such as sensor drift, pump clogging, recalibration frequency, and connectivity outages in consumer deployments [24] [25] [27] [30].
- Test how much plant-specific tuning is actually required across mixed species collections [36] [38] [39].
- Evaluate total cost of ownership and maintenance burden for casual plant owners, not just production systems [26] [27] [40].

Full Report Body

Foundational Context

Automated plant care addresses a simple failure mode: plants decline when key inputs are delivered irregularly. Across the supplied evidence, the most important controllable variables are **water status**, **nutrient delivery**, and broader environmental signals such as **light, temperature, and humidity** [10] [13] [14]. Manual care often fails because it is intermittent, schedule-based, and insensitive to actual substrate or plant conditions; in contrast, automated systems use sensors and rules to trigger actions only when needed [41] [42] [43].

A useful conceptual distinction in the literature is between:

1. **Fixed scheduling systems**: timers or routines that water at preset intervals regardless of actual need [3] [4].
2. **Closed-loop control systems**: sensors measure moisture or other variables, and the controller actuates pumps or valves to maintain a target range [1] [12] [44].
3. **Adaptive systems**: control decisions also incorporate weather, evapotranspiration, plant-state, or predictive algorithms [32] [43] [45].
4. **Integrated care stacks**: watering is combined with fertigation, pH/EC monitoring, alerts, dashboards, and sometimes recommendation engines [10] [12] [14].

For the specific problem of neglect during travel or busy periods, the literature most strongly supports automating the **survival-critical loop**—watering—because it directly reduces dependence on daily human attention [3] [4]. Other features add value, but the core protective mechanism is stable moisture management [2] [44].

Confidence level: High - This framing is directly supported across multiple studies and the meta-synthesis, with strong convergence around moisture control as the central automation target [1] [4] [32].

Introduction to Automated Plant Care

Problem context and automation rationale

The evidence consistently frames manual plant care as vulnerable to inconsistency: fixed routines can overwater, underwater, or waste resources because they do not respond to actual substrate status or weather conditions [41] [42] [46]. Automation aims to solve this by stabilizing care inputs through sensing and actuation, thereby reducing the need for constant manual inspection and lowering the risk that a missed care event causes plant stress [4] [31].

Across greenhouse, landscape, and small horticultural settings, sensor-driven systems generally maintained healthier moisture conditions and often preserved or improved plant performance relative to manual or timer-based approaches [34] [41] [42] [47]. This pattern is especially relevant to neglect reduction because the systems do not rely on user memory or availability to execute routine watering [3] [22].

Taken together, these findings suggest that automation reduces neglect not by "understanding" plants in a broad sense, but by reliably performing repeatable maintenance tasks on time and in response to measured need [1] [24]. That makes automated care particularly suited to periods of travel, variable schedules, or inconsistent owner attention [4] [21].

Confidence level: High - Strong cross-source consistency on the rationale for automating routine watering and monitoring [31] [34] [41].

Automated Watering and Moisture Control

Closed-loop soil-moisture irrigation

This is the strongest evidence base in the supplied material. In greenhouse vegetable systems, soil- or substrate-moisture control often reduced input use while maintaining or improving crop performance. For soilless lettuce, sensor-controlled irrigation used about 17-42% less nutrient solution with little or no leaching, and plants matched or exceeded timer-based fresh weight and leaf area at some setpoints [1]. In soilless green bean, sensor control reduced water use by about 36-47% with little leaching, and a moderate setpoint matched timer-based growth and yield, though lower setpoints reduced performance [5]. In greenhouse cucumber, sensor-controlled irrigation increased total yield, used less water, and improved water-use efficiency relative to non-sensor watering [2].

In ornamentals and floriculture, the pattern is similar but more conditional. Woody ornamentals received roughly 50% less irrigation overall with no growth losses, and Rhododendron mortality was reduced in one year, although high losses occurred in another year when averaged setpoints created persistent drought conditions [8]. In a commercial greenhouse case study, poinsettia and geranium quality under sensor-based irrigation was equivalent to timer-based irrigation, while labor needs were reduced [3]. Petunia trials showed that automated systems could maintain programmed volumetric water content profiles precisely, indicating that closed-loop control can reliably keep moisture within intended bands [44].

Residential-style irrigation studies reinforce the anti-neglect relevance. Soil-moisture-sensor controllers bypassed unnecessary irrigation events and reduced irrigation frequency and volume substantially, reaching a cumulative 65% reduction versus typical timer irrigation while keeping turf quality acceptable [4]. This matters because timer systems still "work" when owners are away, but they may water at the wrong times; sensor systems reduce both neglect risk and overwatering risk [4] [42].

Confidence level: High - Multiple comparative studies across crops and settings support the superiority or equivalence of closed-loop watering relative to fixed schedules, with repeated gains in moisture stability, labor reduction, and resource efficiency [1] [2] [3] [4].

Adaptive scheduling with weather and plant feedback

A second layer of evidence shows that irrigation can be improved further when systems incorporate weather, soil, or plant-state signals. Across field and greenhouse studies, adaptive irrigation reduced water use while maintaining production. Examples include 22% less water with fewer and shorter events in arecanut and 27-45% less water without affecting crop production in winter wheat [6] [7]. Studies using plant feedback or meteorological sensing show that irrigation can be aligned more precisely with crop demand and seasonal change [43] [45].

Reviews and smart irrigation studies report that weather forecasts, soil moisture feedback, and ET-based control can reduce overwatering and improve water-use efficiency, with reported gains up to 42% in some contexts [32] [48] [49]. Traditional manual sensing and human-based scheduling are described as labor intensive or difficult to automate, which strengthens the case for adaptive control when consistent human attention is unavailable [50] [51].

For neglect reduction, however, plant-state sensing presents a trade-off. The literature presents canopy or leaf-temperature signals as promising, but also notes that plant measurements can be labor-intensive or difficult to automate robustly [43] [50] [52]. That implies a practical hierarchy: substrate-moisture control is currently the simpler and more deployable anti-neglect strategy, while plant-state feedback remains promising but somewhat more operationally demanding [43] [52].

Confidence level: Medium-High - Evidence consistently supports adaptive scheduling for water savings and precision, but the direct link to low-maintenance home deployment is less extensively demonstrated than for basic moisture-triggered irrigation [6] [32].

Performance tradeoffs and crop-specific responses

The evidence does not support a universal “drier is better” automation strategy. In green bean, moderate moisture setpoints matched timer performance, but lower setpoints reduced growth and yield [5]. In woody ornamentals, averaged setpoints sometimes produced persistent drought and high mortality [8]. In sweet basil, constant higher volumetric water content produced the highest shoot growth and phenolic content, while a fluctuating regime with a similar average moisture produced lower outcomes [9].

These studies matter because they show that automation quality depends not just on the existence of sensors, but on the **choice of control targets** [5] [9]. A poorly chosen threshold can automate plant stress as efficiently as a good threshold automates plant care [8]. The broader implication is that species-specific tuning is not an optional refinement; it is central to safe automation [34] [35] [36].

Confidence level: High - The trade-off between efficiency and safe setpoints is one of the clearest repeated patterns in the evidence [5] [8] [9].

Fertigation and Integrated Nutrient Management

Automated fertigation architectures

Several studies describe systems that automate not only irrigation but also nutrient delivery using sensors and microcontrollers. Reported architectures include moisture, temperature, pH, and EC monitoring combined with pumps and valves for real-time water and nutrient dosing [10] [11] [12] [53]. These systems move plant care from single-variable watering toward integrated environmental and nutrient management [54] [55] [56].

This matters for neglect reduction because nutrient management is another task prone to inconsistency when owners are busy. Automated dosing reduces the need for remembering feeding intervals and lowers the chance of irregular or excessive fertilization [12] [53]. Still, the supplied evidence emphasizes these systems more in small horticulture and hydroponics than in ordinary household potted plants [16] [17].

Growth and efficiency outcomes

Automated fertigation improved plant performance in several studies. Bok choy in hydroponic vertical farming showed better growth and easier management under automated systems [16]. Automated basil systems reported higher fresh and dry weight and greater leaf area [11]. Tomato height was unchanged in one study, but water and fertilizer use declined, indicating efficiency gains even without dramatic morphological change [11]. Sensor-driven irrigation and fertigation also increased water-use efficiency and nutrient-use efficiency in pepper, tomato, and cucumber systems [15] [57].

One field deployment of an IoT fertigation framework that continuously monitored moisture, pH, and EC reported a 20% increase in plant growth index and a 28% reduction in irrigation water use over 45 days [12]. Another basil study found that IoT sensor-based irrigation preserved nitrogen resources better than timer-based scheduling and influenced SPAD, color, and nutrient accumulation at harvest [17].

Taken together, these findings suggest that nutrient automation can reduce neglect not only by lowering labor, but also by preserving more stable root-zone conditions than ad hoc manual feeding [12] [17]. The evidence is positive, though narrower than for watering alone [11] [16].

Reduced labor and maintenance burden

Some studies explicitly link automation to lower day-to-day labor. One floriculture trial found that sensor-based irrigation enabled labor reallocation and supported scale adoption [3]. A hydroponic review similarly framed automation as improving dosing speed, accuracy, and robustness [58]. This is directly relevant to people who get busy: reducing maintenance frequency is one of the clearest practical gains of automation [3] [58].

Confidence level: Medium - The direction of benefit is consistent, but the evidence base is smaller and concentrated in horticultural or hydroponic contexts rather than routine home plant care [12] [16].

Monitoring, Adoption, and Real-World Constraints

Multi-sensor monitoring and predictive care

Most IoT plant-care studies in the supplied evidence are prototype-level systems combining moisture sensing with temperature, humidity, and often light, pH, or nutrients, usually linked to cloud or mobile dashboards [13] [14] [18] [24] [59]. Many also include rule-based actions such as automatic pumping when soil moisture drops below a threshold, sometimes with notifications or manual override options [18] [22] [24] [31] [60].

Predictive features exist, but they are less dominant than basic sensing-and-control. Reported examples include machine-learning crop recommendations, ARIMA forecasting, and care or treatment alerts based on sensor or image analysis [14] [19] [61] [62] [63]. This suggests that current practical value lies more in dependable automation and monitoring than in sophisticated prediction [14] [64].

Reported sensing accuracy is generally high where measured, with examples around 94-95% for temperature, humidity, and light sensors and low error for moisture and temperature sensors [10] [13]. That supports feasibility, though high short-term accuracy does not by itself establish long-term reliability [24] [27].

Confidence level: Medium-High - There is strong evidence that multi-sensor monitoring platforms are feasible and increasingly common, but less evidence that predictive layers add major value beyond basic automation in home settings [13] [14] [64].

Usability, adherence, and neglect reduction

Mobile or web dashboards, visualization, and alerts are repeatedly associated with better engagement and easier monitoring [18] [19] [20]. One survey in low-cost IoT agrometeorological systems found that more than 80% of farmers reported user-friendly interfaces improved engagement with monitoring systems [23]. Real-time visibility and alerts allow users to monitor plants and intervene without constant inspection, which is exactly the use case for travel or busy schedules [21] [22].

However, direct evidence that these systems reduce neglect is mostly indirect. One micro-garden system stated that automation prevents over- and under-watering; one indoor/houseplant study reported monitored soil conditions remained in a narrow band; and one smart-plant field system reported reduced irrigation volumes and crop damage [14] [21] [31]. Home and in-house plantation studies do show that remote monitoring and automatic watering are feasible in everyday use [10] [18] [21] [22], but they do not yet provide strong long-term behavioral evidence on missed-care events or owner adherence.

So the evidence supports a careful conclusion: automation likely reduces neglect by reducing the number of routine actions users must remember and by surfacing exceptions remotely, but this effect is better supported by technical proxies than by direct household behavioral studies [18] [22] [31].

Confidence level: Medium - Usability benefits are well supported, but direct neglect-reduction measurement is limited [21] [23].

Reliability, cost, and scaling limitations

Reliability is a central adoption condition. The evidence repeatedly notes that low-cost IoT systems still depend on threshold tuning, calibration, sensitivity adjustment, and periodic validation to work reliably [20] [24] [25] [65]. Reviews also identify high production costs and limited long-term stability as barriers to wider adoption of real-time plant sensors [27]. More broadly, failures in smart agricultural systems can reduce yield or cause financial loss, making robustness essential for acceptance [66].

Setup burden also matters. In a one-year field study of a smart heating management system, users reported that many initial expectations were met, but unexpected usability issues and configuration effort emerged over time [33]. Although this is not a plant-watering study, it supports a general caution relevant to automation deployment: early promise can be offset by setup and maintenance friction [33].

Scaling barriers include cost and maintenance in vertical greenery systems [40], high production costs in controlled-environment agriculture [67], and broader dependence on improvements in profitability, energy efficiency, automation, robotics, and control for vertical farming scale-up [29]. Successful deployment also requires integration of multiple subsystems and adaptation to external factors [28]. Cloud-connected watering systems add network dependence, which creates another operational risk if connectivity becomes part of the control chain [30].

Plant-specific tuning is both a design strength and a scaling weakness. Many systems tailor care based on sensor data, plant databases, historical trends, local microclimate, or plant physiology [19] [34] [35] [36] [38] [39]. That supports better individualized care, but it also means a generic one-size-fits-all consumer device may underperform without calibration and recipe adaptation [5] [36].

Confidence level: High - Reliability, calibration, cost, and tuning barriers are repeatedly and explicitly described across the evidence base [24] [25] [27] [28] [30].

Practical Synthesis: What Works Best for Reducing Neglect

The evidence supports a pragmatic hierarchy for anti-neglect system design:

1. **Closed-loop local watering should be the foundation** because it has the strongest evidence for protecting plant health under inconsistent human attention [1] [4].
2. **Moderate, species-appropriate thresholds are safer than aggressive water-saving targets** [5] [8].
3. **Remote alerts and dashboards are useful as exception-management tools** rather than substitutes for robust local control [22] [23].
4. **Fertigation adds value where feeding consistency matters**, especially in hydroponic or intensive small horticultural settings [11] [12].
5. **Graceful degradation is important**: inferred from the evidence on network dependence and reliability, a system should keep watering locally even if cloud access fails [30] [66].
   Inferred: This design implication is not directly tested as a packaged intervention in the supplied studies, but it follows from the contrast between strong evidence for local moisture control and repeated warnings about system robustness and network dependence [4] [30].
   Confidence level: Low-Medium - Reasonable inference, but not directly trialed in the supplied evidence.

Conclusion

The research supports automated plant care—especially **soil-moisture-based closed-loop irrigation**—as an effective response to plant decline caused by inconsistent manual attention [1] [2] [3] [4]. The strongest demonstrated benefits are more stable moisture, reduced water waste, lower labor, and plant performance that often matches or exceeds manual or timer-based care [1] [2] [4]. Integrated fertigation and multi-sensor systems further extend automation toward nutrient management and remote oversight, with promising gains in growth and easier care [12] [14] [16] [17].

The main caveat is that automation works well only when it is **reliably engineered and correctly tuned**. Wrong thresholds, drift, setup burden, and cost can undermine the benefits [8] [24] [25] [27]. The literature therefore supports a practical answer to the original problem: automated plant care can materially reduce neglect, but the most defensible current solution is a **reliable, locally controlled watering-first system with optional fertigation and remote alerts**, not a generic fully autonomous setup requiring no oversight [4] [12] [22].

Overall confidence level: High for the conclusion that automated watering reduces inconsistency and helps maintain plant health; **Medium** for broader integrated-care claims; **Medium-Low** for direct long-term home neglect reduction because household behavioral evidence remains limited [1] [12] [18] [21].

References

1. Montesano, F.F., van Iersel, M.W., Parente, A. (2016) Timer versus moisture sensor-based irrigation control of soilless lettuce: Effects on yield, quality and water use efficiency. *Horticultural Science*. https://doi.org/10.17221/312/2014-HORTSCI
2. Tüzel, I.H., Tüzel, Y., Öztekin, G.B., Tunali, U. (2017) Irrigation of organic greenhouse cucumber with a low cost wireless soil moisture sensor. *Acta Horticulturae*. https://doi.org/10.17660/ActaHortic.2017.1164.38
3. Wheeler, W.D., Thomas, P., van Iersel, M., Chappell, M. (2018) Implementation of sensor-based automated irrigation in commercial floriculture production: A case study. *HortTechnology*. https://doi.org/10.21273/HORTTECH04114-18
4. Haley, M.B., Dukes, M.D. (2011) Validation of landscape irrigation reduction with soil moisture sensor irrigation controllers. *Journal of Irrigation and Drainage Engineering*. https://doi.org/10.1061/(ASCE)IR.1943-4774.0000391
5. Palumbo, M., D'Imperio, M., Tucci, V., (...), Montesano, F.F. (2021) Sensor-based irrigation reduces water consumption without compromising yield and postharvest quality of soilless green bean. *Agronomy*. https://doi.org/10.3390/agronomy11122485
6. https://www.sciencedirect.com/science/article/pii/S2661890725004107
7. Feng, X., Yan, Z., Liu, N., (...), Liu, X. (2025) Optimizing soil water sensor placement and irrigation thresholds for winter wheat: A data-driven approach to efficient water management. *Agricultural Water Management*. https://doi.org/10.1016/j.agwat.2025.109861
8. Wheeler, W.D., Chappell, M., van Iersel, M., Thomas, P. (2020) Implementation of soil moisture sensor based automated irrigation in woody ornamental production. *Journal of Environmental Horticulture*. https://doi.org/10.24266/0738-2898-38.1.1
9. Nam, S., Kang, S., Kim, J. (2020) Maintaining a constant soil moisture level can enhance the growth and phenolic content of sweet basil better than fluctuating irrigation. *Agricultural Water Management*. https://doi.org/10.1016/j.agwat.2020.106203
10. Nurhayati, N., Faraby, M.D., Asriyadi, (...), Mukhlisin, n. (2025) Implementation of Internet of Things (IoT) for Automated Flower Plant Irrigation System. *International Review on Modelling and Simulations*. https://doi.org/10.15866/iremos.v18i4.26851
11. Atendido, A.D.D., Osorio, A.K.B., Magwili, G.V. (2024) Arduino Automated Irrigation and Fertigation System with IoT Interface for Tomato Garden. *2024 16th International Conference on Computer and Automation Engineering, ICCAE 2024*. https://doi.org/10.1109/ICCAE59995.2024.10569790
12. Bindhu, S., Kujani, T. (2025) Real-Time IoT Framework for Efficient Water and Nutrient Management in Horticulture. *Proceedings of 6th International Conference on IoT Based Control Networks and Intelligent Systems, ICICNIS 2025*. https://doi.org/10.1109/ICICNIS66685.2025.11315784

13. Saputri, F.R., Shabrina, N.H., Wong, V., (...), Subik, L.T. (2025) IoT-Based Multi-Sensor Platform Prototype for Soil, Air, and Light Monitoring in Agriculture. *Proceedings of the International Conference on Sensing Technology, ICST*. https://doi.org/10.1109/ICST66402.2025.11512616

14. Thirunavukkarasu, J., Naveenkumar, P., Akash, A., Anish Karthick, S. (2025) IoT Plant Monitoring and Pest Control. *Proceedings - 2025 International Conference on Recent Innovation in Science Engineering and Technology, ICRISET 2025*. https://doi.org/10.1109/ICRISET64803.2025.11252268

15. Ningoji, S.N., Thimmegowda, M.N., Mudalagiriyappa, (...), Hegde, M. (2024) Effect of automated sensor-driven irrigation and fertigation on green pepper (Capsicum annuum L.) growth, phenology, quality and production. *Scientia Horticulturae*. https://doi.org/10.1016/j.scienta.2024.113306

16. Chuah, Y.D., Khor, J.S., Lim, I.Y., (...), Alexander, C.H.C. (2024) Assessment of automated fertigation and irrigation on the growth of Bok Choy (Brassica Rapa Chinensis) in a hydroponic vertical farming system. *AIP Conference Proceedings*. https://doi.org/10.1063/5.0230068

17. Zhang, H., He, L., Di Gioia, F. (2023) Implementing internet of things (IoT) sensor-based precision irrigation with LoRaWAN technology for enhancing yield, quality, and resource use efficiency of soilless basil. *Acta Horticulturae*. https://doi.org/10.17660/ActaHortic.2023.1377.79

18. Raj, A., Dubey, A., Jayant, V., Ramji, T. (2025) Smart Plant Monitoring System. *2025 IEEE International Conference on Emerging Technologies and Applications, MPSec ICETA 2025*. https://doi.org/10.1109/MPSecICETA64837.2025.11118758

19. Shivangi, K., Pratik, P. (2025) Plant Guardian: Intelligent Plant Monitoring & Care Recommendation System. *Proceedings of 1st IEEE Uttar Pradesh Section Women in Engineering International Conference on Electrical, Electronics and Computer Engineering, UPWIECON 2025*. https://doi.org/10.1109/UPWIECON67212.2025.11390176

20. Sreelakshmi, P., Prabhavathi, C., Navyashree, K. (2018) Design and implementation of an Arm Cortex M0+ based low power sensor node for an IoT based plant monitoring system. *2018 3rd IEEE International Conference on Recent Trends in Electronics, Information and Communication Technology, RTEICT 2018 - Proceedings*. https://doi.org/10.1109/RTEICT42901.2018.9012479

21. Singh, S., Ojha, U., Prabhu, P.M., (...), Hiremath, S. (2024) Analysis of Soil Viability Monitoring System for In-House Plantation Growth Using an Internet of Things Approach. *Pertanika Journal of Science and Technology*. https://doi.org/10.47836/pjst.32.6.10

22. Modak, A., Mondal, A., Goon, S. (2023) An Android based Automatic Irrigation System for Home Gardening. *14th International Conference on Advances in Computing, Control, and Telecommunication Technologies, ACT 2023*. https://www.scopus.com/pages/publications/85174406048

23. Kalaany, Christa M. Al, Kimaita, Hilda N., Abdelmoneim, Ahmed A., (...), Dragonetti, Giovana (2025) The Potential of Low-Cost IoT-Enabled Agrometeorological Stations: A Systematic Review. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s25196020

24. Anusha, P., Goutham, D.G., Manjula, K. (2025) Investigation Study on Hydroponics with Difference of Sponge and Cocopeat to Know the Sustainability Technology. *16th International Conference on Advances in Computing, Control, and Telecommunication Technologies, ACT 2025*. https://www.scopus.com/pages/publications/105034893077

25. Anusha, P., Mulk, Z., Akshay Kumar, A.H.S., (...), Sachin, M.S. (2025) Design And Implementation of an IoT-based Plant Monitoring System for Sustainable Infrastructure Management. *16th International Conference on Advances in Computing, Control, and Telecommunication Technologies, ACT 2025*. https://www.scopus.com/pages/publications/105034898546

26. Wichitwechkarn, V., Rohde, W., Choudhary, R. (2023) Design and validation of an open-sourced automation system for vertical farming. *HardwareX*. https://doi.org/10.1016/j.ohx.2023.e00497

27. Bai, Y., Liao, Z., Shang, J., (...), Wei, X. (2025) A review on real-time plant monitoring sensors for smart agriculture. *Chemical Engineering Journal*. https://doi.org/10.1016/j.cej.2025.168868

28. Shamshiri, R.R., Kalantari, F., Ting, K.C., (...), Shad, Z. (2018) Advances in greenhouse automation and controlled environment agriculture: A transition to plant factories and urban agriculture. *International Journal of Agricultural and Biological Engineering*. https://doi.org/10.25165/j.ijabe.20181101.3210

29. van Delden, S.H., SharathKumar, M., Butturini, M., (...), Marcelis, L.F.M. (2021) Current status and future challenges in implementing and upscaling vertical farming systems. *Nature Food*. https://doi.org/10.1038/s43016-021-00402-w

30. Reghukumar, A., Vijayakumar, V. (2019) Smart Plant Watering System with Cloud Analysis and Plant Health Prediction.. *Procedia Computer Science*. https://doi.org/10.1016/j.procs.2020.01.088

31. Nguyen, V.K., Sheng, Q.Z., Adnan, A., (...), Vo, T.D. (2020) Demo abstract: an internet of plants system for micro gardens. *Proceedings - 2020 19th ACM/IEEE International Conference on Information Processing in Sensor Networks, IPSN 2020*. https://doi.org/10.1109/IPSN48710.2020.000-9

32. Nikolaou, G., Manes, A. (2025) Information design process for measuring evapotranspiration with an electronic atmometer. *Measurement: Journal of the International Measurement Confederation*. https://doi.org/10.1016/j.measurement.2025.117597

33. Scoccia, G.L., Eramo, R., Autili, M. (2023) Studying users' perception of IoT mobile companion apps. *Pervasive and Mobile Computing*. https://doi.org/10.1016/j.pmcj.2023.101786

34. Haryadi H, M.A., Hasintongan, J.G., Yeremia, H., (...), Adiono, T. (2023) Smart Plant Monitoring System with Adaptive Linear Regression Predictor for Predicting Next Watering Time. *Proceedings of the International Conference on Electrical Engineering and Informatics*. https://doi.org/10.1109/ICEEI59426.2023.10346966

35. Ilangaweera, I.A.S., Naramada, S.E.M.H., Sajith, N.T.M., (...), Hinas, M.N.A. (2024) IOT Based Smart Plant Growing and Caring Platform for Urban Environments. *Proceedings of ICITR 2024 - 9th International Conference on Information Technology Research: Harnessing the Potential of Information Technology*. https://doi.org/10.1109/ICITR64794.2024.10857784

36. Nassar, J.M., Khan, S.M., Rosas Villalva, D.R., (...), Hussain, M.M. (2018) Compliant plant wearables for localized microclimate and plant growth monitoring. *npj Flexible Electronics*. https://doi.org/10.1038/s41528-018-0039-8

37. Pettit, T., Irga, P.J., Torpy, F.R. (2018) Towards practical indoor air phytoremediation: A review. *Chemosphere*. https://doi.org/10.1016/j.chemosphere.2018.06.048

38. Chai, Y., Chen, C., Luo, X., (...), Liu, X. (2021) Cohabiting Plant-Wearable Sensor In Situ Monitors Water Transport in Plant. *Advanced Science*. https://doi.org/10.1002/advs.202003642

39. Monje, O., Richards, J.T., Carver, J.A., (...), Onate, B.G. (2020) Hardware Validation of the Advanced Plant Habitat on ISS: Canopy Photosynthesis in Reduced Gravity. *Frontiers in Plant Science*. https://doi.org/10.3389/fpls.2020.00673

40. Bustami, R.A., Belusko, M., Hopeward, J., Beecham, S. (2018) Vertical greenery systems: A systematic review of research trends. *Building and Environment*. https://doi.org/10.1016/j.buildenv.2018.09.045

41. Jin, E.-J., Choi, M.-S., Lee, H., (...), Yoon, J.-H. (2024) Smart Automatic Irrigation Enhances Sap Flow, Growth, and Water Use Efficiency in Containerized Prunus × yedoensis Matsum. Seedling. *Plants*. https://doi.org/10.3390/plants13233270

42. Li, W., Zheng, Y., Nascimento, M., Singh, S. (2025) Iot-Based Smart Watering System With Multi-Modal Ai for Improved Plant Growth. *2025 IEEE 16th Annual Ubiquitous Computing, Electronics and Mobile Communication Conference, UEMCON 2025*. https://doi.org/10.1109/UEMCON67449.2025.11267563

43. Bhatti, S., Heeren, D.M., Evett, S.R., (...), Neale, C.M.U. (2022) Crop response to thermal stress without yield loss in irrigated maize and soybean in Nebraska. *Agricultural Water Management*. https://doi.org/10.1016/j.agwat.2022.107946

44. Wheeler, W.D., Williams-Woodward, J., Thomas, P.A., (...), Chappell, M.R. (2017) Impact of substrate volumetric water on Pythium aphanidermatum Infection in Petunia ×hybrida: A case study on the use of automated irrigation in phytopathology studies. *Plant Health Progress*. https://doi.org/10.1094/PHP-01-17-0006-RS

45. Domínguez-Niño, J.M., Oliver-Manera, J., Girona, J., Casadesús, J. (2020) Differential irrigation scheduling by an automated algorithm of water balance tuned by capacitance-type soil moisture sensors. *Agricultural Water Management*. https://doi.org/10.1016/j.agwat.2019.105880

46. Yildirim, M., Demirel, M. (2011) An automated drip irrigation system based on soil electrical conductivity. *Philippine Agricultural Scientist*. https://www.scopus.com/pages/publications/84859403187

47. Rakshitha, T.K., Chaitra, C. (2024) Innovative Solutions for Plant Care: An Automatic Water Pump System. *10th International Conference on Electrical Energy Systems, ICEES 2024*. https://doi.org/10.1109/ICEES61253.2024.10776862

48. Nurmalitasari, n., Nurchim, N., Lestari, R.D. (2025) Artificial intelligence-driven solar smart irrigation for sustainable agriculture: Trends, challenges, and SDG implications – A systematic review. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2025.101665

49. Yadav, N., Pattabiraman, B., Tummuru, N.R., (...), Vijayalakshmanan, S. (2024) Toward improving water-energy-food nexus through dynamic energy management of solar powered automated irrigation system. *Heliyon*. https://doi.org/10.1016/j.heliyon.2024.e25359

50. Ihuoma, S.O., Madramootoo, C.A. (2017) Recent advances in crop water stress detection. *Computers and Electronics in Agriculture*. https://doi.org/10.1016/j.compag.2017.07.026

51. Jiménez-López, A.-F., Cárdenas, P.-F., Ruíz-Canales, A., (...), Portacio, A. (2020) A survey on intelligent agents and multi-agents for irrigation scheduling. *Computers and Electronics in Agriculture*. https://doi.org/10.1016/j.compag.2020.105474

52. Nikolaou, G., Neocleous, D., Kitta, E., Katsoulas, N. (2023) Assessment of the Priestley-Taylor coefficient and a modified potential evapotranspiration model. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2022.100075

53. Thakre, A., Sinha, J. (2024) Internet of Things (IoT): A Technology for Smart Irrigation and Monitoring. *Recent Advancements in Sustainable Agricultural Practices: Harnessing Technology for Water Resources, Irrigation and Environmental Management*. https://doi.org/10.1007/978-981-97-2155-9_4

54. Rajapaksha, I., Gamage, T., Eranga, I., (...), Gamage, K. (2022) Smart Irrigation System for Domestic Homes. *4th International Conference on Smart Sensors and Application: Digitalization for Societal Well-Being, ICSSA 2022*. https://doi.org/10.1109/ICSSA54161.2022.9870960

55. Panneerselvam, S., Abhijith, P.R., Illahi, M.A., Kumar, R.K. (2023) Plant Incubation System Using Moisture and Rain Sensors. *AIP Conference Proceedings*. https://doi.org/10.1063/5.0175890

56. Shah, R.N.L.A.R.Z., Tajjudin, M., Ishak, N. (2024) NodeMCU-Blynk Integration: Cultivating Remote Control and Monitoring for Peace Lily (Spathiphyllum) Plant Growth and Health. *2024 IEEE International Conference on Applied Electronics and Engineering, ICAEE 2024*. https://doi.org/10.1109/ICAEE62924.2024.10667572

57. Sonali, He, J., Wang, Y., (...), Chen, Z.-H. (2025) Optimised fertigation improves yield and quality of cucumbers for resource efficiency and economic return in high-tech greenhouses. *Journal of Agriculture and Food Research*. https://doi.org/10.1016/j.jafr.2025.101699

58. Sulaiman, H., Yusof, A.A., Mohamed Nor, M.K. (2025) Automated Hydroponic Nutrient Dosing System: A Scoping Review of pH and Electrical Conductivity Dosing Frameworks. *AgriEngineering*. https://doi.org/10.3390/agriengineering7020043

59. Gawade, P., Bulbule, R., Paikrao, P., (...), Marwadkar, G. (2025) Cloud based IoT System for Plant health Monitoring. *2025 Global Conference in Emerging Technology, GINOTECH 2025*. https://doi.org/10.1109/GINOTECH63460.2025.11076950

60. Sridevi, A., Devadharshini, K., Deepika, B., (...), Bharathi, G. (2024) Smart Aquaponics and Hydroponics Monitoring Using IoT. *2nd International Conference on Artificial Intelligence and Machine Learning Applications: Healthcare and Internet of Things, AIMLA 2024*. https://doi.org/10.1109/AIMLA59606.2024.10531612

61. Pujitha, P.S., Bhoomika, H.R., Saideep, K., (...), Shekhar, R. (2024) Smart Plant Watering System for Advanced Irrigation. *2nd IEEE International Conference on Advances in Information Technology, ICAIT 2024 - Proceedings*. https://doi.org/10.1109/ICAIT61638.2024.10690693

62. Kamruzzaman, S.M., Pavel, M.I., Hoque, M.A., Sabuj, S.R. (2019) Promoting greenness with iot-based plant growth system. *EAI/Springer Innovations in Communication and Computing*. https://doi.org/10.1007/978-3-030-02674-5_16

63. Pawar, R.G., Pujeri, R.V., Kapare, S. (2025) Real-Time Plant Disease Detection Using Edge AI on Plantify's IoT Network. *Lecture Notes in Networks and Systems*. https://doi.org/10.1007/978-981-96-6124-4_36

64. Sussman, D. (2005) Alarm! Alarm! Your line is about to shut down. *Control Engineering*. https://www.scopus.com/pages/publications/34250669606

65. Chavakula, S.J., Mahamuni, C.V., Agrawal, K.D., (...), Adhav, Y.S. (2024) Smart Plant Monitoring: An Integrated IoT System for Sustainable Precision Agriculture. *2024 MIT Art, Design and Technology School of Computing International Conference, MITADTSoCiCon 2024*. https://doi.org/10.1109/MITADTSoCiCon60330.2024.10575109

66. Mba, P.C., Njoku, J.N., Uyeh, D.D. (2025) Enhancing resilience in specialty crop production in a changing climate through smart systems adoption. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2025.100897

67. Gómez, C., Currey, C.J., Dickson, R.W., (...), Burnett, S.E. (2019) Controlled environment food production for urban agriculture. *HortScience*. https://doi.org/10.21273/HORTSCI14073-19