Generated by Scopus AI, Sat Oct 10 2026

Automated plant care solutions

Automated Plant Care: Technologies, Challenges, and Adoption in Modern Environments

Quick Reference

Key Findings Table

Theme	Summary	Supporting Citations
AI, IoT, Multi-Sensor Integration	Real-time monitoring and adaptive control of watering, lighting, and fertilization; reduces manual intervention and improves plant health	1 2 3
Scalability & Integration Gaps	Data silos, lack of standardization, legacy system barriers limit multi-plant scalability	4 5 6 7
User Adoption Barriers	Cost, trust, safety, training, and socio-economic factors affect adoption; urban households and developing regions face unique challenges	8 9 10 11
Adaptive Control & Robotics	AI-driven adaptive control, robotic navigation, gesture recognition, and self-healing mechanisms enhance precision and reliability	12 13 14 15
Environmental & Plant-Specific Factors	Humidity, temperature, soil quality, and plant physiology are critical for system effectiveness; adaptive algorithms needed	1 16 17 18

Direct Answer

Manual plant care is often inconsistent because it cannot dynamically react to changing environmental and plant needs, leading to poor health or even plant death when owners are busy or away. Research supports the development of automated plant care systems that integrate IoT sensors, AI-driven analytics, and adaptive control algorithms to monitor and adjust watering, lighting, and fertilization in real time. These smart systems are designed to reduce manual intervention, optimize resource use, and address challenges related to scalability, sensor accuracy, and user adoption, ultimately improving plant health even during extended periods of owner absence.

Study Scope

- **Time Period:** 2018–2024
- **Disciplines:** Computer science, agricultural engineering, human-computer interaction, environmental science, robotics, social sciences

- **Methods:** Meta-analysis, empirical studies, case studies, system design reviews, user adoption surveys, technical evaluations

Assumptions & Limitations

- Most studies focus on indoor and controlled environments; outdoor and large-scale agricultural settings may present additional challenges.
- Sensor calibration, environmental variability, and plant-specific requirements are ongoing sources of error.
- Socio-economic and infrastructural barriers are more pronounced in developing regions.
- Integration with legacy systems and standardization across platforms remain unresolved.
- User adoption studies are often limited to urban or technologically literate populations.

Suggested Further Research

- Development of standardized, modular architectures for seamless integration across heterogeneous systems.
- Targeted interventions to address socio-economic and technical literacy barriers in developing regions.
- Longitudinal studies on system reliability, maintenance, and user engagement.
- Exploration of digital twin and adaptive robotics for predictive plant care.
- Low-cost retrofit solutions for legacy equipment.

1. Introduction

Background and Motivation

Plant neglect due to inconsistent manual care is a widespread issue, particularly when owners travel or become busy. Manual watering, lighting, and fertilizing are unreliable, leading to high rates of plant withering and death. The increasing relevance of automation in plant care is evident in both domestic and commercial settings, where smart systems promise to reduce daily attention requirements and improve plant health outcomes. The convergence of AI, IoT, and sensor technologies is driving innovation in this space, offering adaptive, responsive solutions to the challenges of manual plant care [19] [20] [21].

Synthesis:
The need for automated plant care is rooted in the limitations of manual intervention and the growing demand for sustainable, low-maintenance solutions. Automation not only addresses the practical challenges of plant neglect but also aligns with broader trends in smart home and precision agriculture technologies.

2. Theoretical Frameworks

Automated Plant Care Technologies

Current Technologies for Watering, Lighting, and Fertilizing

- **Sensor-Based Irrigation:** Soil moisture sensors and microcontrollers (Arduino, ESP8266) trigger irrigation based on real-time data, reducing manual intervention [19] [20] [21].
- **IoT-Enabled Monitoring:** Remote control via mobile apps allows users to monitor and adjust watering schedules, enhancing convenience and plant health [20] [22] [23].
- **Multi-Sensor Integration:** Systems combine soil moisture, temperature, humidity, and light sensors, using machine learning to predict optimal care schedules [1] [2] [24].
- **Supplementary Lighting:** Automated lighting systems ensure adequate exposure, controlled via Bluetooth or IoT interfaces [25].
- **Robotic Solutions:** Autonomous robots navigate indoor environments, providing precision watering and obstacle avoidance [26] [27].
- **AI & Computer Vision:** Real-time pest detection and health monitoring via convolutional neural networks enable early intervention [2] [28] [29].
- **Automated Greenhouse Systems:** Integrated control of temperature, humidity, watering, and hydroponic nutrient delivery, accessible remotely [30].
- **Smart Sprinkler Systems:** Focus on water conservation and sustainability through accurate scheduling and distribution [31].
- **Emphasis:** Sustainability, water conservation, remote accessibility, and sensor-AI integration are central to maintaining plant health during owner absence [19] [32] [33].

Advancements in Multi-Sensor Integration

- **Sensor Fusion:** Combining soil moisture, temperature, humidity, and light sensors for optimized care [34] [35] [36] [37].
- **IoT Platforms:** Real-time remote control and data visualization via platforms like Blynk and ThingSpeak [22] [36] [38].
- **Adaptive Algorithms:** Fuzzy logic and machine learning dynamically adjust schedules based on sensor data [1] [39] [40].
- **Gesture Recognition:** Visual gesture interfaces expand user interaction options [34].
- **Solar-Powered Designs:** Energy-efficient systems reduce reliance on external power [35] [41].

- **Multi-Zone Management:** Lighting and security integrated with watering for comprehensive environmental control [36].
- **Crop Recommendation Systems:** Tailored strategies for specific plant types and conditions [22] [41].
- **Robotic Path Planning:** Line follower robots with IR sensors enable targeted watering [27].
- **Challenges:** Sensor calibration and adaptation to diverse plant species remain ongoing issues [41] [42].

AI and Machine Learning for Adaptive Care

- **Fertilizer Optimization:** ML models integrate real-time sensor data to adjust fertilizer application, improving efficiency and reducing pollution [43] [44].
- **Predictive Analytics:** Algorithms like Random Forest and XGBoost predict optimal fertilizer types and doses [44] [45] [46].
- **Time Series & LSTM:** Capture temporal dependencies for adaptive resource management [47].
- **Explainable AI:** SHAP and similar tools enhance transparency in recommendations [45].
- **Multi-Source Data:** Integration of soil, weather, and remote sensing for tailored schedules [48] [49].
- **Optimization Frameworks:** Bayesian methods and hyperparameter tuning improve precision [50].
- **Remote Control:** IoT and ML enable automated fertigation aligned with current conditions [44] [51].
- **Economic Outcomes:** ML-based recommendations improve crop selection and profitability [52] [53].

Robotic and Automated Systems for Indoor Plant Care

- **Sensor Technologies:** Advanced sensors and robust mechanical designs for navigation and precision watering [54].
- **Obstacle Avoidance:** Fuzzy Logic Controller-Optimal Reciprocal Collision Avoidance (FLC-ORCA) improves navigation [12].
- **Multi-Sensor Fusion:** Vision, laser, and data-level fusion enhance accuracy [55].
- **Path Planning:** Genetic algorithms and hierarchical reinforcement learning optimize routes [56] [57].
- **Machine Vision:** Real-time perception and mapping for precise localization [58].
- **Environmental Adaptability:** Waterproofing and corrosion resistance for stable operation [54].
- **Hybrid Control Methods:** Metaheuristic and adaptive learning controllers improve reliability [13] [59].

- **Challenges:** Complex environments, cost, and need for standardized platforms [55] [60].

User Interfaces and Mobile App Integration

- **IoT-Enabled Apps:** Real-time monitoring and control via ESP8266/Blynk platforms [61] [62].
- **Sensor Accuracy:** High reliability (>90%) in data and irrigation activation [63] [64].
- **Fuzzy Logic Integration:** Enhances water distribution and remote control [39] [40].
- **Sustainable Practices:** Reduced manual labor and water conservation [65] [66].
- **AI-Powered Systems:** Autonomous monitoring and action with remote reporting [67].
- **User Engagement:** Usability and real-time data accessibility drive adoption; cost remains a barrier [68].
- **Resource Efficiency:** Precise nutrient and water management via remote control [69] [70].
- **Mobile Interfaces:** Convenient management of schedules and conditions [62] [71].

Synthesis:
Automated plant care technologies are increasingly sophisticated, integrating multi-sensor data, AI-driven analytics, and user-friendly interfaces. These systems are effective in reducing manual labor, optimizing resource use, and maintaining plant health, but challenges in sensor calibration, environmental adaptation, and user adoption persist.

3. Methods & Data Transparency

- **Meta-Analysis:** Aggregated findings from empirical studies, system reviews, and user surveys.
- **Empirical Studies:** Evaluation of sensor accuracy, system reliability, and user engagement in real-world and simulated environments.
- **Case Studies:** Implementation of automated systems in greenhouses, urban households, and commercial settings.
- **Technical Evaluations:** Assessment of AI algorithms, sensor fusion, and robotic navigation.
- **User Adoption Surveys:** Analysis of socio-economic, psychological, and social network factors influencing adoption.

Synthesis:
The report draws on a diverse set of methodologies, ensuring comprehensive coverage of technological, operational, and human factors. Data transparency is maintained through frequent citation and synthesis of findings across disciplines.

4. Critical Analysis of Findings

Challenges and Limitations

System Reliability and Failure Modes

- **Sensor Node Failures:** Actuator malfunctions and access point failures degrade performance [72] [73] [74].
- **Fault Tolerance:** Optimized node placement and distributed control improve resilience [72] [74] [75].
- **Power Monitoring:** Early detection of abnormal operations enhances reliability [73].
- **Environmental Variability:** Adaptive control strategies are needed for resource constraints [75] [76].
- **Wireless Network Issues:** Orphaned nodes, limited energy, hardware faults, and security vulnerabilities impact data integrity [77] [78] [79].
- **Decentralized Control:** Local controllers enable continued operation in unaffected zones [75].

Maintenance and Usability Constraints

- **Routine Maintenance:** Critical for long-term usability; hardware reliability and system design quality are key [80].
- **Technical Skill Demands:** Evolving systems require higher technical aptitude [81].
- **Training Innovations:** VR simulations and structured programs reduce effort and improve effectiveness [82].
- **Human Factors:** Interface design and training influence acceptance [83].
- **Software Maintainability:** Criteria often below expectations, challenging long-term usability [84].
- **Data Management:** Standardization improves efficiency and reduces errors [85].

Limitations in Automated Nutrient Delivery and Disease Detection

- **Nutrient Delivery:** High costs, lack of standardization, regulatory gaps, and scalability issues [86] [87] [88] [89].
- **Safety Concerns:** Nanoparticle toxicity and bioaccumulation limit deployment [89] [90] [91].
- **Adaptive Response:** Systems often lack dynamic adaptation to diverse triggers and demands [91] [92].
- **Precision Fertilization:** Regional disparities and integration difficulties limit accessibility [93].
- **Complex Interactions:** Climate, soil, and crop responses not fully addressed [94].
- **Farmer Awareness:** Economic feasibility and regulatory frameworks insufficient [90] [95] [96].
- **Disease Detection:** Image processing and deep learning improve accuracy, but data quality, class imbalance, and domain shift remain challenges [97] [98] [99] [100].

- **Lightweight Models:** Enable real-time classification in resource-constrained environments [101].
- **Robotic Integration:** RGB and multispectral sensors enhance detection, but sensor selection is critical [102].
- **Scalability:** Lightweight architectures and semi-supervised learning needed for efficiency [103] [104].
- **Hybrid Approaches:** Bio-inspired ML improves robustness [105].
- **Mobile Applications:** Facilitate scalable, on-field diagnosis [106].
- **Environmental Variability:** Advanced imaging and model evaluation support sustainable farming [107].

Power Management, Security, and Environmental Stressors

- **Power Management:** Distributed architectures and hybrid energy strategies (solar, piezoelectric) enhance resilience [75] [108].
- **AI-Driven Efficiency:** Smart irrigation improves water-use efficiency and crop yields [109].
- **Centralized Control:** Real-time monitoring prevents resource wastage [110].
- **Energy Recovery:** Hydraulic generation in irrigation networks improves sustainability [111].
- **Wireless Sensor Security:** Vulnerabilities require robust IDS and blockchain integration for data integrity [112] [113] [114].
- **Trust Management:** Optimized cluster head selection and hybrid architectures improve security and reliability [115] [116].
- **Energy-Efficient Protocols:** Adaptive sleep/awake strategies prolong network lifetime [117] [118].
- **Cross-Layer Security:** Lightweight cryptographic models ensure secure transmission [119].

Synthesis:
Automated plant care systems face significant challenges in reliability, maintenance, nutrient delivery, disease detection, power management, and security. Addressing these issues requires adaptive algorithms, robust architectures, and targeted user training.

User Behavior and Adoption Barriers

Factors Influencing Adoption and Barriers

- **Cost & Lifestyle:** Major determinants of adoption; farm size and convenience also play roles [120].
- **Perceived Safety & Trust:** Key for user acceptance, especially among novices [8] [121].
- **Performance & Effort Expectancy:** Predict adoption intention; education and age moderate effects [121].

- **Transparency & Explainability:** Critical for acceptance of robotic automation [122].
- **Perceived Usefulness & Ease of Use:** Influence attitudes and adoption [123].
- **Management Support & External Pressure:** Affect adoption of material handling equipment [124].
- **Technical & Financial Constraints:** Barriers to weed control and other technologies [125].
- **User Experience & Attitudes:** Affect willingness to pay and adoption [126].
- **Work Culture & Business Cases:** Economic and technical issues limit adoption [127].
- **Domain Experience:** Experienced users show different trust patterns [128].
- **Regulatory Issues:** Lack of customer acceptance and industry standards [129].
- **Personal Events & System Factors:** Contribute to underutilization [130].
- **Self-Efficacy & Trust:** Key determinants in healthcare automation [131].
- **Privacy Concerns:** Increase resistance; autonomy and anthropomorphism can mitigate [132].
- **Social Factors:** Influence motivation and barriers [133].
- **System Upgrades:** Driven by reliability and security standards [81].

Socio-Economic and Demographic Influences

- **Income & Education:** Income increases adoption intent; education may decrease willingness due to skepticism [134].
- **Convenience & Time Savings:** Key enablers; cost is a significant barrier [10].
- **Social Norms & Attitudes:** Critical predictors of adoption [135].
- **Urban Residence & Communication Skills:** Increase ownership and willingness [136].
- **Motivational & Housing Factors:** Education, income, age, and building type influence adoption [137].
- **Facilitating Conditions & Trust:** Impact perceived usefulness and ease of use [131].
- **Government Support & Price Value:** Influence willingness to adopt and pay [138].

Trust, Safety, and User Experience

- **Trust:** Critical for acceptance; perceived safety and reduced risk enhance initial trust [139] [140] [141].
- **Ease of Use:** Important, but trust becomes more critical as AI autonomy increases [142].

- **Affective Trust:** Emotional connection drives acceptance [9] [143].
- **Education & AI Literacy:** Higher education correlates with greater trust [140] [144].
- **Privacy & Risk:** Negative impact; transparency and oversight needed [145] [146] [147].
- **Emotional Responses:** Enhance trust and intention to use [148].
- **Self-Efficacy:** Buffers technostress and improves acceptance [149].
- **Affective Experience:** Crucial for novice users [150].

Role of Education, Training, and Social Influence

- **Education & Training:** Enhance engagement, proficiency, and trust; interactive tools foster sustainable habits [11].
- **Mental Models & Operator Skills:** Address automation challenges [151].
- **Structured Training:** Reduces learning curve and promotes standardization [152].
- **Computer-Aided Instruction:** Improves response to procedures [153].
- **Simulators:** Increase reliability and troubleshooting efficiency [154].
- **Competency Management:** VR and gamification enhance motivation and retention [155].
- **Technical Aptitude:** Necessary for evolving systems [81].
- **Collaboration:** Frameworks involving specialists and workers support adoption [156].
- **Social Influence:** Peer effects, social capital, and network structure significantly impact adoption [121] [131] [133] [157] [158] [159] [160] [161] [162] [163] [164] [165] [166] [167] [168] [169] [170] [171] [172].

Synthesis:
User adoption is shaped by a complex interplay of cost, trust, safety, education, and social influence. Addressing these barriers through targeted training, transparent design, and peer-driven diffusion is essential for widespread adoption.

Technology Integration and Environmental Factors

Integration Gaps and Scalability Challenges

- **Data Silos & Interoperability:** Lack of integration across administrative levels and heterogeneous systems [173] [174] [175].
- **Legacy Systems:** Retrofitting and connecting older equipment is challenging [176].

- **Modular Architectures:** Needed for scalability and efficient management [4].
- **Distributed Server Architectures:** Improve flexibility and upgradeability [177].
- **AI & IoT Integration:** Requires scalable protocols and cloud integration [5] [178] [179] [180].
- **Energy Demands:** Limit scalability; energy-efficient equipment needed [181].

Environmental and Plant-Specific Factors

- **Humidity & Temperature:** Critical for monitoring accuracy; advanced sensor designs improve reliability [17] [182].
- **Hybrid Deep Learning Models:** Enhance forecasting and robustness [182].
- **Multi-Sensor Data Fusion:** Improves stress detection and environmental control [183] [184].
- **Sensor Errors:** Correction algorithms and design improvements needed [185] [186].
- **Fuzzy Adaptive Models:** Reduce impact of fluctuations [187].
- **Wireless Networks:** Real-time monitoring enables timely responses [188] [189].
- **Physics-Informed AI:** Improves imputation and simulation of missing data [190].

AI Techniques for Adaptive and Plant-Specific Care

- **CNNs & Reinforcement Learning:** Real-time nutrient assessment and disease detection [191].
- **Hybrid AI Systems:** Predictive modeling and simulation for resilient design [192].
- **Boosting-Based Ensembles:** High accuracy and interpretability for stress prediction [183].
- **Deep Learning Architectures:** Robust detection and scalable deployment [3].
- **Electrophysiological Sensors:** Noninvasive monitoring and optimization [193].
- **Explainable AI:** Grad-CAM, LIME, SHAP improve transparency [194].
- **Transfer Learning:** Enhances classification accuracy [195].
- **Digital Twins:** Precise modeling and adaptive responses [196].

Infrastructure, Technical Literacy, and Regulatory Barriers

- **Infrastructure Limitations:** Water, electricity, internet, and digital infrastructure are critical barriers [6] [7] [197] [198].

- **Technical Literacy:** Lack of skilled workforce and digital literacy impedes adoption [6] [7] [198] [199].
- **Financial Constraints:** High costs and limited credit access are intertwined with other barriers [6] [197] [200] [201] [202].
- **Socio-Cultural Factors:** Resistance to change and limited awareness can be mitigated by combining local knowledge with modern technology [7] [202] [203].
- **Targeted Interventions:** Capacity-building, digital literacy, affordable financing, and policy support are essential [7] [204] [205] [206].
- **Low-Cost Solutions:** Open-source IoT and AI tailored to resource-constrained environments show promise [207].
- **Collaborative Efforts:** Governments, NGOs, private sectors, and communities must align adoption with institutional contexts [202] [204] [208].
- **Digital Divides:** Affordability and access limit reach; localized solutions needed [198] [209].

Architectural Frameworks and Retrofitting Legacy Systems

- **Digital Twin Architectures:** Five-layer models support coordinated, scalable, and secure operations [210].
- **IoT-Based Modular Frameworks:** eSMARTGreen architecture ensures scalability and interoperability [4].
- **Service Oriented Architecture:** Facilitates resource sharing in distributed environments [211].
- **Middleware Solutions:** Enable real-time control and coordination [212].
- **Microservice-Oriented Architectures:** Support scalable integration and reduce overhead [213].
- **Unified Process & Power Automation:** Standards like IEC 61850 enhance interoperability [214].
- **Distributed Server Architectures:** Allow flexible upgrades and secure data sharing [177].
- **Smart Frameworks:** Digital twins and decentralized directory services enable scalable environments [215].
- **Cloud, Fog, Edge Computing:** Enhance latency, resilience, and context-awareness [216] [217].
- **Retrofitting Legacy Equipment:** Microcontrollers and IoT gateways enable connectivity; security frameworks ensure safe integration [218] [219] [220] [221] [222] [223] [224] [225] [226] [227].

Modular and Fault-Tolerant System Design

- **Modular Design:** Autonomous subsystems enable easier fault detection and reconfiguration [14] [228].
- **Hierarchical Architectures:** Facilitate fault recovery and dynamic reconfiguration [229].

- **Component-Based Frameworks:** Redundancy and runtime management maintain operation during faults [228].
- **Selective Redundancy:** Optimizes trade-off between complexity and resilience [230].
- **Virtual Commissioning:** Early testing reduces maintenance disruptions [231].
- **Digital Twin-Based Maintenance:** Fault localization and visual interfaces enhance efficiency [232].
- **Microservice Architectures:** Modularize software for load balancing and fault isolation [233].

Synthesis:
Integration gaps, environmental variability, and plant-specific factors are major determinants of system effectiveness and scalability. Modular, fault-tolerant designs and targeted interventions are essential for robust, scalable, and accessible automated plant care.

5. Real-World Implications

- **Domestic Settings:** Automated systems reduce daily attention requirements, improve plant survival, and enable remote management for busy or absent owners [20] [22] [23].
- **Commercial & Greenhouse Applications:** Integrated control of environmental parameters optimizes growth, conserves resources, and supports sustainability goals [30] [31].
- **Urban Households:** Socio-economic factors, trust, and ease of use are critical for adoption; targeted training and peer influence can accelerate diffusion [10] [134] [135].
- **Developing Regions:** Infrastructure, technical literacy, and financial constraints limit adoption; low-cost, open-source solutions and collaborative efforts are needed [6] [7] [197] [198].
- **Legacy Equipment:** Retrofit strategies enable connectivity and integration, making advanced care accessible in resource-constrained settings [218] [219] [220].
- **Sustainability:** AI-driven adaptive control and energy-efficient designs support water conservation, reduced pollution, and improved crop yields [1] [2] [31] [109].

Synthesis:
Automated plant care systems have transformative potential across domestic, commercial, and resource-limited environments. Real-world adoption depends on addressing technical, economic, and social barriers through robust design, targeted training, and inclusive policy frameworks.

6. Future Research Directions

- **Standardization & Modular Architectures:** Develop protocols and frameworks for seamless integration and interoperability across heterogeneous systems [4] [211].

- **Socio-Economic Interventions:** Address technical literacy and financial barriers in developing regions through capacity-building and affordable solutions [6] [7] [197] [198].
- **Longitudinal Reliability Studies:** Evaluate system performance, maintenance, and user engagement over extended periods [80] [81] [84].
- **Digital Twin & Adaptive Robotics:** Explore predictive modeling and real-time simulation for enhanced plant care [215] [234].
- **Low-Cost Retrofit Solutions:** Bridge legacy equipment with modern IoT networks for broader accessibility [218] [219] [220].
- **User-Centered Design:** Enhance transparency, trust, and emotional engagement through affective interfaces and peer-driven diffusion [9] [133] [143] [157].

Synthesis:
Future research should focus on standardization, modularity, socio-economic inclusion, and advanced modeling to overcome current limitations and realize the full potential of automated plant care systems.

Conclusion

Automated plant care technologies are rapidly evolving, integrating AI, IoT, and advanced sensor fusion to optimize watering, lighting, and fertilization based on real-time environmental and plant-specific data. While significant progress has been made in adaptive control, robotic navigation, and user interface design, challenges in scalability, integration, reliability, and user adoption persist. Addressing these gaps through standardized, modular designs, targeted training, and inclusive policy frameworks will pave the way for robust, accessible, and sustainable automated plant care solutions across diverse environments [16] [19] [20] [120] [235].

References

1. Applications of Internet of Things (IoT) in agriculture: A review Ramu, P., Kumar, B.A.V.R., Raju, P.G., Sowmya, M. Journal of Agrometeorology, 2025 https://www.scopus.com/pages/publications/105026907303?origin=scopusAI

2. Application of Internet of Things for Smart Greenhouse Management: Real Environment Testing Palee, R., Innet, S. 2025 SICE Festival with Annual Conference, SICE FES 2025, 2025 https://www.scopus.com/pages/publications/105030032699?origin=scopusAI