■ Staff Management API Documentation

1. Fetch All Staff Data

Endpoint: GET https://javaerp-api.onrender.com/api_Staff/all_staff_data

Description: Fetches all data for all staff, excluding the '_id' field.

Example: GET https://javaerp-api.onrender.com/api_Staff/all_staff_data

2. Fetch All Values of a Staff Attribute

Endpoint: GET https://javaerp-api.onrender.com/api_Staff/staff_attribute-values

Description: Fetches all values for a specified field from the users collection. Supports pagination.

Parameter	Type	Required	Description
field	String	Yes	The field (attribute) whose values are to be fetched.
page	Int	No	Page number to fetch (default: 0).
size	Int	No	Number of values per page (default: 10).

Example: GET https://javaerp-api.onrender.com/api_Staff/staff_attribute-values?field=name&page=0&size=10

3. Fetch Field by Attribute for Staff

Endpoint: GET https://javaerp-api.onrender.com/api_Staff/staff_field_attribute

Description: Fetches values of a specific field from documents where another attribute matches a given value.

Parameter	Type	Required	Description
attribute	String	Yes	The attribute used as a filter (e.g.,

			department).
value	String	Yes	The value of the filter attribute.
returnField	String	Yes	The field to retrieve from matched documents.

Example: GET https://javaerp-api.onrender.com/api_Staff/staff_field_attribute?attribute=department&value=HR&returnField=email

4. Edit Field by Attribute for Staff

Endpoint: PUT https://javaerp-api.onrender.com/api_Staff/edit_field_by_attribute_staff

Description: Edit values of a specific field from documents where another attribute matches a given value.

Parameter	Type	Required	Description
filter_attribute	String	Yes	Name of the filter attribute.
filter_value	String	Yes	Value of the filter attribute.
update_field	String	Yes	Name of the field which need to update.
new_value	String	Yes	The new value.

Example: PUT https://javaerp-api.onrender.com/api_Staff/dit_field_by_attribute_staff?filter_attribute=name&filter_value=Rupankar&update_field=email&new_value=rup@gmail.com

5. Delete Field by Attribute for Staff

Endpoint: DELETE https://javaerp-api.onrender.com/api_Staff/delete_field_by_attribute_staff

Description: Edit values of a specific field from documents where another attribute matches a given value.

Parameter	Type	Required	Description
filter_attribute	String	Yes	Name of the filter

filter_value	String	Yes	value of the filter

Example: DELETE https://javaerp-api.onrender.com/api_Staff/delete_field_by_attribute_staff?filter_attribute=name&filter_value=Rupankar

6. Assign staff by a Student Attribute

Endpoint: PUT https://javaerp-api.onrender.com/api_Staff/assign_staff

Description: Edit values of a specific field from documents where another attribute matches a given value.

Parameter	Type	Required	Description
filter_attribute	String	Yes	Name of the filter
filter_value	String	Yes	value of the filter
staff_name	String	Yes	Name of the staff

Example: PUT https://javaerp-api.onrender.com/api_Staff/assign_staff?filter_attribute=name&filter_value=Rupankar&staff_name=DishaThakur

7. Get all data of a Student by Staff Name

Endpoint: GET https://javaerp-api.onrender.com/api_Staff/assign_staff_student_data

Description: Edit values of a specific field from documents where another attribute matches a given value.

Parameter	Type	Required	Description
staff_name	String	Yes	Name of the staff

Example: GET https://javaerp-api.onrender.com/api_Staff/assign_staff_student_data?staff_name=DishaThakur