■ Student Management API Documentation

1. Fetch All Values of an Attribute

Endpoint: **GET** https://javaerp-api.onrender.com/api_Student/attribute_values
Description: Fetches all values for a specified field from the database. Supports pagination.

Parameter	Type	Required	Description
field	String	Yes	The field (attribute) whose values are to be fetched.
page	Int	No	Page number to fetch (default: 0).
size	Int	No	Number of values per page (default: 10).

Example: GET https://javaerp-api.onrender.com/api_Student/attribute_values?field=name&page;=0&size;=10

2. Fetch a Field by Attribute Value

Endpoint: **GET** https://javaerp-api.onrender.com/api_Student/field_by_attribute
Description: Fetches a specific field's value based on a filter attribute and its value.

Parameter	Type	Required	Description
attribute	String	Yes	The attribute used as a filter (e.g., email).
value	String	Yes	The value of the filter attribute.
field	String	Yes	The field to retrieve from the matched document.

Example: GET https://javaerp-api.onrender.com/api_Student/field_by_attribute?attribute=email&value;=user@example.com&field;=schoolname

3. Edit a Field by Attribute

Endpoint: **PUT** https://javaerp-api.onrender.com/api_Student/edit_field
Description: Updates a specific field in a document, identified by a matching attribute and its value.

Parameter	Type	Required	Description
filterAttr	String	Yes	Attribute used to locate the document.
filterValue	String	Yes	Value of the filter attribute.
updateField	String	Yes	The field to update.
newValue	String	Yes	The new value to assign.

Example: PUT https://javaerp-api.onrender.com/api_Student/edit_field?filterAttr=email&filterValue;=user@example.com&updateField;=schoolname&newValue;=Updated High School

4. Delete a Document by Attribute

Endpoint: **DELETE** https://javaerp-api.onrender.com/api_Student/delete_field
Description: Deletes a document where a specific attribute matches a given value.

Parameter	Type	Required	Description
attribute	String	Yes	The field used to locate the document.
value	String	Yes	The value of that field to match.

Example: DELETE
https://javaerp-api.onrender.com/api_Student/delete_field?attribute=email&value;=user@example.com

■ Notes:

- All endpoints assume the collection name is **'studentregisters'**.
- Pagination helps manage performance when the dataset is large.
- You can test these APIs using **Postman** or **cURL**.