



A Level • Cambridge (CIE) • Chemistry

4 mins

2 questions


Multiple Choice Practice

Topical Practice MCQ


19. Nitrogen compounds

Carefully selected past paper questions by topic.

32 The structure of coniine is shown.



Coniine can be synthesised by reacting ammonia with a dibromo compound, X.



What is compound X?

- A 1,1-dibromo-2-propylcyclopentane
- B 1,2-dibromo-2-propylcyclopentane
- C $\text{Br}(\text{CH}_2)_3\text{CHBr}(\text{CH}_2)_3\text{CH}_3$
- D $\text{Br}(\text{CH}_2)_4\text{CHBr}(\text{CH}_2)_2\text{CH}_3$

- 21 Which row identifies a suitable starting material and reagent that can be used to produce butanenitrile?

	starting material	reagent
A	$\text{CH}_3\text{CH}_2\text{CH}_2\text{Br}$	HCN
B	$\text{CH}_3\text{CH}_2\text{CH}_2\text{Br}$	NaCN
C	$\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{Br}$	HCN
D	$\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{Br}$	NaCN

Answer Key

No.	Paper	Topic	Answer
1	9701_s22_qp_12	19. Nitrogen compounds	D
2	9701_m20_qp_12	19. Nitrogen compounds	B