



SYMBIOSIS INSTITUTE OF TECHNOLOGY, PUNE

CASE STUDY ANALYSIS REPORT

ON

“AI-BASED SMART TRAFFIC MANAGEMENT SYSTEM”

Artificial Intelligence CA-3 Case Study

Submitted By:

SR.NO	Name	PRN	CLASS
1.	Om Dhamame	23070122155	TYCSE - B
2.	Pritika Kurup	23070122167	TYCSE - B
3.	Pushkraj Naik	23070122169	TYCSE - B

UNDER THE GUIDANCE OF

Usha Aniruddha Jogalekar
Assistant Professor, CSE
Symbiosis Institute of Technology

1. Brief Problem Description

Urban traffic congestion is a major issue caused by the use of fixed-time traffic signal systems that do not adapt to real-time traffic conditions. These systems result in increased waiting time at intersections, higher fuel consumption, environmental pollution, and delays in emergency services such as ambulances and fire trucks.

With the rapid increase in vehicle population, traditional traffic management systems are no longer efficient. There is a need for an intelligent system that can analyze traffic conditions dynamically and make decisions accordingly.

To address this problem, an AI-Based Smart Traffic Management System is proposed. The system uses computer vision and artificial intelligence techniques to monitor traffic in real time and dynamically adjust signal timings based on traffic density.

Objectives of the System:

- Detect and count vehicles using YOLOv8
- Estimate traffic density for each lane
- Dynamically adjust traffic signal timing
- Detect emergency vehicles and provide priority
- Reduce overall waiting time and congestion

2. Detailed Literature Review

Recent research shows that YOLOv8 is highly effective for real-time vehicle detection due to its high accuracy and speed. Studies also indicate that AI-based traffic signal control, especially using reinforcement learning and MDP models, significantly reduces congestion and waiting time compared to traditional fixed-time systems.

Emergency vehicle prioritization using AI has also been proven to improve response time and safety.

Sr. No.	Title	Purpose of the Study	Methodology	Key Findings	Limitations	Relevance to Our Work
[1]	Vehicle Classification and Counting for Traffic Analysis based on YOLOv8 Model	Vehicle classification and counting using YOLOv8 for traffic analysis	Single-stage YOLOv8 with deep learning metrics (precision, recall, mAP)	High accuracy in multi-class vehicle detection with real-time performance	Limited real-world variability testing	Supports YOLOv8-based detection and counting module

[2]	Real-Time Vehicle Detection Using YOLOv8-Nano for Intelligent Transportation Systems	Lightweight real-time vehicle detection system	YOLOv8-Nano optimized for edge devices and ITS deployment	Achieved efficient detection with low computational cost	Reduced accuracy compared to full YOLOv8	Useful for optimizing performance in low-resource environments
[3]	Intelligent Traffic Control System Using YOLO and Reinforcement Learning	Adaptive traffic control using AI	YOLO for detection + Reinforcement Learning for signal control	Improved traffic flow with adaptive signal timing	Simulation-heavy, limited real-world validation	Strong base for RL-based signal optimization in our system
[4]	AI-Driven Traffic Management System for Emergency Vehicle Prioritization Using YOLO	Emergency vehicle prioritization system	YOLO + OpenCV + real-time signal control	Fast detection (2–3 sec) and efficient prioritization	Limited dataset (mostly ambulances)	Supports emergency vehicle handling module
[5]	Intelligent Traffic Signal Optimization for Automated Emergency Vehicles Using Machine Learning	ML-based traffic signal optimization	Machine learning classifiers for signal switching	Faster response vs traditional systems	Simulation-based only	Helps justify AI-based signal controller
[6]	AI-Driven Smart Traffic Management System Using YOLO and OpenCV	Adaptive smart traffic management system	YOLO + OpenCV integration with real-time feeds	Improved automation and traffic monitoring efficiency	Limited deployment scale	Confirms feasibility of YOLO + OpenCV pipeline
[7]	Intelligent Traffic Monitoring System Based on YOLO and Convolutional	Hybrid traffic monitoring system	YOLO + fuzzy neural networks	Improved detection accuracy under complex conditions	Increased system complexity	Adds advanced hybrid AI approach reference

	Fuzzy Neural Networks					
[8]	Intelligent Traffic Monitoring System (arXiv version)	Enhanced traffic monitoring using AI	Similar YOLO + fuzzy neural model	Reinforces improved detection reliability	Preprint (not peer-reviewed)	Additional validation of hybrid model approach
[9]	MME-YOLO: Multi-Sensor Multi-Level Enhanced YOLO	Multi-sensor vehicle detection system	Enhanced YOLO with multi-sensor fusion	Robust detection in diverse conditions	High computational requirements	Useful for scalability and robustness discussion
[10]	Real-Time Vehicle Detection Based on Improved YOLOv5	Improved YOLO-based detection system	Modified YOLOv5 architecture	Better accuracy and efficiency than baseline YOLOv5	Not YOLOv8-based	Provides comparative baseline for model selection


3. AI-Based Solution Approach

3.1 System Architecture Overview

The proposed system consists of three main layers:


- **Input Layer:** Captures real-time traffic video using cameras
- **Processing Layer:** Performs vehicle detection, tracking, and density estimation
- **Output Layer:** Controls traffic signals dynamically

The system operates continuously in a real-time loop, where each video frame is processed and used to update signal timing.



3.2 Step-by-Step AI Solution Flow

The following table details each processing stage of the proposed system from raw video input to intelligent signal control output - covering both the normal traffic management mode and the emergency vehicle priority mode.



3.3 Knowledge Representation

The system uses a **Markov Decision Process (MDP)** as a conceptual model for decision-making, which is widely adopted in intelligent traffic systems for handling dynamic environments [3], [5].

- **State (S):** Represents traffic conditions such as vehicle count, density level, and emergency presence
- **Action (A):** Represents possible signal timing decisions
- **Reward (R):** Based on reduction in waiting time and congestion
- **Policy (π):** Defines the best action for each traffic state

This approach represents traffic conditions using a **state-space model**, which is a key concept in knowledge representation [3].

The system performs **planning under uncertainty**, as traffic conditions change dynamically and decisions must be made in real time.

While classical AI search algorithms such as A* are typically used in static path planning problems, this system focuses on **dynamic decision-making using MDP**, which is more suitable for real-time traffic environments [5].

4. Justification & Reasoning

The proposed system uses a combination of computer vision and AI-based decision-making techniques to ensure efficient and intelligent traffic management.

YOLOv8 is selected for vehicle detection due to its high accuracy and real-time performance. It can process video at high frame rates and detect multiple vehicle types such as cars, buses, trucks, and emergency vehicles in a single pass. Studies have demonstrated that YOLOv8 achieves high precision and efficiency in multi-class vehicle detection tasks [1], while lightweight variants such as YOLOv8-Nano enable deployment in resource-constrained environments [2]. Additionally, YOLO-based approaches have been widely validated for real-time traffic monitoring systems [6].

OpenCV is used for video processing as it provides efficient tools for frame extraction, image preprocessing, and real-time video handling. Its compatibility with Python and deep learning frameworks ensures smooth integration with detection models, as demonstrated in several smart traffic systems [4], [6], [10].

For decision-making, the system is conceptually modeled using a **Markov Decision Process (MDP)**. This allows the system to represent traffic conditions as states and signal timings as actions, with the objective of minimizing vehicle waiting time. MDP-based and learning-driven

traffic optimization approaches have shown improved traffic flow and adaptive signal control performance [3], [5].

A **tracking algorithm** is used to assign unique IDs to detected vehicles across frames. This prevents double counting and ensures accurate vehicle count and traffic density estimation for each lane. Similar detection and tracking pipelines have been successfully used in intelligent monitoring systems [1], [6].

The system also includes emergency vehicle prioritization, where ambulances or fire trucks are detected and given immediate signal priority. This improves response time and enhances road safety.

Advanced approaches such as **hybrid AI models** (YOLO combined with fuzzy neural networks) and **multi-sensor fusion techniques** further improve robustness and detection accuracy under complex conditions [7], [8], [9]. These works support the scalability and extensibility of the proposed system.

Overall, the system integrates the following AI techniques:

- Computer Vision (YOLOv8) for vehicle detection
- Object Tracking for accurate counting
- MDP-based decision-making for signal control
- Rule-based density classification for traffic analysis

This system can be further extended for smart city applications and large-scale urban traffic management.

Comparison with Existing System :

System Type	Method Used	Limitations	Proposed System Advantage
Fixed-Time Traffic Signals	Predefined timing	Cannot adapt to real-time traffic, leads to congestion and delays	Uses real-time traffic data to dynamically adjust signal timing
Sensor-Based Systems	Inductive loop sensors, IR sensors	Expensive hardware, limited coverage, maintenance issues	Uses camera-based detection, reducing cost and improving scalability
Rule-Based Systems	Predefined logic and thresholds	Limited flexibility, cannot handle complex traffic patterns	Uses AI-based decision-making for better adaptability
Basic ML Systems	Machine learning models for prediction	Focus on prediction only, limited real-time control	Combines detection + decision-making for real-time control
Proposed System	YOLOv8+ OpenCV + MDP		Real-time detection, dynamic signal control, emergency prioritization

5. Individual Contribution

This project was completed as a collaborative group effort. Each member was assigned a defined role with specific deliverables, ensuring equitable contribution across all sections of the report and presentation.

Group Member	Role	Individual Contribution
Om Dhamame	System Design & AI	Designed system architecture and workflow, contributed to YOLOv8-based implementation and signal logic, participated in literature review, and helped draft the problem statement and methodology sections.
Pushkraj Naik	Computer Vision & Processing	Worked on vehicle detection, tracking, and density estimation using YOLOv8 and OpenCV, contributed to research on related works, and assisted in writing the solution approach and justification sections.
Pritika Kurup	Integration & Documentation	Assisted in implementation and testing of the system pipeline, contributed to literature review and analysis, and handled report writing, formatting, diagram creation, and presentation preparation.

6. References

The following research papers were studied and referenced in preparing this case study analysis. Links to accessible papers are provided where available.

- [1] A. Author et al., “Vehicle Classification and Counting for Traffic Analysis Based on Single-Stage YOLOv8 Model,” *Int. J. Comput. Commun. Control Eng.*, vol. 24, no. 2, 2024. [Online]. Available: <https://doi.org/10.33103/uot.ijccce.24.2.4>
- [2] A. Author et al., “Real-Time Vehicle Detection Using YOLOv8-Nano for Intelligent Transportation Systems,” *Int. J. Comput. Commun. Control Eng.* [Online]. Available: https://ijccce.uotechnology.edu.iq/article_184036.html
- [3] A. Author et al., “Intelligent Traffic Control System Using YOLO and Reinforcement Learning for Real-Time Adaptation,” in *Proc. Int. Conf.*, 2024. [Online]. Available: https://doi.org/10.2991/978-94-6463-858-5_15

- [4] A. Author et al., "AI-Driven Traffic Management System for Emergency Vehicle Prioritization Using YOLO," *Int. J. Res. Appl. Sci. Eng. Technol.* [Online]. Available: <https://www.ijraset.com/best-journal/aidriven-traffic-management-system-for-emergency-vehicle-prioritization-using-yolo>
- [5] A. Author et al., "Intelligent Traffic Signal Optimization for Automated Emergency Vehicles Using Machine Learning," *ITM Web Conf.*, 2026. [Online]. Available: https://www.itm-conferences.org/articles/itmconf/abs/2026/01/itmconf_etmis2025_01004/itmconf_etmis2025_01004.html
- [6] A. Author et al., "AI-Driven Smart Traffic Management System: An Adaptive Approach Using YOLO and OpenCV," *Int. J. Multidiscip. Sci. Manag.* [Online]. Available: <https://ijmsm.org/ijmsm-v2i2p106.html>
- [7] A. Author et al., "Intelligent Traffic-Monitoring System Based on YOLO and Convolutional Fuzzy Neural Networks," *IEEE*, 2022. [Online]. Available: <https://ieeexplore.ieee.org/document/9698079>
- [8] A. Author et al., "Intelligent Traffic-Monitoring System Based on YOLO and Convolutional Fuzzy Neural Networks," *arXiv preprint*, 2025. [Online]. Available: <https://arxiv.org/abs/2502.02821>
- [9] A. Author et al., "MME-YOLO: Multi-Sensor Multi-Level Enhanced YOLO for Robust Vehicle Detection in Traffic Surveillance," *Sensors*, vol. 21, no. 1, 2021. [Online]. Available: <https://www.mdpi.com/1424-8220/21/1/27>
- [10] A. Author et al., "Real-Time Vehicle Detection Based on Improved YOLOv5," *Sustainability*, vol. 14, no. 19, 2022. [Online]. Available: <https://www.mdpi.com/2071-1050/14/19/12274>