



College Name



SRM Institute of Science and Technology



Jadavpur University



PROFESSOR IN CHARGE





NAME Dr. E VIJAYARAGAVAN



EMAIL ID

<u>vijayare@srmist.edu.in</u>



DISCIPLINE Mechanical Engg




MOBILE





Team member details







NAME

Aryan N



EMAIL ID

panakalaryan@gmail.com



DISCIPLINE

CSE Cloud Computing



YEAR

3rd year



MOBILE







NAME

Abhishek Sarkar



EMAIL ID

abhisrkr007@gmail.com



DISCIPLINE Electronics and telecommunication engineering




YEAR

3rd year



MOBILE









NAME

Suriya Devalan AR



EMAIL ID

as5539@srmist.edu.in



DISCIPLINE

Mechanical Engineering



YEAR

3rd year



MOBILE







NAME

Ved Prakash Dubey



EMAIL ID

<u>dvedprakash2001@gmail.com</u>



DISCIPLINE

CSE-SWE



YEAR

3rd year



MOBILE







NAME

Pushpal Das



EMAIL ID

pushpaldas2001@gmail.com



DISCIPLINE Engineering

Electronics and Communication



YEAR

3rd year



MOBILE



- Underground pipe systems are a key to any modern 21st century settlement.
- 2. They can vary from gas pipes to water supply and it is key to ensure that the pipes are maintained to be kept in good condition which can otherwise lead to explosions in case of gas systems and loss of water or water supply poisoning in case of water systems.
- 3. These pipeline networks can be extensive and difficult to survey for ordinary human and human tools especially in third world or developing countries where funds and resources for such an endeavour is scarce.
- 4. Human effort is not the solution to 100% to a country like India where faults and error rate is quite high and on the other hand we have only human labour to rely on.



PROBLEM STATEMENT/ CHALLENGES



To navigate sewers in order to find structural faults/cracks and also to lay pipes for cleaning.



- 1. While toilets are a necessary part of the solution, an arguably bigger yet often overlooked issue is how to contain and treat India's sewage.
- 2. Untreated sewage is the leading polluter of water sources in India, causing host of diseases. In some places, the cleaners are generally very poor men who dive into the toxic sludge to clean it. In others, manholes are lifted and pumps are used to clean the sewers.
- A total of 631 people have died in the country while cleaning sewers and septic tanks in the last 10 years, the National Commission for Safai Karamcharis (NCSK) said in a response to an RTI query in 2020.
- 4. -Sewers in Indian cities are not well-developed. There are no pathways in the sewage system along which people can traverse.
- 5. While India's largest cities have centralized sewage systems with underground pipes, pumping stations, and treatment plants, these systems are expensive to build and to operate, requiring uninterrupted power, skilled operators, and extensive maintenance which are not organised well in the country.
- 6. -Such sewer lines prevent engineers from examining them and the entire architecture from within.

Item inspected		Description of inspection					
Exterior condition Interior condition	Ground surface	 a. Check for crack, subsidence, and cave-in b. Check for overflow stream c. Check for any invaded pavement d. Check surrounding condition 					
	Manhole cover	 a. Visual check for backlash, abraded surface, and corrosion (Check if any mark on external or internal surface of cover is erased.) b. Check for any malfunction of float preventive function, locking device, fall preventive function, etc. c. Others (damage on rising spacer, difference in grade of cover and grade ring, damaged grade ring, caved in manhole cover, offset, etc.) 					
	Flow and sediment	 a. Check for stagnant water or flow b. Check for any accumulation of sand and soil, pieces of wood, and mortar including remains of construction works and illegal disposals. c. Check for appearance of inverts such as scouring, damage, etc. 					
	Damage	 a. Check steps for corrosion, rattling, and missing items (No.). b. Check blocks for damage, crack, corrosion, gap, and deteriorated caulking. c. Check barrel and base for damage, crack, and corrosion. d. Check for any improper joint of main sewers and laterals. e. Check for any irregular subsidence. 					
	Infiltration	Check for infiltration					
Others		a. Check inflow for unacceptable or inferior quality.b. Check for toxic gases or odour.					



Technology		Sewer type			<u></u>	шш	Defect detected			
		Gravity	Force main	Lateral	Pipe material	Pipe diameter mm	Internal condition	Pipe wall	Leakage	Pipe support
ū	Digital cameras	•	6		Any	150-1500	•	•	•	
Camera	Zoom cameras	•			Any	>150	•	•	•	
ŭ	Push-camera			•	Any	≤300	•	•	•	
.i.	In-line leak detectors	•	•		Any	≥100			•	
Acoustic	Monitoring systems		•		PCCP	≥450		•		
Ac	Sonar/ ultrasonic	•	•		Any	≥50	•	•		
<u></u>	Electrical leak location	•	•	•	Non-ferrous	≥75			•	
Electrical / Electro- magnetic	Remote field eddy current	•	•	•	Ferrous, PCCP	≥50		•	•	
<u>п</u> е	Magnetic flux leakage	•	•	•	Ferrous	50-1400		•		
Laser	Laser Laser profiling		•		Any	100-4000	•	•		
	Gamma-gamma logging	•	•	•	Concrete	Not yet defined				•
Innovative technologies	Ground penetrating radar	•	•	•	Any	Not yet defined			•	•
	Infrared thermograph	•	•	•	Any	Not yet defined			•	•
	Micro-deflection	1			Brick	Not yet defined		•		•
	Impact echo / SASW	٠			Brick / Concrete	>1800		•		






No.	Toohnology	Applicability					
NO.	Technology	Sewer Size	Sewer Material	Sewer Condition			
1	Light and Mirror	Up to 300 mm	Any	Empty			
2	Closed Circuit Camera	Any size	Any	Empty			
3	Sonar Systems	Any size	Any	Fully flowing			

Items		Rating						
		(a)	(b)		(c)			
Ruptured pipe	Reinforced concrete	Partially missing /holed pipe	Axial crack of 2		Axial crack of less than 2 mm			
	pipes, etc	Axial crack of 5 mm width or more	mm width o	r more	width			
	Stoneware	Partially missed /holed pipe	Axial crack :		-			
	pipes	Axial crack of 1/2 of the pipe length and longer	pipe length	116				
Cracked pipe	Reinforced concrete pipes, etc	Circumferential crack of 5 mm width or more	Circumferential crack of 2 mm width or more		Circumferential crack of less than 2 mm width			
	Stoneware pipes	Circumferential crack of 2/3 of the pipe circumference and longer	Circumferential crack shorter than 2/3 of the pipe circumference		-			
Gap at coupling pipes		Slip off (Joint displacement)	Reinforced concrete pipes, etc	≥70 mm	Reinforced concrete pipes, etc	<70 mm		
			Stoneware pipes	≥50 mm	Stoneware pipes	<50 mm		
Infiltration		Splashing in	Flowing in		Soaking			







REFERENCEhttps://www.researchgate.net/figure/Defect-sample s-for-a-visible-aggregate-b-visible-reinforcement-c-d ebris-d fig3 301570683





- A ROV can also be used for sewage inspection so as to spare humans from entering potentially dangerous places and also thoroughly inspect nooks and crannies of drains thus saving time and human effort.
- Manual inspections with outdated equipment result in a slow inspection rate with higher probabilities of errors.
- On the other hand, using ROV equipped with cameras can go into areas inaccessible to humans and detect corrosion. It can even expose structural problems and damages in drains and pipes.





- Using computer vision the ROVs can analyse and process the video stream and detect the structural integrity of the sewage pipelines.
- Sensors can be fitted into the ROV to detect and measure the existence of harmful gases and substances.
- All the data will be transmitted to a software or an application where the ROVs can survey a large area in a relatively short period of time and can process and send the information using embedded systems in a relatively short period of time thus resulting in planning of an effective rescue operation whenever necessary.
- Smaller ROVs i.e. mini drones have the added advantage of being able to fit into smaller places where humans can't therefore produce more data for processing and even capturing higher quality images of every small fault in the sewage drains.
- This also results in production of a large amount of data for image processing and for future reference.



- Lastly our team would like to conclude that, living in the 21st century where we can utilise the concept of ROV, which will be able to detect any sort of failure in underground tunnels and be very well used for sewage inspection.
- In a country like India we need a upgradation to a level of benefit, to make the impossible happen with a very cost effective price for the government or the investor to invest in.
- The concept of making a water resistant mini ROV is what makes our project, our research work, our mission stay out of the crowd in the world of ROVs when it comes to our country, India.
- We often have come across many such ROVs for limited purposes, but here we want to come up with a concept that every country should put their investment in for a better, smart and a sustainable future.
- Our goal is to make an ROV, rather a sustainable one for our future generation to rely on in a quick and effective manner.



RESOURCES

Website

ch.com/water-treatn

tor Chemical Grouting
ks (researchgate.net)

Chemicals (WWTCs)