

CO5-CLASS ACTIVITY

5Q Delete a file , if exist

```
import java.io.File;
```

```
import java.io.IOException;
```

```
public class Main {
```

```
    public static void main(String[] args) {
```

```
        File file = new File("sample.txt");
```

```
        try {
```

```
            // Delete file if it exists
```

```
            if (file.exists()) {
```

```
                if (file.delete()) {
```

```
                    System.out.println("File deleted.");
```

```
                }
```

```
            } else {
```

```
                System.out.println("File does not exist.");
```

```
            }
```

```
            // Create the file again
```

```
            if (file.createNewFile()) {
```

```
                System.out.println("File created again.");
```

}


} catch (IOException e) {

System.out.println("Error: " + e.getMessage());

}

}

}



The screenshot shows the OneCompiler IDE interface. The main editor displays a Java file named 'Main.java' with the following code:

```
1 import java.io.IOException;
2
3
4 public class Main {
5     public static void main(String[] args) {
6         File file = new File("sample.txt");
7
8         try {
9             // Delete file if it exists
10            if (file.exists()) {
11                if (file.delete()) {
12                    System.out.println("File deleted.");
13                }
14            } else {
15                System.out.println("File does not exist.");
16            }
17
18            // Create the file again
19            if (file.createNewFile()) {
20                System.out.println("File created again.");
21            }
22
23        } catch (IOException e) {
24            System.out.println("Error: " + e.getMessage());
25        }
26    }
27 }
```

The console output on the right shows the execution results:

```
File does not exist.
File created again.
```

The status bar at the bottom indicates 'Ready' and 'Terminal'.