

FOR PIPELINE DEVS

4 knobs that make Firefly output repeatable



same brief, less drift

seeds

negativePrompt


strength

visualIntensity



1 seeds, plural

It's an array. Every output returns its seed.

Same seed





wool sweater



cashmere sweater

same layout, one attribute changed

No seed



```
"seeds": [2142812600]
```

If you send seeds with numVariations, the counts must match.


Sources in the first comment

2 negativePrompt beats 'no snow'

Instead of

a valley, no snow

Words in a prompt tend to pull toward what they name.




Try

a mountain valley

negativePrompt


snow, power lines



A field built for exclusions.

3 Reference strength


Structure references take a strength from 1 to 100.



```
"structure": {  
  "imageReference": { ... },  
  "strength": 50  
}
```


4 Style is not structure

Structure



outline and depth

Style



color, light, mood

```
"structure": {  
  "imageReference": {...},  
  "strength": 50 }  
"style": {  
  "imageReference": {...},  
  "presets": [...],  
  "strength": 50 }
```

5 Which knob for what?

Rebuild a shot

use `seeds`

Leave things out

use `negativePrompt`

Keep the layout

use `structure.strength`

Match a look

use `style.imageReference`

Tune the overall look

use `visualIntensity`

`visualIntensity` is its own control, separate from strength.

Do you store seeds next to your assets?

Answer in the comments. I read every one.

DAM metadata

Database

Filename

Not yet



Next: expanding, filling and varying images at scale.