

```
runMain project1.SimpleRegression
[info] compiling 1 Scala source to /mnt/c/Libs/scalation_2.0/target/scala-3.7.2/classes ...
[info] running (fork) project1.SimpleRegression
[error] WARNING: A terminally deprecated method in sun.misc.Unsafe has been called
[error] WARNING: sun.misc.Unsafe::objectFieldOffset has been called by scala.runtime.LazyVals$
(file:/mnt/c/Libs/scalation_2.0/target/bg-jobs/sbt_7777f7f1/target/21dbe174/563b310f/scala3-library_3-3.7.2.jar)
[error] WARNING: Please consider reporting this to the maintainers of class scala.runtime.LazyVals$
[error] WARNING: sun.misc.Unsafe::objectFieldOffset will be removed in a future release
[info] DEBUG @ Predictor.trainNTest: b = VectorD(156.476, 187.572, 79.0176, 57.3810, 8.68939, -15.9723)
[info] REPORT
[info] -----
[info] modelName mn = Regression @dfm = 5.0
[info] -----
[info] hparameter hp = HyperParameter(factorization -> (Fac_QR, Fac_QR))
[info] -----
[info] features fn = Array(x0, x1, x2, x3, x4, x5)
[info] -----
[info] parameter b = VectorD(156.476, 187.572, 79.0176, 57.3810, 8.68939, -15.9723)
[info] -----
[info] fitMap qof = LinkedHashMap(rSq -> 0.945747, rSqBar -> 0.945044, sst -> 4281593.713648, sse -> 232291.405597, sde -> 24.334133, mse0 -> 592.580116, rmse -> 24.342969, mae -> 17.857727, smape -> 9.982629, m -> 392.000000, dfm -> 5.000000, df -> 386.000000, fStat -> 1345.749910, aic -> -1795.584233, bic -> -1771.756662, mape -> 10.000989, mase -> 1.026261, smapeC -> 10.013241, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] -----
[info] Run + title
[info] -----
[info] | Validation |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.942957, rSqBar -> 0.942218, sst -> 842741.346154, sse -> 48072.430145, sde -> 24.981931, mse0 -> 616.313207, rmse -> 24.825656, mae -> 17.328262, smape -> 9.330545, m -> 78.000000, dfm -> 5.000000, df -> 386.000000, fStat -> 1276.166820, aic -> -349.239472, bic -> -335.099219, mape -> 9.352022, mase -> 1.009684, smapeC -> 9.484391, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] -----
[info] | cross-validation |
[info] -----
[info] -----
[info] | crossValidate: fold 0: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.948966, rSqBar -> 0.948305, sst -> 881104.871795, sse -> 44966.048814, sde -> 24.006781, mse0 -> 576.487805, rmse -> 24.010160, mae -> 17.825233, smape -> 9.684074, m -> 78.000000, dfm -> 5.000000, df -> 386.000000, fStat -> 1435.525665, aic -> -346.609795, bic -> -332.469542, mape -> 9.942068, mase -> 0.993098, smapeC -> 9.837920, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 0: qof = VectorD(0.948966, 0.948305, 881105, 44966.0, 24.0068, 576.488, 24.0102, 17.8252, 9.68407, 78.0000, 5.00000, 386.000, 1435.53, -346.610, -332.470, 9.94207, 0.993098, 9.83792, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 1: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.941473, rSqBar -> 0.940715, sst -> 752067.221154, sse -> 44015.870800, sde -> 23.851314, mse0 -> 564.306036, rmse -> 23.755127, mae -> 18.585612, smape -> 10.757906, m -> 78.000000, dfm -> 5.000000, df -> 386.000000, fStat -> 1241.860339, aic -> -345.805432, bic -> -331.665179, mape -> 10.831755, mase -> 1.012593, smapeC -> 10.911752, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 1: qof = VectorD(0.941473, 0.940715, 752067, 44015.9, 23.8513, 564.306, 23.7551, 18.5856, 10.7579, 78.0000, 5.00000, 386.000, 1241.86, -345.805, -331.665, 10.8318, 1.01259, 10.9118, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 2: train-test splits sizes = (314, 78) |
[info] -----
```

```
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.923725, rSqBar -> 0.922737, sst -> 920987.179487, sse -> 70247.991177, sde -> 30.195521, mse0 -> 900.615271, rmse -> 30.010253, mae -> 19.656044, smape -> 10.092440, m -> 78.000000, dfm -> 5.000000, df -> 386.000000, fStat -> 934.931579, aic -> -368.011975, bic -> -353.871722, mape -> 10.314313, mase -> 1.007480, smapeC -> 10.246286, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 2: qof = VectorD(0.923725, 0.922737, 920987, 70248.0, 30.1955, 900.615, 30.0103, 19.6560, 10.0924, 78.0000, 5.00000, 386.000, 934.932, -368.012, -353.872, 10.3143, 1.00748, 10.2463, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 3: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.962111, rSqBar -> 0.961620, sst -> 842977.846154, sse -> 31939.642381, sde -> 19.252027, mse0 -> 409.482595, rmse -> 20.235676, mae -> 15.685972, smape -> 10.024129, m -> 78.000000, dfm -> 5.000000, df -> 386.000000, fStat -> 1960.327188, aic -> -335.582419, bic -> -321.442166, mape -> 9.704919, mase -> 0.971346, smapeC -> 10.177976, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 3: qof = VectorD(0.962111, 0.961620, 842978, 31939.6, 19.2520, 409.483, 20.2357, 15.6860, 10.0241, 78.0000, 5.00000, 386.000, 1960.33, -335.582, -321.442, 9.70492, 0.971346, 10.1780, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 4: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.937177, rSqBar -> 0.936363, sst -> 822767.179487, sse -> 51689.059790, sde -> 25.577501, mse0 -> 662.680254, rmse -> 25.742577, mae -> 19.390472, smape -> 10.383064, m -> 78.000000, dfm -> 5.000000, df -> 386.000000, fStat -> 1151.640813, aic -> -352.301094, bic -> -338.160841, mape -> 10.213207, mase -> 1.011375, smapeC -> 10.536910, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 4: qof = VectorD(0.937177, 0.936363, 822767, 51689.1, 25.5775, 662.680, 25.7426, 19.3905, 10.3831, 78.0000, 5.00000, 386.000, 1151.64, -352.301, -338.161, 10.2132, 1.01137, 10.5369, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
[info] %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
[info] -----
[info] | Forward Selection Test |
[info] -----
[info] -----
[info] | crossValidate: fold 0: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.847325, rSqBar -> 0.847325, sst -> 842741.346154, sse -> 128665.612319, sde -> 37.566178, mse0 -> 1649.559132, rmse -> 40.614765, mae -> 33.367742, smape -> 25.792448, m -> 78.000000, dfm -> 0.000000, df -> 391.000000, fStat -> 0.000000, aic -> -397.618911, bic -> -395.262202, mape -> 21.059110, mase -> 1.137689, smapeC -> 25.818089, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 0: qof = VectorD(0.847325, 0.847325, 842741, 128666, 37.5662, 1649.56, 40.6148, 33.3677, 25.7924, 78.0000, 0.00000, 391.000, 0.00000, -397.619, -395.262, 21.0591, 1.13769, 25.8181, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 1: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.776622, rSqBar -> 0.776622, sst -> 723406.717949, sse -> 161592.925208, sde -> 41.225952, mse0 -> 2071.704169, rmse -> 45.515977, mae -> 38.998384, smape -> 29.223432, m -> 78.000000, dfm -> 0.000000, df -> 391.000000, fStat -> 0.000000, aic -> -407.917967, bic -> -405.561259, mape -> 24.734355, mase -> 1.221034, smapeC -> 29.249073, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 1: qof = VectorD(0.776622, 0.776622, 723407, 161593, 41.2260, 2071.70, 45.5160, 38.9984, 29.2234, 78.0000, 0.00000, 391.000, 0.00000, -407.918, -405.561, 24.7344, 1.22103, 29.2491, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 2: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.838675, rSqBar -> 0.838675, sst -> 981947.294872, sse -> 158413.079158, sde -> 39.864805, mse0 -> 2030.936912, rmse -> 45.065917, mae -> 39.507706, smape -> 31.082420, m -> 78.000000, dfm -> 0.000000, df -> 391.000000, fStat -> 0.000000, aic -> -406.923370, bic -> -404.566661, mape -> 25.766717,
```

```
mase -> 1.146992, smapeC -> 31.108061, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw ->
-1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 2: qof = VectorD(0.838675, 0.838675, 981947, 158413,
39.8648, 2030.94, 45.0659, 39.5077, 31.0824, 78.0000, 0.00000,
391.000, 0.00000, -406.923, -404.567, 25.7667, 1.14699, 31.1081,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 3: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.820775, rSqBar -> 0.820775, sst -> 811184.708333, sse -> 145384.534488, sde ->
40.904588, mse0 -> 1863.904288, rmse -> 43.172958, mae -> 37.681604, smape -> 31.172151, m -> 78.000000, dfm
-> 0.000000, df -> 391.000000, fStat -> 0.000000, aic -> -402.848282, bic -> -400.491573, mape -> 25.664007,
mase -> 1.169109, smapeC -> 31.197792, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw ->
-1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 3: qof = VectorD(0.820775, 0.820775, 811185, 145385,
40.9046, 1863.90, 43.1730, 37.6816, 31.1722, 78.0000, 0.00000,
391.000, 0.00000, -402.848, -400.492, 25.6640, 1.16911, 31.1978,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 4: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.847783, rSqBar -> 0.847783, sst -> 880383.794872, sse -> 134008.967241, sde ->
40.600031, mse0 -> 1718.063683, rmse -> 41.449532, mae -> 34.279130, smape -> 22.930926, m -> 78.000000, dfm
-> 0.000000, df -> 391.000000, fStat -> 0.000000, aic -> -399.290214, bic -> -396.933505, mape -> 20.439573,
mase -> 1.106861, smapeC -> 22.956567, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw ->
-1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 4: qof = VectorD(0.847783, 0.847783, 880384, 134009,
40.6000, 1718.06, 41.4495, 34.2791, 22.9309, 78.0000, 0.00000,
391.000, 0.00000, -399.290, -396.934, 20.4396, 1.10686, 22.9566,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | forwardSelAll: (l = 0) INITIAL variable (0, x0) => cols = LinkedHashSet(0) |
[info] -----
[info] -----
[info] | crossValidate: fold 0: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.896841, rSqBar -> 0.896576, sst -> 842741.346154, sse -> 86936.595682, sde ->
32.717474, mse0 -> 1114.571740, rmse -> 33.385202, mae -> 27.565097, smape -> 18.735411, m -> 78.000000, dfm
-> 1.000000, df -> 390.000000, fStat -> 3390.561252, aic -> -380.711028, bic -> -375.997610, mape ->
16.870202, mase -> 1.113833, smapeC -> 18.786693, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 0: qof = VectorD(0.896841, 0.896576, 842741, 86936.6,
32.7175, 1114.57, 33.3852, 27.5651, 18.7354, 78.0000, 1.00000,
390.000, 3390.56, -380.711, -375.998, 16.8702, 1.11383, 18.7867,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 1: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.874055, rSqBar -> 0.873732, sst -> 723406.717949, sse -> 91109.613941, sde ->
31.860328, mse0 -> 1168.071974, rmse -> 34.177068, mae -> 28.907503, smape -> 21.011489, m -> 78.000000, dfm
-> 1.000000, df -> 390.000000, fStat -> 2706.584518, aic -> -382.864500, bic -> -378.151082, mape ->
18.809406, mase -> 1.105439, smapeC -> 21.062771, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 1: qof = VectorD(0.874055, 0.873732, 723407, 91109.6,
31.8603, 1168.07, 34.1771, 28.9075, 21.0115, 78.0000, 1.00000,
390.000, 2706.58, -382.864, -378.151, 18.8094, 1.10544, 21.0628,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 2: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.880702, rSqBar -> 0.880396, sst -> 981947.294872, sse -> 117144.398967, sde ->
35.161066, mse0 -> 1501.851269, rmse -> 38.753726, mae -> 30.395633, smape -> 22.557026, m -> 78.000000, dfm
-> 1.000000, df -> 390.000000, fStat -> 2879.122966, aic -> -396.299665, bic -> -391.586248, mape ->
20.070985, mase -> 1.096371, smapeC -> 22.608308, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 2: qof = VectorD(0.880702, 0.880396, 981947, 117144,
35.1611, 1501.85, 38.7537, 30.3956, 22.5570, 78.0000, 1.00000,
390.000, 2879.12, -396.300, -391.586, 20.0710, 1.09637, 22.6083,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
```



```
[info] -----
[info] | crossValidate: fold 3: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.920293, rSqBar -> 0.920089, sst -> 811184.708333, sse -> 64656.899769, sde ->
28.202770, mse0 -> 828.934612, rmse -> 28.791225, mae -> 25.541167, smape -> 18.387402, m -> 78.000000, dfm
-> 1.000000, df -> 390.000000, fStat -> 4502.935439, aic -> -369.213664, bic -> -364.500246, mape ->
16.816254, mase -> 1.088702, smapeC -> 18.438684, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 3: qof = VectorD(0.920293, 0.920089, 811185, 64656.9,
28.2028, 828.935, 28.7912, 25.5412, 18.3874, 78.0000, 1.00000,
390.000, 4502.94, -369.214, -364.500, 16.8163, 1.08870, 18.4387,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 4: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.929620, rSqBar -> 0.929439, sst -> 880383.794872, sse -> 61961.674620, sde ->
26.991971, mse0 -> 794.380444, rmse -> 28.184756, mae -> 23.490604, smape -> 18.587401, m -> 78.000000, dfm
-> 1.000000, df -> 390.000000, fStat -> 5151.323441, aic -> -367.822801, bic -> -363.109384, mape ->
16.399328, mase -> 1.091506, smapeC -> 18.638683, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 4: qof = VectorD(0.929620, 0.929439, 880384, 61961.7,
26.9920, 794.380, 28.1848, 23.4906, 18.5874, 78.0000, 1.00000,
390.000, 5151.32, -367.823, -363.109, 16.3993, 1.09151, 18.6387,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | forwardSelAll: (l = 1) ADD variable (2, x2) => cols = LinkedHashSet(0, 2) @ 0.9012388808919509 |
[info] -----
[info] -----
[info] | crossValidate: fold 0: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.911927, rSqBar -> 0.911474, sst -> 842741.346154, sse -> 74223.062282, sde ->
30.304061, mse0 -> 951.577722, rmse -> 30.847653, mae -> 24.598643, smape -> 16.543146, m -> 78.000000, dfm
-> 2.000000, df -> 389.000000, fStat -> 2013.886272, aic -> -372.797724, bic -> -365.727597, mape ->
15.107739, mase -> 1.100077, smapeC -> 16.620069, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 0: qof = VectorD(0.911927, 0.911474, 842741, 74223.1,
30.3041, 951.578, 30.8477, 24.5986, 16.5431, 78.0000, 2.00000,
389.000, 2013.89, -372.798, -365.728, 15.1077, 1.10008, 16.6201,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 1: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.884226, rSqBar -> 0.883630, sst -> 723406.717949, sse -> 83751.978397, sde ->
30.455377, mse0 -> 1073.743313, rmse -> 32.768023, mae -> 27.479179, smape -> 19.383842, m -> 78.000000, dfm
-> 2.000000, df -> 389.000000, fStat -> 1485.491438, aic -> -378.778206, bic -> -371.708079, mape ->
17.519822, mase -> 1.105838, smapeC -> 19.460765, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 1: qof = VectorD(0.884226, 0.883630, 723407, 83752.0,
30.4554, 1073.74, 32.7680, 27.4792, 19.3838, 78.0000, 2.00000,
389.000, 1485.49, -378.778, -371.708, 17.5198, 1.10584, 19.4608,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 2: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.911169, rSqBar -> 0.910712, sst -> 981947.294872, sse -> 87227.645689, sde ->
30.334404, mse0 -> 1118.303150, rmse -> 33.441040, mae -> 27.343351, smape -> 20.364218, m -> 78.000000, dfm
-> 2.000000, df -> 389.000000, fStat -> 1995.043778, aic -> -380.959583, bic -> -373.889457, mape ->
18.207480, mase -> 1.077956, smapeC -> 20.441141, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 2: qof = VectorD(0.911169, 0.910712, 981947, 87227.6,
30.3344, 1118.30, 33.4410, 27.3434, 20.3642, 78.0000, 2.00000,
389.000, 1995.04, -380.960, -373.889, 18.2075, 1.07796, 20.4411,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 3: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.933757, rSqBar -> 0.933416, sst -> 811184.708333, sse -> 53735.574630, sde ->
26.230343, mse0 -> 688.917623, rmse -> 26.247240, mae -> 22.057085, smape -> 14.849046, m -> 78.000000, dfm
```

```
-> 2.000000, df -> 389.000000, fStat -> 2741.644758, aic -> -359.939488, bic -> -352.869361, mape ->
14.160957, mase -> 1.066102, smapeC -> 14.925969, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 3: qof = VectorD(0.933757, 0.933416, 811185, 53735.6,
26.2303, 688.918, 26.2472, 22.0571, 14.8490, 78.0000, 2.00000,
389.000, 2741.64, -359.939, -352.869, 14.1610, 1.06610, 14.9260,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 4: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.943593, rSqBar -> 0.943303, sst -> 880383.794872, sse -> 49660.166550, sde ->
23.159956, mse0 -> 636.668802, rmse -> 25.232297, mae -> 21.712312, smape -> 17.956064, m -> 78.000000, dfm
-> 2.000000, df -> 389.000000, fStat -> 3253.628752, aic -> -357.381704, bic -> -350.311578, mape ->
15.813416, mase -> 1.079203, smapeC -> 18.032987, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 4: qof = VectorD(0.943593, 0.943303, 880384, 49660.2,
23.1600, 636.669, 25.2323, 21.7123, 17.9561, 78.0000, 2.00000,
389.000, 3253.63, -357.382, -350.312, 15.8134, 1.07920, 18.0330,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | forwardSelAll: (l = 2) ADD variable (1, x1) => cols = LinkedHashSet(0, 2, 1) @ 0.9186837278359002 |
[info] -----
[info] -----
[info] | crossValidate: fold 0: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.938578, rSqBar -> 0.938103, sst -> 842741.346154, sse -> 51762.820698, sde ->
25.903606, mse0 -> 663.625906, rmse -> 25.760938, mae -> 18.896442, smape -> 10.703619, m -> 78.000000, dfm
-> 3.000000, df -> 388.000000, fStat -> 1976.319836, aic -> -356.172599, bic -> -346.745764, mape ->
10.673790, mase -> 1.009197, smapeC -> 10.806183, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 0: qof = VectorD(0.938578, 0.938103, 842741, 51762.8,
25.9036, 663.626, 25.7609, 18.8964, 10.7036, 78.0000, 3.00000,
388.000, 1976.32, -356.173, -346.746, 10.6738, 1.00920, 10.8062,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 1: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.914622, rSqBar -> 0.913961, sst -> 723406.717949, sse -> 61763.329578, sde ->
28.098726, mse0 -> 791.837559, rmse -> 28.139608, mae -> 20.599200, smape -> 11.419868, m -> 78.000000, dfm
-> 3.000000, df -> 388.000000, fStat -> 1385.491124, aic -> -364.213883, bic -> -354.787048, mape ->
11.311565, mase -> 0.997379, smapeC -> 11.522432, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 1: qof = VectorD(0.914622, 0.913961, 723407, 61763.3,
28.0987, 791.838, 28.1396, 20.5992, 11.4199, 78.0000, 3.00000,
388.000, 1385.49, -364.214, -354.787, 11.3116, 0.997379, 11.5224,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 2: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.935768, rSqBar -> 0.935271, sst -> 981947.294872, sse -> 63072.897623, sde ->
28.174720, mse0 -> 808.626893, rmse -> 28.436366, mae -> 20.461106, smape -> 10.989688, m -> 78.000000, dfm
-> 3.000000, df -> 388.000000, fStat -> 1884.186286, aic -> -365.266891, bic -> -355.840055, mape ->
10.981703, mase -> 0.993184, smapeC -> 11.092252, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 2: qof = VectorD(0.935768, 0.935271, 981947, 63072.9,
28.1747, 808.627, 28.4364, 20.4611, 10.9897, 78.0000, 3.00000,
388.000, 1884.19, -365.267, -355.840, 10.9817, 0.993184, 11.0923,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 3: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.948464, rSqBar -> 0.948066, sst -> 811184.708333, sse -> 41804.877798, sde ->
22.858562, mse0 -> 535.959972, rmse -> 23.150809, mae -> 17.124220, smape -> 9.670710, m -> 78.000000, dfm
-> 3.000000, df -> 388.000000, fStat -> 2380.259513, aic -> -348.165541, bic -> -338.738706, mape ->
10.173250, mase -> 0.996727, smapeC -> 9.773274, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 3: qof = VectorD(0.948464, 0.948066, 811185, 41804.9,
22.8586, 535.960, 23.1508, 17.1242, 9.67071, 78.0000, 3.00000,
388.000, 2380.26, -348.166, -338.739, 10.1733, 0.996727, 9.77327,
```

```
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
[info] | crossValidate: fold 4: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.964762, rSqBar -> 0.964490, sst -> 880383.794872, sse -> 31022.700121, sde ->
20.030609, mse0 -> 397.726925, rmse -> 19.943092, mae -> 15.453099, smape -> 8.778333, m -> 78.000000, dfm -
> 3.000000, df -> 388.000000, fStat -> 3540.978095, aic -> -339.495726, bic -> -330.068891, mape ->
8.858528, mase -> 0.966447, smapeC -> 8.880897, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 4: qof = VectorD(0.964762, 0.964490,      880384, 31022.7,
20.0306,      397.727, 19.9431,      15.4531,      8.77833,      78.0000,      3.00000,
388.000,      3540.98,      -339.496,      -330.069,      8.85853,      0.966447,      8.88090,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
---
[info] | forwardSelAll: (l = 3) ADD variable (3, x3) => cols = LinkedHashSet(0, 2, 1, 3) @
0.9424662931713765 |
[info] -----
---
[info] -----
[info] | crossValidate: fold 0: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.941142, rSqBar -> 0.940534, sst -> 842741.346154, sse -> 49601.903509, sde ->
25.372126, mse0 -> 635.921840, rmse -> 25.217491, mae -> 17.605364, smape -> 9.537925, m -> 78.000000, dfm -
> 4.000000, df -> 387.000000, fStat -> 1547.042263, aic -> -352.504646, bic -> -340.721101, mape ->
9.537003, mase -> 1.009850, smapeC -> 9.666130, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 0: qof = VectorD(0.941142, 0.940534,      842741, 49601.9,
25.3721,      635.922, 25.2175,      17.6054,      9.53792,      78.0000,      4.00000,
387.000,      1547.04,      -352.505,      -340.721,      9.53700,      1.00985,      9.66613,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
[info] | crossValidate: fold 1: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.916527, rSqBar -> 0.915664, sst -> 723406.717949, sse -> 60385.157175, sde ->
27.789149, mse0 -> 774.168682, rmse -> 27.823887, mae -> 20.821070, smape -> 12.192181, m -> 78.000000, dfm -
> 4.000000, df -> 387.000000, fStat -> 1062.303039, aic -> -361.535988, bic -> -349.752443, mape ->
12.049679, mase -> 1.004992, smapeC -> 12.320386, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 1: qof = VectorD(0.916527, 0.915664,      723407, 60385.2,
27.7891,      774.169, 27.8239,      20.8211,      12.1922,      78.0000,      4.00000,
387.000,      1062.30,      -361.536,      -349.752,      12.0497,      1.00499,      12.3204,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
[info] | crossValidate: fold 2: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.939306, rSqBar -> 0.938678, sst -> 981947.294872, sse -> 59598.659543, sde ->
27.353643, mse0 -> 764.085379, rmse -> 27.642094, mae -> 20.351033, smape -> 11.245368, m -> 78.000000, dfm -
> 4.000000, df -> 387.000000, fStat -> 1497.302643, aic -> -360.877269, bic -> -349.093725, mape ->
11.199130, mase -> 1.001813, smapeC -> 11.373574, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 2: qof = VectorD(0.939306, 0.938678,      981947, 59598.7,
27.3536,      764.085, 27.6421,      20.3510,      11.2454,      78.0000,      4.00000,
387.000,      1497.30,      -360.877,      -349.094,      11.1991,      1.00181,      11.3736,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
[info] | crossValidate: fold 3: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.951608, rSqBar -> 0.951108, sst -> 811184.708333, sse -> 39254.619847, sde ->
22.369901, mse0 -> 503.264357, rmse -> 22.433554, mae -> 16.844555, smape -> 9.691792, m -> 78.000000, dfm -
> 4.000000, df -> 387.000000, fStat -> 1902.559147, aic -> -343.838443, bic -> -332.054899, mape ->
9.958163, mase -> 1.009557, smapeC -> 9.819997, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 3: qof = VectorD(0.951608, 0.951108,      811185, 39254.6,
22.3699,      503.264, 22.4336,      16.8446,      9.69179,      78.0000,      4.00000,
387.000,      1902.56,      -343.838,      -332.055,      9.95816,      1.00956,      9.82000,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
[info] | crossValidate: fold 4: train-test splits sizes = (314, 78) |
```



```
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rand = true
[info] LinkedHashMap(rSq -> 0.964660, rSqBar -> 0.964295, sst -> 880383.794872, sse -> 31112.708696, sde ->
20.045441, mse0 -> 398.880881, rmse -> 19.972002, mae -> 15.922825, smape -> 9.517474, m -> 78.000000, dfm -
> 4.000000, df -> 387.000000, fStat -> 2640.945807, aic -> -337.019315, bic -> -325.235771, mape ->
9.493010, mase -> 0.967569, smapeC -> 9.645680, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 4: qof = VectorD(0.964660, 0.964295, 880384, 31112.7,
20.0454, 398.881, 19.9720, 15.9228, 9.51747, 78.0000, 4.00000,
387.000, 2640.95, -337.019, -325.236, 9.49301, 0.967569, 9.64568,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | forwardSelAll: (l = 4) ADD variable (5, x5) => cols = LinkedHashSet(0, 2, 1, 3, 5) @
0.9445524176505258 |
[info] -----
[info] -----
[info] | crossValidate: fold 0: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rand = true
[info] LinkedHashMap(rSq -> 0.942957, rSqBar -> 0.942218, sst -> 842741.346154, sse -> 48072.430145, sde ->
24.981931, mse0 -> 616.313207, rmse -> 24.825656, mae -> 17.328262, smape -> 9.330545, m -> 78.000000, dfm -
> 5.000000, df -> 386.000000, fStat -> 1276.166820, aic -> -349.239472, bic -> -335.099219, mape ->
9.352022, mase -> 1.009684, smapeC -> 9.484391, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 0: qof = VectorD(0.942957, 0.942218, 842741, 48072.4,
24.9819, 616.313, 24.8257, 17.3283, 9.33055, 78.0000, 5.00000,
386.000, 1276.17, -349.239, -335.099, 9.35202, 1.00968, 9.48439,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 1: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rand = true
[info] LinkedHashMap(rSq -> 0.917809, rSqBar -> 0.916744, sst -> 723406.717949, sse -> 59457.769972, sde ->
27.661838, mse0 -> 762.279102, rmse -> 27.609402, mae -> 20.448087, smape -> 11.649669, m -> 78.000000, dfm -
> 5.000000, df -> 386.000000, fStat -> 862.071665, aic -> -358.877619, bic -> -344.737366, mape ->
11.608691, mase -> 1.007804, smapeC -> 11.803516, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 1: qof = VectorD(0.917809, 0.916744, 723407, 59457.8,
27.6618, 762.279, 27.6094, 20.4481, 11.6497, 78.0000, 5.00000,
386.000, 862.072, -358.878, -344.737, 11.6087, 1.00780, 11.8035,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 2: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rand = true
[info] LinkedHashMap(rSq -> 0.938026, rSqBar -> 0.937223, sst -> 981947.294872, sse -> 60854.967200, sde ->
27.511421, mse0 -> 780.191887, rmse -> 27.931915, mae -> 19.922121, smape -> 10.658154, m -> 78.000000, dfm -
> 5.000000, df -> 386.000000, fStat -> 1168.488473, aic -> -360.060403, bic -> -345.920150, mape ->
10.517492, mase -> 1.002315, smapeC -> 10.812000, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 2: qof = VectorD(0.938026, 0.937223, 981947, 60855.0,
27.5114, 780.192, 27.9319, 19.9221, 10.6582, 78.0000, 5.00000,
386.000, 1168.49, -360.060, -345.920, 10.5175, 1.00231, 10.8120,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 3: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rand = true
[info] LinkedHashMap(rSq -> 0.949630, rSqBar -> 0.948978, sst -> 811184.708333, sse -> 40859.387831, sde ->
22.790194, mse0 -> 523.838306, rmse -> 22.887514, mae -> 16.870997, smape -> 9.473818, m -> 78.000000, dfm -
> 5.000000, df -> 386.000000, fStat -> 1455.457801, aic -> -343.133342, bic -> -328.993089, mape ->
9.816001, mase -> 1.010998, smapeC -> 9.627664, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 3: qof = VectorD(0.949630, 0.948978, 811185, 40859.4,
22.7902, 523.838, 22.8875, 16.8710, 9.47382, 78.0000, 5.00000,
386.000, 1455.46, -343.133, -328.993, 9.81600, 1.01100, 9.62766,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 4: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rand = true
[info] LinkedHashMap(rSq -> 0.965575, rSqBar -> 0.965129, sst -> 880383.794872, sse -> 30307.155786, sde ->
```

```
19.777560, mse0 -> 388.553279, rmse -> 19.711755, mae -> 15.610100, smape -> 9.088208, m -> 78.000000, dfm -> 5.000000, df -> 386.000000, fStat -> 2165.360452, aic -> -334.200454, bic -> -320.060201, mape -> 9.062984, mase -> 0.968849, smapeC -> 9.242055, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 4: qof = VectorD(0.965575, 0.965129, 880384, 30307.2, 19.7776, 388.553, 19.7118, 15.6101, 9.08821, 78.0000, 5.00000, 386.000, 2165.36, -334.200, -320.060, 9.06298, 0.968849, 9.24205, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | forwardSelAll: (l = 5) ADD variable (4, x4) => cols = LinkedHashSet(0, 2, 1, 3, 5, 4) @ 0.945043743669959 |
[info] -----
[info] Run + title
[info] x-axis: minX = 1.0, maxX = 6.0
[info] y-axis: minY = 9.0, maxY = 95.0
[info] rSq =
[info] MatrixD (82.9696, 82.9696, 27.9981, 82.6236,
[info] 90.1491, 90.1239, 19.8345, 90.0302,
[info] 91.9100, 91.8684, 17.7950, 91.6934,
[info] 94.2908, 94.2466, 10.2748, 94.0439,
[info] 94.5120, 94.4552, 10.3744, 94.2649,
[info] 94.5747, 94.5044, 9.98263, 94.2799)
[info] -----
[info] | Feature Importance |
[info] -----
[info] col = 0, cylinders, importance = -0.0
[info] col = 2, weight, importance = 0.9999999999999999
[info] col = 1, horsepower, importance = 0.245255961330995
[info] col = 3, acceleration, importance = 0.3316107507869982
[info] col = 5, origin, importance = 0.030808857140630013
[info] col = 4, model_year, importance = 0.008731123323153591
[info] %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
[info] %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
[info] -----
[info] | Backward Elimination Test |
[info] -----
[info] -----
[info] | backwardElimAll: (l = 0) INITIAL variables (all) => cols = LinkedHashSet(0, 1, 2, 3, 4, 5) @ 0.9450437436699589 |
[info] -----
[info] -----
[info] | backwardElimAll: (l = 1) REMOVE variable (4, x4) => cols = LinkedHashSet(0, 1, 2, 3, 5) @ 0.9445524176505258 |
[info] -----
[info] -----
[info] | backwardElimAll: (l = 2) REMOVE variable (5, x5) => cols = LinkedHashSet(0, 1, 2, 3) @ 0.9424662931713765 |
[info] -----
[info] -----
[info] | backwardElimAll: (l = 3) REMOVE variable (2, x2) => cols = LinkedHashSet(0, 1, 3) @ 0.9350700464972614 |
[info] -----
[info] -----
[info] | backwardElimAll: (l = 4) REMOVE variable (3, x3) => cols = LinkedHashSet(0, 1) @ 0.89267727884989 |
[info] -----
[info] k = 6
[info] Run + title
[info] x-axis: minX = 0.0, maxX = 6.0
[info] y-axis: minY = -0.0, maxY = 95.0
[info] rSq =
[info] MatrixD (82.9696, 82.9696, 27.9981, -0.00000,
[info] 89.2952, 89.2677, 19.6595, -0.00000,
[info] 93.5402, 93.5070, 11.1885, -0.00000,
[info] 94.2908, 94.2466, 10.2748, -0.00000,
```



```
[info]          94.5120,          94.4552,          10.3744,          -0.00000,
[info]          94.5747,          94.5044,          9.98263,          -0.00000)
[info] -----
[info] | Feature Importance |
[info] -----
[info] col = 0,          cylinders,          importance = -0.0
[info] col = 1,          horsepower,          importance = 1.0
[info] col = 3,          acceleration,          importance = 0.6710943810552373
[info] col = 2,          weight,          importance = 0.1186546591328357
[info] col = 5,          origin,          importance = 0.034968156834683704
[info] col = 4,          model_year,          importance = 0.009909854439368114
[info] %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
[info] %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
[info] -----
[info] | Stepwise FS Test |
[info] -----
[info] -----
[info] | stepwiseSelAll: (l = 0) INITIAL variable (0, x0) => cols = LinkedHashSet(0) |
[info] -----
[info] ERROR @ Predictor.backwardElim: could not find a variable x_j to eliminate: best.col = -1
[info] DEBUG @ Predictor.stepwiseSelAll: bestf = BestStep(2,VectorD(0.901491, 0.901239, 4.28159e+06,
421774, 31.1670,1075.95, 32.8017, 27.1653, 19.8345, 392.000, 1.00000,
390.000, 3569.05, -1921.61, -1913.66, 17.7830, 1.16540, 19.8447,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000,
-1.00000),scalation.modeling.Regression@152aa092), bestb = BestStep(-1,null,null)
[info] -----
[info] | crossValidate: fold 0: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rand0 = true
[info] LinkedHashMap(rSq -> 0.896841, rSqBar -> 0.896576, sst -> 842741.346154, sse -> 86936.595682, sde ->
32.717474, mse0 -> 1114.571740, rmse -> 33.385202, mae -> 27.565097, smape -> 18.735411, m -> 78.000000, dfm
-> 1.000000, df -> 390.000000, fStat -> 3390.561252, aic -> -380.711028, bic -> -375.997610, mape ->
16.870202, mase -> 1.113833, smapeC -> 18.786693, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 0: qof = VectorD(0.896841, 0.896576, 842741, 86936.6,
32.7175, 1114.57, 33.3852, 27.5651, 18.7354, 78.0000, 1.00000,
390.000, 3390.56, -380.711, -375.998, 16.8702, 1.11383, 18.7867,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 1: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rand1 = true
[info] LinkedHashMap(rSq -> 0.874055, rSqBar -> 0.873732, sst -> 723406.717949, sse -> 91109.613941, sde ->
31.860328, mse0 -> 1168.071974, rmse -> 34.177068, mae -> 28.907503, smape -> 21.011489, m -> 78.000000, dfm
-> 1.000000, df -> 390.000000, fStat -> 2706.584518, aic -> -382.864500, bic -> -378.151082, mape ->
18.809406, mase -> 1.105439, smapeC -> 21.062771, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 1: qof = VectorD(0.874055, 0.873732, 723407, 91109.6,
31.8603, 1168.07, 34.1771, 28.9075, 21.0115, 78.0000, 1.00000,
390.000, 2706.58, -382.864, -378.151, 18.8094, 1.10544, 21.0628,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 2: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rand2 = true
[info] LinkedHashMap(rSq -> 0.880702, rSqBar -> 0.880396, sst -> 981947.294872, sse -> 117144.398967, sde ->
35.161066, mse0 -> 1501.851269, rmse -> 38.753726, mae -> 30.395633, smape -> 22.557026, m -> 78.000000, dfm
-> 1.000000, df -> 390.000000, fStat -> 2879.122966, aic -> -396.299665, bic -> -391.586248, mape ->
20.070985, mase -> 1.096371, smapeC -> 22.608308, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 2: qof = VectorD(0.880702, 0.880396, 981947, 117144,
35.1611, 1501.85,38.7537, 30.3956, 22.5570, 78.0000, 1.00000,
390.000, 2879.12, -396.300, -391.586, 20.0710, 1.09637, 22.6083,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 3: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rand3 = true
[info] LinkedHashMap(rSq -> 0.920293, rSqBar -> 0.920089, sst -> 811184.708333, sse -> 64656.899769, sde ->
28.202770, mse0 -> 828.934612, rmse -> 28.791225, mae -> 25.541167, smape -> 18.387402, m -> 78.000000, dfm
-> 1.000000, df -> 390.000000, fStat -> 4502.935439, aic -> -369.213664, bic -> -364.500246, mape ->
16.816254, mase -> 1.088702, smapeC -> 18.438684, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 3: qof = VectorD(0.920293, 0.920089, 811185, 64656.9,
```

```
28.2028,      828.935, 28.7912,      25.5412,      18.3874,      78.0000,      1.00000,
390.000,      4502.94, -369.214,      -364.500,      16.8163,      1.08870,      18.4387,
-1.00000,      -1.00000, -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
[info] | crossValidate: fold 4: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.929620, rSqBar -> 0.929439, sst -> 880383.794872, sse -> 61961.674620, sde ->
26.991971, mse0 -> 794.380444, rmse -> 28.184756, mae -> 23.490604, smape -> 18.587401, m -> 78.000000, dfm
-> 1.000000, df -> 390.000000, fStat -> 5151.323441, aic -> -367.822801, bic -> -363.109384, mape ->
16.399328, mase -> 1.091506, smapeC -> 18.638683, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 4: qof = VectorD(0.929620, 0.929439,      880384, 61961.7,
26.9920,      794.380, 28.1848,      23.4906,      18.5874,      78.0000,      1.00000,
390.000,      5151.32,      -367.823,      -363.109,      16.3993,      1.09151,      18.6387,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] stepwiseSelAll: (l = 1) ADD variable BestStep(2,VectorD(0.901491,      0.901239,      4.28159e+06,
421774, 31.1670,1075.95,      32.8017,      27.1653,      19.8345,      392.000,      1.00000,
390.000,      3569.05,      -1921.61,      -1913.66,      17.7830,      1.16540,      19.8447,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,
-1.00000),scalation.modeling.Regression@152aa092)
[info] -----
[info] | stepwiseSelAll: (l = 1) ADD variable (2, x2) => cols = LinkedHashSet(0, 2) @ 0.9012388808919509 |
[info] -----
[info] REPORT
[info] -----
[info] modelName mn = Regression @dfm = 1.0
[info] -----
[info] hparameter hp = HyperParameter(factorization -> (Fac_QR,Fac_QR))
[info] -----
[info] features fn = Array(x0, x2)
[info] -----
[info] parameter b = VectorD(180.076,      245.642)
[info] -----
[info] fitMap qof = LinkedHashMap(rSq -> 0.901491, rSqBar -> 0.901239, sst -> 4281593.713648, sse ->
421773.516172, sde -> 31.167010, mse0 -> 1075.952847, rmse -> 32.801720, mae -> 27.165252, smape ->
19.834497, m -> 392.000000, dfm -> 1.000000, df -> 390.000000, fStat -> 3569.047888, aic -> -1921.607295,
bic -> -1913.664771, mape -> 17.783018, mase -> 1.165397, smapeC -> 19.844702, picp -> -1.000000, pinc ->
-1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] -----
[info]
[info] DEBUG @ Predictor.stepwiseSelAll: bestf = BestStep(1,VectorD(0.919100,      0.918684,      4.28159e+06,
346382, 28.2614,883.628,      29.7259,      24.5712,      17.7950,      392.000,      2.00000,
389.000,      2209.69,      -1880.98,      -1869.07,      16.1330,      1.14846,      17.8103,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,
-1.00000),scalation.modeling.Regression@2177849e), bestb = BestStep(2,VectorD(0.829696, 0.829696,
4.28159e+06,      729171, 40.0331,      1860.13,      43.1292,      36.7321,      27.9981,
392.000,      0.00000, 391.000,      0.00000,      -2032.16,      -2028.19,      23.5068,
1.30256,      28.0032,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,
-1.00000),scalation.modeling.Regression@5fa07e12)
[info] -----
[info] | crossValidate: fold 0: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.911927, rSqBar -> 0.911474, sst -> 842741.346154, sse -> 74223.062282, sde ->
30.304061, mse0 -> 951.577722, rmse -> 30.847653, mae -> 24.598643, smape -> 16.543146, m -> 78.000000, dfm
-> 2.000000, df -> 389.000000, fStat -> 2013.886272, aic -> -372.797724, bic -> -365.727597, mape ->
15.107739, mase -> 1.100077, smapeC -> 16.620069, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 0: qof = VectorD(0.911927, 0.911474,      842741, 74223.1,
30.3041,      951.578, 30.8477,      24.5986,      16.5431,      78.0000,      2.00000,
389.000,      2013.89,      -372.798,      -365.728,      15.1077,      1.10008,      16.6201,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
[info] | crossValidate: fold 1: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.884226, rSqBar -> 0.883630, sst -> 723406.717949, sse -> 83751.978397, sde ->
30.455377, mse0 -> 1073.743313, rmse -> 32.768023, mae -> 27.479179, smape -> 19.383842, m -> 78.000000, dfm
-> 2.000000, df -> 389.000000, fStat -> 1485.491438, aic -> -378.778206, bic -> -371.708079, mape ->
17.519822, mase -> 1.105838, smapeC -> 19.460765, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 1: qof = VectorD(0.884226, 0.883630,      723407, 83752.0,
30.4554,      1073.74, 32.7680,      27.4792,      19.3838,      78.0000,      2.00000,
```

```
389.000,      1485.49,      -378.778,      -371.708,      17.5198,      1.10584,      19.4608,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
[info] | crossValidate: fold 2: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.911169, rSqBar -> 0.910712, sst -> 981947.294872, sse -> 87227.645689, sde ->
30.334404, mse0 -> 1118.303150, rmse -> 33.441040, mae -> 27.343351, smape -> 20.364218, m -> 78.000000, dfm
-> 2.000000, df -> 389.000000, fStat -> 1995.043778, aic -> -380.959583, bic -> -373.889457, mape ->
18.207480, mase -> 1.077956, smapeC -> 20.441141, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 2: qof = VectorD(0.911169, 0.910712,      981947, 87227.6,
30.3344,      1118.30, 33.4410,      27.3434,      20.3642,      78.0000,      2.00000,
389.000,      1995.04,      -380.960,      -373.889,      18.2075,      1.07796,      20.4411,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
[info] | crossValidate: fold 3: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.933757, rSqBar -> 0.933416, sst -> 811184.708333, sse -> 53735.574630, sde ->
26.230343, mse0 -> 688.917623, rmse -> 26.247240, mae -> 22.057085, smape -> 14.849046, m -> 78.000000, dfm
-> 2.000000, df -> 389.000000, fStat -> 2741.644758, aic -> -359.939488, bic -> -352.869361, mape ->
14.160957, mase -> 1.066102, smapeC -> 14.925969, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 3: qof = VectorD(0.933757, 0.933416,      811185, 53735.6,
26.2303,      688.918, 26.2472,      22.0571,      14.8490,      78.0000,      2.00000,
389.000,      2741.64,      -359.939,      -352.869,      14.1610,      1.06610,      14.9260,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
[info] | crossValidate: fold 4: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.943593, rSqBar -> 0.943303, sst -> 880383.794872, sse -> 49660.166550, sde ->
23.159956, mse0 -> 636.668802, rmse -> 25.232297, mae -> 21.712312, smape -> 17.956064, m -> 78.000000, dfm
-> 2.000000, df -> 389.000000, fStat -> 3253.628752, aic -> -357.381704, bic -> -350.311578, mape ->
15.813416, mase -> 1.079203, smapeC -> 18.032987, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 4: qof = VectorD(0.943593, 0.943303,      880384, 49660.2,
23.1600,      636.669, 25.2323,      21.7123,      17.9561,      78.0000,      2.00000,
389.000,      3253.63,      -357.382,      -350.312,      15.8134,      1.07920,      18.0330,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] stepwiseSelAll: (l = 2) ADD variable BestStep(1,VectorD(0.919100,      0.918684,      4.28159e+06,
346382, 28.2614,883.628,      29.7259,      24.5712,      17.7950,      392.000,      2.00000,
389.000,      2209.69,      -1880.98,      -1869.07,      16.1330,      1.14846,      17.8103,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,
-1.00000),scalation.modeling.Regression@2177849e)
[info] -----
-
[info] | stepwiseSelAll: (l = 2) ADD variable (1, x1) => cols = LinkedHashSet(0, 2, 1) @ 0.9186837278359002
|
[info] -----
-
[info] REPORT
[info] -----
[info] modelName mn = Regression @dfm = 2.0
[info] -----
[info] hparameter hp = HyperParameter(factorization -> (Fac_QR,Fac_QR))
[info] -----
[info] features fn = Array(x0, x2, x1)
[info] -----
[info] parameter b = VectorD(150.957,      172.792,      137.217)
[info] -----
[info] fitMap qof = LinkedHashMap(rSq -> 0.919100, rSqBar -> 0.918684, sst -> 4281593.713648, sse ->
346382.353578, sde -> 28.261377, mse0 -> 883.628453, rmse -> 29.725889, mae -> 24.571202, smape ->
17.794972, m -> 392.000000, dfm -> 2.000000, df -> 389.000000, fStat -> 2209.692848, aic -> -1880.984180,
bic -> -1869.070395, mape -> 16.132965, mase -> 1.148461, smapeC -> 17.810278, picp -> -1.000000, pinc ->
-1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] -----
[info]
[info] DEBUG @ Predictor.stepwiseSelAll: bestf = BestStep(3,VectorD(0.942908,      0.942466,      4.28159e+06,
244446, 24.9682,623.587,      24.9717,      18.3745,      10.2748,      392.000,      3.00000,
388.000,      2136.01,      -1809.58,      -1793.70,      10.3404,      1.01440,      10.2952,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,
-1.00000),scalation.modeling.Regression@3972a855), bestb = BestStep(1,VectorD(0.901491, 0.901239,
```



```
4.28159e+06,      421774, 31.1670,      1075.95,      32.8017,      27.1653,      19.8345,
392.000,      1.00000, 390.000,      3569.05,      -1921.61,      -1913.66,      17.7830,
1.16540,      19.8447,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,
-1.00000),scalation.modeling.Regression@4cc8eb05)
[info] -----
[info] | crossValidate: fold 0: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.938578, rSqBar -> 0.938103, sst -> 842741.346154, sse -> 51762.820698, sde ->
25.903606, mse0 -> 663.625906, rmse -> 25.760938, mae -> 18.896442, smape -> 10.703619, m -> 78.000000, dfm
-> 3.000000, df -> 388.000000, fStat -> 1976.319836, aic -> -356.172599, bic -> -346.745764, mape ->
10.673790, mase -> 1.009197, smapeC -> 10.806183, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 0: qof = VectorD(0.938578, 0.938103,      842741, 51762.8,
25.9036,      663.626, 25.7609,      18.8964,      10.7036,      78.0000,      3.00000,
388.000,      1976.32,      -356.173,      -346.746,      10.6738,      1.00920,      10.8062,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
[info] | crossValidate: fold 1: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.914622, rSqBar -> 0.913961, sst -> 723406.717949, sse -> 61763.329578, sde ->
28.098726, mse0 -> 791.837559, rmse -> 28.139608, mae -> 20.599200, smape -> 11.419868, m -> 78.000000, dfm
-> 3.000000, df -> 388.000000, fStat -> 1385.491124, aic -> -364.213883, bic -> -354.787048, mape ->
11.311565, mase -> 0.997379, smapeC -> 11.522432, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 1: qof = VectorD(0.914622, 0.913961,      723407, 61763.3,
28.0987,      791.838, 28.1396,      20.5992,      11.4199,      78.0000,      3.00000,
388.000,      1385.49,      -364.214,      -354.787,      11.3116,      0.997379,      11.5224,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
[info] | crossValidate: fold 2: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.935768, rSqBar -> 0.935271, sst -> 981947.294872, sse -> 63072.897623, sde ->
28.174720, mse0 -> 808.626893, rmse -> 28.436366, mae -> 20.461106, smape -> 10.989688, m -> 78.000000, dfm
-> 3.000000, df -> 388.000000, fStat -> 1884.186286, aic -> -365.266891, bic -> -355.840055, mape ->
10.981703, mase -> 0.993184, smapeC -> 11.092252, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 2: qof = VectorD(0.935768, 0.935271,      981947, 63072.9,
28.1747,      808.627, 28.4364,      20.4611,      10.9897,      78.0000,      3.00000,
388.000,      1884.19,      -365.267,      -355.840,      10.9817,      0.993184,      11.0923,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
[info] | crossValidate: fold 3: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.948464, rSqBar -> 0.948066, sst -> 811184.708333, sse -> 41804.877798, sde ->
22.858562, mse0 -> 535.959972, rmse -> 23.150809, mae -> 17.124220, smape -> 9.670710, m -> 78.000000, dfm
-> 3.000000, df -> 388.000000, fStat -> 2380.259513, aic -> -348.165541, bic -> -338.738706, mape ->
10.173250, mase -> 0.996727, smapeC -> 9.773274, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 3: qof = VectorD(0.948464, 0.948066,      811185, 41804.9,
22.8586,      535.960, 23.1508,      17.1242,      9.67071,      78.0000,      3.00000,
388.000,      2380.26,      -348.166,      -338.739,      10.1733,      0.996727,      9.77327,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] -----
[info] | crossValidate: fold 4: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.964762, rSqBar -> 0.964490, sst -> 880383.794872, sse -> 31022.700121, sde ->
20.030609, mse0 -> 397.726925, rmse -> 19.943092, mae -> 15.453099, smape -> 8.778333, m -> 78.000000, dfm
-> 3.000000, df -> 388.000000, fStat -> 3540.978095, aic -> -339.495726, bic -> -330.068891, mape ->
8.858528, mase -> 0.966447, smapeC -> 8.880897, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 4: qof = VectorD(0.964762, 0.964490,      880384, 31022.7,
20.0306,      397.727, 19.9431,      15.4531,      8.77833,      78.0000,      3.00000,
388.000,      3540.98,      -339.496,      -330.069,      8.85853,      0.966447,      8.88090,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000)
[info] stepwiseSelAll: (l = 3) ADD variable BestStep(3,VectorD(0.942908,      0.942466,      4.28159e+06,
244446, 24.9682,623.587,      24.9717,      18.3745,      10.2748,      392.000,      3.00000,
388.000,      2136.01,      -1809.58,      -1793.70,      10.3404,      1.01440,      10.2952,
-1.00000,      -1.00000,      -1.00000,      -1.00000,      -1.00000,
-1.00000),scalation.modeling.Regression@3972a855)
```

```
[info] -----
----
[info] | stepwiseSelAll: (l = 3) ADD variable (3, x3) => cols = LinkedHashSet(0, 2, 1, 3) @
0.9424662931713765 |
[info] -----
----
[info] REPORT
[info] -----
[info] modelName mn = Regression @dfm = 3.0
[info] -----
[info] hparameter hp = HyperParameter(factorization -> (Fac_QR,Fac_QR))
[info] -----
[info] features fn = Array(x0, x2, x1, x3)
[info] -----
[info] parameter b = VectorD(160.480, 100.976, 164.416, 49.9700)
[info] -----
[info] fitMap qof = LinkedHashMap(rSq -> 0.942908, rSqBar -> 0.942466, sst -> 4281593.713648, sse ->
244445.911771, sde -> 24.968243, mse0 -> 623.586510, rmse -> 24.971714, mae -> 18.374520, smape ->
10.274768, m -> 392.000000, dfm -> 3.000000, df -> 388.000000, fStat -> 2136.005379, aic -> -1809.580243,
bic -> -1793.695195, mape -> 10.340419, mase -> 1.014402, smapeC -> 10.295177, picp -> -1.000000, pinc ->
-1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] -----
[info]
[info] DEBUG @ Predictor.stepwiseSelAll: bestf = BestStep(5,VectorD(0.945120, 0.944552, 4.28159e+06,
234975, 24.4646, 599.427, 24.4832, 18.1448, 10.3744, 392.000, 4.00000,
387.000, 1666.18, -1799.84, -1779.98, 10.3678, 1.02540, 10.3999,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000,
-1.00000),scalation.modeling.Regression@73ee04c8), bestb = BestStep(2,VectorD(0.935402, 0.935070,
4.28159e+06, 276582, 26.5871, 705.565, 26.5625, 20.1025, 11.1885,
392.000, 2.00000, 389.000, 2816.44, -1835.79, -1823.87, 11.4029,
1.01598, 11.2038, -1.00000, -1.00000, -1.00000, -1.00000,
-1.00000),scalation.modeling.Regression@68c72235)
[info] -----
[info] | crossValidate: fold 0: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.941142, rSqBar -> 0.940534, sst -> 842741.346154, sse -> 49601.903509, sde ->
25.372126, mse0 -> 635.921840, rmse -> 25.217491, mae -> 17.605364, smape -> 9.537925, m -> 78.000000, dfm ->
4.000000, df -> 387.000000, fStat -> 1547.042263, aic -> -352.504646, bic -> -340.721101, mape ->
9.537003, mase -> 1.009850, smapeC -> 9.666130, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 0: qof = VectorD(0.941142, 0.940534, 842741, 49601.9,
25.3721, 635.922, 25.2175, 17.6054, 9.53792, 78.0000, 4.00000,
387.000, 1547.04, -352.505, -340.721, 9.53700, 1.00985, 9.66613,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 1: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.916527, rSqBar -> 0.915664, sst -> 723406.717949, sse -> 60385.157175, sde ->
27.789149, mse0 -> 774.168682, rmse -> 27.823887, mae -> 20.821070, smape -> 12.192181, m -> 78.000000, dfm ->
4.000000, df -> 387.000000, fStat -> 1062.303039, aic -> -361.535988, bic -> -349.752443, mape ->
12.049679, mase -> 1.004992, smapeC -> 12.320386, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 1: qof = VectorD(0.916527, 0.915664, 723407, 60385.2,
27.7891, 774.169, 27.8239, 20.8211, 12.1922, 78.0000, 4.00000,
387.000, 1062.30, -361.536, -349.752, 12.0497, 1.00499, 12.3204,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 2: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.939306, rSqBar -> 0.938678, sst -> 981947.294872, sse -> 59598.659543, sde ->
27.353643, mse0 -> 764.085379, rmse -> 27.642094, mae -> 20.351033, smape -> 11.245368, m -> 78.000000, dfm ->
4.000000, df -> 387.000000, fStat -> 1497.302643, aic -> -360.877269, bic -> -349.093725, mape ->
11.199130, mase -> 1.001813, smapeC -> 11.373574, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000,
pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 2: qof = VectorD(0.939306, 0.938678, 981947, 59598.7,
27.3536, 764.085, 27.6421, 20.3510, 11.2454, 78.0000, 4.00000,
387.000, 1497.30, -360.877, -349.094, 11.1991, 1.00181, 11.3736,
-1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 3: train-test splits sizes = (314, 78) |
[info] -----
```

```
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.951608, rSqBar -> 0.951108, sst -> 811184.708333, sse -> 39254.619847, sde -> 22.369901, mse0 -> 503.264357, rmse -> 22.433554, mae -> 16.844555, smape -> 9.691792, m -> 78.000000, dfm -> 4.000000, df -> 387.000000, fStat -> 1902.559147, aic -> -343.838443, bic -> -332.054899, mape -> 9.958163, mase -> 1.009557, smapeC -> 9.819997, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 3: qof = VectorD(0.951608, 0.951108, 811185, 39254.6, 22.3699, 503.264, 22.4336, 16.8446, 9.69179, 78.0000, 4.00000, 387.000, 1902.56, -343.838, -332.055, 9.95816, 1.00956, 9.82000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] -----
[info] | crossValidate: fold 4: train-test splits sizes = (314, 78) |
[info] -----
[info] DEBUG @ Predictor.validate: n_test = 78, rando = true
[info] LinkedHashMap(rSq -> 0.964660, rSqBar -> 0.964295, sst -> 880383.794872, sse -> 31112.708696, sde -> 20.045441, mse0 -> 398.880881, rmse -> 19.972002, mae -> 15.922825, smape -> 9.517474, m -> 78.000000, dfm -> 4.000000, df -> 387.000000, fStat -> 2640.945807, aic -> -337.019315, bic -> -325.235771, mape -> 9.493010, mase -> 0.967569, smapeC -> 9.645680, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] DEBUG @ Predictor.crossValidate: fold 4: qof = VectorD(0.964660, 0.964295, 880384, 31112.7, 20.0454, 398.881, 19.9720, 15.9228, 9.51747, 78.0000, 4.00000, 387.000, 2640.95, -337.019, -325.236, 9.49301, 0.967569, 9.64568, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000)
[info] stepwiseSelAll: (l = 4) ADD variable BestStep(5, VectorD(0.945120, 0.944552, 4.28159e+06, 234975, 24.4646, 599.427, 24.4832, 18.1448, 10.3744, 392.000, 4.00000, 387.000, 1666.18, -1799.84, -1779.98, 10.3678, 1.02540, 10.3999, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000, -1.00000), scalation.modeling.Regression@73ee04c8)
[info] -----
[info] | stepwiseSelAll: (l = 4) ADD variable (5, x5) => cols = LinkedHashSet(0, 2, 1, 3, 5) @ 0.9445524176505258 |
[info] -----
[info] REPORT
[info] -----
[info] modelName mn = Regression @dfm = 4.0
[info] -----
[info] hparameter hp = HyperParameter(factorization -> (Fac_QR, Fac_QR))
[info] -----
[info] features fn = Array(x0, x2, x1, x3, x5)
[info] -----
[info] parameter b = VectorD(156.488, 79.8909, 187.761, 64.9839, -14.7746)
[info] -----
[info] fitMap qof = LinkedHashMap(rSq -> 0.945120, rSqBar -> 0.944552, sst -> 4281593.713648, sse -> 234975.334398, sde -> 24.464617, mse0 -> 599.426873, rmse -> 24.483196, mae -> 18.144752, smape -> 10.374375, m -> 392.000000, dfm -> 4.000000, df -> 387.000000, fStat -> 1666.176278, aic -> -1799.836434, bic -> -1779.980125, mape -> 10.367767, mase -> 1.025401, smapeC -> 10.399885, picp -> -1.000000, pinc -> -1.000000, ace -> -1.000000, pinaw -> -1.000000, iscore -> -1.000000, wis -> -1.000000)
[info] -----
[info] stepwiseSelAll: selected features = LinkedHashSet(0, 2, 1, 3, 5)
[info] stepwiseSelAll: selected features = LinkedHashSet(x0, x2, x1, x3, x5)
[info] stepwiseSelAll: features in/out = ArrayBuffer(2, 1, 3, 5)
[info] k = 5
[info] Run + title
[info] x-axis: minX = 0.0, maxX = 4.0
[info] y-axis: minY = 10.0, maxY = 95.0
[info] rSq =
[info] MatrixD (90.1491, 90.1239, 19.8345, 90.0302,
[info] 91.9100, 91.8684, 17.7950, 91.6934,
[info] 94.2908, 94.2466, 10.2748, 94.0439,
[info] 94.5120, 94.4552, 10.3744, 94.2649)
[info] -----
[info] | Feature Importance |
[info] -----
[info] col = 0, cylinders, importance = -0.0
[info] col = 2, weight, importance = 1.0
[info] col = 1, horsepower, importance = 1.3521006746884316
[info] col = 3, acceleration, importance = 0.12561919789199613
[info] Run + title
```