HIMALAYAN

EURO 5 - SPECIFICATIONS



ROYAL ENFIELD

ENGINE

Number of cylinders Single Cylinder, 4 stroke

Displacement (cc) 411

Bore x stroke 78 x 86 mm

Cooling System Air cooled with oil cooler Injection system Electronic ECU / Variable

Valve gear / SOHC, Camshaft in cylinder head, 2 valves

valves per cylinder

Compression ratio 9.5:1

Maximum power 17,88 kW / 24.3 bhp @ 6500 rpm

(Kw/HP-rpm)

Maximum torque 32 Nm @ 4250 +/- 250 rpm

(Nm/rpm)

CO2 emission 76.5 g/km

Idle rpm 1250 +/- 100 rpm

Noise Emission 88.0 dB(A) @3250rpm Clutch Wet multi plates

Secondary transmission Double chain

Gearbox 5 Speed, Constant Mesh

Starting System Electric Start

Engine Oil SAE 15W50 API SL Jaso MA2

Semi-synthetic

CHASSIS AND BRAKES

Frame type Half duplex split cradle Front wheel 90/90-21 M/C 54H Rear wheel 120/90-17 64S

Front suspension Hydraulic telescopic fork 41 mm Ø . 200 mm travel

Rear suspension Progressive central spring strut 5-way adjustable, 180mm travel

ABS Dual Channel ABS (Switchable to Single Channel ABS

- Rear Wheel ABS Control Deactivation)

Front brake Disc (300mm), 2-piston floating caliper Rear brake Disc (240mm), 1-piston floating caliper

DIMENSIONS

LxWxH (mm) 2190 x 840 x 1370

Ground clearance 220 mm
Wheelbase 1465 mm
Seat height 800 mm
Weight in running order 199 kg

CAPACITY

Petrol tank 3.3 +/- 0.11 gallons

(imperial gallons)

Low fuel warning 1.21 +/- 0.11 gallons Consumption 3.18 (L/100Kms)

Fuel Unleaded Petrol, E10 or less

EQUIPMENT

Navigation

Engine Guard

Burst switch

Luggage rack

Side stand switch

Tool kit

Emergency stop switch

Central and side stand

Instrument Cluster Digital cluster with main

and compass LCD

"Tripper" Turn-by-Turn

PRICING

Granite Black £4,599
Gravel Grey £4,599
Mirage Silver £4,699
Pine Green £4,699
Lake Blue £4,699
Rock Red £4,699





COLOURS



Granite Black



Mirage Silver -









HIMALAYAN

EURO 4 - SPECIFICATIONS



ROYAL ENFIELD

ENGINE

Type / cooling 1-cylinder 4-stroke inline engine, air-cooled with oil cooler

Capacity 411 cc

Valve gear / valves per cyl. one overhead camshaft, two valves

Power / torque 18 kW / 24 hp at 6500 rpm, 32 Nm at 4500 rpm

Transmission 5 gears

Consumption/

emissions standard 3.01/100 km, Euro 4

CO2 emissions 74 g/km

Noise emissions 88 dB (A) @ 3250 rpm

CHASSIS AND BRAKES

Design type Tubular steel frame with bolted trussing

Wheel travel front / rear 200 mm / 180 mm
Front brake 300 mm disc brake
Rear brake 240 mm disc brake

ABS Bosch M 9.1 ABS dual-channel

Tires front 90 / 90-21 MC 56H Rear tire 120/90-17 MC 64S

DIMENSIONS & WEIGHT

LxWxH (mm) 2190 x 840 x 1360

Ground clearance 220 mm
Wheelbase 1465 mm
Seat height 800 mm
Kerb weight 191 kg
Useful load 174 kg
Tank capacity 15.0 l

PRICING

Granite	£4,499
Snow	£4,499
Sleet	£4,499
Gravel Grey	£4,599
Lake Blue	£4,599
Rock Red	£4,599





COLOURS













— Gravel grey

Snow white — Granite black — Sleet grey — Rock red — Lake blue –