Name: Mouern Puthsitha

Class: E6

Answer

1. យើងប្រើACLsstandardនៅពេលយើងចង់block IP នោះដោយមិនខ្វល់ពីគោលដៅវាត្រូវទៅ។ យើងគួ វគប្រើstandard នៅពេលយើងចង់block IP ទាំងមូល។ យើងគួរប្រើ Extended នៅនៅយើងចង់នៅIPនោះអាច Access ចូលក្នុង port ផ្សេងទៀតដែលយើងមិនបាន block។

2. យើងអាច add edit និង delete ACLs បាន នៅពេលដែលយើងប្រើACLs Name តែប៉ុណ្ណោះ(add : access list standard TEST 192.168.1.0 0.0.0.255, edit : 15 access list standard TEST 192.168.2.0 0.0.0.255 និងdelete ដោយប្រើcommand No

3. Show ip interface g0/0 and show ip access list

4. guidelines ; Limited number of ACLs per Interface, ACLs best practices

Guideline	Benefit
Base ACLs on the organization's security policies.	This will ensure that you implement organizational security guidelines.
Write out what you want an ACL to do.	This will help you avoid inadvertently creating potential access problems.
Use a text editor to create, edit, and save all your ACLs.	This will help you create a library of reusable ACLs.
Document ACLs by using the **remark** command.	This will help you (and others) understand the purpose of an ACE.
Test ACLs on a development network before implementing them on a production network.	This will help you avoid costly errors.