
# **SIRA**

## (SISTEM INFORMASI RAPAT)



#### Abstrak

**Sistem Informasi Rapat** adalah aplikasi sistem informasi yang berfungsi mentransformasi dokumentasi kegiatan rapat-rapat menjadi bersifat online terpusat, memudahkan distribusi dan akses hasil rapat ke semua *stakeholder* rapat, memudahkan pencarian dan *follow up* terhadap hasil pembahasan dan keputusan dari rapat-rapat yang telah dilaksanakan, serta menyediakan data hasil rapat untuk proses *data analytic* guna bahan evaluasi dan perumusan strategi intitusi di masa depan.

Lukman Rosyidi lukman@nurulfikri.ac.id

## I. Pendahuluan

Rapat merupakan kegiatan sentral dalam organisasi yang sangat berperan penting dalam semua tahapan proses manajemen (*planning*, *staffing*, *organizing*, *staffing*, *leading*, dan *controlling*) dan di semua level struktur manajemen. Kegiatan rapat dapat memberikan hasil berupa laporan dan keputusan yang perlu mendapatkan *follow up* dan dievaluasi.

Pengadaan sistem informasi rapat yang berbasis teknologi informasi menjadi sangat diperlukan untuk mengatasi permasalahan sebagai berikut.

- 1. Dokumentasi secara pencatatan manual / file sulit untuk didistribusikan dan diakses dengan mudah oleh pihak-pihak yang berkepentingan.
- 2. Dokumentasi secara digital dengan penyimpanan dokumen di *cloud* menjadikan dokumen rapat menjadi tersebar, sulit diintegrasikan dengan sistem informasi lain, dan tidak mendukung *data analytic*.

Dalam hal ini, diperlukan suatu Sistem Informasi Rapat.

# II. Tujuan

Tujuan pengembangan Sistem Informasi Rapat adalah sebagai berikut:

- 1. Mentransformasi dokumentasi kegiatan rapat-rapat menjadi bersifat **online, tersistem dan terpusat**.
- 2. Memudahkan distribusi dan akses hasil rapat ke semua *stakeholder* rapat.
- 3. Memudahkan pencarian dan *follow up* terhadap hasil pembahasan dan keputusan dari rapat-rapat yang telah dilaksanakan.
- 4. Menyediakan data hasil rapat untuk proses *data analytic* guna bahan evaluasi dan perumusan strategi intitusi di masa depan.

# **III. Ruang Lingkup**

Ruang lingkup proses bisnis yang dilakukan dalam Sistem Informasi Rapat adalah sebagai berikut:

- 1. Sistem informasi ini mengakomodir dokumentasi rapat sebagai berikut.
  - a) Rapat internal satuan kerja
  - b) Rapat antar satuan kerja
  - c) Rapat pimpinan seluruh satuan kerja
- 2. Sistem ini dikembangkan untuk diakses menggunakan web browser Firefox dan Chrome.


- 3. Fitur tambahan yang disediakan:
  - a. Ekspor data rapat dan notulen rapat ke file Microsoft Word/Excel
  - b. Pencarian event rapat berdasarkan jenis atau tanggal atau peserta tertentu

### IV. Ikhtisar Sistem

Sistem Informasi Rapat ini mentransformasikan proses pencatatan dan dokumentasi Rapat ke dalam bentuk sistem informasi berbasis web. Modul ini mencakup fungsi utama sebagai berikut.

- 1. Menyediakan fasilitas bagi notulis rapat untuk mencatat notulen rapat.
- 2. Menyediakan fasilitas bagi setiap stakeholder instititusi yang terkait untuk melihat laporan dan notulen yang telah dibuat beserta dokuemen lampirannya.

Diagram use case Sistem Informasi Rapat adalah sebagai berikut.



Penjelasan proses sebagai berikut.


- 1. Penanggung jawab rapat melakukan input event rapat pada tanggal, tempat, dan dengan peserta rapat yang telah ditentukan pada sistem
- 2. Pada saat rapat, Notulis memverifikasi kehadiran peserta rapat dan menambahkan notulensi rapat yang berisi informasi:
  - a. Satuan kerja/peserta rapat yang melakukan pembahasan
  - b. Isi pembahasan, baik berupa pemberitahuan, diskusi, tanggapan, maupun keputusan
  - c. Satuan kerja yang kemudian harus mekaukan follow up terhadap hasil pembahasan (opsional)

3. Semua stakeholder terkait kemudian dapat mengakses notulensi rapat berdasarkan link yang dishare oleh Notulis sesuai dengan hak akses jenis rapat

# V. Panduan Penggunaan

Berikut panduan penggunaan Sistem Informasi Rapat.

#### A. Login Pengguna



- 1. Bagi pengguna baru, lakukan pendaftaran akun yang akan mengisi data username, password, nama pengguna dan nama satker, serta nomor kontak dan email. Admin sistem akan memverifikasi akun dan mengaktifkan akun serta menentukan role dari pengguna.
- 2. Bagi pengguna yang sudah terdaftar dan diaktifkan, dapat langsung login login dengan Penggunaname dan password yang sudah dibuat. Apabila terlupa, maka pengguna dapat memanfaatkan fasilitas Lupa Password untuk dapat melakukan reset password lewat email yang sudah didaftarkan.


#### B. Memilih Jenis Rapat (semua pengguna)

Semua pengguna dapat memilih jenis rapat di menu sebelah kiri. Terdapat 3 jenis rapat:

- 1. Rapat Pimpinan:
  - hanya bisa dibuat oleh satker Kesekretariatan/SDM
  - notulen rapat dapat dilihat oleh semua pimpinan/perwakilan satker
- 2. Rapat Antar Satker
  - bisa dibuat oleh semua satker
  - notulen rapat dapat dilihat oleh semua pimpinan/perwakilan satker


#### 3. Rapat Internal Satker

- bisa dibuat oleh semua satker
- notulen rapat dapat dilihat oleh satker yang membuat rapat beserta atasannya



#### C. Membuat Catatan Event Rapat (Pengguna PJ Rapat)

Bagi pengguna PJ Rapat, membuat catatan event rapat dapat dilakukan dengan klik Add pada tampilan salah satu jenis Rapat. Ketersediaan tombol Add memperhatikan *privilege* pengguna sesuai dengan jenis Rapat.




#### Untuk membuat catatan event Rapat:


- 1. Pilih Tanggal Rapat
- 2. Pilih Jenis Rapat
- 3. Pilih Oleh (PJ rapat)
- 4. Isikan Tempat Rapat
- 5. Pilih nama Pimpinan Rapat
- 6. Pilih nama Notulis Rapat
- 7. Ceklis nama para Peserta Rapat
- 8. Isikan nama Peserta lain (jika ada)
- 9. Upload Lampiran (jika ada)
- 10. Isikan Link rekaman Rapat (jika ada)

Klik Add lagi untuk menyimpan event Rapat yang dibuat.

#### D. Melihat Daftar Rapat (Pengguna Satker)


- 1. Daftar Rapat yang sudah diinput dapat dilihat dari klik di setiap menu jenis Rapat di sebelah kiri.
- 2. Daftar Rapat menampilkan semua *event* Rapat yang sudah dicatatkan pada sistem
- 3. Untuk melihat detail Rapat dapat klik tombol View di sebelah kanan baris Rapat yang dimaksud
- 4. Untuk mengubah detail Rapat dapat klik tombol Edit di sebelah kanan baris Rapat yang dimaksud (hanya bagi Pengguna yang memiliki *privilege*)
- 5. Untuk mencari/memfilter rapat tertentu berdasatkan tanggal, jenis, atau pimpinan maupun peserta, klik icon kaca pembesar di bagian atas lalu di form pencarian bisa isikan kriteria pencarian.





#### E. Mengisikan Notulensi Rapat (Pengguna Notulis)

Bagi Notulis, pengisian notulensi rapat dapat dilakukan dengan klik tombol Notulen dari baris Rapat yang dimaksud di Daftar Rapat.




Catatan notulensi rapat dapat ditambah dengan klik Inline Add, meliputi pengisian:

- 1. No urut
- 2. Pembicara (Satker)
- 3. Bahasan
- 4. Tindak Lanjut (Satker)

Lalu akhiri dengan klik tombol Insert. Ulangi sampai semua nomor bahasan dimasukkan sebagai notulensi rapat.

#### F. Melihat Notulensi Rapat (Pengguna Satker)

Bagi pengguna satker, melihat notulensi rapat dapat dilakukan dengan klik tombol Notulen dari baris Rapat yang dimaksud di Daftar Rapat.



Untuk mengunduh dan menyimpan notulensi rapat dalam format file Microsoft Word/Excel, pengguna dapat klik icon Microsoft Word/Excel yang ada di bagian atas halaman.

## VI. Source Code

Berikut source code aplikasi Sistem Informasi Rapat.

A. Menambah cataatan event rapat (rapat\_add.php)

```
<?php
if (session_id() == "") session_start(); // Initialize Session data
ob_start(); // Turn on output buffering
<?php include_once "ewcfg12.php" ?>
<?php include_once ((EW_USE_ADODB) ? "adodb5/adodb.inc.php" : "ewmysql12.php") ?>
<?php include_once "phpfn12.php" ?>
<?php include_once phpffil2.php !?
<?php include_once "rapatinfo.php" ?>
<?php include_once "pd_usersinfo.php" ?>
<?php include_once "role_usersinfo.php" ?>
<?php include_once "notulengridcls.php" ?>
<?php include_once "userfn12.php" ?>
<?php
// Page class
//
$rapat_add = NULL; // Initialize page object first
class crapat_add extends crapat {
         // Page ID
         var $PageID = 'add';
         // Project ID
         var $ProjectID = "{0C639743-2E0B-4CAE-93FA-C7B9BC3A8674}";
         // Table name
         var $TableName = 'rapat';
         // Page object name
         var $PageObjName = 'rapat_add';
         // Page name
         function PageName() {
                   return ew_CurrentPage();
         // Page URL
         function PageUrl() {
                   $PageUrl = ew_CurrentPage() . "?";
if ($this->UseTokenInUrl) $PageUrl .= "t=" . $this->TableVar . "&"; // Add page token
    var $AuditTrailOnAdd = TRUE;
    var $AuditTrailOnEdit = FALSE;
    var $AuditTrailOnDelete = FALSE;
    var $AuditTrailOnView = FALSE;
    var $AuditTrailOnViewData = FALSE;
    var $AuditTrailOnSearch = FALSE;
         // Message
         function getMessage() {
                   return @$_SESSION[EW_SESSION_MESSAGE];
         function setMessage($v) {
                   ew_AddMessage($_SESSION[EW_SESSION_MESSAGE], $v);
         }
         function getFailureMessage() {
```

```
return @$_SESSION[EW_SESSION_FAILURE_MESSAGE];
        function setFailureMessage($v) {
                ew_AddMessage($_SESSION[EW_SESSION_FAILURE_MESSAGE], $v);
        function getSuccessMessage() {
                return @$ SESSION[EW SESSION SUCCESS MESSAGE];
        function setSuccessMessage($v) {
                ew_AddMessage($_SESSION[EW_SESSION_SUCCESS_MESSAGE], $v);
        function getWarningMessage() {
    return @$_SESSION[EW_SESSION_WARNING_MESSAGE];
        }
        function setWarningMessage($v) {
                ew_AddMessage($_SESSION[EW_SESSION_WARNING_MESSAGE], $v);
        // Methods to clear message
        function ClearMessage() {
                $_SESSION[EW_SESSION_MESSAGE] = "";
        }
        function ClearFailureMessage() {
                $_SESSION[EW_SESSION_FAILURE_MESSAGE] = "";
        function ClearSuccessMessage() {
                $_SESSION[EW_SESSION_SUCCESS_MESSAGE] = "";
        function ClearWarningMessage() {
                $_SESSION[EW_SESSION_WARNING_MESSAGE] = "";
        function ClearMessages() {
                $ SESSION[EW SESSION MESSAGE] = "";
                $_SESSION[EW_SESSION_FAILURE_MESSAGE] = "";
$_SESSION[EW_SESSION_SUCCESS_MESSAGE] = "";
                $_SESSION[EW_SESSION_WARNING_MESSAGE] = "";
        }
        // Show message
        function ShowMessage() {
                $hidden = FALSE;
                $html = "";
                // Message
                $sMessage = $this->getMessage();
                $this->Message_Showing($sMessage, "");
                if ($sMessage <> "") { // Message in Session, display
                        if (!$hidden)
                                $sMessage = "<button type=\"button\" class=\"close\" data-</pre>
dismiss=\"alert\">×</button>" . $sMessage;
                        $html .= "<div class=\"alert alert-info ewInfo\">" . $sMessage . "</div>";
                        $_SESSION[EW_SESSION_MESSAGE] = ""; // Clear message in Session
                // Warning message
                $sWarningMessage = $this->getWarningMessage();
                $this->Message_Showing($sWarningMessage, "warning");
                if ($sWarningMessage <> "") { // Message in Session, display
                        if (!$hidden)
                                $sWarningMessage = "<button type=\"button\" class=\"close\" data-</pre>
"</div>":
                        $_SESSION[EW_SESSION_WARNING_MESSAGE] = ""; // Clear message in Session
```

```
// Success message
                                   $sSuccessMessage = $this->getSuccessMessage();
                                   $this->Message_Showing($sSuccessMessage, "success");
if ($sSuccessMessage <> "") { // Message in Session, display
                                                     if (!$hidden)
                                                                       $sSuccessMessage = "<button type=\"button\" class=\"close\" data-</pre>
dismiss=\"alert\">×</button>" . $sSuccessMessage;
                                                     $html .= "<div class=\"alert alert-success ewSuccess\">" . $sSuccessMessage .
"</div>";
                                                     $_SESSION[EW_SESSION_SUCCESS_MESSAGE] = ""; // Clear message in Session
                                    // Failure message
                                   $sErrorMessage = $this->getFailureMessage();
                                   $this->Message_Showing($sErrorMessage, "failure");
if ($sErrorMessage <> "") { // Message in Session, display
                                                     if (!$hidden)
                                                                       service + close = cl
dismiss=\"alert\">×</button>" . $sErrorMessage;
                                                     $html .= "<div class=\"alert alert-danger ewError\">" . $sErrorMessage .
"</div>":
                                                     $_SESSION[EW_SESSION_FAILURE_MESSAGE] = ""; // Clear message in Session
                                   echo "<div class=\"ewMessageDialog\"" . (($hidden) ? " style=\"display: none;\"" : "")
  ">" . $html . "</div>";
                 }
                 var $PageHeader;
                 var $PageFooter;
                 // Show Page Header
                 function ShowPageHeader() {
                                   $sHeader = $this->PageHeader;
                                   $this->Page_DataRendering($sHeader);
if ($sHeader <> "") { // Header exists, display
                                                     echo "" . $sHeader . "";
                 // Show Page Footer
                 function ShowPageFooter() {
                                   $sFooter = $this->PageFooter;
                                   // Validate page request
                 function IsPageRequest() {
                                   global $objForm;
                                   if ($this->UseTokenInUrl) {
                                                     if ($objForm)
                                                                       return ($this->TableVar == $objForm->GetValue("t"));
                                                     if (@$_GET["t"] <> "")
                                                                       return ($this->TableVar == $_GET["t"]);
                                   } else {
                                                     return TRUE;
                 var $Token = "";
                 var $TokenTimeout = 0;
                 var $CheckToken = EW_CHECK_TOKEN;
var $CheckTokenFn = "ew_CheckToken";
                 var $CreateTokenFn = "ew_CreateToken";
                  // Valid Post
                 function ValidPost() {
                                   if (!$this->CheckToken || !ew_IsHttpPost())
                                                     return TRUE;
                                   if (!isset($_POST[EW_TOKEN_NAME]))
                                                     return FALSE;
                                   $fn = $this->CheckTokenFn;
                                   if (is_callable($fn))
```

```
return FALSE;
        }
        // Create Token
        function CreateToken() {
                 global $gsToken;
                 if ($this->CheckToken) {
                         $fn = $this->CreateTokenFn;
                         if ($this->Token == "" && is_callable($fn)) // Create token
                                 $this->Token = $fn();
                         $gsToken = $this->Token; // Save to global variable
        }
        // Page class constructor
                   _construct() {
        function _
                 global $conn, $Language;
                global $UserTable, $UserTableConn;
$GLOBALS["Page"] = &$this;
                 $this->TokenTimeout = ew_SessionTimeoutTime();
                 // Language object
                 if (!isset($Language)) $Language = new cLanguage();
                 // Parent constuctor
                 parent::__construct();
                 // Table object (rapat)
                 if (!isset($GLOBALS["rapat"]) || get_class($GLOBALS["rapat"]) == "crapat") {
                         $GLOBALS["rapat"] = &$this;
$GLOBALS["Table"] = &$GLOBALS["rapat"];
                 // Table object (pd_users)
                 if (!isset($GLOBALS['pd_users'])) $GLOBALS['pd_users'] = new cpd_users();
                 // Table object (role_users)
                if (!isset($GLOBALS['role_users'])) $GLOBALS['role_users'] = new crole_users();
                 // Page ID
                 if (!defined("EW_PAGE_ID"))
                         define("EW_PAGE_ID", 'add', TRUE);
                 // Table name (for backward compatibility)
                 if (!defined("EW_TABLE_NAME"))
                         define("EW_TABLE_NAME", 'rapat', TRUE);
                 // Start timer
                if (!isset($GLOBALS["gTimer"])) $GLOBALS["gTimer"] = new cTimer();
                 // Open connection
                if (!isset($conn)) $conn = ew_Connect($this->DBID);
                 // User table object (role_users)
                if (!isset($UserTable)) {
                         $UserTable = new crole_users();
                         $UserTableConn = Conn($UserTable->DBID);
        }
            Page_Init
        function Page_Init() {
                 global $gsExport, $gsCustomExport, $gsExportFile, $UserProfile, $Language, $Security,
$objForm;
                 // User profile
                 $UserProfile = new cUserProfile();
                 // Security
```

return \$fn(\$\_POST[EW\_TOKEN\_NAME], \$this->TokenTimeout);

```
$Security = new cAdvancedSecurity();
                 if (!$Security->IsLoggedIn()) $Security->AutoLogin();
                 if ($Security->IsLoggedIn()) $Security->TablePermission_Loading();
$Security->LoadCurrentUserLevel($this->ProjectID . $this->TableName);
                 if ($Security->IsLoggedIn()) $Security->TablePermission_Loaded();
                 if (!$Security->CanAdd()) {
     $Security->SaveLastUrl();
                          $this->setFailureMessage(ew_DeniedMsg()); // Set no permission
                          if ($Security->CanList())
                                  $this->Page_Terminate(ew_GetUrl("rapatlist.php"));
                          else
                                  $this->Page_Terminate(ew_GetUrl("login.php"));
                 if ($Security->IsLoggedIn()) {
                          $Security->UserID_Loading();
                          $Security->LoadUserID();
                          $Security->UserID_Loaded();
                 }
                 // Create form object
                 $objForm = new cFormObj();
                 $this->CurrentAction = (@$_GET["a"] <> "") ? $_GET["a"] : @$_POST["a_list"]; // Set up
current action
                 // Global Page Loading event (in userfn*.php)
                 Page_Loading();
                 // Page Load event
                 $this->Page_Load();
                 // Check token
                 if (!$this->ValidPost()) {
                          echo $Language->Phrase("InvalidPostRequest");
                          $this->Page_Terminate();
                          exit();
                 }
                 // Process auto fill
                 if (@$_POST["ajax"] == "autofill") {
                          // Process auto fill for detail table 'notulen'
                          if (@$_POST["grid"] == "fnotulengrid") {
                                  if (!isset($GLOBALS["notulen_grid"])) $GLOBALS["notulen_grid"] = new
cnotulen_grid;
                                   $GLOBALS["notulen_grid"]->Page_Init();
                                  $this->Page_Terminate();
                                   exit();
                          $results = $this->GetAutoFill(@$_POST["name"], @$_POST["q"]);
                          if ($results) {
                                   // Clean output buffer
                                   if (!EW_DEBUG_ENABLED && ob_get_length())
                                           ob_end_clean();
                                   echo $results;
                                   $this->Page_Terminate();
                                  exit();
                          }
                 // Create Token
                 $this->CreateToken();
        }
        // Page_Terminate
        function Page_Terminate($url = "") {
                 global $gsExportFile, $gTmpImages;
                 // Page Unload event
                 $this->Page_Unload();
                 // Global Page Unloaded event (in userfn*.php)
```

```
Page_Unloaded();
                 // Export
                 global $EW_EXPORT, $rapat;
if ($this->CustomExport <> "" && $this->CustomExport == $this->Export &&
$class = $EW_EXPORT[$this->CustomExport];
                          if (class_exists($class)) {
                                  $doc = new $class($rapat);
                                   $doc->Text = $sContent;
                                  if ($this->Export == "email")
                                           echo $this->ExportEmail($doc->Text);
                                  else
                                           $doc->Export();
                                   ew_DeleteTmpImages(); // Delete temp images
                          }
                 $this->Page_Redirecting($url);
                  // Close connection
                 ew CloseConn();
                 // Go to URL if specified
                 if ($url <> "") {
                          if (!EW_DEBUG_ENABLED && ob_get_length())
                                  ob_end_clean();
                          header("Location: " . $url);
                 exit();
        var $FormClassName = "form-horizontal ewForm ewAddForm";
var $DbMasterFilter = "";
var $DbDetailFilter = "";
        var $StartRec;
        var $Priv = 0;
        var $01dRecordset;
        var $CopyRecord;
        // Page main
        function Page_Main() {
                 global $objForm, $Language, $gsFormError;
                 // Process form if post back
if (@$_POST["a_add"] <> "") {
                          $this->CurrentAction = $_POST["a_add"]; // Get form action
                          $this->CopyRecord = $this->LoadOldRecord(); // Load old recordset
$this->LoadFormValues(); // Load form values
                 } else { // Not post back
                          // Load key values from QueryString
                          $this->CopyRecord = TRUE;
                          if (@$_GET["ID_Rapat"] != "") {
                                  $this->ID_Rapat->setQueryStringValue($_GET["ID_Rapat"]);
                                   $this->setKey("ID_Rapat", $this->ID_Rapat->CurrentValue); // Set up
key
                          } else {
                                   $this->setKey("ID_Rapat", ""); // Clear key
                                  $this->CopyRecord = FALSE;
                          if ($this->CopyRecord) {
                                  $this->CurrentAction = "C"; // Copy record
                          } else {
                                   $this->CurrentAction = "I"; // Display blank record
                          }
                 // Set up Breadcrumb
                 $this->SetupBreadcrumb();
```

```
// Set up detail parameters
                $this->SetUpDetailParms();
                 // Validate form if post back
                if (@$_POST["a_add"] <> "") {
                         if (!$this->ValidateForm()) {
                                 $this->CurrentAction = "I"; // Form error, reset action
                                 $this->EventCancelled = TRUE; // Event cancelled
                                 $this->RestoreFormValues(); // Restore form values
                                 $this->setFailureMessage($gsFormError);
                } else {
                         if ($this->CurrentAction == "I") // Load default values for blank record
                                 $this->LoadDefaultValues();
                }
                 // Perform action based on action code
                switch ($this->CurrentAction) {
                         case "I": // Blank record, no action required
                                 break;
                         case "C": // Copy an existing record
                                 if (!$this->LoadRow()) { // Load record based on key
                                          if ($this->getFailureMessage() == "") $this-
>setFailureMessage($Language->Phrase("NoRecord")); // No record found
                                          $this->Page_Terminate("rapatlist.php"); // No matching record,
return to list
                                 }
                                  // Set up detail parameters
                                 $this->SetUpDetailParms();
                                 break;
                         case "A": // Add new record
                                 $this->SendEmail = TRUE; // Send email on add success
if ($this->AddRow($this->OldRecordset)) { // Add successful
                                          if ($this->getSuccessMessage() == "")
                                                  $this->setSuccessMessage($Language-
>Phrase("AddSuccess")); // Set up success message
                                          if ($this->getCurrentDetailTable() <> "") // Master/detail add
                                                  $sReturnUrl = $this->GetDetailUrl();
                                          else
                                                  $sReturnUrl = $this->getReturnUrl();
                                          if (ew_GetPageName($sReturnUrl) == "rapatlist.php")
                                                  $sReturnUrl = $this->AddMasterUrl($sReturnUrl); //
List page, return to list page with correct master key if necessary
                                          elseif (ew_GetPageName($sReturnUrl) == "rapatview.php")
                                                  $sReturnUrl = $this->GetViewUrl(); // View page,
return to view page with keyurl directly
                                          $this->Page_Terminate($sReturnUrl); // Clean up and return
                                 } else {
                                          $this->EventCancelled = TRUE; // Event cancelled
                                          $this->RestoreFormValues(); // Add failed, restore form values
                                          // Set up detail parameters
                                          $this->SetUpDetailParms();
                                 }
                 // Render row based on row type
                $this->RowType = EW_ROWTYPE_ADD; // Render add type
                 // Render row
                $this->ResetAttrs();
                $this->RenderRow();
        // Get upload files
        function GetUploadFiles() {
                global $objForm, $Language;
                 // Get upload data
                $this->Lampiran->Upload->Index = $objForm->Index;
                $this->Lampiran->Upload->UploadFile();
                $this->Lampiran->CurrentValue = $this->Lampiran->Upload->FileName;
```

```
// Load default values
        function LoadDefaultValues() {
                $this->Tanggal->CurrentValue = NULL;
                $this->Tanggal->OldValue = $this->Tanggal->CurrentValue;
                $this->Jenis_Rapat->CurrentValue = NULL;
                $this->Jenis_Rapat->OldValue = $this->Jenis_Rapat->CurrentValue;
                $this->Oleh->CurrentValue = NULL;
                $this->Oleh->OldValue = $this->Oleh->CurrentValue;
                $this->Tempat->CurrentValue = NULL;
                $this->Tempat->OldValue = $this->Tempat->CurrentValue;
                $this->Pimpinan->CurrentValue = NULL;
                $this->Pimpinan->OldValue = $this->Pimpinan->CurrentValue;
                $this->Notulis->CurrentValue = NULL;
                $this->Notulis->OldValue = $this->Notulis->CurrentValue;
                $this->Peserta_Rapat->CurrentValue = NULL;
                $this->Peserta_Rapat->OldValue = $this->Peserta_Rapat->CurrentValue;
                $this->Peserta_Lain->CurrentValue = NULL;
                $this->Peserta_Lain->OldValue = $this->Peserta_Lain->CurrentValue;
                $this->Lampiran->Upload->DbValue = NULL;
                $this->Lampiran->OldValue = $this->Lampiran->Upload->DbValue;
                $this->Lampiran->CurrentValue = NULL; // Clear file related field
                $this->Link_Rekaman->CurrentValue = NULL;
                $this->Link Rekaman->OldValue = $this->Link Rekaman->CurrentValue;
        }
        // Load form values
        function LoadFormValues() {
                // Load from form
                global $objForm;
                $this->GetUploadFiles(); // Get upload files
                if (!$this->Tanggal->FldIsDetailKey) {
    $this->Tanggal->setFormValue($objForm->GetValue("x_Tanggal"));
                         $this->Tanggal->CurrentValue = ew_UnFormatDateTime($this->Tanggal-
>CurrentValue, 7);
                if (!$this->Jenis_Rapat->FldIsDetailKey) {
                         $this->Jenis_Rapat->setFormValue($objForm->GetValue("x_Jenis_Rapat"));
                if (!$this->Oleh->FldIsDetailKey) {
                         $this->Oleh->setFormValue($objForm->GetValue("x Oleh"));
                if (!$this->Tempat->FldIsDetailKey) {
                         $this->Tempat->setFormValue($objForm->GetValue("x_Tempat"));
                if (!$this->Pimpinan->FldIsDetailKey) {
                         $this->Pimpinan->setFormValue($objForm->GetValue("x"));
                if (!$this->Notulis->FldIsDetailKey) {
                         $this->Notulis->setFormValue($objForm->GetValue("x_Notulis"));
                if (!$this->Peserta_Rapat->FldIsDetailKey) {
                         $this->Peserta_Rapat->setFormValue($objForm->GetValue("x_Peserta_Rapat"));
                if (!$this->Peserta_Lain->FldIsDetailKey) {
                         $this->Peserta_Lain->setFormValue($objForm->GetValue("x_Peserta_Lain"));
                if (!$this->Link_Rekaman->FldIsDetailKey) {
                         $this->Link_Rekaman->setFormValue($objForm->GetValue("x_Link_Rekaman"));
        }
        // Restore form values
        function RestoreFormValues() {
                global $objForm;
                $this->LoadOldRecord();
                $this->Tanggal->CurrentValue = $this->Tanggal->FormValue;
                $this->Tanggal->CurrentValue = ew_UnFormatDateTime($this->Tanggal->CurrentValue, 7);
                $this->Jenis_Rapat->CurrentValue = $this->Jenis_Rapat->FormValue;
                $this->Oleh->CurrentValue = $this->Oleh->FormValue;
                $this->Tempat->CurrentValue = $this->Tempat->FormValue;
                $this->Pimpinan->CurrentValue = $this->Pimpinan->FormValue;
                $this->Notulis->CurrentValue = $this->Notulis->FormValue;
```

```
$this->Peserta_Rapat->CurrentValue = $this->Peserta_Rapat->FormValue;
        $this->Peserta_Lain->CurrentValue = $this->Peserta_Lain->FormValue;
        $this->Link_Rekaman->CurrentValue = $this->Link_Rekaman->FormValue;
}
// Load row based on key values
function LoadRow() {
        global $Security, $Language;
        $sFilter = $this->KeyFilter();
         // Call Row Selecting event
        $this->Row_Selecting($sFilter);
         // Load SQL based on filter
        $this->CurrentFilter = $sFilter;
        $sSql = $this->SQL();
        $conn = &$this->Connection();
        $res = FALSE;
        $rs = ew_LoadRecordset($sSql, $conn);
        if ($rs && !$rs->EOF) {
                 $res = TRUE;
                 $this->LoadRowValues($rs); // Load row values
                 $rs->Close();
        return $res;
// Load row values from recordset
function LoadRowValues(&$rs) {
        if (!$rs || $rs->EOF) return;
         // Call Row Selected event
        $row = &$rs->fields;
        $this->Row_Selected($row);
        $this->ID_Rapat->setDbValue($rs->fields('ID_Rapat'));
        $this->Tanggal->setDbValue($rs->fields('Tanggal'));
        $this->Jenis_Rapat->setDbValue($rs->fields('Jenis_Rapat'));
        $this->Oleh->setDbValue($rs->fields('Oleh'));
        $this->Tempat->setDbValue($rs->fields('Tempat'));
        $this->Pimpinan->setDbValue($rs->fields('Pimpinan'));
        $this->Notulis->setDbValue($rs->fields('Notulis'));
        $this->Peserta_Rapat->setDbValue($rs->fields('Peserta_Rapat'));
$this->Peserta_Lain->setDbValue($rs->fields('Peserta_Lain'));
        $this->Lampiran->Upload->DbValue = $rs->fields('Lampiran');
        $this->Lampiran->CurrentValue = $this->Lampiran->Upload->DbValue;
        $this->Link_Rekaman->setDbValue($rs->fields('Link_Rekaman'));
// Load DbValue from recordset
function LoadDbValues(&$rs) {
        if (!$rs || !is_array($rs) && $rs->EOF) return;
        $row = is_array($rs) ? $rs : $rs->fields;
        $this->ID_Rapat->DbValue = $row['ID_Rapat'];
        $this->Tanggal->DbValue = $row['Tanggal'];
$this->Jenis_Rapat->DbValue = $row['Jenis_Rapat'];
        $this->Oleh->DbValue = $row['Oleh'];
        $this->Tempat->DbValue = $row['Tempat'];
        $this->Pimpinan->DbValue = $row['Pimpinan'];
        $this->Notulis->DbValue = $row['Notulis'];
        $this->Peserta_Rapat->DbValue = $row['Peserta_Rapat'];
$this->Peserta_Lain->DbValue = $row['Peserta_Lain'];
        $this->Lampiran->Upload->DbValue = $row['Lampiran'];
        $this->Link_Rekaman->DbValue = $row['Link_Rekaman'];
// Load old record
function LoadOldRecord() {
         // Load key values from Session
        $bValidKey = TRUE;
        if (strval($this->getKey("ID_Rapat")) <> "")
                 $this->ID_Rapat->CurrentValue = $this->getKey("ID_Rapat"); // ID_Rapat
        else
                 $bValidKey = FALSE;
```

```
// Load old recordset
                                   $sSql = $this->SQL();
                                                     $conn = &$this->Connection();
                                                     $this->OldRecordset = ew_LoadRecordset($sSql, $conn);
                                                     $this->LoadRowValues($this->OldRecordset); // Load row values
                                   } else {
                                                     $this->OldRecordset = NULL;
                                   return $bValidKey;
                 // Render row values based on field settings
                 function RenderRow() {
                                   global $Security, $Language, $gsLanguage;
                                   // Initialize URLs
                                   // Call Row_Rendering event
                                   $this->Row_Rendering();
                                   // Common render codes for all row types
                                   // ID_Rapat
                                   // Tanggal
                                   // Jenis_Rapat
// Oleh
                                   // Tempat
                                   // Pimpinan
                                   // Notulis
                                   // Peserta_Rapat
                                   // Peserta_Lain
                                   // Lampiran
                                   // Link_Rekaman
                                   if ($this->RowType == EW_ROWTYPE_VIEW) { // View row
                                   // Tanggal
                                   $this->Tanggal->ViewValue = $this->Tanggal->CurrentValue;
                                   $this->Tanggal->ViewValue = ew_FormatDateTime($this->Tanggal->ViewValue, 7);
                                   $this->Tanggal->ViewCustomAttributes = "";
                                   // Jenis_Rapat
                                   if (strval($this->Jenis_Rapat->CurrentValue) <> "") {
                                                     $sFilterWrk = "`ID_Jenis_Rapat`" . ew_SearchString("=", $this->Jenis_Rapat-
>CurrentValue, EW_DATATYPE_NUMBER, "");

$ssqlwrk = "SELECT `ID_Jenis_Rapat`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS `Disp4Fld` FROM `jenis_rapat`";

$swherewrk = "";
                                   $lookuptblfilter = "`ID_Jenis_Rapat`<10";</pre>
                                   ew_AddFilter($sWhereWrk, $lookuptblfilter);
                                   ew_AddFilter($sWhereWrk, $sFilterWrk);
                                   $\frac{\text{starter} \text{starter} \text{sta
                                                    $rswrk = Conn()->Execute($sSqlWrk);
if ($rswrk && !$rswrk->EOF) { // Lookup values found
                                                                      $arwrk = array();
                                                                      $arwrk[1] = $rswrk->fields('DispFld');
                                                                      $this->Jenis_Rapat->ViewValue = $this->Jenis_Rapat-
>DisplayValue($arwrk);
                                                                      $rswrk->Close();
                                                     } else {
                                                                      $this->Jenis_Rapat->ViewValue = $this->Jenis_Rapat->CurrentValue;
                                   } else {
                                                     $this->Jenis_Rapat->ViewValue = NULL;
                                   $this->Jenis_Rapat->ViewCustomAttributes = "";
                                   // Oleh
                                   if (strval($this->Oleh->CurrentValue) <> "") {
                                                     $sFilterWrk = "`pd_uid`" . ew_SearchString("=", $this->Oleh->CurrentValue,
```

```
EW DATATYPE NUMBER, "");
$$$qlWrk = "SELECT `pd_uid`, `pd_nickname` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS `Disp4Fld` FROM `pd_users`";
                               $sWhereWrk = "";
                               ew_AddFilter($sWhereWrk, $sFilterWrk);
                               $\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}
                                               $rswrk = Conn()->Execute($sSqlWrk);
                                               if ($rswrk && !$rswrk->EOF) { // Lookup values found
                                                              $arwrk = array();
                                                               $arwrk[1] = $rswrk->fields('DispFld');
                                                               $this->Oleh->ViewValue = $this->Oleh->DisplayValue($arwrk);
                                                              $rswrk->Close();
                                               } else {
                                                              $this->Oleh->ViewValue = $this->Oleh->CurrentValue;
                               } else {
                                               $this->Oleh->ViewValue = NULL;
                               $this->Oleh->ViewCustomAttributes = "";
                               // Tempat
                               $this->Tempat->ViewValue = $this->Tempat->CurrentValue;
                               $this->Tempat->ViewCustomAttributes = "";
                               // Pimpinan
                               if (strval($this->Pimpinan->CurrentValue) <> "") {
                                               $sFilterWrk = "`ID_Personil`" . ew_SearchString("=", $this->Pimpinan-
>CurrentValue, EW_DATATYPE_NUMBER, "");

$\$\sql\wrk = \"SELECT \iD_\text{Personil}\, \Nama\ AS \DispFld\, \' AS \Disp2Fld\, \' AS
`Disp3Fld`, '' AS `Disp4Fld` FROM `personil`";
                               $sWhereWrk = "";
                               $lookuptblfilter = "`Status`=1";
                               ew_AddFilter($sWhereWrk, $lookuptblfilter);
ew_AddFilter($sWhereWrk, $sFilterWrk);
$this->Lookup_Selecting($this->Pimpinan, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
                               $sSqlWrk .= " ORDER BY `Nama` ASC";
                                               $rswrk = Conn()->Execute($sSqlWrk);
                                               if ($rswrk && !$rswrk->EOF) { // Lookup values found
                                                              $arwrk = array();
                                                               $arwrk[1] = $rswrk->fields('DispFld');
                                                               $this->Pimpinan->ViewValue = $this->Pimpinan->DisplayValue($arwrk);
                                                              $rswrk->Close();
                                               } else {
                                                               $this->Pimpinan->ViewValue = $this->Pimpinan->CurrentValue;
                               } else {
                                               $this->Pimpinan->ViewValue = NULL;
                               $this->Pimpinan->ViewCustomAttributes = "";
                               // Notulis
                               if (strval($this->Notulis->CurrentValue) <> "") {
                                               $sFilterWrk = "`ID_Personil`" . ew_SearchString("=", $this->Notulis-
>CurrentValue, EW_DATATYPE_NUMBER, "");

$SSqlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS
`Disp3Fld`, '' AS `Disp4Fld` FROM `personil`";
                               $sWhereWrk = "";
                               $lookuptblfilter = "`Status`=1";
                               ew_AddFilter($sWhereWrk, $lookuptblfilter);
                               ew_AddFilter($sWhereWrk, $sFilterWrk);
                               $this->Lookup_Selecting($this->Notulis, $sWhereWrk); // Call Lookup selecting
                               if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
                               $sSqlWrk .= " ORDER BY `Nama` ASC";
                                               $rswrk = Conn()->Execute($sSqlWrk);
                                               if ($rswrk && !$rswrk->EOF) { // Lookup values found
                                                              $arwrk = array();
                                                               $arwrk[1] = $rswrk->fields('DispFld');
                                                               $this->Notulis->ViewValue = $this->Notulis->DisplayValue($arwrk);
                                                              $rswrk->Close();
                                               } else {
                                                               $this->Notulis->ViewValue = $this->Notulis->CurrentValue;
```

```
} else {
                         $this->Notulis->ViewValue = NULL;
                 $this->Notulis->ViewCustomAttributes = "";
                 // Peserta Rapat
                 if (strval($this->Peserta_Rapat->CurrentValue) <> "") {
                         $arwrk = explode(",", $this->Peserta_Rapat->CurrentValue);
                         $sFilterWrk = "";
                         foreach ($arwrk as $wrk) {
                                 if ($sFilterWrk <> "") $sFilterWrk .= " OR ";
$sFilterWrk .= "`ID_Personil`" . ew_SearchString("=", trim($wrk),
EW_DATATYPE_NUMBER, "");
$sWhereWrk = "";
                 $lookuptblfilter = "`Status`=1";
                ew_AddFilter($sWhereWrk, $lookuptblfilter);
ew_AddFilter($sWhereWrk, $sFilterWrk);
$this->Lookup_Selecting($this->Peserta_Rapat, $sWhereWrk); // Call Lookup selecting
                if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
$sSqlWrk .= " ORDER BY `Nama` ASC";
                         $rswrk = Conn()->Execute($sSqlWrk);
                         if ($rswrk && !$rswrk->EOF) { // Lookup values found
                                  $this->Peserta_Rapat->ViewValue = "";
                                  ari = 0;
                                  while (!$rswrk->EOF) {
                                          $arwrk = array();
                                          $arwrk[1] = $rswrk->fields('DispFld');
                                          $this->Peserta_Rapat->ViewValue .= $this->Peserta_Rapat-
>DisplayValue($arwrk);
                                          $rswrk->MoveNext();
                                          if (!$rswrk->EOF) $this->Peserta_Rapat->ViewValue .=
ew ViewOptionSeparator($ari); // Separate Options
                                          $ari++;
                                  $rswrk->Close();
                         } else {
                                  $this->Peserta_Rapat->ViewValue = $this->Peserta_Rapat->CurrentValue;
                 } else {
                         $this->Peserta Rapat->ViewValue = NULL;
                 $this->Peserta_Rapat->ViewCustomAttributes = "";
                 // Peserta Lain
                 $this->Peserta_Lain->ViewValue = $this->Peserta_Lain->CurrentValue;
                 $this->Peserta_Lain->ViewCustomAttributes = "";
                 $this->Lampiran->UploadPath = "uploads/lampiran/";
                 if (!ew_Empty($this->Lampiran->Upload->DbValue)) {
                         $this->Lampiran->ViewValue = $this->Lampiran->Upload->DbValue;
                         $this->Lampiran->ViewValue = "";
                 $this->Lampiran->ViewCustomAttributes = "";
                 // Link_Rekaman
                 $this->Link_Rekaman->ViewValue = $this->Link_Rekaman->CurrentValue;
                 $this->Link_Rekaman->ViewCustomAttributes = "";
                         // Tanggal
                         $this->Tanggal->LinkCustomAttributes = "";
                         $this->Tanggal->HrefValue = "";
                         $this->Tanggal->TooltipValue = "";
                         // Jenis_Rapat
                         $this->Jenis_Rapat->LinkCustomAttributes = "";
                         $this->Jenis_Rapat->HrefValue = "";
                         $this->Jenis_Rapat->TooltipValue = "";
```

```
// Oleh
                             $this->Oleh->LinkCustomAttributes = "";
                             $this->Oleh->HrefValue = "";
                             $this->Oleh->TooltipValue = "";
                             // Tempat
                             $this->Tempat->LinkCustomAttributes = "";
                            $this->Tempat->HrefValue = "";
$this->Tempat->TooltipValue = "";
                             // Pimpinan
                             $this->Pimpinan->LinkCustomAttributes = "";
                            $this->Pimpinan->HrefValue = "";
$this->Pimpinan->TooltipValue = "";
                             // Notulis
                             $this->Notulis->LinkCustomAttributes = "";
                             $this->Notulis->HrefValue = "";
                             $this->Notulis->TooltipValue = "";
                             // Peserta_Rapat
                             $this->Peserta_Rapat->LinkCustomAttributes = "";
                            $this->Peserta_Rapat->HrefValue = "";
$this->Peserta_Rapat->TooltipValue = "";
                             // Peserta_Lain
                             $this->Peserta Lain->LinkCustomAttributes = "";
                            $this->Peserta_Lain->HrefValue = "";
$this->Peserta_Lain->TooltipValue = "";
                             // Lampiran
                             $this->Lampiran->LinkCustomAttributes = "";
                             $this->Lampiran->HrefValue = ""
                             $this->Lampiran->HrefValue2 = $this->Lampiran->UploadPath . $this->Lampiran-
>Upload->DbValue;
                             $this->Lampiran->TooltipValue = "";
                             // Link Rekaman
                             $this->Link_Rekaman->LinkCustomAttributes = "";
                             if (!ew_Empty($this->Link_Rekaman->CurrentValue)) {
                                      $this->Link_Rekaman->HrefValue = $this->Link_Rekaman->CurrentValue; //
Add prefix/suffix
                                      $this->Link_Rekaman->LinkAttrs["target"] = "_blank"; // Add target
if ($this->Export <> "") $this->Link_Rekaman->HrefValue =
ew ConvertFullUrl($this->Link Rekaman->HrefValue);
                             } else {
                                      $this->Link_Rekaman->HrefValue = "";
                             $this->Link_Rekaman->TooltipValue = "";
                   } elseif ($this->RowType == EW_ROWTYPE_ADD) { // Add row
                             // Tanggal
                             $this->Tanggal->EditAttrs["class"] = "form-control";
                             $this->Tanggal->EditCustomAttributes = ""
                             $this->Tanggal->EditValue = ew_HtmlEncode(ew_FormatDateTime($this->Tanggal-
>CurrentValue, 7));
                             $this->Tanggal->PlaceHolder = ew_RemoveHtml($this->Tanggal->FldCaption());
                             $this->Jenis_Rapat->EditAttrs["class"] = "form-control";
                             $this->Jenis_Rapat->EditCustomAttributes = ""
                             if (trim(strval($this->Jenis_Rapat->CurrentValue)) == "") {
                                      $sFilterWrk = "0=1";
                            } else {
                                      $sFilterWrk = "`ID_Jenis_Rapat`" . ew_SearchString("=", $this-
>Jenis_Rapat->CurrentValue, EW_DATATYPE_NUMBER, "");
$sSqlWrk = "SELECT `ID_Jenis_Rapat`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, ''
AS `Disp3Fld`, '' AS `Disp4Fld`, '' AS `SelectFilterFld`, '' AS `SelectFilterFld2`, '' AS `SelectFilterFld3`, '' AS `SelectFilterFld4` FROM `jenis_rapat`";
                             $sWhereWrk = "";
                             $lookuptblfilter = "`ID_Jenis_Rapat`<10";</pre>
                             ew_AddFilter($sWhereWrk, $lookuptblfilter);
                             ew_AddFilter($sWhereWrk, $sFilterWrk);
```

```
$this->Lookup_Selecting($this->Jenis_Rapat, $sWhereWrk); // Call Lookup
selecting
                           if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
                           $sSqlWrk .= " ORDER BY `Urutan` ASC";
                           $rswrk = Conn()->Execute($sSqlWrk);
                           $arwrk = ($rswrk) ? $rswrk->GetRows() : array();
                           if ($rswrk) $rswrk->Close();
array_unshift($arwrk, array("", $Language->Phrase("PleaseSelect"), "", "", "",
"", "", "", ""));
                           $this->Jenis_Rapat->EditValue = $arwrk;
                           $this->Oleh->EditAttrs["class"] = "form-control";
                           $this->Oleh->EditCustomAttributes = ""
                           if (trim(strval($this->Oleh->CurrentValue)) == "") {
                                    $sFilterWrk = "0=1";
                                    $sFilterWrk = "`pd_uid`" . ew_SearchString("=", $this->Oleh-
>CurrentValue, EW_DATATYPE_NUMBER, "");
$sSqlWrk = "SELECT `pd_uid`, `pd_nickname` AS `DispFld`, '' AS `Disp2Fld`, ''
AS `Disp3Fld`, '' AS `Disp4Fld`, '' AS `SelectFilterFld`, '' AS `SelectFilterFld2`, '' AS `SelectFilterFld3`, '' AS `SelectFilterFld4` FROM `pd_users`";
                           $sWhereWrk = "";
                           ew_AddFilter($sWhereWrk, $sFilterWrk);
                           if (!$GLOBALS["rapat"]->UserIDAllow("add")) $sWhereWrk = $GLOBALS["pd_users"]-
>AddUserIDFilter($sWhereWrk);
                           $this->Lookup_Selecting($this->Oleh, $sWhereWrk); // Call Lookup selecting
                           if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
                           $sSqlWrk .= " ORDER BY `pd_uid` ASC";
                           $rswrk = Conn()->Execute($sSqlWrk);
                           $arwrk = ($rswrk) ? $rswrk->GetRows() : array();
                           if ($rswrk) $rswrk->Close();
                           array_unshift($arwrk, array("", $Language->Phrase("PleaseSelect"), "", "",
"",
"", "", "", ""));
                           $this->Oleh->EditValue = $arwrk;
                           $this->Tempat->EditAttrs["class"] = "form-control";
                           $this->Tempat->EditCustomAttributes = ""
                           $this->Tempat->EditValue = ew_HtmlEncode($this->Tempat->CurrentValue);
                           $this->Tempat->PlaceHolder = ew_RemoveHtml($this->Tempat->FldCaption());
                           // Pimpinan
                           $this->Pimpinan->EditAttrs["class"] = "form-control";
                           $this->Pimpinan->EditCustomAttributes = "'
                           if (trim(strval($this->Pimpinan->CurrentValue)) == "") {
                                    $sFilterWrk = "0=1";
                           } else {
                                    $sFilterWrk = "`ID_Personil`" . ew_SearchString("=", $this->Pimpinan-
>CurrentValue, EW_DATATYPE_NUMBER, "");
$sSqlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS `Disp4Fld`, '' AS `SelectFilterFld`, '' AS `SelectFilterFld2`, '' AS `SelectFilterFld3`, '' AS `SelectFilterFld4` FROM `personil`";
                           $sWhereWrk = "";
                           $lookuptblfilter = "`Status`=1";
                           ew_AddFilter($sWhereWrk, $lookuptblfilter);
                           ew_AddFilter($sWhereWrk, $sFilterWrk);
                           $this->Lookup_Selecting($this->Pimpinan, $sWhereWrk); // Call Lookup selecting
                           if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
                           $sSqlWrk .= " ORDER BY `Nama` ASC";
                           $rswrk = Conn()->Execute($sSqlWrk);
                           $arwrk = ($rswrk) ? $rswrk->GetRows() : array();
                           if ($rswrk) $rswrk->Close();
                           array_unshift($arwrk, array("", $Language->Phrase("PleaseSelect"), "", "",
"",
"", "", "", ""));
                           $this->Pimpinan->EditValue = $arwrk;
                           // Notulis
                           $this->Notulis->EditAttrs["class"] = "form-control";
                           $this->Notulis->EditCustomAttributes = "";
                           if (trim(strval($this->Notulis->CurrentValue)) == "") {
                                    $sFilterWrk = "0=1";
```

```
$sFilterWrk = "`ID_Personil`" . ew_SearchString("=", $this->Notulis-
>CurrentValue, EW DATATYPE NUMBER, "");
$sSqlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS `Disp4Fld`, '' AS `SelectFilterFld`, '' AS `SelectFilterFld2`, '' AS `SelectFilterFld3`, '' AS `SelectFilterFld4` FROM `personil`";
                            $sWhereWrk = "";
                            $lookuptblfilter = "`Status`=1";
                            ew_AddFilter($sWhereWrk, $lookuptblfilter);
                            ew_AddFilter($sWhereWrk, $sFilterWrk);
                            $this->Lookup_Selecting($this->Notulis, $sWhereWrk); // Call Lookup selecting
                            if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk; $sSqlWrk .= " ORDER BY `Nama` ASC";
                            $rswrk = Conn()->Execute($sSqlWrk);
                            $arwrk = ($rswrk) ? $rswrk->GetRows() : array();
                            if ($rswrk) $rswrk->Close();
                            array_unshift($arwrk, array("", $Language->Phrase("PleaseSelect"), "", "",
"",
"", "", "", ""));
                            $this->Notulis->EditValue = $arwrk;
                            // Peserta_Rapat
                            $this->Peserta_Rapat->EditCustomAttributes = "";
                            if (trim(strval($this->Peserta Rapat->CurrentValue)) == "") {
                                      $sFilterWrk = "0=1";
                            } else {
                                      $arwrk = explode(",", $this->Peserta_Rapat->CurrentValue);
                                      $sFilterWrk = "'
                                      foreach ($arwrk as $wrk) {
                                               if ($sFilterWrk <> "") $sFilterWrk .= " OR ";
$sFilterWrk .= "`ID_Personil`" . ew_SearchString("=",
trim($wrk), EW_DATATYPE_NUMBER, "");
$sSqlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS `Disp4Fld`, '' AS `SelectFilterFld`, '' AS `SelectFilterFld2`, '' AS `SelectFilterFld3`, '' AS `SelectFilterFld4` FROM `personil`";
                            $sWhereWrk = "";
                            $lookuptblfilter = "`Status`=1";
                            ew_AddFilter($sWhereWrk, $lookuptblfilter);
                            ew_AddFilter($sWhereWrk, $sFilterWrk);
                            $this->Lookup_Selecting($this->Peserta_Rapat, $sWhereWrk); // Call Lookup
selecting
                            if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
                            $sSqlWrk .= " ORDER BY `Nama` ASC";
                            $rswrk = Conn()->Execute($sSqlWrk);
                            $arwrk = ($rswrk) ? $rswrk->GetRows() : array();
                            if ($rswrk) $rswrk->Close();
                            $this->Peserta_Rapat->EditValue = $arwrk;
                            // Peserta_Lain
                            $this->Peserta_Lain->EditAttrs["class"] = "form-control";
                            $this->Peserta_Lain->EditCustomAttributes = "";
                            $this->Peserta_Lain->EditValue = ew_HtmlEncode($this->Peserta_Lain-
>CurrentValue);
                            $this->Peserta_Lain->PlaceHolder = ew_RemoveHtml($this->Peserta_Lain-
>FldCaption());
                            $this->Lampiran->EditAttrs["class"] = "form-control";
                            $this->Lampiran->EditCustomAttributes = "";
                            $this->Lampiran->UploadPath = "uploads/lampiran/";
                            if (!ew_Empty($this->Lampiran->Upload->DbValue)) {
                                      $this->Lampiran->EditValue = $this->Lampiran->Upload->DbValue;
                            } else {
                                      $this->Lampiran->EditValue = "";
                            if (!ew_Empty($this->Lampiran->CurrentValue))
                            $this->Lampiran->Upload->FileName = $this->Lampiran->CurrentValue; if (($this->CurrentAction == "I" || $this->CurrentAction == "C") && !$this-
>EventCancelled) ew_RenderUploadField($this->Lampiran);
                             // Link_Rekaman
                            $this->Link_Rekaman->EditAttrs["class"] = "form-control";
```

```
$this->Link Rekaman->EditCustomAttributes = "";
                        $this->Link_Rekaman->EditValue = ew_HtmlEncode($this->Link_Rekaman-
>CurrentValue);
                        $this->Link_Rekaman->PlaceHolder = ew_RemoveHtml($this->Link_Rekaman-
>FldCaption());
                        // Add refer script
                        // Tanggal
                        $this->Tanggal->LinkCustomAttributes = "";
                        $this->Tanggal->HrefValue = "";
                        // Jenis_Rapat
                        $this->Jenis_Rapat->LinkCustomAttributes = "";
                        $this->Jenis_Rapat->HrefValue = "";
                        $this->Oleh->LinkCustomAttributes = "";
                        $this->Oleh->HrefValue = "";
                        // Tempat
                        $this->Tempat->LinkCustomAttributes = "";
                        $this->Tempat->HrefValue = "";
                        // Pimpinan
                        $this->Pimpinan->LinkCustomAttributes = "";
                        $this->Pimpinan->HrefValue = "";
                        $this->Notulis->LinkCustomAttributes = "";
                        $this->Notulis->HrefValue = "";
                        // Peserta_Rapat
                        $this->Peserta_Rapat->LinkCustomAttributes = "";
                        $this->Peserta_Rapat->HrefValue = "";
                        // Peserta_Lain
                        $this->Peserta_Lain->LinkCustomAttributes = "";
                        $this->Peserta_Lain->HrefValue = "";
                        // Lampiran
                        $this->Lampiran->LinkCustomAttributes = "";
                        $this->Lampiran->HrefValue = "";
                        $this->Lampiran->HrefValue2 = $this->Lampiran->UploadPath . $this->Lampiran-
>Upload->DbValue;
                        // Link_Rekaman
                        $this->Link Rekaman->LinkCustomAttributes = "";
                        if (!ew_Empty($this->Link_Rekaman->CurrentValue)) {
                                $this->Link_Rekaman->HrefValue = $this->Link_Rekaman->CurrentValue; //
Add prefix/suffix
                                $this->Link_Rekaman->LinkAttrs["target"] = "_blank"; // Add target
                                if ($this->Export <> "") $this->Link_Rekaman->HrefValue =
ew_ConvertFullUrl($this->Link_Rekaman->HrefValue);
                        } else {
                                 $this->Link_Rekaman->HrefValue = "";
                if ($this->RowType == EW_ROWTYPE_ADD ||
                        $this->RowType == EW_ROWTYPE_EDIT ||
                        $this->RowType == EW_ROWTYPE_SEARCH) { // Add / Edit / Search row
                        $this->SetupFieldTitles();
                // Call Row Rendered event
                if ($this->RowType <> EW_ROWTYPE_AGGREGATEINIT)
                        $this->Row_Rendered();
        // Validate form
        function ValidateForm() {
                global $Language, $gsFormError;
                // Initialize form error message
```

```
$gsFormError = "";
                // Check if validation required
                if (!EW_SERVER_VALIDATE)
                        return ($gsFormError == "");
                if (!$this->Tanggal->FldIsDetailKey && !is_null($this->Tanggal->FormValue) && $this-
>Tanggal->FormValue == "") {
                        ew_AddMessage($gsFormError, str_replace("%s", $this->Tanggal->FldCaption(),
$this->Tanggal->ReqErrMsg));
                if (!ew_CheckEuroDate($this->Tanggal->FormValue)) {
                        ew_AddMessage($gsFormError, $this->Tanggal->FldErrMsg());
                if (!$this->Jenis_Rapat->FldIsDetailKey && !is_null($this->Jenis_Rapat->FormValue) &&
$this->Jenis_Rapat->FormValue == "") {
                        ew_AddMessage($gsFormError, str_replace("%s", $this->Jenis_Rapat-
>FldCaption(), $this->Jenis_Rapat->ReqErrMsg));
                if (!$this->Oleh->FldIsDetailKey && !is_null($this->Oleh->FormValue) && $this->Oleh-
>FormValue == "") {
                        ew_AddMessage($gsFormError, str_replace("%s", $this->Oleh->FldCaption(),
$this->Oleh->ReqErrMsg));
                // Validate detail grid
                $DetailTblVar = explode(",", $this->getCurrentDetailTable());
                if (in_array("notulen", $DetailTblVar) && $GLOBALS["notulen"]->DetailAdd) {
                        if (!isset($GLOBALS["notulen_grid"])) $GLOBALS["notulen_grid"] = new
cnotulen_grid(); // get detail page object
                        $GLOBALS["notulen_grid"]->ValidateGridForm();
                // Return validate result
                $ValidateForm = ($gsFormError == "");
                // Call Form CustomValidate event
                $sFormCustomError = ""
                $ValidateForm = $ValidateForm && $this->Form CustomValidate($sFormCustomError);
                if ($sFormCustomError <> "") {
                        ew_AddMessage($gsFormError, $sFormCustomError);
                return $ValidateForm;
        }
        // Add record
        function AddRow($rsold = NULL) {
                global $Language, $Security;
                $conn = &$this->Connection();
                // Begin transaction
                if ($this->getCurrentDetailTable() <> "")
                        $conn->BeginTrans();
                // Load db values from rsold
                if ($rsold) {
                        $this->LoadDbValues($rsold);
                        $this->Lampiran->OldUploadPath = "uploads/lampiran/";
                        $this->Lampiran->UploadPath = $this->Lampiran->OldUploadPath;
                $rsnew = array();
                $this->Tanggal->SetDbValueDef($rsnew, ew_UnFormatDateTime($this->Tanggal-
>CurrentValue, 7), NULL, FALSE);
                // Jenis Rapat
                $this->Jenis_Rapat->SetDbValueDef($rsnew, $this->Jenis_Rapat->CurrentValue, NULL,
FALSE);
                // 0leh
                $this->Oleh->SetDbValueDef($rsnew, $this->Oleh->CurrentValue, NULL, FALSE);
                $this->Tempat->SetDbValueDef($rsnew, $this->Tempat->CurrentValue, NULL, FALSE);
```

```
// Pimpinan
                 $this->Pimpinan->SetDbValueDef($rsnew, $this->Pimpinan->CurrentValue, NULL, FALSE);
                 $this->Notulis->SetDbValueDef($rsnew, $this->Notulis->CurrentValue, NULL, FALSE);
                 // Peserta_Rapat
                 $this->Peserta_Rapat->SetDbValueDef($rsnew, $this->Peserta_Rapat->CurrentValue, NULL,
FALSE);
                 // Peserta Lain
                 $this->Peserta_Lain->SetDbValueDef($rsnew, $this->Peserta_Lain->CurrentValue, NULL,
FALSE);
                 // Lampiran
                 if ($this->Lampiran->Visible && !$this->Lampiran->Upload->KeepFile) {
    $this->Lampiran->Upload->DbValue = ""; // No need to delete old file
                          if ($this->Lampiran->Upload->FileName == "") {
                                  $rsnew['Lampiran'] = NULL;
                          } else {
                                  $rsnew['Lampiran'] = $this->Lampiran->Upload->FileName;
                 // Link_Rekaman
                 $this->Link Rekaman->SetDbValueDef($rsnew, $this->Link Rekaman->CurrentValue, NULL,
FALSE);
                 if ($this->Lampiran->Visible && !$this->Lampiran->Upload->KeepFile) {
                          $this->Lampiran->UploadPath = "uploads/lampiran/";
$OldFiles = explode(EW_MULTIPLE_UPLOAD_SEPARATOR, $this->Lampiran->Upload-
>DbValue);
                          if (!ew_Empty($this->Lampiran->Upload->FileName)) {
                                  $NewFiles = explode(EW_MULTIPLE_UPLOAD_SEPARATOR, $this->Lampiran-
>Upload->FileName);
                                  $FileCount = count($NewFiles);
                                  for ($i = 0; $i < $FileCount; $i++) {
                                           $fldvar = ($this->Lampiran->Upload->Index < 0) ? $this-</pre>
>Lampiran->FldVar : substr($this->Lampiran->FldVar, 0, 1) . $this->Lampiran->Upload->Index .
substr($this->Lampiran->FldVar, 1);
                                           if ($NewFiles[$i] <> "") {
                                                    $file = $NewFiles[$i];
                                                    if (file_exists(ew_UploadTempPath($fldvar, $this-
>Lampiran->TblVar) . EW PATH DELIMITER . $file)) {
                                                             if (!in_array($file, $0ldFiles)) {
                                                                     $file1
ew_UploadFileNameEx(ew_UploadPathEx(TRUE, $this->Lampiran->UploadPath), $file); // Get new file name
                                                                     if ($file1 <> $file) { // Rename temp
file
(file_exists(ew_UploadTempPath($fldvar, $this->Lampiran->TblVar) . EW_PATH_DELIMITER . $file1)) // Make
sure did not clash with existing upload file
ew_UniqueFilename(ew_UploadPathEx(TRUE, $this->Lampiran->UploadPath), $file1, TRUE); // Use indexed
name
        rename(ew_UploadTempPath($fldvar, $this->Lampiran->TblVar) . EW_PATH_DELIMITER . $file,
ew_UploadTempPath($fldvar, $this->Lampiran->TblVar) . EW_PATH_DELIMITER . $file1);
                                                                              $NewFiles[$i] = $file1;
                                                             }
                                           }
                                  $this->Lampiran->Upload->FileName =
implode(EW_MULTIPLE_UPLOAD_SEPARATOR, $NewFiles);
                                  $rsnew['Lampiran'] = $this->Lampiran->Upload->FileName;
                          } else {
                                  $NewFiles = array();
                          }
                 // Call Row Inserting event
                 $rs = ($rsold == NULL) ? NULL : $rsold->fields;
```

```
$bInsertRow = $this->Row_Inserting($rs, $rsnew);
                 if ($bInsertRow) {
                         $conn->raiseErrorFn = $GLOBALS["EW ERROR FN"];
                         $AddRow = $this->Insert($rsnew);
$conn->raiseErrorFn = '';
                         if ($AddRow) {
                                  // Get insert id if necessary
                                  $this->ID_Rapat->setDbValue($conn->Insert_ID());
                                 $rsnew['ID_Rapat'] = $this->ID_Rapat->DbValue;
                                  if ($this->Lampiran->Visible && !$this->Lampiran->Upload->KeepFile) {
                                          $01dFiles = explode(EW_MULTIPLE_UPLOAD_SEPARATOR, $this-
>Lampiran->Upload->DbValue);
                                          if (!ew_Empty($this->Lampiran->Upload->FileName)) {
                                                   $NewFiles = explode(EW MULTIPLE UPLOAD SEPARATOR,
$this->Lampiran->Upload->FileName);
                                                   $NewFiles2 = explode(EW_MULTIPLE_UPLOAD_SEPARATOR,
$rsnew['Lampiran']);
                                                   $FileCount = count($NewFiles);
                                                   for ($i = 0; $i < $FileCount; $i++) {
                                                           $fldvar = ($this->Lampiran->Upload->Index <</pre>
0) ? $this->Lampiran->FldVar : substr($this->Lampiran->FldVar, 0, 1) . $this->Lampiran->Upload->Index .
substr($this->Lampiran->FldVar, 1);
                                                           if ($NewFiles[$i] <> "") {
                                                                    $file = ew_UploadTempPath($fldvar,
$this->Lampiran->TblVar) . EW_PATH_DELIMITER . $NewFiles[$i];
                                                                    if (file_exists($file)) {
                                                                            $this->Lampiran->Upload-
>SaveToFile($this->Lampiran->UploadPath, (@$NewFiles2[$i] <> "") ? $NewFiles2[$i] : $NewFiles[$i],
TRUE, $i); // Just replace
                                          } else {
                                                   $NewFiles = array();
                                          $FileCount = count($01dFiles);
                                          for ($i = 0; $i < $FileCount; $i++) {</pre>
                                                  if ($0ldFiles[$i] <> "" && !in_array($0ldFiles[$i],
$NewFiles))
                                                           @unlink(ew_UploadPathEx(TRUE, $this-
>Lampiran->OldUploadPath) . $OldFiles[$i]);
                } else {
                         if ($this->getSuccessMessage() <> "" || $this->getFailureMessage() <> "") {
                                  // Use the message, do nothing
                         } elseif ($this->CancelMessage <> "") {
                                 $this->setFailureMessage($this->CancelMessage);
$this->CancelMessage = "";
                         } else {
                                  $this->setFailureMessage($Language->Phrase("InsertCancelled"));
                         $AddRow = FALSE;
                 // Add detail records
                 if ($AddRow) {
                         $DetailTblVar = explode(",", $this->getCurrentDetailTable());
                         if (in_array("notulen", $DetailTblVar) && $GLOBALS["notulen"]->DetailAdd) {
                                 $GLOBALS["notulen"]->ID_Rapat->setSessionValue($this->ID_Rapat-
>CurrentValue); // Set master key
                                  if (!isset($GLOBALS["notulen_grid"])) $GLOBALS["notulen_grid"] = new
cnotulen_grid(); // Get detail page object
                                  $AddRow = $GLOBALS["notulen_grid"]->GridInsert();
                                  if (!$AddRow)
                                          $GLOBALS["notulen"]->ID_Rapat->setSessionValue(""); // Clear
master key if insert failed
                 // Commit/Rollback transaction
```

```
if ($this->getCurrentDetailTable() <> "") {
                         if ($AddRow) {
                                 $conn->CommitTrans(); // Commit transaction
                         } else {
                                 $conn->RollbackTrans(); // Rollback transaction
                         }
                if ($AddRow) {
                         // Call Row Inserted event
                         $rs = ($rsold == NULL) ? NULL : $rsold->fields;
                         $this->Row_Inserted($rs, $rsnew);
                         $this->WriteAuditTrailOnAdd($rsnew);
                // Lampiran
                ew_CleanUploadTempPath($this->Lampiran, $this->Lampiran->Upload->Index);
                return $AddRow;
        }
        // Set up detail parms based on QueryString
        function SetUpDetailParms() {
                // Get the keys for master table
                if (isset($_GET[EW_TABLE_SHOW_DETAIL])) {
                         $sDetailTblVar = $_GET[EW_TABLE_SHOW_DETAIL];
                         $this->setCurrentDetailTable($sDetailTblVar);
                } else {
                         $sDetailTblVar = $this->getCurrentDetailTable();
                if ($sDetailTblVar <> "") {
                         $DetailTblVar = explode(",", $sDetailTblVar);
                         if (in_array("notulen", $DetailTblVar)) {
     if (!isset($GLOBALS["notulen_grid"]))
                                          $GLOBALS["notulen_grid"] = new cnotulen_grid;
                                 if ($GLOBALS["notulen_grid"]->DetailAdd) {
                                          if ($this->CopyRecord)
                                                  $GLOBALS["notulen grid"]->CurrentMode = "copy";
                                          else
                                                  $GLOBALS["notulen_grid"]->CurrentMode = "add";
                                          $GLOBALS["notulen_grid"]->CurrentAction = "gridadd";
                                          // Save current master table to detail table
                                          $GLOBALS["notulen_grid"]->setCurrentMasterTable($this-
>TableVar);
                                          $GLOBALS["notulen_grid"]->setStartRecordNumber(1);
                                          $GLOBALS["notulen_grid"]->ID_Rapat->FldIsDetailKey = TRUE;
                                          $GLOBALS["notulen_grid"]->ID_Rapat->CurrentValue = $this-
>ID_Rapat->CurrentValue;
                                          $GLOBALS["notulen_grid"]->ID_Rapat-
>setSessionValue($GLOBALS["notulen_grid"]->ID_Rapat->CurrentValue);
                         }
                }
        }
        // Set up Breadcrumb
        function SetupBreadcrumb() {
                global $Breadcrumb, $Language;
                $Breadcrumb = new cBreadcrumb();
                $url = substr(ew_CurrentUrl(), strrpos(ew_CurrentUrl(), "/")+1);
                $Breadcrumb->Add("list", $this->TableVar, $this->AddMasterUrl("rapatlist.php"), "",
$this->TableVar, TRUE);
                $PageId = ($this->CurrentAction == "C") ? "Copy" : "Add";
                $Breadcrumb->Add("add", $PageId, $url);
        // Write Audit Trail start/end for grid update
        function WriteAuditTrailDummy($typ) {
                $table = 'rapat';
                $usr = CurrentUserName();
                ew_WriteAuditTrail("log", ew_StdCurrentDateTime(), ew_ScriptName(), $usr, $typ,
$table, "", "", "", "");
```

```
// Write Audit Trail (add page)
        function WriteAuditTrailOnAdd(&$rs) {
                 global $Language;
                 if (!$this->AuditTrailOnAdd) return;
                 $table = 'rapat';
                 // Get key value
                 $key = "";
                 if ($key <> "") $key .= $GLOBALS["EW_COMPOSITE_KEY_SEPARATOR"];
                 $key .= $rs['ID_Rapat'];
                 // Write Audit Trail
                 $dt = ew_StdCurrentDateTime();
                 $id = ew_ScriptName();
                 $usr = CurrentUserName();
                 foreach (array_keys($rs) as $fldname) {
                          if ($this->fields[$fldname]->FldDataType <> EW_DATATYPE_BLOB) { // Ignore BLOB
fields
                                  if ($this->fields[$fldname]->FldHtmlTag == "PASSWORD") {
                                           $newvalue = $Language->Phrase("PasswordMask"); // Password
Field
                                  } elseif ($this->fields[$fldname]->FldDataType == EW_DATATYPE_MEMO) {
                                           if (EW_AUDIT_TRAIL_TO_DATABASE)
                                                    $newvalue = $rs[$fldname];
                                  $newvalue = "[MEMO]"; // Memo Field
} elseif ($this->fields[$fldname]->FldDataType == EW_DATATYPE_XML) {
                                           $newvalue = "[XML]"; // XML Field
                                  } else {
                                           $newvalue = $rs[$fldname];
                                  ew_WriteAuditTrail("log", $dt, $id, $usr, "A", $table, $fldname, $key,
"", $newvalue);
                         }
                 }
        // Page Load event
        function Page_Load() {
                 //echo "Page Load";
        // Page Unload event
        function Page_Unload() {
                 //echo "Page Unload";
        }
        // Page Redirecting event
        function Page_Redirecting(&$url) {
                 // Example:
                 //$url = "your URL";
        }
        // Message Showing event
        // $type = ''|'success'|'failure'|'warning'
        function Message_Showing(&$msg, $type) {
    if ($type == 'success') {
                          //$msg = "your success message";
                 } elseif ($type == 'failure') {
                          //$msg = "your failure message";
                 } elseif ($type == 'warning') {
                         //$msg = "your warning message";
                 } else {
                         //$msg = "your message";
```

```
// Page Render event
          function Page_Render() {
                    //echo "Page Render";
          // Page Data Rendering event
          function Page_DataRendering(&$header) {
                    // Example:
                    //$header = "your header";
          }
          // Page Data Rendered event
          function Page_DataRendered(&$footer) {
                    // Example:
                    //$footer = "your footer";
          }
          // Form Custom Validate event
          function Form_CustomValidate(&$CustomError) {
                    // Return error message in CustomError
                    return TRUE;
          }
<?php ew_Header(FALSE) ?>
<?php
// Create page object
if (!isset($rapat_add)) $rapat_add = new crapat_add();
// Page init
$rapat_add->Page_Init();
// Page main
$rapat_add->Page_Main();
// Global Page Rendering event (in userfn*.php)
Page_Rendering();
// Page Rendering event
$rapat_add->Page_Render();
<?php include_once "header.php" ?>
<script type="text/javascript">
// Form object
var CurrentPageID = EW_PAGE_ID = "add";
var CurrentForm = frapatadd = new ew_Form("frapatadd", "add");
// Validate form
frapatadd.Validate = function() {
          if (!this.ValidateRequired)
                    return true; // Ignore validation
          var $ = jQuery, fobj = this.GetForm(), $fobj = $(fobj);
if ($fobj.find("#a_confirm").val() == "F")
                    return true;
          var elm, felm, uelm, addcnt = 0;
var $k = $fobj.find("#" + this.FormKeyCountName); // Get key_count
var rowcnt = ($k[0]) ? parseInt($k.val(), 10) : 1;
var startcnt = (rowcnt == 0) ? 0 : 1; // Check rowcnt == 0 => Inline-Add
          var gridinsert = $fobj.find("#a_list").val() == "gridinsert";
          for (var i = startcnt; i <= rowint; i++) {
  var infix = ($k[0]) ? String(i) : "";
  $fobj.data("rowindex", infix);</pre>
                              elm = this.GetElements("x" + infix + "_Tanggal");
                              if (elm && !ew_IsHidden(elm) && !ew_HasValue(elm))
```

```
return this.OnError(elm, "<?php echo ew_JsEncode2(str_replace("%s",</pre>
if (elm && !ew_CheckEuroDate(elm.value))
                                    return this.OnError(elm, "<?php echo ew_JsEncode2($rapat->Tanggal-
>FldErrMsg()) ?>");
                           elm = this.GetElements("x" + infix + " Jenis Rapat");
                           if (elm && !ew_IsHidden(elm) && !ew_HasValue(elm))
return this.OnError(elm, "<?php echo ew_JsEncode2(str_replace("%s", $rapat->Jenis_Rapat->FldCaption(), $rapat->Jenis_Rapat->ReqErrMsg)) ?>");
                           elm = this.GetElements("x" + infix + "_Oleh");
                           if (elm && !ew_IsHidden(elm) && !ew_HasValue(elm))
                                    return this.OnError(elm, "<?php echo ew_JsEncode2(str_replace("%s",</pre>
$rapat->Oleh->FldCaption(), $rapat->Oleh->ReqErrMsg)) ?>");
                           // Fire Form_CustomValidate event
                           if (!this.Form_CustomValidate(fobj))
                                    return false;
         }
         // Process detail forms
         var dfs = $fobj.find("input[name='detailpage']").get();
         for (var i = 0; i < dfs.length; i++) {</pre>
                  var df = dfs[i], val = df.value;
                  if (val && ewForms[val])
                           if (!ewForms[val].Validate())
                                    return false;
         return true;
}
// Form_CustomValidate event
frapatadd.Form CustomValidate =
 function(fobj) { // DO NOT CHANGE THIS LINE!
         // Your custom validation code here, return false if invalid.
         return true;
// Use JavaScript validation or not
<?php if (EW_CLIENT_VALIDATE) { ?>
frapatadd.ValidateRequired = true;
<?php } else { ?>
frapatadd.ValidateRequired = false;
<?php } ?>
// Dynamic selection lists
frapatadd.Lists["x_Jenis_Rapat"] =
{"LinkField":"x_ID_Jenis_Rapat","Ajax":true,"AutoFill":false,"DisplayFields":["x_Nama","","",""],"ParentFields":[],"ChildFields":[],"FilterFields":[],"Options":[],"Template":""};
frapatadd.Lists["x_Oleh"] =
{"LinkField":"x_pd_uid", "Ajax":true, "AutoFill":false, "DisplayFields":["x_pd_nickname", "", "", ""], "Parent
Fields":[], "ChildFields":[], "FilterFields":[], "Options":[], "Template":""};
frapatadd.Lists["x"] =
{"LinkField":"x_ID_Personil","Ajax":true,"AutoFill":false,"DisplayFields":["x_Nama","","",""],"ParentFi
elds":[],"ChildFields":[],"FilterFields":[],"Options":[],"Template":""};
frapatadd.Lists["x_Notulis"] =
{"LinkField":"x_ID_Personil","Ajax":true,"AutoFill":false,"DisplayFields":["x_Nama","","",""],"ParentFi
elds":[],"ChildFields":[],"FilterFields":[],"Options":[],"Template":""};
frapatadd.Lists["x_Peserta_Rapat[]"] =
    {"LinkField":"x_ID_Personil", "Ajax":true, "AutoFill":false, "DisplayFields":["x_Nama", "", "", ""], "ParentFi
elds":[],"ChildFields":[],"FilterFields":[],"Options":[],"Template":""};
// Form object for search
</script>
<script type="text/javascript">
// Write your client script here, no need to add script tags.
</script>
<div class="ewToolbar">
<?php if (!empty($Breadcrumb)) $Breadcrumb->Render(); ?>
<?php echo $Language->SelectionForm(); ?>
<div class="clearfix"></div>
</div>
```

```
<?php $rapat_add->ShowPageHeader(); ?>
<?php
$rapat add->ShowMessage();
?>
<form name="frapatadd" id="frapatadd" class="<?php echo $rapat_add->FormClassName ?>" action="<?php</pre>
echo ew_CurrentPage() ?>" method="post">
<?php if ($rapat_add->CheckToken) { ?>
<input type="hidden" name="<?php echo EW_TOKEN_NAME ?>" value="<?php echo $rapat_add->Token ?>">
<?php } ?>
<input type="hidden" name="t" value="rapat">
<input type="hidden" name="a_add" id="a_add" value="A">
<div>
<?php if ($rapat->Tanggal->Visible) { // Tanggal ?>
        <div id="r_Tanggal" class="form-group">
                <label id="elh rapat Tanggal" for="x Tanggal" class="col-sm-2 control-label</pre>
ewLabel"><?php echo $rapat->Tanggal->FldCaption() ?><?php echo $Language-
>Phrase("FieldRequiredIndicator") ?></label>
                <div class="col-sm-10"><div<?php echo $rapat->Tanggal->CellAttributes() ?>>
<span id="el_rapat_Tanggal">
<input type="text" data-table="rapat" data-field="x_Tanggal" data-format="7" name="x_Tanggal"</pre>
id="x_Tanggal" placeholder="<?php echo ew_HtmlEncode($rapat->Tanggal->getPlaceHolder()) ?>
value="<?php echo $rapat->Tanggal->EditValue ?>"<?php echo $rapat->Tanggal->EditAttributes() ?>>
<?php if (!$rapat->Tanggal->ReadOnly && !$rapat->Tanggal->Disabled && !isset($rapat->Tanggal-
>EditAttrs["readonly"]) && !isset($rapat->Tanggal->EditAttrs["disabled"])) { ?>
<script type="text/javascript">
ew_CreateCalendar("frapatadd", "x_Tanggal", "%d/%m/%Y");
</script>
<?php } ?>
</span>
<?php echo $rapat->Tanggal->CustomMsg ?></div></div>
       </div>
<?php } ?>
<label id="elh_rapat_Jenis_Rapat" for="x_Jenis_Rapat" class="col-sm-2 control-label</pre>
ewLabel"><?php echo $rapat->Jenis_Rapat->FldCaption() ?><?php echo $Language-
>Phrase("FieldRequiredIndicator") ?></label>
                <div class="col-sm-10"><div<?php echo $rapat->Jenis Rapat->CellAttributes() ?>>
<span id="el_rapat_Jenis_Rapat">
<select data-table="rapat" data-field="x_Jenis_Rapat" data-value-separator="<?php echo</pre>
ew_HtmlEncode(is_array($rapat->Jenis_Rapat->DisplayValueSeparator) ? json_encode($rapat->Jenis_Rapat-
>DisplayValueSeparator) : $rapat->Jenis_Rapat->DisplayValueSeparator) ?>" id="x_Jenis_Rapat"
name="x_Jenis_Rapat"<?php echo $rapat->Jenis_Rapat->EditAttributes() ?>>
<?php
if (is_array($rapat->Jenis_Rapat->EditValue)) {
        $arwrk = $rapat->Jenis_Rapat->EditValue;
        $rowswrk = count($arwrk);
        $emptywrk = TRUE;
        for ($rowcntwrk = 0; $rowcntwrk < $rowswrk; $rowcntwrk++) {</pre>
                $selwrk = ew_SameStr($rapat->Jenis_Rapat->CurrentValue, $arwrk[$rowcntwrk][0]) ? "
selected" : "";
                if ($selwrk <> "") $emptywrk = FALSE;
<option value="<?php echo ew_HtmlEncode($arwrk[$rowcntwrk][0]) ?>"<?php echo $selwrk ?>>
<?php echo $rapat->Jenis_Rapat->DisplayValue($arwrk[$rowcntwrk]) ?>
</option>
<?php
        if ($emptywrk && strval($rapat->Jenis_Rapat->CurrentValue) <> "") {
<option value="<?php echo ew_HtmlEncode($rapat->Jenis_Rapat->CurrentValue) ?>" selected><?php echo</pre>
$rapat->Jenis_Rapat->CurrentValue ?></option>
<?php
?>
</select>
<?php
$sSqlWrk = "SELECT `ID_Jenis_Rapat`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS
`Disp4Fld` FROM `jenis_rapat`
$sWhereWrk = "";
$lookuptblfilter = "`ID Jenis Rapat`<10";</pre>
ew_AddFilter($sWhereWrk, $lookuptblfilter);
$rapat->Jenis_Rapat->LookupFilters = array("s" => $sSqlWrk, "d" => "");
```

```
$rapat->Jenis_Rapat->LookupFilters += array("f0" => "`ID_Jenis_Rapat` = {filter_value}", "t0" => "3",
"fn0" => "");
$sSqlWrk = "";
$rapat->Lookup_Selecting($rapat->Jenis_Rapat, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
$sSqlWrk .= " ORDER BY `Urutan` ASC";
if ($sSqlWrk <> "") $rapat->Jenis_Rapat->LookupFilters["s"] .= $sSqlWrk;
<input type="hidden" name="s x Jenis Rapat" id="s x Jenis Rapat" value="<?php echo $rapat->Jenis Rapat-
>LookupFilterQuery() ?>">
</span>
<?php echo $rapat->Jenis_Rapat->CustomMsg ?></div></div>
        </div>
<?php } ?>
<?php if ($rapat->Oleh->Visible) { // Oleh ?>
        <div id="r_Oleh" class="form-group">
                <label id="elh_rapat_Oleh" for="x_Oleh" class="col-sm-2 control-label ewLabel"><?php</pre>
echo $rapat->Oleh->FldCaption() ?><?php echo $Language->Phrase("FieldRequiredIndicator") ?></label>
                <div class="col-sm-10"><div<?php echo $rapat->Oleh->CellAttributes() ?>>
<span id="el_rapat_Oleh">
<select data-table="rapat" data-field="x Oleh" data-value-separator="<?php echo</pre>
ew HtmlEncode(is_array($rapat->Oleh->DisplayValueSeparator) ? json_encode($rapat->Oleh-
>DisplayValueSeparator) : $rapat->Oleh->DisplayValueSeparator) ?>" id="x_Oleh" name="x_Oleh"<?php echo
$rapat->Oleh->EditAttributes() ?>>
<?php
if (is_array($rapat->Oleh->EditValue)) {
        $arwrk = $rapat->0leh->EditValue;
$rowswrk = count($arwrk);
        $emptywrk = TRUE;
        for ($rowcntwrk = 0; $rowcntwrk < $rowswrk; $rowcntwrk++) {</pre>
                $selwrk = ew_SameStr($rapat->Oleh->CurrentValue, $arwrk[$rowcntwrk][0]) ? " selected"
: "";
                if ($selwrk <> "") $emptywrk = FALSE;
<option value="<?php echo ew_HtmlEncode($arwrk[$rowcntwrk][0]) ?>"<?php echo $selwrk ?>>
<?php echo $rapat->Oleh->DisplayValue($arwrk[$rowcntwrk]) ?>
</option>
<?php
        if ($emptywrk && strval($rapat->Oleh->CurrentValue) <> "") {
<option value="<?php echo ew HtmlEncode($rapat->Oleh->CurrentValue) ?>" selected><?php echo $rapat-</pre>
>Oleh->CurrentValue ?></option>
<?php
}
</select>
<?php
$sSqlWrk = "SELECT `pd_uid`, `pd_nickname` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS
`Disp4Fld` FROM `pd_users`";
$sWhereWrk = ""
>AddUserIDFilter($sWhereWrk);
$rapat->Oleh->LookupFilters = array("s" => $sSqlWrk, "d" => "");
$rapat->0leh->LookupFilters += array("f0" => "`pd_uid` = {filter_value}", "t0" => "3", "fn0" => "");
$sSqlWrk = "";
$rapat->Lookup_Selecting($rapat->Oleh, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
$sSqlWrk .= " ORDER BY `pd_uid` ASC";
if ($sSqlWrk <> "") $rapat->Oleh->LookupFilters["s"] .= $sSqlWrk;
<input type="hidden" name="s_x_Oleh" id="s_x_Oleh" value="<?php echo $rapat->Oleh->LookupFilterQuery()
?>">
</span>
<?php echo $rapat->Oleh->CustomMsg ?></div></div>
        </div>
<?php } ?>
<label id="elh_rapat_Tempat" for="x_Tempat" class="col-sm-2 control-label</pre>
ewLabel"><?php echo $rapat->Tempat->FldCaption() ?></label>
                <div class="col-sm-10"><div<?php echo $rapat->Tempat->CellAttributes() ?>>
<span id="el_rapat_Tempat">
```

```
<input type="text" data-table="rapat" data-field="x Tempat" name="x Tempat" id="x Tempat" size="30"</pre>
maxlength="255" placeholder="<?php echo ew_HtmlEncode($rapat->Tempat->getPlaceHolder()) ?>"
value="<?php echo $rapat->Tempat->EditValue ?>"<?php echo $rapat->Tempat->EditAttributes() ?>>
</span>
<?php echo $rapat->Tempat->CustomMsg ?></div></div>
         </div>
<?php } ?>
<?php if ($rapat->Pimpinan->Visible) { // Pimpinan ?>
         <div id="r" class="form-group'</pre>
                   <label id="elh_rapat" for="x" class="col-sm-2 control-label ewLabel"><?php echo</pre>
$rapat->Pimpinan->FldCaption() ?></label>
                   <div class="col-sm-10"><div<?php echo $rapat->Pimpinan->CellAttributes() ?>>
<span id="el rapat">
<select data-table="rapat" data-field="x" data-value-separator="<?php echo</pre>
ew_HtmlEncode(is_array($rapat->Pimpinan->DisplayValueSeparator) ? json_encode($rapat->Pimpinan->DisplayValueSeparator) : $rapat->Pimpinan->DisplayValueSeparator) ?>" id="x" name="x"<?php echo</pre>
$rapat->Pimpinan->EditAttributes() ?>>
<?php
if (is_array($rapat->Pimpinan->EditValue)) {
         $arwrk = $rapat->Pimpinan->EditValue;
         $rowswrk = count($arwrk);
         $emptywrk = TRUE;
         for ($rowcntwrk = 0; $rowcntwrk < $rowswrk; $rowcntwrk++) {</pre>
                   $selwrk = ew SameStr($rapat->Pimpinan->CurrentValue, $arwrk[$rowcntwrk][0]) ? "
selected" : "";
                   if ($selwrk <> "") $emptywrk = FALSE;
?>
<option value="<?php echo ew_HtmlEncode($arwrk[$rowcntwrk][0]) ?>"<?php echo $selwrk ?>>
<?php echo $rapat->Pimpinan->DisplayValue($arwrk[$rowcntwrk]) ?>
</option>
<?php
         if ($emptywrk && strval($rapat->Pimpinan->CurrentValue) <> "") {
<option value="<?php echo ew_HtmlEncode($rapat->Pimpinan->CurrentValue) ?>" selected><?php echo $rapat-</pre>
>Pimpinan->CurrentValue ?></option>
<?php
}
2>
</select>
<?php
$sSqlWrk = "SELECT `ID Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS
`Disp4Fld` FROM `personil`";
$sWhereWrk = "";
$lookuptblfilter = "`Status`=1";
ew_AddFilter($sWhereWrk, $lookuptblfilter);
$rapat->Pimpinan->LookupFilters = array("s" => $sSqlWrk, "d" => "");
$rapat->Pimpinan->LookupFilters += array("f0" => "`ID_Personil` = {filter_value}", "t0" => "3", "fn0"
$sSqlWrk = "";
$rapat->Lookup_Selecting($rapat->Pimpinan, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
$sSqlWrk .= " ORDER BY `Nama` ASC";
if ($sSqlWrk <> "") $rapat->Pimpinan->LookupFilters["s"] .= $sSqlWrk;
<input type="hidden" name="s_x" id="s_x" value="<?php echo $rapat->Pimpinan->LookupFilterQuery() ?>">
</span>
<?php echo $rapat->Pimpinan->CustomMsg ?></div></div>
         </div>
<?php } ?>
<?php if ($rapat->Notulis->Visible) { // Notulis ?>
         <div id="r_Notulis" class="form-group">
     <label id="elh_rapat_Notulis" for="x_Notulis" class="col-sm-2 control-label</pre>
ewLabel"><?php echo $rapat->Notulis->FldCaption() ?></label>
                   <div class="col-sm-10"><div<?php echo $rapat->Notulis->CellAttributes() ?>>
<span id="el_rapat_Notulis">
<select data-table="rapat" data-field="x_Notulis" data-value-separator="<?php echo</pre>
ew_HtmlEncode(is_array($rapat->Notulis->DisplayValueSeparator) ? json_encode($rapat->Notulis-
>DisplayValueSeparator) : $rapat->Notulis->DisplayValueSeparator) ?>" id="x_Notulis"
name="x_Notulis"<?php echo $rapat->Notulis->EditAttributes() ?>>
<?php
if (is_array($rapat->Notulis->EditValue)) {
         $arwrk = $rapat->Notulis->EditValue;
```

```
$rowswrk = count($arwrk);
        $emptywrk = TRUE;
        for ($rowcntwrk = 0; $rowcntwrk < $rowswrk; $rowcntwrk++) {</pre>
                 $selwrk = ew_SameStr($rapat->Notulis->CurrentValue, $arwrk[$rowcntwrk][0]) ? "
selected" : "";
                 if ($selwrk <> "") $emptywrk = FALSE;
<option value="<?php echo ew_HtmlEncode($arwrk[$rowcntwrk][0]) ?>"<?php echo $selwrk ?>>
<?php echo $rapat->Notulis->DisplayValue($arwrk[$rowcntwrk]) ?>
</ortion>
<?php
        if ($emptywrk && strval($rapat->Notulis->CurrentValue) <> "") {
<option value="<?php echo ew HtmlEncode($rapat->Notulis->CurrentValue) ?>" selected><?php echo $rapat-</pre>
>Notulis->CurrentValue ?></option>
<?php
?>
</select>
$sSqlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS
`Disp4Fld` FROM `personil`";
$sWhereWrk = "";
$lookuptblfilter = "`Status`=1";
ew_AddFilter($sWhereWrk, $lookuptblfilter);
$rapat->Notulis->LookupFilters = array("s" => $sSqlWrk, "d" => "");
$rapat->Notulis->LookupFilters += array("f0" => "`ID_Personil` = {filter_value}", "t0" => "3", "fn0" =>
$sSqlWrk = "";
$rapat->Lookup_Selecting($rapat->Notulis, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
$sSqlWrk .= " ORDER BY `Nama` ASC";
if ($sSqlWrk <> "") $rapat->Notulis->LookupFilters["s"] .= $sSqlWrk;
<input type="hidden" name="s_x_Notulis" id="s_x_Notulis" value="<?php echo $rapat->Notulis-
>LookupFilterQuery() ?>">
</span>
<?php echo $rapat->Notulis->CustomMsg ?></div></div>
        </div>
<?php } ?>
<?php if ($rapat->Peserta_Rapat->Visible) { // Peserta_Rapat ?>
        <div id="r_Peserta_Rapat" class="form-group">
                 <label id="elh_rapat_Peserta_Rapat" class="col-sm-2 control-label ewLabel"><?php echo</pre>
$rapat->Peserta_Rapat->FldCaption() ?></label>
                 <div class="col-sm-10"><div<?php echo $rapat->Peserta_Rapat->CellAttributes() ?>>
<span id="el rapat Peserta Rapat">
<div id="tp_x_Peserta_Rapat" class="ewTemplate"><input type="checkbox" data-table="rapat" data-</pre>
field="x_Peserta_Rapat" data-value-separator="<?php echo ew_HtmlEncode(is_array($rapat->Peserta_Rapat-
>DisplayValueSeparator) ? json_encode($rapat->Peserta_Rapat->DisplayValueSeparator) : $rapat-
value="{value}"<?php echo $rapat->Peserta_Rapat->EditAttributes() ?>></div>
<div id="dsl_x_Peserta_Rapat" data-repeatcolumn="5" class="ewItemList" style="display: none;"><div>
<?php
$arwrk = $rapat->Peserta_Rapat->EditValue;
if (is_array($arwrk)) {
        $armultiwrk = (strval($rapat->Peserta_Rapat->CurrentValue) <> "") ? explode(",",
strval($rapat->Peserta_Rapat->CurrentValue)) : array();
        $cnt = count($armultiwrk);
        $rowswrk = count($arwrk);
        $emptywrk = TRUE;
        for ($rowcntwrk = 0; $rowcntwrk < $rowswrk; $rowcntwrk++) {</pre>
                 $selwrk = "
                 for ($ari = 0; $ari < $cnt; $ari++) {
                         if (ew_SameStr($arwrk[$rowcntwrk][0], $armultiwrk[$ari]) &&
!is_null($armultiwrk[$ari])) {
                                  $armultiwrk[$ari] = NULL; // Marked for removal
                                  $selwrk = " checked";
                                  if ($selwrk <> "") $emptywrk = FALSE;
                                  break;
                         }
                 if ($selwrk <> "") {
```

```
?>
<label class="checkbox-inline"><input type="checkbox" data-table="rapat" data-field="x_Peserta_Rapat"
name="x_Peserta_Rapat[]" id="x_Peserta_Rapat_<?php echo $rowcntwrk ?>[]" value="<?php echo</pre>
ew_HtmlEncode($arwrk[$rowcntwrk][0]) ?>"<?php echo $selwrk ?><?php echo $rapat->Peserta_Rapat-
>EditAttributes() ?>><?php echo $rapat->Peserta_Rapat->DisplayValue($arwrk[$rowcntwrk]) ?></label>
<?php
         for ($ari = 0; $ari < $cnt; $ari++) {
                 if (!is_null($armultiwrk[$ari])) {
<label class="checkbox-inline"><input type="checkbox" data-table="rapat" data-field="x_Peserta_Rapat"</pre>
name="x_Peserta_Rapat[]" value="<?php echo ew_HtmlEncode($armultiwrk[$ari]) ?>" checked<?php echo
$rapat->Peserta_Rapat->EditAttributes() ?>><?php echo $armultiwrk[$ari] ?></label>
<?php
        }
}
?>
</div></div>
<?php
$sSqlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS
`Disp4Fld` FROM `personil`";
$sWhereWrk = "";
$lookuptblfilter = "`Status`=1";
ew_AddFilter($sWhereWrk, $lookuptblfilter);
$rapat->Peserta_Rapat->LookupFilters = array("s" => $sSqlWrk, "d" => "");
$rapat->Peserta_Rapat->LookupFilters += array("f0" => "`ID_Personil` = {filter_value}", "t0" => "3",
"fn0" => "");
$sSqlWrk = "";
$rapat->Lookup_Selecting($rapat->Peserta_Rapat, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
$sSqlWrk .= " ORDER BY `Nama` ASC";
if ($sSqlWrk <> "") $rapat->Peserta_Rapat->LookupFilters["s"] .= $sSqlWrk;
<input type="hidden" name="s x Peserta Rapat" id="s x Peserta Rapat" value="<?php echo $rapat-</pre>
>Peserta_Rapat->LookupFilterQuery() ?>">
<?php echo $rapat->Peserta_Rapat->CustomMsg ?></div></div>
         </div>
<?php } ?>
<?php if ($rapat->Peserta Lain->Visible) { // Peserta Lain ?>
         <div id="r_Peserta_Lain" class="form-group">
                  <label id="elh_rapat_Peserta_Lain" for="x_Peserta_Lain" class="col-sm-2 control-label</pre>
<span id="el_rapat_Peserta_Lain">
<input type="text" data-table="rapat" data-field="x_Peserta_Lain" name="x_Peserta_Lain"
id="x_Peserta_Lain" size="30" maxlength="255" placeholder="<?php echo ew_HtmlEncode($rapat-</pre>
>Peserta_Lain->getPlaceHolder()) ?>" value="<?php echo $rapat->Peserta_Lain->EditValue ?>"<?php echo
$rapat->Peserta_Lain->EditAttributes() ?>>
</span>
<?php echo $rapat->Peserta_Lain->CustomMsg ?></div></div>
         </div>
<?php } ?>
<?php if ($rapat->Lampiran->Visible) { // Lampiran ?>
         <div id="r_Lampiran" class="form-group">
                  <label id="elh_rapat_Lampiran" class="col-sm-2 control-label ewLabel"><?php echo</pre>
$rapat->Lampiran->FldCaption() ?></label>
                 <div class="col-sm-10"><div<?php echo $rapat->Lampiran->CellAttributes() ?>>
<span id="el_rapat_Lampiran">
<div id="fd_x_Lampiran">
<span title="<?php echo $rapat->Lampiran->FldTitle() ? $rapat->Lampiran->FldTitle() : $Language-
>Phrase("ChooseFiles") ?>" class="btn btn-default btn-sm fileinput-button ewTooltip<?php if ($rapat-
>Lampiran->ReadOnly | $rapat->Lampiran->Disabled) echo "hide"; ?>">
         <span><?php echo $Language->Phrase("ChooseFileBtn") ?></span>
         <input type="file" title=" " data-table="rapat" data-field="x_Lampiran" name="x_Lampiran"</pre>
id="x_Lampiran" multiple="multiple"<?php echo $rapat->Lampiran->EditAttributes() ?>>
<input type="hidden" name="fn_x_Lampiran" id= "fn_x_Lampiran" value="<?php echo $rapat->Lampiran-
>Upload->FileName ?>">
<input type="hidden" name="fa_x_Lampiran" id= "fa_x_Lampiran" value="0">
<input type="hidden" name="fs_x_Lampiran" id= "fs_x_Lampiran" value="255">
<input type="hidden" name="fs_x_Lampiran" id= "fx_x_Lampiran" value="<?php echo $rapat->Lampiran-
```

```
>UploadAllowedFileExt ?>">
<input type="hidden" name="fm_x_Lampiran" id= "fm_x_Lampiran" value="<?php echo $rapat->Lampiran-
>UploadMaxFileSize ?>">
<input type="hidden" name="fc_x_Lampiran" id= "fc_x_Lampiran" value="<?php echo $rapat->Lampiran-
>UploadMaxFileCount ?>">
</div>
<tbody
class="files">
<?php echo $rapat->Lampiran->CustomMsg ?></div></div>
        </div>
<?php } ?>
<?php if ($rapat->Link_Rekaman->Visible) { // Link_Rekaman ?>
        <div id="r_Link_Rekaman" class="form-group">
                <label id="elh rapat Link Rekaman" for="x Link Rekaman" class="col-sm-2 control-label</pre>
ewLabel"><?php echo $rapat->Link_Rekaman->FldCaption() ?></label>
                <div class="col-sm-10"><div<?php echo $rapat->Link Rekaman->CellAttributes() ?>>
<span id="el_rapat_Link_Rekaman">
<input type="text" data-table="rapat" data-field="x_Link_Rekaman" name="x_Link_Rekaman"</pre>
id="x_Link_Rekaman" size="30" maxlength="255" placeholder="<?php echo ew_HtmlEncode($rapat-
>Link_Rekaman->getPlaceHolder()) ?>" value="<?php echo $rapat->Link_Rekaman->EditValue ?>"<?php echo
$rapat->Link_Rekaman->EditAttributes() ?>>
</span>
<?php echo $rapat->Link Rekaman->CustomMsg ?></div></div>
        </div>
<?php } ?>
</div>
<?php
        if (in_array("notulen", explode(",", $rapat->getCurrentDetailTable())) && $notulen->DetailAdd)
?>
<?php if ($rapat->getCurrentDetailTable() <> "") { ?>
<h4 class="ewDetailCaption"><?php echo $Language->TablePhrase("notulen", "TblCaption") ?></h4>
<?php } ?>
<?php include_once "notulengrid.php" ?>
<?php } ?>
<div class="form-group">
        <div class="col-sm-offset-2 col-sm-10">
<button class="btn btn-primary ewButton" name="btnAction" id="btnAction" type="submit"><?php echo</pre>
$Language->Phrase("AddBtn") ?></button>
<button class="btn btn-default ewButton" name="btnCancel" id="btnCancel" type="button" data-href="<?php</pre>
echo $rapat_add->getReturnUrl() ?>"><?php echo $Language->Phrase("CancelBtn") ?></button>
        </div>
</div>
</form>
<script type="text/javascript">
frapatadd.Init();
</script>
<?php
$rapat_add->ShowPageFooter();
if (EW DEBUG ENABLED)
        echo ew_DebugMsg();
<script type="text/javascript">
// Write your table-specific startup script here
// document.write("page loaded");
<?php include_once "footer.php" ?>
<?php
$rapat_add->Page_Terminate();
```

## B. Update cataatan event rapat (rapat\_edit.php)

```
<?php
if (session_id() == "") session_start(); // Initialize Session data
ob_start(); // Turn on output buffering

??
??php include_once "ewcfg12.php" ?>
<?php include_once ((EW_USE_ADODB) ? "adodb5/adodb.inc.php" : "ewmysq112.php") ?>
<?php include_once "phpfn12.php" ?>
<?php include_once "rapatinfo.php" ?>
<?php include_once "pd_usersinfo.php" ?>
<?php include_once "pd_usersinfo.php" ?>

<?php include_once "role_usersinfo.php" ?>
<?php include_once "notulengridcls.php" ?>
<?php include_once "userfn12.php" ?>
<?php
// Page class
$rapat_edit = NULL; // Initialize page object first
class crapat_edit extends crapat {
          // Page ID
         var $PageID = 'edit';
          // Project ID
         var $ProjectID = "{0C639743-2E0B-4CAE-93FA-C7B9BC3A8674}";
          // Table name
          var $TableName = 'rapat';
          // Page object name
         var $PageObjName = 'rapat_edit';
          // Page name
          function PageName() {
                   return ew_CurrentPage();
          // Page URL
          function PageUrl() {
                   $PageUrl = ew_CurrentPage() . "?";
                    if ($this->UseTokenInUrl) $PageUrl .= "t=" . $this->TableVar . "&"; // Add page token
                   return $PageUrl;
    var $AuditTrailOnAdd = FALSE;
    var $AuditTrailOnEdit = TRUE;
    var $AuditTrailOnDelete = FALSE;
    var $AuditTrailOnView = FALSE;
    var $AuditTrailOnViewData = FALSE;
    var $AuditTrailOnSearch = FALSE;
          // Message
          function getMessage() {
                    return @$_SESSION[EW_SESSION_MESSAGE];
          function setMessage($v) {
                    ew_AddMessage($_SESSION[EW_SESSION_MESSAGE], $v);
          }
         function getFailureMessage() {
    return @$_SESSION[EW_SESSION_FAILURE_MESSAGE];
          }
          function setFailureMessage($v) {
                    ew_AddMessage($_SESSION[EW_SESSION_FAILURE_MESSAGE], $v);
          }
          function getSuccessMessage() {
                    return @$_SESSION[EW_SESSION_SUCCESS_MESSAGE];
```

```
}
         function setSuccessMessage($v) {
                  ew_AddMessage($_SESSION[EW_SESSION_SUCCESS_MESSAGE], $v);
         function getWarningMessage() {
                  return @$_SESSION[EW_SESSION_WARNING_MESSAGE];
         function setWarningMessage($v) {
                  ew_AddMessage($_SESSION[EW_SESSION_WARNING_MESSAGE], $v);
         // Methods to clear message
         function ClearMessage() {
     $_SESSION[EW_SESSION_MESSAGE] = "";
         function ClearFailureMessage() {
                  $_SESSION[EW_SESSION_FAILURE_MESSAGE] = "";
         function ClearSuccessMessage() {
                  $_SESSION[EW_SESSION_SUCCESS_MESSAGE] = "";
         function ClearWarningMessage() {
                  $_SESSION[EW_SESSION_WARNING_MESSAGE] = "";
         }
         function ClearMessages() {
                  $_SESSION[EW_SESSION_MESSAGE] = "";
                  $_SESSION[EW_SESSION_FAILURE_MESSAGE] = "";
$_SESSION[EW_SESSION_SUCCESS_MESSAGE] = "";
                  $_SESSION[EW_SESSION_WARNING_MESSAGE] = "";
         }
         // Show message
         function ShowMessage() {
                  $hidden = FALSE;
                  $html = "";
                  // Message
                  $sMessage = $this->getMessage();
                  $this->Message_Showing($sMessage, "");
if ($sMessage <> "") { // Message in Session, display
                           if (!$hidden)
                                    $sMessage = "<button type=\"button\" class=\"close\" data-</pre>
dismiss=\"alert\">×</button>" . $sMessage;
                           $html .= "<div class=\"alert alert-info ewInfo\">" . $sMessage . "</div>";
                           $_SESSION[EW_SESSION_MESSAGE] = ""; // Clear message in Session
                  // Warning message
                  $sWarningMessage = $this->getWarningMessage();
                  $this->Message_Showing($sWarningMessage, "warning");
if ($sWarningMessage <> "") { // Message in Session, display
                           if (!$hidden)
                                    $sWarningMessage = "<button type=\"button\" class=\"close\" data-</pre>
dismiss=\"alert\">×</button>" . $sWarningMessage;
                           $html .= "<div class=\"alert alert-warning ewWarning\">" . $sWarningMessage .
"</div>";
                           $_SESSION[EW_SESSION_WARNING_MESSAGE] = ""; // Clear message in Session
                  }
                  // Success message
                  $sSuccessMessage = $this->getSuccessMessage();
                  $this->Message_Showing($sSuccessMessage, "success");
if ($sSuccessMessage <> "") { // Message in Session, display
                           if (!$hidden)
                                    $sSuccessMessage = "<button type=\"button\" class=\"close\" data-</pre>
dismiss=\"alert\">×</button>" . $sSuccessMessage;
                           $html .= "<div class=\"alert alert-success ewSuccess\">" . $sSuccessMessage .
```

```
"</div>";
                                                          $_SESSION[EW_SESSION_SUCCESS_MESSAGE] = ""; // Clear message in Session
                                       // Failure message
                                       $sErrorMessage = $this->getFailureMessage();
                                      $this->Message_Showing($sErrorMessage, "failure");
if ($sErrorMessage <> "") { // Message in Session, display
                                                          if (!$hidden)
                                                                             $sErrorMessage = "<button type=\"button\" class=\"close\" data-</pre>
dismiss=\"alert\">×</button>" . $sErrorMessage;
                                                          $html .= "<div class=\"alert alert-danger ewError\">" . $sErrorMessage .
"</div>";
                                                          $_SESSION[EW_SESSION_FAILURE_MESSAGE] = ""; // Clear message in Session
                                       echo "<div class=\"ewMessageDialog\"" . (($hidden) ? " style=\"display: none;\"" : "")
  ">" . $html . "</div>";
                   var $PageHeader;
                   var $PageFooter;
                   // Show Page Header
                   function ShowPageHeader() {
                                       $sHeader = $this->PageHeader;
                                      $\frac{1}{3} \text{ if ($sHeader \cdot \cdo
                   }
                   // Show Page Footer
                   function ShowPageFooter() {
                                       $sFooter = $this->PageFooter;
                                      $this->Page_DataRendered($sFooter);
if ($sFooter <> "") { // Footer exists, display
                                                          echo "" . $sFooter . "";
                   // Validate page request
                   function IsPageRequest() {
                                      global $objForm;
                                       if ($this->UseTokenInUrl) {
                                                          if ($objForm)
                                                          return ($this->TableVar == $objForm->GetValue("t"));
if (@$_GET["t"] <> "")
                                                                             return ($this->TableVar == $_GET["t"]);
                                       } else {
                                                          return TRUE;
                   var $Token = "";
                   var $TokenTimeout = 0;
                   var $CheckToken = EW_CHECK_TOKEN;
var $CheckTokenFn = "ew_CheckToken";
var $CreateTokenFn = "ew_CreateToken";
                   // Valid Post
                   function ValidPost() {
                                      if (!$this->CheckToken || !ew_IsHttpPost())
                                                          return TRUE;
                                       if (!isset($_POST[EW_TOKEN_NAME]))
                                                          return FALSE;
                                       $fn = $this->CheckTokenFn;
                                       if (is_callable($fn))
                                                          return $fn($_POST[EW_TOKEN_NAME], $this->TokenTimeout);
                                       return FALSE;
                   }
                   // Create Token
                   function CreateToken() {
                                       global $gsToken;
                                       if ($this->CheckToken) {
                                                          $fn = $this->CreateTokenFn;
```

```
if ($this->Token == "" && is_callable($fn)) // Create token
                                  $this->Token = $fn();
                         $gsToken = $this->Token; // Save to global variable
                }
        // Page class constructor
        function __construct() {
                 global $conn, $Language;
                global $UserTable, $UserTableConn;
$GLOBALS["Page"] = &$this;
                 $this->TokenTimeout = ew_SessionTimeoutTime();
                 // Language object
                 if (!isset($Language)) $Language = new cLanguage();
                 // Parent constuctor
                 parent::__construct();
                 // Table object (rapat)
                 if (!isset($GLOBALS["rapat"]) || get_class($GLOBALS["rapat"]) == "crapat") {
                         $GLOBALS["rapat"] = &$this;
$GLOBALS["Table"] = &$GLOBALS["rapat"];
                 // Table object (pd_users)
                 if (!isset($GLOBALS['pd_users'])) $GLOBALS['pd_users'] = new cpd_users();
                 // Table object (role_users)
                if (!isset($GLOBALS['role_users'])) $GLOBALS['role_users'] = new crole_users();
                 // Page ID
                 if (!defined("EW_PAGE_ID"))
                         define("EW_PAGE_ID", 'edit', TRUE);
                 // Table name (for backward compatibility)
                 if (!defined("EW_TABLE_NAME"))
                         define("EW_TABLE_NAME", 'rapat', TRUE);
                 // Start timer
                 if (!isset($GLOBALS["gTimer"])) $GLOBALS["gTimer"] = new cTimer();
                 // Open connection
                if (!isset($conn)) $conn = ew_Connect($this->DBID);
                 // User table object (role_users)
                 if (!isset($UserTable)) {
                         $UserTable = new crole_users();
                         $UserTableConn = Conn($UserTable->DBID);
        }
            Page_Init
        function Page_Init() {
                 global $gsExport, $gsCustomExport, $gsExportFile, $UserProfile, $Language, $Security,
$objForm;
                 // User profile
                 $UserProfile = new cUserProfile();
                 // Security
                 $Security = new cAdvancedSecurity();
                 if (!$Security->IsLoggedIn()) $Security->AutoLogin();
                 if ($Security->IsLoggedIn()) $Security->TablePermission_Loading();
                 $Security->LoadCurrentUserLevel($this->ProjectID . $this->TableName);
                 if ($Security->IsLoggedIn()) $Security->TablePermission_Loaded();
                 if (!$Security->CanEdit()) {
                         $Security->SaveLastUrl();
                         $this->setFailureMessage(ew_DeniedMsg()); // Set no permission
                         if ($Security->CanList())
```

```
$this->Page_Terminate(ew_GetUrl("rapatlist.php"));
                         else
                                  $this->Page Terminate(ew GetUrl("login.php"));
                 if ($Security->IsLoggedIn()) {
                         $Security->UserID_Loading();
                         $Security->LoadUserID();
                         $Security->UserID_Loaded();
                 }
                 // Create form object
                 $objForm = new cFormObj();
                 $this->CurrentAction = (@$_GET["a"] <> "") ? $_GET["a"] : @$_POST["a_list"]; // Set up
current action
                 // Global Page Loading event (in userfn*.php)
                 Page_Loading();
                 // Page Load event
                 $this->Page_Load();
                 // Check token
                 if (!$this->ValidPost()) {
                         echo $Language->Phrase("InvalidPostRequest");
                         $this->Page_Terminate();
                         exit();
                 }
                 // Process auto fill
                 if (@$_POST["ajax"] == "autofill") {
                         // Process auto fill for detail table 'notulen'
                         if (@$_POST["grid"] == "fnotulengrid") {
                                  if (!isset($GLOBALS["notulen_grid"])) $GLOBALS["notulen_grid"] = new
cnotulen_grid;
                                  $GLOBALS["notulen_grid"]->Page_Init();
                                  $this->Page_Terminate();
                         $results = $this->GetAutoFill(@$_POST["name"], @$_POST["q"]);
                         if ($results) {
                                  // Clean output buffer
                                  if (!EW_DEBUG_ENABLED && ob_get_length())
                                           ob_end_clean();
                                  echo $results;
                                  $this->Page_Terminate();
                                  exit();
                         }
                 // Create Token
                 $this->CreateToken();
        }
        // Page_Terminate
        function Page_Terminate($url = "") {
                 global $gsExportFile, $gTmpImages;
                 // Page Unload event
                 $this->Page_Unload();
                 // Global Page Unloaded event (in userfn*.php)
                 Page_Unloaded();
                 // Export
                 global $EW_EXPORT, $rapat;
if ($this->CustomExport <> "" && $this->CustomExport == $this->Export &&
array_key_exists($this->CustomExport, $EW_EXPORT)) {
                         $sContent = ob_get_contents();
if ($gsExportFile == "") $gsExportFile = $this->TableVar;
                         $class = $EW_EXPORT[$this->CustomExport];
```

```
$doc = new $class($rapat);
                                  $doc->Text = $sContent;
                                  if ($this->Export == "email")
                                           echo $this->ExportEmail($doc->Text);
                                  else
                                           $doc->Export();
                                  ew_DeleteTmpImages(); // Delete temp images
                                  exit();
                          }
                 $this->Page_Redirecting($url);
                  // Close connection
                 ew_CloseConn();
                 // Go to URL if specified
if ($url <> "") {
                         if (!EW_DEBUG_ENABLED && ob_get_length())
                                  ob_end_clean();
                          header("Location: " . $url);
                 exit();
        var $FormClassName = "form-horizontal ewForm ewEditForm";
        var $DbMasterFilter;
        var $DbDetailFilter;
        // Page main
        function Page_Main() {
                 global $objForm, $Language, $gsFormError;
                 // Load key from QueryString
if (@$_GET["ID_Rapat"] <> "") {
                         $this->ID_Rapat->setQueryStringValue($_GET["ID_Rapat"]);
                 // Set up Breadcrumb
                 $this->SetupBreadcrumb();
                 // Process form if post back
                 if (@$_POST["a_edit"] <> "") {
                          $this->CurrentAction = $_POST["a_edit"]; // Get action code
                          $this->LoadFormValues(); // Get form values
                          // Set up detail parameters
                          $this->SetUpDetailParms();
                 } else {
                          $this->CurrentAction = "I"; // Default action is display
                 // Check if valid key
                 if ($this->ID_Rapat->CurrentValue == "")
                          $this->Page_Terminate("rapatlist.php"); // Invalid key, return to list
                 // Validate form if post back
                 if (@$_POST["a_edit"] <> "") {
                         if (!$this->ValidateForm()) {
                                  $this->CurrentAction = ""; // Form error, reset action
                                  $this->setFailureMessage($gsFormError);
$this->EventCancelled = TRUE; // Event cancelled
                                  $this->RestoreFormValues();
                          }
                 switch ($this->CurrentAction) {
                          case "I": // Get a record to display
                                  if (!$this->LoadRow()) { // Load record based on key
                                           if ($this->getFailureMessage() == "") $this-
>setFailureMessage($Language->Phrase("NoRecord")); // No record found
                                           $this->Page_Terminate("rapatlist.php"); // No matching record,
return to list
```

if (class\_exists(\$class)) {

```
// Set up detail parameters
                                 $this->SetUpDetailParms();
                                 break;
                         Case "U": // Update
                                 if ($this->getCurrentDetailTable() <> "") // Master/detail edit
                                          $sReturnUrl = $this->GetViewUrl(EW_TABLE_SHOW_DETAIL .
$this->getCurrentDetailTable()); // Master/Detail view page
                                          $sReturnUrl = $this->getReturnUrl();
                                 if (ew_GetPageName($sReturnUrl) == "rapatlist.php")
                                          $sReturnUrl = $this->AddMasterUrl($sReturnUrl); // List page,
return to list page with correct master key if necessary
                                 $this->SendEmail = TRUE; // Send email on update success
                                 if ($this->EditRow()) { // Update record based on key
                                          if ($this->getSuccessMessage() == "")
                                                  $this->setSuccessMessage($Language-
>Phrase("UpdateSuccess")); // Update success
                                          $this->Page_Terminate($sReturnUrl); // Return to caller
                                 } elseif ($this->getFailureMessage() == $Language->Phrase("NoRecord"))
{
                                          $this->Page_Terminate($sReturnUrl); // Return to caller
                                 } else {
                                          $this->EventCancelled = TRUE; // Event cancelled
                                          $this->RestoreFormValues(); // Restore form values if update
failed
                                          // Set up detail parameters
                                          $this->SetUpDetailParms();
                                 }
                 // Render the record
                $this->RowType = EW_ROWTYPE_EDIT; // Render as Edit
                $this->ResetAttrs();
                $this->RenderRow();
        // Set up starting record parameters
        function SetUpStartRec() {
                if ($this->DisplayRecs == 0)
                         return;
                if ($this->IsPageRequest()) { // Validate request
    if (@$_GET[EW_TABLE_START_REC] <> "") { // Check for "start" parameter
                                 $this->StartRec = $_GET[EW_TABLE_START_REC];
                                 $this->setStartRecordNumber($this->StartRec);
                         } elseif (@$_GET[EW_TABLE_PAGE_NO] <> "") {
                                 $PageNo = $_GET[EW_TABLE_PAGE_NO];
                                 if (is_numeric($PageNo)) {
                                          $this->StartRec = ($PageNo-1)*$this->DisplayRecs+1;
                                          if ($this->StartRec <= 0) {</pre>
                                                  $this->StartRec = 1:
                                          } elseif ($this->StartRec >= intval(($this->TotalRecs-
1)/$this->DisplayRecs)*$this->DisplayRecs+1) {
                                                  $this->StartRec = intval(($this->TotalRecs-1)/$this-
>DisplayRecs)*$this->DisplayRecs+1;
                                          $this->setStartRecordNumber($this->StartRec);
                                 }
                         }
                $this->StartRec = $this->getStartRecordNumber();
                 // Check if correct start record counter
                if (!is_numeric($this->StartRec) || $this->StartRec == "") { // Avoid invalid start
record counter
                         $this->StartRec = 1; // Reset start record counter
                         $this->setStartRecordNumber($this->StartRec);
                } elseif (intval($this->StartRec) > intval($this->TotalRecs)) { // Avoid starting
record > total records
                         $this->StartRec = intval(($this->TotalRecs-1)/$this->DisplayRecs)*$this-
>DisplayRecs+1; // Point to last page first record
                         $this->setStartRecordNumber($this->StartRec);
                } elseif (($this->StartRec-1) % $this->DisplayRecs <> 0) {
```

```
$this->StartRec = intval(($this->StartRec-1)/$this->DisplayRecs)*$this-
>DisplayRecs+1; // Point to page boundary
                           $this->setStartRecordNumber($this->StartRec);
         // Get upload files
        function GetUploadFiles() {
                  global $objForm, $Language;
                  // Get upload data
                  $this->Lampiran->Upload->Index = $objForm->Index;
                  $this->Lampiran->Upload->UploadFile();
                  $this->Lampiran->CurrentValue = $this->Lampiran->Upload->FileName;
        }
         // Load form values
         function LoadFormValues() {
                  // Load from form
                  global $objForm;
                  $this->GetUploadFiles(); // Get upload files
                  if (!$this->Tanggal->FldIsDetailKey) {
                           $this->Tanggal->setFormValue($objForm->GetValue("x Tanggal"));
                           $this->Tanggal->CurrentValue = ew_UnFormatDateTime($this->Tanggal-
>CurrentValue, 7);
                  if (!$this->Jenis_Rapat->FldIsDetailKey) {
                           $this->Jenis_Rapat->setFormValue($objForm->GetValue("x_Jenis_Rapat"));
                  if (!$this->Oleh->FldIsDetailKey) {
                           $this->Oleh->setFormValue($objForm->GetValue("x_Oleh"));
                  if (!$this->Tempat->FldIsDetailKey) {
                           $this->Tempat->setFormValue($objForm->GetValue("x_Tempat"));
                  if (!$this->Pimpinan->FldIsDetailKey) {
                           $this->Pimpinan->setFormValue($objForm->GetValue("x"));
                  if (!$this->Notulis->FldIsDetailKey) {
                           $this->Notulis->setFormValue($objForm->GetValue("x_Notulis"));
                  if (!$this->Peserta_Rapat->FldIsDetailKey) {
                           $this->Peserta_Rapat->setFormValue($objForm->GetValue("x_Peserta_Rapat"));
                 if (!$this->Peserta_Lain->FldIsDetailKey) {
      $this->Peserta_Lain->setFormValue($objForm->GetValue("x_Peserta_Lain"));
                  if (!$this->Link_Rekaman->FldIsDetailKey) {
                           $this->Link_Rekaman->setFormValue($objForm->GetValue("x_Link_Rekaman"));
                  if (!$this->ID Rapat->FldIsDetailKey)
                           $this->ID_Rapat->setFormValue($objForm->GetValue("x_ID_Rapat"));
        }
        // Restore form values
        function RestoreFormValues() {
                  global $objForm;
                  $this->LoadRow();
                  $this->ID_Rapat->CurrentValue = $this->ID_Rapat->FormValue;
                 $this->Tanggal->CurrentValue = $this->Tanggal->FormValue;
$this->Tanggal->CurrentValue = ew_UnFormatDateTime($this->Tanggal->CurrentValue, 7);
                  $this->Jenis_Rapat->CurrentValue = $this->Jenis_Rapat->FormValue;
                  $this->Oleh->CurrentValue = $this->Oleh->FormValue;
                  $this->Tempat->CurrentValue = $this->Tempat->FormValue;
                 $this->Pimpinan->CurrentValue = $this->Pimpinan->FormValue;
$this->Notulis->CurrentValue = $this->Notulis->FormValue;
                  $this->Peserta_Rapat->CurrentValue = $this->Peserta_Rapat->FormValue;
                 $this->Peserta_Lain->CurrentValue = $this->Peserta_Lain->FormValue;
$this->Link_Rekaman->CurrentValue = $this->Link_Rekaman->FormValue;
        }
         // Load row based on key values
        function LoadRow() {
```

```
global $Security, $Language;
        $sFilter = $this->KeyFilter();
        // Call Row Selecting event
        $this->Row_Selecting($sFilter);
        // Load SQL based on filter
        $this->CurrentFilter = $sFilter;
        $sSql = $this->SQL();
        $conn = &$this->Connection();
        $res = FALSE;
        $rs = ew_LoadRecordset($sSql, $conn);
        if ($rs && !$rs->EOF) {
                 $res = TRUE;
                 $this->LoadRowValues($rs); // Load row values
                 $rs->Close();
        return $res;
// Load row values from recordset
function LoadRowValues(&$rs) {
        if (!$rs || $rs->EOF) return;
        // Call Row Selected event
        $row = &$rs->fields;
        $this->Row Selected($row);
        $this->ID_Rapat->setDbValue($rs->fields('ID_Rapat'));
        $this->Tanggal->setDbValue($rs->fields('Tanggal'));
        $this->Jenis_Rapat->setDbValue($rs->fields('Jenis_Rapat'));
        $this->Oleh->setDbValue($rs->fields('Oleh'));
        $this->Tempat->setDbValue($rs->fields('Tempat'));
        $this->Pimpinan->setDbValue($rs->fields('Pimpinan'));
$this->Notulis->setDbValue($rs->fields('Notulis'));
        $this->Peserta_Rapat->setDbValue($rs->fields('Peserta_Rapat'));
        $this->Peserta_Lain->setDbValue($rs->fields('Peserta_Lain'));
        $this->Lampiran->Upload->DbValue = $rs->fields('Lampiran');
        $this->Lampiran->CurrentValue = $this->Lampiran->Upload->DbValue;
        $this->Link_Rekaman->setDbValue($rs->fields('Link_Rekaman'));
// Load DbValue from recordset
function LoadDbValues(&$rs) {
        if (!$rs || !is_array($rs) && $rs->EOF) return;
        $row = is_array($rs) ? $rs : $rs->fields;
$this->ID_Rapat->DbValue = $row['ID_Rapat'];
        $this->Tanggal->DbValue = $row['Tanggal'];
        $this->Jenis_Rapat->DbValue = $row['Jenis_Rapat'];
        $this->Oleh->DbValue = $row['Oleh'];
        $this->Tempat->DbValue = $row['Tempat'];
        $this->Pimpinan->DbValue = $row['Pimpinan'];
        $this->Notulis->DbValue = $row['Notulis'];
        $this->Peserta_Rapat->DbValue = $row['Peserta_Rapat'];
        $this->Peserta_Lain->DbValue = $row['Peserta_Lain'];
        $this->Lampiran->Upload->DbValue = $row['Lampiran'
        $this->Link_Rekaman->DbValue = $row['Link_Rekaman'];
}
// Render row values based on field settings
function RenderRow() {
        global $Security, $Language, $gsLanguage;
        // Initialize URLs
        // Call Row_Rendering event
        $this->Row_Rendering();
        // Common render codes for all row types
        // ID_Rapat
        // Tanggal
        // Jenis_Rapat
        // Oleh
        // Tempat
        // Pimpinan
```

```
// Notulis
                                  // Peserta_Rapat
                                  // Peserta Lain
                                  // Lampiran
                                  // Link_Rekaman
                                  if ($this->RowType == EW_ROWTYPE_VIEW) { // View row
                                  $this->Tanggal->ViewValue = $this->Tanggal->CurrentValue;
                                  $this->Tanggal->ViewValue = ew_FormatDateTime($this->Tanggal->ViewValue, 7);
                                  $this->Tanggal->ViewCustomAttributes = "";
                                  if (strval($this->Jenis Rapat->CurrentValue) <> "") {
                                                   $$FilterWrk = "`ID_Jenis_Rapat`" . ew_SearchString("=", $this->Jenis_Rapat-
 >CurrentValue, EW_DATATYPE_NUMBER, "");

$$SqlWrk = "SELECT `ID_Jenis_Rapat`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS `Disp4Fld` FROM `jenis_rapat`";

$$WhereHold FROM `SWHERE FOR THE FOR THE
                                  $lookuptblfilter = "`ID_Jenis_Rapat`<10";</pre>
                                  ew_AddFilter($sWhereWrk, $lookuptblfilter);
                                  ew_AddFilter($sWhereWrk, $sFilterWrk);
                                  $\frac{1}{2}\text{sthis->Lookup_Selecting($this->Jenis_Rapat, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
                                  $sSqlWrk .= " ORDER BY `Urutan` ASC";
                                                   $rswrk = Conn()->Execute($sSqlWrk);
                                                   if ($rswrk && !$rswrk->EOF) { // Lookup values found
                                                                   $arwrk = array();
                                                                   $arwrk[1] = $rswrk->fields('DispFld');
                                                                   $this->Jenis_Rapat->ViewValue = $this->Jenis_Rapat-
  >DisplayValue($arwrk);
                                                                   $rswrk->Close();
                                                   } else {
                                                                   $this->Jenis_Rapat->ViewValue = $this->Jenis_Rapat->CurrentValue;
                                  } else {
                                                   $this->Jenis Rapat->ViewValue = NULL;
                                  $this->Jenis_Rapat->ViewCustomAttributes = "";
                                   // Oleh
                                  if (strval($this->Oleh->CurrentValue) <> "") {
                                                 $sFilterWrk = "`pd_uid`" . ew_SearchString("=", $this->Oleh->CurrentValue,
  EW DATATYPE NUMBER, "");
  $sSqlWrk = "SELECT `pd_uid`, `pd_nickname` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS `Disp4Fld` FROM `pd_users`";
                                  $sWhereWrk = "";
                                  ew_AddFilter($sWhereWrk, $sFilterWrk);
                                  $this->Lookup_Selecting($this->Oleh, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
$sSqlWrk .= " ORDER BY `pd_uid` ASC";
                                                   $rswrk = Conn()->Execute($sSqlWrk);
                                                   if ($rswrk && !$rswrk->EOF) { // Lookup values found
                                                                   $arwrk = array();
                                                                   $arwrk[1] = $rswrk->fields('DispFld');
                                                                   $this->Oleh->ViewValue = $this->Oleh->DisplayValue($arwrk);
                                                                   $rswrk->Close();
                                                   } else {
                                                                   $this->Oleh->ViewValue = $this->Oleh->CurrentValue;
                                                   $this->Oleh->ViewValue = NULL;
                                  $this->Oleh->ViewCustomAttributes = "";
                                  $this->Tempat->ViewValue = $this->Tempat->CurrentValue;
                                  $this->Tempat->ViewCustomAttributes = "";
                                  if (strval($this->Pimpinan->CurrentValue) <> "") {
                                                   $$FilterWrk = "`ID_Personil`" . ew_SearchString("=", $this->Pimpinan-
>CurrentValue, EW_DATATYPE_NUMBER, "");
```

```
$sSqlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS
`Disp3Fld`, '' AS `Disp4Fld` FROM `personil`";
                  $sWhereWrk = "";
                  $lookuptblfilter = "`Status`=1";
                  ew_AddFilter($sWhereWrk, $lookuptblfilter);
ew_AddFilter($sWhereWrk, $sFilterWrk);
$this->Lookup_Selecting($this->Pimpinan, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
                  $sSqlWrk .= " ORDER BY `Nama` ASC";
                           $rswrk = Conn()->Execute($sSqlWrk);
                           if ($rswrk && !$rswrk->EOF) { // Lookup values found
                                    $arwrk = array();
                                     $arwrk[1] = $rswrk->fields('DispFld');
                                     $this->Pimpinan->ViewValue = $this->Pimpinan->DisplayValue($arwrk);
                                    $rswrk->Close();
                           } else {
                                     $this->Pimpinan->ViewValue = $this->Pimpinan->CurrentValue;
                  } else {
                           $this->Pimpinan->ViewValue = NULL;
                  $this->Pimpinan->ViewCustomAttributes = "";
                  if (strval($this->Notulis->CurrentValue) <> "") {
                           $sFilterWrk = "`ID_Personil`" . ew_SearchString("=", $this->Notulis-
>CurrentValue, EW_DATATYPE_NUMBER, "");

$ssqlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS
`Disp3Fld`, '' AS `Disp4Fld` FROM `personil`";
                  $$\text{$sWhereWrk = "";}
$lookuptblfilter = "`Status`=1";}
                  ew_AddFilter($sWhereWrk, $lookuptblfilter);
ew_AddFilter($sWhereWrk, $sFilterWrk);
$this->Lookup_Selecting($this->Notulis, $sWhereWrk); // Call Lookup selecting
                  if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
                  $sSqlWrk .= " ORDER BY `Nama` ASC";
                           $rswrk = Conn()->Execute($sSqlWrk);
                           if ($rswrk && !$rswrk->EOF) { // Lookup values found
                                     $arwrk = array();
                                     $arwrk[1] = $rswrk->fields('DispFld');
                                     $this->Notulis->ViewValue = $this->Notulis->DisplayValue($arwrk);
                                    $rswrk->Close();
                           } else {
                                     $this->Notulis->ViewValue = $this->Notulis->CurrentValue;
                  } else {
                           $this->Notulis->ViewValue = NULL;
                  $this->Notulis->ViewCustomAttributes = "";
                  // Peserta_Rapat
                  if (strval($this->Peserta_Rapat->CurrentValue) <> "") {
                           $arwrk = explode(",", $this->Peserta_Rapat->CurrentValue);
                           $sFilterWrk = "";
                           foreach ($arwrk as $wrk) {
                                     if ($sFilterWrk <> "") $sFilterWrk .= " OR ";
                                    $sFilterWrk .= "`ID_Personil`" . ew_SearchString("=", trim($wrk),
EW DATATYPE_NUMBER, "");
                  $sSqlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS
`Disp3Fld`, '' AS `Disp4Fld` FROM `personil`";
$sWhereWrk = "";
                  $lookuptblfilter = "`Status`=1";
                  ew_AddFilter($sWhereWrk, $lookuptblfilter);
                  ew_AddFilter($sWhereWrk, $sFilterWrk);
                  $this->Lookup_Selecting($this->Peserta_Rapat, $sWhereWrk); // Call Lookup selecting
                  if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
                  $sSqlWrk .= " ORDER BY `Nama` ASC";
                           $rswrk = Conn()->Execute($sSqlWrk);
                           if ($rswrk && !$rswrk->EOF) { // Lookup values found
                                    $this->Peserta_Rapat->ViewValue = "";
                                    ari = 0;
                                     while (!$rswrk->EOF) {
                                              $arwrk = array();
```

```
$arwrk[1] = $rswrk->fields('DispFld');
                                           $this->Peserta_Rapat->ViewValue .= $this->Peserta_Rapat-
>DisplayValue($arwrk);
                                           $rswrk->MoveNext();
                                           if (!$rswrk->EOF) $this->Peserta_Rapat->ViewValue .=
ew_ViewOptionSeparator($ari); // Separate Options
                                           $ari++:
                                  $rswrk->Close();
                          } else {
                                   $this->Peserta_Rapat->ViewValue = $this->Peserta_Rapat->CurrentValue;
                 } else {
                          $this->Peserta_Rapat->ViewValue = NULL;
                 $this->Peserta_Rapat->ViewCustomAttributes = "";
                 // Peserta_Lain
                 $this->Peserta_Lain->ViewValue = $this->Peserta_Lain->CurrentValue;
                 $this->Peserta_Lain->ViewCustomAttributes = "";
                 // Lampiran
                 $this->Lampiran->UploadPath = "uploads/lampiran/";
                 if (!ew Empty($this->Lampiran->Upload->DbValue)) {
                          $this->Lampiran->ViewValue = $this->Lampiran->Upload->DbValue;
                          $this->Lampiran->ViewValue = "";
                 $this->Lampiran->ViewCustomAttributes = "";
                 // Link_Rekaman
                 $this->Link_Rekaman->ViewValue = $this->Link_Rekaman->CurrentValue;
                 $this->Link_Rekaman->ViewCustomAttributes = "";
                          // Tanggal
                          $this->Tanggal->LinkCustomAttributes = "";
                          $this->Tanggal->HrefValue = "";
$this->Tanggal->TooltipValue = "";
                          // Jenis_Rapat
                          $this->Jenis_Rapat->LinkCustomAttributes = "";
                          $this->Jenis_Rapat->HrefValue = "";
                          $this->Jenis_Rapat->TooltipValue = "";
                          $this->Oleh->LinkCustomAttributes = "";
                          $this->Oleh->HrefValue = "";
$this->Oleh->TooltipValue = "";
                          $this->Tempat->LinkCustomAttributes = "";
                          $this->Tempat->HrefValue = "'
                          $this->Tempat->TooltipValue = "";
                          // Pimpinan
                          $this->Pimpinan->LinkCustomAttributes = "";
                          $this->Pimpinan->HrefValue = "";
$this->Pimpinan->TooltipValue = "";
                          // Notulis
                          $this->Notulis->LinkCustomAttributes = "";
                          $this->Notulis->HrefValue = "";
                          $this->Notulis->TooltipValue = "";
                          // Peserta_Rapat
                          $this->Peserta Rapat->LinkCustomAttributes = "";
                          $this->Peserta_Rapat->HrefValue = "";
                          $this->Peserta_Rapat->TooltipValue = "";
                          // Peserta_Lain
                          $this->Peserta_Lain->LinkCustomAttributes = "";
                          $this->Peserta_Lain->HrefValue = "";
                          $this->Peserta_Lain->TooltipValue = "";
```

```
// Lamniran
                          $this->Lampiran->LinkCustomAttributes = "";
                          $this->Lampiran->HrefValue = ""
                          $this->Lampiran->HrefValue2 = $this->Lampiran->UploadPath . $this->Lampiran-
>Upload->DbValue;
                          $this->Lampiran->TooltipValue = "";
                          // Link_Rekaman
                          $this->Link_Rekaman->LinkCustomAttributes = "";
                          if (!ew_Empty($this->Link_Rekaman->CurrentValue)) {
                                   $this->Link_Rekaman->HrefValue = $this->Link_Rekaman->CurrentValue; //
Add prefix/suffix
                                   $this->Link_Rekaman->LinkAttrs["target"] = "_blank"; // Add target
                                   if ($this->Export <> "") $this->Link_Rekaman->HrefValue =
ew ConvertFullUrl($this->Link Rekaman->HrefValue);
                          $this->Link_Rekaman->TooltipValue = "";
                 } elseif ($this->RowType == EW_ROWTYPE_EDIT) { // Edit row
                          // Tanggal
                          $this->Tanggal->EditAttrs["class"] = "form-control";
                          $this->Tanggal->EditCustomAttributes = "'
                          $this->Tanggal->EditValue = ew_HtmlEncode(ew_FormatDateTime($this->Tanggal-
>CurrentValue, 7));
                          $this->Tanggal->PlaceHolder = ew_RemoveHtml($this->Tanggal->FldCaption());
                          // Jenis Rapat
                          $this->Jenis_Rapat->EditAttrs["class"] = "form-control";
                          $this->Jenis_Rapat->EditCustomAttributes = "
                          if (trim(strval($this->Jenis_Rapat->CurrentValue)) == "") {
                                   $sFilterWrk = "0=1";
                          } else {
                                   $sFilterWrk = "`ID_Jenis_Rapat`" . ew_SearchString("=", $this-
>Jenis Rapat->CurrentValue, EW DATATYPE NUMBER, "");
$sSqlWrk = "SELECT `ID_Jenis_Rapat`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, ''
AS `Disp3Fld`, '' AS `Disp4Fld`, '' AS `SelectFilterFld`, '' AS `SelectFilterFld2`, '' AS `SelectFilterFld3`, '' AS `SelectFilterFld4` FROM `jenis_rapat`";
                          $sWhereWrk = "";
                          $lookuptblfilter = "`ID Jenis Rapat`<10";</pre>
                          ew_AddFilter($sWhereWrk, $lookuptblfilter);
                          ew_AddFilter($sWhereWrk, $sFilterWrk);
                          $this->Lookup_Selecting($this->Jenis_Rapat, $sWhereWrk); // Call Lookup
selecting
                          if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
                          $sSqlWrk .= " ORDER BY `Urutan` ASC";
                          $rswrk = Conn()->Execute($sSqlWrk);
                          $arwrk = ($rswrk) ? $rswrk->GetRows() : array();
                          if ($rswrk) $rswrk->Close();
array_unshift($arwrk, array("", $Language->Phrase("PleaseSelect"), "", "", "",
"", "", "", ""));
                          $this->Jenis Rapat->EditValue = $arwrk;
                          // 0leh
                          $this->Oleh->EditAttrs["class"] = "form-control";
                          $this->Oleh->EditCustomAttributes = "
                          if (trim(strval($this->Oleh->CurrentValue)) == "") {
                                   $sFilterWrk = "0=1";
                          } else {
                                   $sFilterWrk = "`pd_uid`" . ew_SearchString("=", $this->Oleh-
>CurrentValue, EW_DATATYPE_NUMBER, "");
                          $sSqlWrk = "SELECT `pd_uid`, `pd_nickname` AS `DispFld`, '' AS `Disp2Fld`, ''
AS `Disp3Fld`, '' AS `Disp4Fld`, '' AS `SelectFilterFld`, '' AS `SelectFilterFld2`, '
`SelectFilterFld3`, '' AS `SelectFilterFld4` FROM `pd_users`";
                          $sWhereWrk = "";
                          ew_AddFilter($sWhereWrk, $sFilterWrk);
                          if (!$GLOBALS["rapat"]->UserIDAllow("edit")) $sWhereWrk =
$GLOBALS["pd_users"]->AddUserIDFilter($sWhereWrk);
                          $this->Lookup_Selecting($this->Oleh, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
                          $sSqlWrk .= " ORDER BY `pd_uid` ASC";
```

```
$rswrk = Conn()->Execute($sSqlWrk);
                          $arwrk = ($rswrk) ? $rswrk->GetRows() : array();
                          if ($rswrk) $rswrk->Close();
                          array_unshift($arwrk, array("", $Language->Phrase("PleaseSelect"), "", "",
"",
"", "", "", ""));
                          $this->Oleh->EditValue = $arwrk;
                          // Tempat
                          $this->Tempat->EditAttrs["class"] = "form-control";
                          $this->Tempat->EditCustomAttributes = ""
                          $this->Tempat->EditValue = ew_HtmlEncode($this->Tempat->CurrentValue);
                          $this->Tempat->PlaceHolder = ew_RemoveHtml($this->Tempat->FldCaption());
                          $this->Pimpinan->EditAttrs["class"] = "form-control";
                          $this->Pimpinan->EditCustomAttributes = "
                          if (trim(strval($this->Pimpinan->CurrentValue)) == "") {
                                  $sFilterWrk = "0=1";
                          } else {
                                  $sFilterWrk = "`ID_Personil`" . ew_SearchString("=", $this->Pimpinan-
>CurrentValue, EW_DATATYPE_NUMBER, "");
$$Sql\wrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS `Disp4Fld`, '' AS `SelectFilterFld`, '' AS `SelectFilterFld2`, '' AS `SelectFilterFld3`, '' AS `SelectFilterFld4` FROM `personil`";
                          $sWhereWrk = "";
                          $lookuptblfilter = "`Status`=1";
                          ew_AddFilter($sWhereWrk, $lookuptblfilter);
                          ew_AddFilter($sWhereWrk, $sFilterWrk);
                         $rswrk = Conn()->Execute($sSqlWrk);
                          $arwrk = ($rswrk) ? $rswrk->GetRows() : array();
                          if ($rswrk) $rswrk->Close();
                          array_unshift($arwrk, array("", $Language->Phrase("PleaseSelect"), "", "",
"",
"", "", "", ""));
                          $this->Pimpinan->EditValue = $arwrk;
                          // Notulis
                          $this->Notulis->EditAttrs["class"] = "form-control";
                          $this->Notulis->EditCustomAttributes = ""
                          if (trim(strval($this->Notulis->CurrentValue)) == "") {
                                  $sFilterWrk = "0=1";
                          } else {
                                  $sFilterWrk = "`ID_Personil`" . ew_SearchString("=", $this->Notulis-
>CurrentValue, EW_DATATYPE_NUMBER, "");
$sSqlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS `Disp4Fld`, '' AS `SelectFilterFld`, '' AS `SelectFilterFld2`, '' AS
`SelectFilterFld3`, ''
                       AS `SelectFilterFld4` FROM `personil`";
                          $sWhereWrk = "";
                          $lookuptblfilter = "`Status`=1";
                          ew_AddFilter($sWhereWrk, $lookuptblfilter);
                          ew_AddFilter($sWhereWrk, $sFilterWrk);
                          $this->Lookup_Selecting($this->Notulis, $sWhereWrk); // Call Lookup selecting
                          if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk; $sSqlWrk .= " ORDER BY `Nama` ASC";
                          $rswrk = Conn()->Execute($sSqlWrk);
                          $arwrk = ($rswrk) ? $rswrk->GetRows() : array();
                          if ($rswrk) $rswrk->Close();
                          array_unshift($arwrk, array("", $Language->Phrase("PleaseSelect"), "", "",
"",
"", "", "", ""));
                          $this->Notulis->EditValue = $arwrk;
                          // Peserta_Rapat
                          $this->Peserta_Rapat->EditCustomAttributes = "";
                          if (trim(strval($this->Peserta_Rapat->CurrentValue)) == "") {
                                  $sFilterWrk = "0=1";
                          } else {
                                  $arwrk = explode(",", $this->Peserta_Rapat->CurrentValue);
                                  $sFilterWrk = ""
                                  foreach ($arwrk as $wrk) {
                                           if ($sFilterWrk <> "") $sFilterWrk .= " OR ";
```

```
$sFilterWrk .= "`ID_Personil`" . ew_SearchString("=",
trim($wrk), EW_DATATYPE_NUMBER, "");
$sSqlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS `Disp4Fld`, '' AS `SelectFilterFld`, '' AS `SelectFilterFld2`, '' AS `SelectFilterFld3`, '' AS `SelectFilterFld4` FROM `personil`";
                          $sWhereWrk = "";
                          $lookuptblfilter = "`Status`=1";
                          ew_AddFilter($sWhereWrk, $lookuptblfilter);
                          ew_AddFilter($sWhereWrk, $sFilterWrk);
                          $this->Lookup_Selecting($this->Peserta_Rapat, $sWhereWrk); // Call Lookup
selecting
                          if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
                          $sSqlWrk .= " ORDER BY `Nama` ASC";
                          $rswrk = Conn()->Execute($sSqlWrk);
                          $arwrk = ($rswrk) ? $rswrk->GetRows() : array();
                          if ($rswrk) $rswrk->Close();
                          $this->Peserta_Rapat->EditValue = $arwrk;
                          // Peserta_Lain
                          $this->Peserta_Lain->EditAttrs["class"] = "form-control";
                          $this->Peserta_Lain->EditCustomAttributes = ""
                          $this->Peserta_Lain->EditValue = ew_HtmlEncode($this->Peserta_Lain-
>CurrentValue);
                          $this->Peserta_Lain->PlaceHolder = ew_RemoveHtml($this->Peserta_Lain-
>FldCaption());
                          // Lampiran
                          $this->Lampiran->EditAttrs["class"] = "form-control";
                          $this->Lampiran->EditCustomAttributes = '
                          $this->Lampiran->UploadPath = "uploads/lampiran/";
                          if (!ew_Empty($this->Lampiran->Upload->DbValue)) {
                                  $this->Lampiran->EditValue = $this->Lampiran->Upload->DbValue;
                          } else {
                                  $this->Lampiran->EditValue = "";
                          if (!ew_Empty($this->Lampiran->CurrentValue))
                                   $this->Lampiran->Upload->FileName = $this->Lampiran->CurrentValue;
                          if ($this->CurrentAction == "I" && !$this->EventCancelled)
ew_RenderUploadField($this->Lampiran);
                          // Link_Rekaman
                          $this->Link_Rekaman->EditAttrs["class"] = "form-control";
                          $this->Link_Rekaman->EditCustomAttributes = ""
                          $this->Link_Rekaman->EditValue = ew_HtmlEncode($this->Link_Rekaman-
>CurrentValue);
                          $this->Link_Rekaman->PlaceHolder = ew_RemoveHtml($this->Link_Rekaman-
>FldCaption());
                          // Edit refer script
                          // Tanggal
                          $this->Tanggal->LinkCustomAttributes = "";
                          $this->Tanggal->HrefValue = "";
                          // Jenis Rapat
                          $this->Jenis_Rapat->LinkCustomAttributes = "";
                          $this->Jenis_Rapat->HrefValue = "";
                          // 01eh
                          $this->Oleh->LinkCustomAttributes = "";
                          $this->Oleh->HrefValue = "";
                          // Tempat
                          $this->Tempat->LinkCustomAttributes = "";
                          $this->Tempat->HrefValue = "";
                          // Pimpinan
                          $this->Pimpinan->LinkCustomAttributes = "";
                          $this->Pimpinan->HrefValue = "";
                          // Notulis
                          $this->Notulis->LinkCustomAttributes = "";
```

```
$this->Notulis->HrefValue = "";
                         // Peserta Rapat
                         $this->Peserta_Rapat->LinkCustomAttributes = "";
                         $this->Peserta_Rapat->HrefValue = "";
                         // Peserta Lain
                         $this->Peserta_Lain->LinkCustomAttributes = "";
                         $this->Peserta_Lain->HrefValue = "";
                         // Lampiran
                         $this->Lampiran->LinkCustomAttributes = "";
                         $this->Lampiran->HrefValue = "";
                         $this->Lampiran->HrefValue2 = $this->Lampiran->UploadPath . $this->Lampiran-
>Upload->DbValue;
                         // Link_Rekaman
                         $this->Link_Rekaman->LinkCustomAttributes = "";
                         if (!ew_Empty($this->Link_Rekaman->CurrentValue)) {
                                 $this->Link_Rekaman->HrefValue = $this->Link_Rekaman->CurrentValue; //
Add prefix/suffix
                                 $this->Link_Rekaman->LinkAttrs["target"] = "_blank"; // Add target
                                 if ($this->Export <> "") $this->Link_Rekaman->HrefValue =
ew ConvertFullUrl($this->Link Rekaman->HrefValue);
                         } else {
                                 $this->Link_Rekaman->HrefValue = "";
                         }
                if ($this->RowType == EW_ROWTYPE_ADD ||
                        $this->RowType == EW_ROWTYPE_EDIT ||
$this->RowType == EW_ROWTYPE_SEARCH) { // Add / Edit / Search row
                         $this->SetupFieldTitles();
                }
                // Call Row Rendered event
                if ($this->RowType <> EW_ROWTYPE_AGGREGATEINIT)
                        $this->Row_Rendered();
        }
        // Validate form
        function ValidateForm() {
                global $Language, $gsFormError;
                // Initialize form error message
                $gsFormError = "";
                // Check if validation required
                if (!EW_SERVER_VALIDATE)
                         return ($gsFormError == "");
                if (!$this->Tanggal->FldIsDetailKey && !is_null($this->Tanggal->FormValue) && $this-
>Tanggal->FormValue == "") {
                         ew_AddMessage($gsFormError, str_replace("%s", $this->Tanggal->FldCaption(),
$this->Tanggal->ReqErrMsg));
                if (!ew_CheckEuroDate($this->Tanggal->FormValue)) {
                         ew_AddMessage($gsFormError, $this->Tanggal->FldErrMsg());
                if (!$this->Jenis_Rapat->FldIsDetailKey && !is_null($this->Jenis_Rapat->FormValue) &&
$this->Jenis_Rapat->FormValue == "") {
                         ew_AddMessage($gsFormError, str_replace("%s", $this->Jenis_Rapat-
>FldCaption(), $this->Jenis_Rapat->ReqErrMsg));
                if (!$this->Oleh->FldIsDetailKey && !is_null($this->Oleh->FormValue) && $this->Oleh-
>FormValue == "") {
                        ew_AddMessage($gsFormError, str_replace("%s", $this->Oleh->FldCaption(),
$this->Oleh->ReqErrMsg));
                // Validate detail grid
                $DetailTblVar = explode(",", $this->getCurrentDetailTable());
                if (in_array("notulen", $DetailTblVar) && $GLOBALS["notulen"]->DetailEdit) {
                         if (!isset($GLOBALS["notulen_grid"])) $GLOBALS["notulen_grid"] = new
cnotulen_grid(); // get detail page object
                         $GLOBALS["notulen_grid"]->ValidateGridForm();
```

```
// Return validate result
                $ValidateForm = ($gsFormError == "");
                // Call Form_CustomValidate event
                $sFormCustomError = "'
                $ValidateForm = $ValidateForm && $this->Form_CustomValidate($sFormCustomError);
                if ($sFormCustomError <> "") {
                         ew_AddMessage($gsFormError, $sFormCustomError);
                return $ValidateForm;
        }
        // Update record based on key values
        function EditRow() {
                global $Security, $Language;
                $sFilter = $this->KeyFilter();
                $sFilter = $this->ApplyUserIDFilters($sFilter);
                $conn = &$this->Connection();
                $this->CurrentFilter = $sFilter;
                $sSql = $this->SQL();
                $conn->raiseErrorFn = $GLOBALS["EW_ERROR_FN"];
                $rs = $conn->Execute($sSql);
                $conn->raiseErrorFn = '';
                if ($rs === FALSE)
                        return FALSE;
                if ($rs->EOF) {
                         $this->setFailureMessage($Language->Phrase("NoRecord")); // Set no record
message
                         $EditRow = FALSE; // Update Failed
                } else {
                         // Begin transaction
                         if ($this->getCurrentDetailTable() <> "")
                                 $conn->BeginTrans();
                         // Save old values
                         $rsold = &$rs->fields;
                         $this->LoadDbValues($rsold);
                         $this->Lampiran->OldUploadPath = "uploads/lampiran/";
                         $this->Lampiran->UploadPath = $this->Lampiran->OldUploadPath;
                         $rsnew = array();
                         // Tanggal
                         $this->Tanggal->SetDbValueDef($rsnew, ew_UnFormatDateTime($this->Tanggal-
>CurrentValue, 7), NULL, $this->Tanggal->ReadOnly);
                         // Jenis_Rapat
                         $this->Jenis_Rapat->SetDbValueDef($rsnew, $this->Jenis_Rapat->CurrentValue,
NULL, $this->Jenis_Rapat->ReadOnly);
                         $this->Oleh->SetDbValueDef($rsnew, $this->Oleh->CurrentValue, NULL, $this-
>Oleh->ReadOnly);
                         // Tempat
                         $this->Tempat->SetDbValueDef($rsnew, $this->Tempat->CurrentValue, NULL, $this-
>Tempat->ReadOnly);
                         // Pimpinan
                         $this->Pimpinan->SetDbValueDef($rsnew, $this->Pimpinan->CurrentValue, NULL,
$this->Pimpinan->ReadOnly);
                         // Notulis
                         $this->Notulis->SetDbValueDef($rsnew, $this->Notulis->CurrentValue, NULL,
$this->Notulis->ReadOnly);
                         // Peserta_Rapat
                         $this->Peserta_Rapat->SetDbValueDef($rsnew, $this->Peserta_Rapat-
>CurrentValue, NULL, $this->Peserta_Rapat->ReadOnly);
                         // Peserta_Lain
                         $this->Peserta_Lain->SetDbValueDef($rsnew, $this->Peserta_Lain->CurrentValue,
```

```
NULL, $this->Peserta_Lain->ReadOnly);
                          // Lampiran
                          if ($this->Lampiran->Visible && !$this->Lampiran->ReadOnly && !$this-
 >Lampiran->Upload->KeepFile) {
                                   $this->Lampiran->Upload->DbValue = $rsold['Lampiran']; // Get original
 value
                                  if ($this->Lampiran->Upload->FileName == "") {
                                           $rsnew['Lampiran'] = NULL;
                                  } else {
                                           $rsnew['Lampiran'] = $this->Lampiran->Upload->FileName;
                                  }
                          }
                          // Link Rekaman
                          $this->Link_Rekaman->SetDbValueDef($rsnew, $this->Link_Rekaman->CurrentValue,
 NULL, $this->Link_Rekaman->ReadOnly);
                          if ($this->Lampiran->Visible && !$this->Lampiran->Upload->KeepFile) {
                                  $this->Lampiran->UploadPath = "uploads/lampiran/";
$0ldFiles = explode(EW_MULTIPLE_UPLOAD_SEPARATOR, $this->Lampiran-
 >Upload->DbValue);
                                  if (!ew_Empty($this->Lampiran->Upload->FileName)) {
                                           $NewFiles = explode(EW_MULTIPLE_UPLOAD_SEPARATOR, $this-
 >Lampiran->Upload->FileName);
                                           $FileCount = count($NewFiles);
                                           for ($i = 0; $i < $FileCount; $i++) {</pre>
                                                    $fldvar = ($this->Lampiran->Upload->Index < 0) ?</pre>
 $this->Lampiran->FldVar : substr($this->Lampiran->FldVar, 0, 1) . $this->Lampiran->Upload->Index .
 substr($this->Lampiran->FldVar, 1);
                                                   if ($NewFiles[$i] <> "")
                                                            $file = $NewFiles[$i];
                                                            if (file_exists(ew_UploadTempPath($fldvar,
 $this->Lampiran->TblVar) . EW_PATH_DELIMITER . $file)) {
                                                                     if (!in_array($file, $OldFiles)) {
                                                                             $file1 =
 ew_UploadFileNameEx(ew_UploadPathEx(TRUE, $this->Lampiran->UploadPath), $file); // Get new file name
                                                                             if ($file1 <> $file) { //
 Rename temp file
 (file_exists(ew_UploadTempPath($fldvar, $this->Lampiran->TblVar) . EW_PATH_DELIMITER . $file1)) // Make
 sure did not clash with existing upload file
 ew_UniqueFilename(ew_UploadPathEx(TRUE, $this->Lampiran->UploadPath), $file1, TRUE); // Use indexed
name
         rename(ew_UploadTempPath($fldvar, $this->Lampiran->TblVar) . EW_PATH_DELIMITER . $file,
 ew_UploadTempPath($fldvar, $this->Lampiran->TblVar) . EW_PATH_DELIMITER . $file1);
                                                                                      $NewFiles[$i] =
 $file1;
                                                                     }
                                                            }
                                                   }
                                           $this->Lampiran->Upload->FileName =
 implode(EW_MULTIPLE_UPLOAD_SEPARATOR, $NewFiles);
                                           $rsnew['Lampiran'] = $this->Lampiran->Upload->FileName;
                                   } else {
                                           $NewFiles = array();
                                   }
                          }
                          // Call Row Updating event
                          $bUpdateRow = $this->Row_Updating($rsold, $rsnew);
                          if ($bUpdateRow) {
                                  $conn->raiseErrorFn = $GLOBALS["EW_ERROR_FN"];
                                  if (count($rsnew) > 0)
                                           $EditRow = $this->Update($rsnew, "", $rsold);
                                  else
                                           $EditRow = TRUE; // No field to update
                                   $conn->raiseErrorFn = '';
                                   if ($EditRow) {
                                           if ($this->Lampiran->Visible && !$this->Lampiran->Upload-
>KeepFile) {
```

```
$01dFiles = explode(EW_MULTIPLE_UPLOAD_SEPARATOR,
$this->Lampiran->Upload->DbValue);
                                                  if (!ew Empty($this->Lampiran->Upload->FileName)) {
                                                           $NewFiles =
explode(EW_MULTIPLE_UPLOAD_SEPARATOR, $this->Lampiran->Upload->FileName);
                                                           $NewFiles2 =
explode(EW_MULTIPLE_UPLOAD_SEPARATOR, $rsnew['Lampiran']);
                                                           $FileCount = count($NewFiles);
                                                           for ($i = 0; $i < $FileCount; $i++) {</pre>
                                                                   $fldvar = ($this->Lampiran->Upload-
>Index < 0) ? $this->Lampiran->FldVar : substr($this->Lampiran->FldVar, 0, 1) . $this->Lampiran-
>Upload->Index . substr($this->Lampiran->FldVar, 1);
                                                                   if ($NewFiles[$i] <> "") {
                                                                            $file =
ew UploadTempPath($fldvar, $this->Lampiran->TblVar) . EW PATH DELIMITER . $NewFiles[$i];
                                                                            if (file_exists($file)) {
                                                                                    $this->Lampiran-
>Upload->SaveToFile($this->Lampiran->UploadPath, (@$NewFiles2[$i] <> "") ? $NewFiles2[$i] :
$NewFiles[$i], TRUE, $i); // Just replace
                                                  } else {
                                                           $NewFiles = array();
                                                  $FileCount = count($01dFiles);
                                                  for ($i = 0; $i < $FileCount; $i++) {
    if ($OldFiles[$i] <> "" &&
!in_array($OldFiles[$i], $NewFiles))
                                                                   @unlink(ew_UploadPathEx(TRUE, $this-
>Lampiran->OldUploadPath) . $OldFiles[$i]);
                                                  }
                                 }
                                 // Update detail records
                                 $DetailTblVar = explode(",", $this->getCurrentDetailTable());
                                 if ($EditRow) {
                                          if (in_array("notulen", $DetailTblVar) && $GLOBALS["notulen"]-
>DetailEdit) {
                                                  if (!isset($GLOBALS["notulen_grid"]))
$GLOBALS["notulen_grid"] = new cnotulen_grid(); // Get detail page object
                                                  $EditRow = $GLOBALS["notulen_grid"]->GridUpdate();
                                 }
                                 // Commit/Rollback transaction
                                 if ($this->getCurrentDetailTable() <> "") {
                                          if ($EditRow) {
                                                  $conn->CommitTrans(); // Commit transaction
                                          } else {
                                                  $conn->RollbackTrans(); // Rollback transaction
                         } else {
                                  if ($this->getSuccessMessage() <> "" || $this->getFailureMessage() <>
"") {
                                          // Use the message, do nothing
                                 } elseif ($this->CancelMessage <> "") {
                                          $this->setFailureMessage($this->CancelMessage);
                                          $this->CancelMessage = ""
                                 } else {
                                          $this->setFailureMessage($Language-
>Phrase("UpdateCancelled"));
                                 $EditRow = FALSE;
                         }
                }
                // Call Row_Updated event
                if ($EditRow)
                         $this->Row_Updated($rsold, $rsnew);
                if ($EditRow) {
```

```
$this->WriteAuditTrailOnEdit($rsold, $rsnew);
                  $rs->Close();
                  // Lampiran
                  ew_CleanUploadTempPath($this->Lampiran, $this->Lampiran->Upload->Index);
                  return $EditRow;
         }
         // Set up detail parms based on QueryString
         function SetUpDetailParms() {
                  // Get the keys for master table
                  if (isset($_GET[EW_TABLE_SHOW_DETAIL])) {
                           $sDetailTblVar = $_GET[EW_TABLE_SHOW_DETAIL];
                           $this->setCurrentDetailTable($sDetailTblVar);
                  } else {
                           $sDetailTblVar = $this->getCurrentDetailTable();
                  if ($sDetailTblVar <> "") {
                           $DetailTblVar = explode(",", $sDetailTblVar);
if (in_array("notulen", $DetailTblVar)) {
                                    if (!isset($GLOBALS["notulen_grid"]))
                                    $GLOBALS["notulen_grid"] = new cnotulen_grid; if ($GLOBALS["notulen_grid"]->DetailEdit) {
                                             $GLOBALS["notulen_grid"]->CurrentMode = "edit";
                                             $GLOBALS["notulen_grid"]->CurrentAction = "gridedit";
                                              // Save current master table to detail table
                                             $GLOBALS["notulen_grid"]->setCurrentMasterTable($this-
>TableVar);
                                             $GLOBALS["notulen_grid"]->setStartRecordNumber(1);
                                             $GLOBALS["notulen_grid"]->ID_Rapat->FldIsDetailKey = TRUE;
$GLOBALS["notulen_grid"]->ID_Rapat->CurrentValue = $this-
>ID_Rapat->CurrentValue;
                                             $GLOBALS["notulen grid"]->ID Rapat-
>setSessionValue($GLOBALS["notulen_grid"]->ID_Rapat->CurrentValue);
                           }
                  }
        }
         // Set up Breadcrumb
         function SetupBreadcrumb() {
                  global $Breadcrumb, $Language;
                  $Breadcrumb = new cBreadcrumb();
                  $url = substr(ew_CurrentUrl(), strrpos(ew_CurrentUrl(), "/")+1);
$Breadcrumb->Add("list", $this->TableVar, $this->AddMasterUrl("rapatlist.php"), "",
$this->TableVar, TRUE);
                  $PageId = "edit";
                  $Breadcrumb->Add("edit", $PageId, $url);
         // Write Audit Trail start/end for grid update
         function WriteAuditTrailDummy($typ) {
                  $table = 'rapat';
                  $usr = CurrentUserName();
                  ew_WriteAuditTrail("log", ew_StdCurrentDateTime(), ew_ScriptName(), $usr, $typ,
$table, "",
         // Write Audit Trail (edit page)
         function WriteAuditTrailOnEdit(&$rsold, &$rsnew) {
                  global $Language;
                  if (!$this->AuditTrailOnEdit) return;
                  $table = 'rapat';
                  // Get key value
                  $key = "";
                  if ($key <> "") $key .= $GLOBALS["EW_COMPOSITE_KEY_SEPARATOR"];
                  $key .= $rsold['ID_Rapat'];
                  // Write Audit Trail
                  $dt = ew_StdCurrentDateTime();
```

```
$id = ew_ScriptName();
                 $usr = CurrentUserName();
                 foreach (array keys($rsnew) as $fldname) {
                          if ($this->fields[$fldname]->FldDataType <> EW_DATATYPE_BLOB) { // Ignore BLOB
fields
                                   if ($this->fields[$fldname]->FldDataType == EW_DATATYPE_DATE) { //
DateTime field
                                            $modified = (ew_FormatDateTime($rsold[$fldname], 0) <>
ew_FormatDateTime($rsnew[$fldname], 0));
                                   } else {
                                            $modified = !ew_CompareValue($rsold[$fldname],
$rsnew[$fldname]);
                                   if ($modified) {
                                            if ($this->fields[$fldname]->FldHtmlTag == "PASSWORD") { //
Password Field
                                                     $oldvalue = $Language->Phrase("PasswordMask");
$newvalue = $Language->Phrase("PasswordMask");
                                            } elseif ($this->fields[$fldname]->FldDataType ==
EW_DATATYPE_MEMO) { // Memo field
                                                     if (EW_AUDIT_TRAIL_TO_DATABASE) {
                                                              $oldvalue = $rsold[$fldname];
                                                              $newvalue = $rsnew[$fldname];
                                                     } else {
                                                              $oldvalue = "[MEMO]";
$newvalue = "[MEMO]";
                                            } elseif ($this->fields[$fldname]->FldDataType ==
EW_DATATYPE_XML) { // XML field
                                                     $oldvalue = "[XML]";
$newvalue = "[XML]";
                                            } else {
                                                      $oldvalue = $rsold[$fldname];
                                                     $newvalue = $rsnew[$fldname];
                                            ew_WriteAuditTrail("log", $dt, $id, $usr, "U", $table,
$fldname, $key, $oldvalue, $newvalue);
                          }
        }
         // Page Load event
        function Page_Load() {
                 //echo "Page Load";
        }
         // Page Unload event
        function Page_Unload() {
                 //echo "Page Unload";
        }
         // Page Redirecting event
        function Page_Redirecting(&$url) {
                  // Example:
                 //$url = "your URL";
        }
        // Message Showing event
// $type = ''|'success'|'failure'|'warning'
        function Message_Showing(&$msg, $type) {
                 if ($type == 'success') {
                          //$msg = "your success message";
                 } elseif ($type == 'failure') {
                          //$msg = "your failure message";
                 } elseif ($type == 'warning') {
                          //$msg = "your warning message";
```

```
} else {
                            //$msg = "your message";
         // Page Render event
         function Page_Render() {
                   //echo "Page Render";
         }
         // Page Data Rendering event
         function Page_DataRendering(&$header) {
                   // Example:
                   //$header = "your header";
         }
         // Page Data Rendered event
         function Page_DataRendered(&$footer) {
                   // Example:
                   //$footer = "your footer";
         }
         // Form Custom Validate event
         function Form_CustomValidate(&$CustomError) {
                   // Return error message in CustomError
                   return TRUE;
         }
?>
<?php ew_Header(FALSE) ?>
<?php
// Create page object
if (!isset($rapat_edit)) $rapat_edit = new crapat_edit();
// Page init
$rapat_edit->Page_Init();
// Page main
$rapat_edit->Page_Main();
// Global Page Rendering event (in userfn*.php)
Page_Rendering();
// Page Rendering event
$rapat_edit->Page_Render();
<?php include_once "header.php" ?>
<script type="text/javascript">
// Form object
var CurrentPageID = EW_PAGE_ID = "edit";
var CurrentForm = frapatedit = new ew_Form("frapatedit", "edit");
// Validate form
frapatedit.Validate = function() {
         if (!this.ValidateRequired)
                  return true; // Ignore validation
         var $ = jQuery, fobj = this.GetForm(), $fobj = $(fobj);
if ($fobj.find("#a_confirm").val() == "F")
                  return true;
         var elm, felm, uelm, addcnt = 0;
var $k = $fobj.find("#" + this.FormKeyCountName); // Get key_count
         var rowcnt = ($k[0]) ? parseInt($k.val(), 10) : 1;
var startcnt = (rowcnt == 0) ? 0 : 1; // Check rowcnt == 0 => Inline-Add
var gridinsert = $fobj.find("#a_list").val() == "gridinsert";
         for (var i = startcnt; i <= rowcnt; i++) {</pre>
```

```
var infix = (\$k[0]) ? String(i) : "";
                  $fobj.data("rowindex", infix);
                           elm = this.GetElements("x" + infix + "_Tanggal");
if (elm && !ew_IsHidden(elm) && !ew_HasValue(elm))
                                    return this.OnError(elm, "<?php echo ew_JsEncode2(str_replace("%s",</pre>
if (elm && !ew_CheckEuroDate(elm.value))
                                    return this.OnError(elm, "<?php echo ew_JsEncode2($rapat->Tanggal-
>FldErrMsg()) ?>");
                           elm = this.GetElements("x" + infix + "_Jenis_Rapat");
                           if (elm && !ew_IsHidden(elm) && !ew_HasValue(elm))
                                    return this.OnError(elm, "<?php echo ew_JsEncode2(str_replace("%s",</pre>
$rapat->Jenis_Rapat->FldCaption(), $rapat->Jenis_Rapat->ReqErrMsg)) ?>");
                           elm = this.GetElements("x" + infix + "_Oleh");
                           if (elm && !ew_IsHidden(elm) && !ew_HasValue(elm))
                                    return this.OnError(elm, "<?php echo ew_JsEncode2(str_replace("%s",</pre>
$rapat->0leh->FldCaption(), $rapat->0leh->ReqErrMsg)) ?>");
                           // Fire Form_CustomValidate event
                           if (!this.Form CustomValidate(fobj))
                                    return false:
         }
         // Process detail forms
         var dfs = $fobj.find("input[name='detailpage']").get();
         for (var i = 0; i < dfs.length; i++) {
    var df = dfs[i], val = df.value;</pre>
                  if (val && ewForms[val])
                           if (!ewForms[val].Validate())
                                    return false;
         return true;
}
// Form CustomValidate event
frapatedit.Form_CustomValidate =
 function(fobj) { // DO NOT CHANGE THIS LINE!
         // Your custom validation code here, return false if invalid.
         return true;
 }
// Use JavaScript validation or not
<?php if (EW_CLIENT_VALIDATE) { ?>
frapatedit.ValidateRequired = true;
<?php } else { ?>
frapatedit.ValidateRequired = false;
<?php } ?>
// Dynamic selection lists
frapatedit.Lists["x_Jenis_Rapat"] =
{"LinkField":"x_ID_Jenis_Rapat", Ajax":true, AutoFill":false, DisplayFields":["x_Nama","","",""], Paren
tFields":[],"ChildFields":[],"FilterFields":[],"Options":[],"Template":""};
frapatedit.Lists["x_Oleh"] =
    {"LinkField":"x_pd_uid", "Ajax":true, "AutoFill":false, "DisplayFields":["x_pd_nickname", "", "", ""], "Parent
Fields":[], "ChildFields":[], "FilterFields":[], "Options":[], "Template":""};
frapatedit.Lists["x"] =
{"LinkField":"x ID Personil","Ajax":true,"AutoFill":false,"DisplayFields":["x Nama","","",""],"ParentFi
elds":[],"ChildFields":[],"FilterFields":[],"Options":[],"Template":""};
frapatedit.Lists["x_Notulis"] =
{"LinkField":"x_ID_Personil","Ajax":true,"AutoFill":false,"DisplayFields":["x_Nama","","",""],"ParentFi
elds":[],"ChildFields":[],"FilterFields":[],"Options":[],"Template":""};
frapatedit.Lists["x_Peserta_Rapat[]"] =
{"LinkField":"x_ID_Personil","Ajax":true,"AutoFill":false,"DisplayFields":["x_Nama","","",""],"ParentFi
elds":[],"ChildFields":[],"FilterFields":[],"Options":[],"Template":"
// Form object for search
</script>
<script type="text/javascript">
// Write your client script here, no need to add script tags.
</script>
<?php $rapat_edit->ShowPageHeader(); ?>
```

```
<?nhn
$rapat_edit->ShowMessage();
<form name="frapatedit" id="frapatedit" class="<?php echo $rapat_edit->FormClassName ?>" action="<?php</pre>
echo ew_CurrentPage() ?>" method="post">
<?php if ($rapat_edit->CheckToken) { ?>
<input type="hidden" name="<?php echo EW_TOKEN_NAME ?>" value="<?php echo $rapat_edit->Token ?>">
<?php } ?>
<input type="hidden" name="t" value="rapat">
<input type="hidden" name="a_edit" id="a_edit" value="U">
<div>
<?php if ($rapat->Tanggal->Visible) { // Tanggal ?>
        <div id="r_Tanggal" class="form-group">
                 <label id="elh_rapat_Tanggal" for="x_Tanggal" class="col-sm-2 control-label</pre>
ewLabel"><?php echo $rapat->Tanggal->FldCaption() ?><?php echo $Language-
>Phrase("FieldRequiredIndicator") ?></label>
                 <div class="col-sm-10"><div<?php echo $rapat->Tanggal->CellAttributes() ?>>
<span id="el_rapat_Tanggal">
<input type="text" data-table="rapat" data-field="x_Tanggal" data-format="7" name="x_Tanggal"</pre>
id="x_Tanggal" placeholder="<?php echo ew_HtmlEncode($rapat->Tanggal->getPlaceHolder()) ?>"
value="<?php echo $rapat->Tanggal->EditValue ?>"<?php echo $rapat->Tanggal->EditAttributes() ?>>
<?php if (!$rapat->Tanggal->ReadOnly && !$rapat->Tanggal->Disabled && !isset($rapat->Tanggal->
>EditAttrs["readonly"]) && !isset($rapat->Tanggal->EditAttrs["disabled"])) { ?>
<script type="text/javascript">
ew_CreateCalendar("frapatedit", "x_Tanggal", "%d/%m/%Y");
</script>
<?php } ?>
</span>
<?php echo $rapat->Tanggal->CustomMsg ?></div></div>
        </div>
<?php } ?>
<?php if ($rapat->Jenis_Rapat->Visible) { // Jenis_Rapat ?>
        <div id="r_Jenis_Rapat" class="form-group">
                 <label id="elh_rapat_Jenis_Rapat" for="x_Jenis_Rapat" class="col-sm-2 control-label"</pre>
ewLabel"><?php echo $rapat->Jenis_Rapat->FldCaption() ?><?php echo $Language-
>Phrase("FieldRequiredIndicator") ?></label>
                <div class="col-sm-10"><div<?php echo $rapat->Jenis_Rapat->CellAttributes() ?>>
<span id="el_rapat_Jenis_Rapat">
<select data-table="rapat" data-field="x_Jenis_Rapat" data-value-separator="<?php echo</pre>
ew_HtmlEncode(is_array($rapat->Jenis_Rapat->DisplayValueSeparator) ? json_encode($rapat->Jenis_Rapat-
>DisplayValueSeparator) : $rapat->Jenis_Rapat->DisplayValueSeparator) ?>" id="x_Jenis_Rapat"
name="x Jenis Rapat"<?php echo $rapat->Jenis Rapat->EditAttributes() ?>>
<?php
if (is_array($rapat->Jenis_Rapat->EditValue)) {
        $arwrk = $rapat->Jenis_Rapat->EditValue;
$rowswrk = count($arwrk);
        $emptywrk = TRUE;
        for ($rowcntwrk = 0; $rowcntwrk < $rowswrk; $rowcntwrk++) {</pre>
                $selwrk = ew_SameStr($rapat->Jenis_Rapat->CurrentValue, $arwrk[$rowcntwrk][0]) ? "
selected" : "";
                 if ($selwrk <> "") $emptywrk = FALSE;
<option value="<?php echo ew_HtmlEncode($arwrk[$rowcntwrk][0]) ?>"<?php echo $selwrk ?>>
<?php echo $rapat->Jenis_Rapat->DisplayValue($arwrk[$rowcntwrk]) ?>
</option>
<?php
        if ($emptywrk && strval($rapat->Jenis_Rapat->CurrentValue) <> "") {
<option value="<?php echo ew_HtmlEncode($rapat->Jenis_Rapat->CurrentValue) ?>" selected><?php echo</pre>
$rapat->Jenis_Rapat->CurrentValue ?></option>
<?php
</select>
<?php
$$$qlWrk = "SELECT `ID_Jenis_Rapat`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS
`Disp4Fld` FROM `jenis_rapat`";
$sWhereWrk = "";
$lookuptblfilter = "`ID_Jenis_Rapat`<10";</pre>
ew_AddFilter($sWhereWrk, $lookuptblfilter);
$rapat->Jenis_Rapat->LookupFilters = array("s" => $sSqlWrk, "d" => "");
$rapat->Jenis_Rapat->LookupFilters += array("f0" => "'ID_Jenis_Rapat' = {filter_value}", "t0" => "3",
```

```
"fn0" => "");
$sSqlWrk = "";
$rapat->Lookup_Selecting($rapat->Jenis_Rapat, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
$sSqlWrk .= " ORDER BY `Urutan` ASC";
if ($sSqlWrk <> "") $rapat->Jenis_Rapat->LookupFilters["s"] .= $sSqlWrk;
<input type="hidden" name="s_x_Jenis_Rapat" id="s_x_Jenis_Rapat" value="<?php echo $rapat->Jenis_Rapat-
>LookupFilterQuery() ?>">
</span>
<?php echo $rapat->Jenis_Rapat->CustomMsg ?></div></div>
        </div>
<?php } ?>
<?php if ($rapat->Oleh->Visible) { // Oleh ?>
        <div id="r Oleh" class="form-group">
                 <label id="elh_rapat_Oleh" for="x_Oleh" class="col-sm-2 control-label ewLabel"><?php</pre>
echo $rapat->Oleh->FldCaption() ?><?php echo $Language->Phrase("FieldRequiredIndicator") ?></label>
                 <div class="col-sm-10"><div<?php echo $rapat->Oleh->CellAttributes() ?>>
<span id="el_rapat_Oleh">
<select data-table="rapat" data-field="x_Oleh" data-value-separator="<?php echo</pre>
ew_HtmlEncode(is_array($rapat->0leh->DisplayValueSeparator) ? json_encode($rapat->0leh-
>DisplayValueSeparator) : $rapat->0leh->DisplayValueSeparator) ?>" id="x_0leh" name="x_0leh"<?php echo</pre>
$rapat->0leh->EditAttributes() ?>>
<?php
if (is_array($rapat->Oleh->EditValue)) {
        $arwrk = $rapat->Oleh->EditValue;
        $rowswrk = count($arwrk);
        $emptywrk = TRUE;
        for ($rowcntwrk = 0; $rowcntwrk < $rowswrk; $rowcntwrk++) {</pre>
                 $selwrk = ew_SameStr($rapat->Oleh->CurrentValue, $arwrk[$rowcntwrk][0]) ? " selected"
: "";
                 if ($selwrk <> "") $emptywrk = FALSE;
<option value="<?php echo ew_HtmlEncode($arwrk[$rowcntwrk][0]) ?>"<?php echo $selwrk ?>>
<?php echo $rapat->Oleh->DisplayValue($arwrk[$rowcntwrk]) ?>
</option>
<?php
        if ($emptywrk && strval($rapat->Oleh->CurrentValue) <> "") {
<option value="<?php echo ew_HtmlEncode($rapat->Oleh->CurrentValue) ?>" selected><?php echo $rapat-</pre>
>Oleh->CurrentValue ?></option>
<?php
}
?>
</select>
<?php
$sSqlWrk = "SELECT `pd_uid`, `pd_nickname` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS
`Disp4Fld` FROM `pd_users`";
$sWhereWrk = "";
>AddUserIDFilter($sWhereWrk);
$rapat->Oleh->LookupFilters = array("s" => $sSqlWrk, "d" => "");
$rapat->Oleh->LookupFilters += array("f0" => "`pd_uid` = {filter_value}", "t0" => "3", "fn0" => "");
$rapat->Lookup_Selecting($rapat->Oleh, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
$sSqlWrk .= " ORDER BY `pd_uid` ASC";
if ($sSqlWrk <> "") $rapat->0leh->LookupFilters["s"] .= $sSqlWrk;
<input type="hidden" name="s_x_Oleh" id="s_x_Oleh" value="<?php echo $rapat->Oleh->LookupFilterQuery()
?>">
</span>
<?php echo $rapat->Oleh->CustomMsg ?></div></div>
        </div>
<?php } ?>
<?php if ($rapat->Tempat->Visible) { // Tempat ?>
        <div id="r_Tempat" class="form-group">
     <label id="elh_rapat_Tempat" for="x_Tempat" class="col-sm-2 control-label</pre>
ewLabel"><?php echo $rapat->Tempat->FldCaption() ?></label>
                 <div class="col-sm-10"><div<?php echo $rapat->Tempat->CellAttributes() ?>>
<span id="el_rapat_Tempat">
<input type="text" data-table="rapat" data-field="x_Tempat" name="x_Tempat" id="x_Tempat" size="30"</pre>
```

```
maxlength="255" placeholder="<?php echo ew HtmlEncode($rapat->Tempat->getPlaceHolder()) ?>"
value="<?php echo $rapat->Tempat->EditValue ?>"<?php echo $rapat->Tempat->EditAttributes() ?>>
</span>
<?php echo $rapat->Tempat->CustomMsg ?></div></div>
        </div>
<?php } ?>
<?php if ($rapat->Pimpinan->Visible) { // Pimpinan ?>
        <div id="r" class="form-group">
                 <label id="elh_rapat" for="x" class="col-sm-2 control-label ewLabel"><?php echo</pre>
$rapat->Pimpinan->FldCaption() ?></label>
                 <div class="col-sm-10"><div<?php echo $rapat->Pimpinan->CellAttributes() ?>>
<span id="el_rapat">
<select data-table="rapat" data-field="x" data-value-separator="<?php echo</pre>
ew_HtmlEncode(is_array($rapat->Pimpinan->DisplayValueSeparator) ? json_encode($rapat->Pimpinan-
>DisplayValueSeparator) : $rapat->Pimpinan->DisplayValueSeparator) ?>" id="x" name="x"<?php echo
$rapat->Pimpinan->EditAttributes() ?>>
if (is_array($rapat->Pimpinan->EditValue)) {
        $arwrk = $rapat->Pimpinan->EditValue;
        $rowswrk = count($arwrk);
        $emptywrk = TRUE;
        for ($rowcntwrk = 0; $rowcntwrk < $rowswrk; $rowcntwrk++) {</pre>
                 $selwrk = ew_SameStr($rapat->Pimpinan->CurrentValue, $arwrk[$rowcntwrk][0]) ? "
selected" : "":
                 if ($selwrk <> "") $emptywrk = FALSE;
<option value="<?php echo ew_HtmlEncode($arwrk[$rowcntwrk][0]) ?>"<?php echo $selwrk ?>>
<?php echo $rapat->Pimpinan->DisplayValue($arwrk[$rowcntwrk]) ?>
</option>
<?php
        if ($emptywrk && strval($rapat->Pimpinan->CurrentValue) <> "") {
?>
<option value="<?php echo ew_HtmlEncode($rapat->Pimpinan->CurrentValue) ?>" selected><?php echo $rapat-</pre>
>Pimpinan->CurrentValue ?></option>
<?php
?>
</select>
$sSqlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS
`Disp4Fld` FROM `personil`";
$sWhereWrk = "";
$lookuptblfilter = "`Status`=1";
ew_AddFilter($sWhereWrk, $lookuptblfilter);
$rapat->Pimpinan->LookupFilters = array("s" => $sSqlWrk, "d" => "");
$rapat->Pimpinan->LookupFilters += array("f0" => "`ID_Personil` = {filter_value}", "t0" => "3", "fn0"
$sSqlWrk = "";
$rapat->Lookup_Selecting($rapat->Pimpinan, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
$sSqlWrk .= " ORDER BY `Nama` ASC";
if ($sSqlWrk <> "") $rapat->Pimpinan->LookupFilters["s"] .= $sSqlWrk;
<input type="hidden" name="s_x" id="s_x" value="<?php echo $rapat->Pimpinan->LookupFilterQuery() ?>">
</span>
<?php echo $rapat->Pimpinan->CustomMsg ?></div></div>
        </div>
<?php } ?>
<?php if ($rapat->Notulis->Visible) { // Notulis ?>
        <div id="r_Notulis" class="form-group">
                 <label id="elh_rapat_Notulis" for="x_Notulis" class="col-sm-2 control-label</pre>
ewLabel"><?php echo $rapat->Notulis->FldCaption() ?></label>
                 <div class="col-sm-10"><div<?php echo $rapat->Notulis->CellAttributes() ?>>
<span id="el_rapat_Notulis">
<select data-table="rapat" data-field="x_Notulis" data-value-separator="<?php echo</pre>
ew_HtmlEncode(is_array($rapat->Notulis->DisplayValueSeparator) ? json_encode($rapat->Notulis-
>DisplayValueSeparator) : $rapat->Notulis->DisplayValueSeparator) ?>" id="x_Notulis"
name="x_Notulis"<?php echo $rapat->Notulis->EditAttributes() ?>>
if (is_array($rapat->Notulis->EditValue)) {
        $arwrk = $rapat->Notulis->EditValue;
        $rowswrk = count($arwrk);
```

```
$emptywrk = TRUE;
                for ($rowcntwrk = 0; $rowcntwrk < $rowswrk; $rowcntwrk++) {</pre>
                              $selwrk = ew SameStr($rapat->Notulis->CurrentValue, $arwrk[$rowcntwrk][0]) ? "
  selected" : "";
                              if ($selwrk <> "") $emptywrk = FALSE;
  <option value="<?php echo ew_HtmlEncode($arwrk[$rowcntwrk][0]) ?>"<?php echo $selwrk ?>>
  <?php echo $rapat->Notulis->DisplayValue($arwrk[$rowcntwrk]) ?>
  <?php
                if ($emptywrk && strval($rapat->Notulis->CurrentValue) <> "") {
  2>
  <option value="<?php echo ew HtmlEncode($rapat->Notulis->CurrentValue) ?>" selected><?php echo $rapat-</pre>
  >Notulis->CurrentValue ?></option>
  <?php
  }
  ?>
  </select>
  <?php
  $sSqlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS
  `Disp4Fld` FROM `personil`";
  $sWhereWrk = "";
  $lookuptblfilter = "`Status`=1";
  ew_AddFilter($sWhereWrk, $lookuptblfilter);
 $\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{
  $sSqlWrk = "";
  $rapat->Lookup_Selecting($rapat->Notulis, $sWhereWrk); // Call Lookup selecting
  if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
  $sSqlWrk .= " ORDER BY `Nama` ASC";
  if ($sSqlWrk <> "") $rapat->Notulis->LookupFilters["s"] .= $sSqlWrk;
  <input type="hidden" name="s_x_Notulis" id="s_x_Notulis" value="<?php echo $rapat->Notulis-
  >LookupFilterQuery() ?>">
  </span>
  <?php echo $rapat->Notulis->CustomMsg ?></div></div>
                </div>
  <?php } ?>
  <?php if ($rapat->Peserta_Rapat->Visible) { // Peserta_Rapat ?>
                <div id="r_Peserta_Rapat" class="form-group">
                              <label id="elh_rapat_Peserta_Rapat" class="col-sm-2 control-label ewLabel"><?php echo</pre>
  $rapat->Peserta_Rapat->FldCaption() ?></label>
                              <div class="col-sm-10"><div<?php echo $rapat->Peserta_Rapat->CellAttributes() ?>>
  <span id="el_rapat_Peserta_Rapat">
  <div id="tp_x_Peserta_Rapat" class="ewTemplate"><input type="checkbox" data-table="rapat" data-</pre>
  field="x_Peserta_Rapat" data-value-separator="<?php echo ew_HtmlEncode(is_array($rapat->Peserta_Rapat-
  >DisplayValueSeparator) ? json_encode($rapat->Peserta_Rapat->DisplayValueSeparator) : $rapat-
  >Peserta_Rapat->DisplayValueSeparator) ?>" name="x_Peserta_Rapat[]" id="x_Peserta_Rapat[]"
value="{value}"<?php echo $rapat->Peserta_Rapat->EditAttributes() ?>></div>
  <div id="dsl_x_Peserta_Rapat" data-repeatcolumn="5" class="ewItemList" style="display: none;"><div>
  qdq{>
  $arwrk = $rapat->Peserta_Rapat->EditValue;
  if (is_array($arwrk)) {
                $armultiwrk = (strval($rapat->Peserta_Rapat->CurrentValue) <> "") ? explode(",",
  strval($rapat->Peserta_Rapat->CurrentValue)) : array();
                $cnt = count($armultiwrk);
                $rowswrk = count($arwrk);
                $emptywrk = TRUE;
                for ($rowcntwrk = 0; $rowcntwrk < $rowswrk; $rowcntwrk++) {</pre>
                              $selwrk = "'
                              for ($ari = 0; $ari < $cnt; $ari++) {
                                            if (ew_SameStr($arwrk[$rowcntwrk][0], $armultiwrk[$ari]) &&
  !is_null($armultiwrk[$ari])) {
                                                           $armultiwrk[$ari] = NULL; // Marked for removal
                                                           $selwrk = " checked";
                                                           if ($selwrk <> "") $emptywrk = FALSE;
                                                          break:
                                            }
                              if ($selwrk <> "") {
?>
```

```
<label class="checkbox-inline"><input type="checkbox" data-table="rapat" data-field="x Peserta Rapat"</pre>
name="x_Peserta_Rapat[]" id="x_Peserta_Rapat_<?php echo $rowcntwrk ?>[]" value="<?php echo
ew HtmlEncode($arwrk[$rowcntwrk][0]) ?>"<?php echo $selwrk ?><?php echo $rapat->Peserta Rapat-
>EditAttributes() ?>><?php echo $rapat->Peserta_Rapat->DisplayValue($arwrk[$rowcntwrk]) ?></label>
<?php
         for ($ari = 0; $ari < $cnt; $ari++) {
                  if (!is_null($armultiwrk[$ari])) {
<label class="checkbox-inline"><input type="checkbox" data-table="rapat" data-field="x_Peserta_Rapat"</pre>
name="x_Peserta_Rapat[]" value="<?php echo ew_HtmlEncode($armultiwrk[$ari]) ?>" checked<?php echo
$rapat->Peserta_Rapat->EditAttributes() ?>><?php echo $armultiwrk[$ari] ?></label>
        }
?>
</div></div>
<?php
$sSqlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS `Disp3Fld`, '' AS
`Disp4Fld` FROM `personil`";
$sWhereWrk = "";
$lookuptblfilter = "`Status`=1";
ew_AddFilter($sWhereWrk, $lookuptblfilter);
$rapat->Peserta_Rapat->LookupFilters = array("s" => $sSqlWrk, "d" => "");
$rapat->Peserta_Rapat->LookupFilters += array("f0" => "`ID_Personil` = {filter_value}", "t0" => "3",
"fn0" => "");
$sSqlWrk = "";
$rapat->Lookup_Selecting($rapat->Peserta_Rapat, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
$sSqlWrk .= " ORDER BY `Nama` ASC";
if ($sSqlWrk <> "") $rapat->Peserta_Rapat->LookupFilters["s"] .= $sSqlWrk;
<input type="hidden" name="s_x_Peserta_Rapat" id="s_x_Peserta_Rapat" value="<?php echo $rapat-</pre>
>Peserta Rapat->LookupFilterQuery() ?>">
</span>
<?php echo $rapat->Peserta_Rapat->CustomMsg ?></div></div>
         </div>
<?php } ?>
<?php if ($rapat->Peserta_Lain->Visible) { // Peserta_Lain ?>
         <div id="r_Peserta_Lain" class="form-group">
                  <label id="elh_rapat_Peserta_Lain" for="x_Peserta_Lain" class="col-sm-2 control-label</pre>
ewLabel"><?php echo $rapat->Peserta_Lain->FldCaption() ?></label>
                  <div class="col-sm-10"><div<?php echo $rapat->Peserta_Lain->CellAttributes() ?>>
<span id="el_rapat_Peserta_Lain">
<input type="text" data-table="rapat" data-field="x_Peserta_Lain" name="x_Peserta_Lain"</pre>
id="x_Peserta_Lain" size="30" maxlength="255" placeholder="<?php echo ew_HtmlEncode($rapat-
>Peserta_Lain->getPlaceHolder()) ?>" value="<?php echo $rapat->Peserta_Lain->EditValue ?>"<?php echo</pre>
$rapat->Peserta Lain->EditAttributes() ?>>
</span>
<?php echo $rapat->Peserta_Lain->CustomMsg ?></div></div>
        </div>
<?php } ?>
<?php if ($rapat->Lampiran->Visible) { // Lampiran ?>
         <div id="r_Lampiran" class="form-group">
                  <label id="elh_rapat_Lampiran" class="col-sm-2 control-label ewLabel"><?php echo</pre>
$rapat->Lampiran->FldCaption() ?></label>
                  <div class="col-sm-10"><div<?php echo $rapat->Lampiran->CellAttributes() ?>>
<span id="el_rapat_Lampiran">
<div id="fd_x_Lampiran">
<span title="<?php echo $rapat->Lampiran->FldTitle() ? $rapat->Lampiran->FldTitle() : $Language-
>Phrase("ChooseFiles") ?>" class="btn btn-default btn-sm fileinput-button ewTooltip<?php if ($rapat->Lampiran->ReadOnly || $rapat->Lampiran->Disabled) echo " hide"; ?>">
         <span><?php echo $Language->Phrase("ChooseFileBtn") ?></span>
         <input type="file" title=" " data-table="rapat" data-field="x_Lampiran" name="x_Lampiran"</pre>
id="x_Lampiran" multiple="multiple"<?php echo $rapat->Lampiran->EditAttributes() ?>>
<input type="hidden" name="fn_x_Lampiran" id= "fn_x_Lampiran" value="<?php echo $rapat->Lampiran-
>Upload->FileName ?>">
<?php if (@$_POST["fa_x_Lampiran"] == "0") { ?>
<input type="hidden" name="fa_x_Lampiran" id= "fa_x_Lampiran" value="0">
<?php } else { ?>
<input type="hidden" name="fa_x_Lampiran" id= "fa_x_Lampiran" value="1">
```

```
<?php } ?>
<input type="hidden" name="fs_x_Lampiran" id= "fs_x_Lampiran" value="255">
<input type="hidden" name="fx_x_Lampiran" id= "fx_x_Lampiran" value="<?php echo $rapat->Lampiran-
>UploadAllowedFileExt ?>">
<input type="hidden" name="fm_x_Lampiran" id= "fm_x_Lampiran" value="<?php echo $rapat->Lampiran-
>UploadMaxFileSize ?>">
<input type="hidden" name="fc_x_Lampiran" id= "fc_x_Lampiran" value="<?php echo $rapat->Lampiran-
>UploadMaxFileCount ?>">
</div>
<tbody
class="files">
</span>
<?php echo $rapat->Lampiran->CustomMsg ?></div></div>
        </div>
<?php } ?>
<?php if ($rapat->Link_Rekaman->Visible) { // Link_Rekaman ?>
        <div id="r_Link_Rekaman" class="form-group">
                <label id="elh_rapat_Link_Rekaman" for="x_Link_Rekaman" class="col-sm-2 control-label</pre>
ewLabel"><?php echo $rapat->Link_Rekaman->FldCaption() ?></label>
                <div class="col-sm-10"><div<?php echo $rapat->Link_Rekaman->CellAttributes() ?>>
<span id="el_rapat_Link_Rekaman">
<input type="text" data-table="rapat" data-field="x Link Rekaman" name="x Link Rekaman"</pre>
id="x_Link_Rekaman" size="30" maxlength="255" placeholder="<?php echo ew_HtmlEncode($rapat-
>Link_Rekaman->getPlaceHolder()) ?>" value="<?php echo $rapat->Link_Rekaman->EditValue ?>"<?php echo
$rapat->Link_Rekaman->EditAttributes() ?>>
<?php echo $rapat->Link_Rekaman->CustomMsg ?></div></div>
        </div>
<?php } ?>
</div>
input type="hidden" data-table="rapat" data-field="x_ID_Rapat" name="x_ID_Rapat" id="x_ID_Rapat"
value="<?php echo ew_HtmlEncode($rapat->ID_Rapat->CurrentValue) ?>">
<?php
        if (in_array("notulen", explode(",", $rapat->getCurrentDetailTable())) && $notulen-
>DetailEdit) {
?>
<?php if ($rapat->getCurrentDetailTable() <> "") { ?>
<h4 class="ewDetailCaption"><?php echo $Language->TablePhrase("notulen", "TblCaption") ?></h4>
<?php } ?>
<?php include_once "notulengrid.php" ?>
<?php } ?>
<div class="form-group">
        <div class="col-sm-offset-2 col-sm-10">
<button class="btn btn-primary ewButton" name="btnAction" id="btnAction" type="submit"><?php echo</pre>
$Language->Phrase("SaveBtn") ?></button>
<button class="btn btn-default ewButton" name="btnCancel" id="btnCancel" type="button" data-href="<?php</pre>
echo $rapat_edit->getReturnUrl() ?>"><?php echo $Language->Phrase("CancelBtn") ?></button>
        </div>
</div>
</form>
<script type="text/javascript">
frapatedit.Init();
</script>
<?php
$rapat_edit->ShowPageFooter();
if (EW_DEBUG_ENABLED)
        echo ew DebugMsg();
<script type="text/javascript">
// Write your table-specific startup script here
// document.write("page loaded");
</script>
<?php include_once "footer.php" ?>
<?php
$rapat_edit->Page_Terminate();
```

## C. Delete catatan event rapat (rapat\_delete.php)

```
<?php
if (session_id() == "") session_start(); // Initialize Session data
ob_start(); // Turn on output buffering

??
<?php include_once "ewcfg12.php" ?>
<?php include_once ((EW_USE_ADODB) ? "adodb5/adodb.inc.php" : "ewmysq112.php") ?>
<?php include_once "phpfn12.php" ?>
<?php include_once "rapatinfo.php" ?>
<?php include_once "role_usersinfo.php" ?>
<?php include_once "rule_once "role_usersinfo.php" ?>

<?php include_once "userfn12.php" ?>
<?php
// Page class
$rapat_delete = NULL; // Initialize page object first
class crapat_delete extends crapat {
         // Page ID
         var $PageID = 'delete';
         // Project ID
         var $ProjectID = "{0C639743-2E0B-4CAE-93FA-C7B9BC3A8674}";
         // Table name
         var $TableName = 'rapat';
         // Page object name
         var $PageObjName = 'rapat_delete';
         // Page name
         function PageName() {
                   return ew_CurrentPage();
         }
         // Page URL
         function PageUrl() {
                   $PageUrl = ew_CurrentPage() . "?";
                   if ($this->UseTokenInUrl) $PageUrl .= "t=" . $this->TableVar . "&"; // Add page token
                   return $PageUrl;
    var $AuditTrailOnAdd = FALSE;
    var $AuditTrailOnEdit = FALSE;
    var $AuditTrailOnDelete = TRUE;
    var $AuditTrailOnView = FALSE;
    var $AuditTrailOnViewData = FALSE;
    var $AuditTrailOnSearch = FALSE;
         // Message
         function getMessage() {
                   return @$_SESSION[EW_SESSION_MESSAGE];
         function setMessage($v) {
                   ew_AddMessage($_SESSION[EW_SESSION_MESSAGE], $v);
         }
         function getFailureMessage() {
                   return @$_SESSION[EW_SESSION_FAILURE_MESSAGE];
         }
         function setFailureMessage($v) {
                   ew_AddMessage($_SESSION[EW_SESSION_FAILURE_MESSAGE], $v);
         function getSuccessMessage() {
                   return @$_SESSION[EW_SESSION_SUCCESS_MESSAGE];
```

```
function setSuccessMessage($v) {
                ew_AddMessage($_SESSION[EW_SESSION_SUCCESS_MESSAGE], $v);
        function getWarningMessage() {
                return @$_SESSION[EW_SESSION_WARNING_MESSAGE];
        function setWarningMessage($v) {
                ew_AddMessage($_SESSION[EW_SESSION_WARNING_MESSAGE], $v);
        // Methods to clear message
        function ClearMessage() {
                $_SESSION[EW_SESSION_MESSAGE] = "";
        function ClearFailureMessage() {
                $_SESSION[EW_SESSION_FAILURE_MESSAGE] = "";
        }
        function ClearSuccessMessage() {
                $_SESSION[EW_SESSION_SUCCESS_MESSAGE] = "";
        }
        function ClearWarningMessage() {
                $_SESSION[EW_SESSION_WARNING_MESSAGE] = "";
        function ClearMessages() {
                $_SESSION[EW_SESSION_MESSAGE] = "";
                $_SESSION[EW_SESSION_FAILURE_MESSAGE] = "";
                $_SESSION[EW_SESSION_SUCCESS_MESSAGE] = "";
                $_SESSION[EW_SESSION_WARNING_MESSAGE] = "";
        }
        // Show message
        function ShowMessage() {
                $hidden = FALSE;
$html = "";
                // Message
                $sMessage = $this->getMessage();
                $this->Message_Showing($sMessage, "");
                if ($sMessage <> "") { // Message in Session, display
                        if (!$hidden)
                                $sMessage = "<button type=\"button\" class=\"close\" data-</pre>
dismiss=\"alert\">×</button>" . $sMessage;
                        $html .= "<div class=\"alert alert-info ewInfo\">" . $sMessage . "</div>";
                        $_SESSION[EW_SESSION_MESSAGE] = ""; // Clear message in Session
                // Warning message
                $sWarningMessage = $this->getWarningMessage();
                $this->Message_Showing($sWarningMessage, "warning");
                if ($sWarningMessage <> "") { // Message in Session, display
                        if (!$hidden)
                                 $sWarningMessage = "<button type=\"button\" class=\"close\" data-</pre>
dismiss=\"alert\">×</button>" . $sWarningMessage;
                        $html .= "<div class=\"alert alert-warning ewWarning\">" . $sWarningMessage .
"</div>";
                        $_SESSION[EW_SESSION_WARNING_MESSAGE] = ""; // Clear message in Session
                }
                // Success message
                $sSuccessMessage = $this->getSuccessMessage();
                $this->Message_Showing($sSuccessMessage, "success");
                if ($sSuccessMessage <> "") { // Message in Session, display
                        if (!$hidden)
                                 $sSuccessMessage = "<button type=\"button\" class=\"close\" data-
dismiss=\"alert\">×</button>" . $sSuccessMessage;
                        $html .= "<div class=\"alert alert-success ewSuccess\">" . $sSuccessMessage .
"</div>";
                        $_SESSION[EW_SESSION_SUCCESS_MESSAGE] = ""; // Clear message in Session
```

```
// Failure message
                 $$ErrorMessage = $this->getFailureMessage();
                 $this->Message_Showing($sErrorMessage, "failure");
                                        "") { // Message in Session, display
                 if ($sErrorMessage <> '
                         if (!$hidden)
                                  $sErrorMessage = "<button type=\"button\" class=\"close\" data-</pre>
dismiss=\"alert\">×</button>" . $sErrorMessage;
                         $html .= "<div class=\"alert alert-danger ewError\">" . $sErrorMessage .
"</div>";
                         $_SESSION[EW_SESSION_FAILURE_MESSAGE] = ""; // Clear message in Session
                 echo "<div class=\"ewMessageDialog\"" . (($hidden) ? " style=\"display: none;\"" : "")
. ">" . $html . "</div>";
        var $PageHeader;
        var $PageFooter;
        // Show Page Header
        function ShowPageHeader() {
                $sHeader = $this->PageHeader;
                 $this->Page_DataRendering($sHeader);
                if ($sHeader <> "") { // Header exists, display echo "" . $sHeader . "";
        }
        // Show Page Footer
        function ShowPageFooter() {
                 $sFooter = $this->PageFooter;
                 $this->Page_DataRendered($sFooter);
                if ($sFooter <> "") { // Footer exists, display
    echo "" . $sFooter . "";
        }
        // Validate page request
        function IsPageRequest() {
                 global $objForm;
                 if ($this->UseTokenInUrl) {
                         if ($objForm)
                                  return ($this->TableVar == $objForm->GetValue("t"));
                         if (@$_GET["t"] <> "")
                                  return ($this->TableVar == $_GET["t"]);
                } else {
                         return TRUE;
        var $Token = "";
        var $TokenTimeout = 0;
        var $CheckToken = EW_CHECK_TOKEN;
        var $CheckTokenFn = "ew_CheckToken";
        var $CreateTokenFn = "ew_CreateToken";
        // Valid Post
        function ValidPost() {
    if (!$this->CheckToken || !ew_IsHttpPost())
                         return TRUE;
                if (!isset($_POST[EW_TOKEN_NAME]))
                         return FALSE;
                 $fn = $this->CheckTokenFn;
                 if (is_callable($fn))
                         return $fn($_POST[EW_TOKEN_NAME], $this->TokenTimeout);
                 return FALSE;
        }
        // Create Token
        function CreateToken() {
                 global $gsToken;
                 if ($this->CheckToken) {
                         $fn = $this->CreateTokenFn;
                         if ($this->Token == "" && is_callable($fn)) // Create token
                                  $this->Token = $fn();
```

```
$gsToken = $this->Token; // Save to global variable
                 }
        }
        // Page class constructor
        function __construct() {
                 global $conn, $Language;
global $UserTable, $UserTableConn;
                 $GLOBALS["Page"] = &$this;
                 $this->TokenTimeout = ew_SessionTimeoutTime();
                 // Language object
                 if (!isset($Language)) $Language = new cLanguage();
                 // Parent constuctor
                 parent::__construct();
                 // Table object (rapat)
                 if (!isset($GLOBALS["rapat"]) || get_class($GLOBALS["rapat"]) == "crapat") {
        $GLOBALS["rapat"] = &$this;
        $GLOBALS["Table"] = &$GLOBALS["rapat"];
                 }
                 // Table object (role_users)
                 if (!isset($GLOBALS['role_users'])) $GLOBALS['role_users'] = new crole_users();
                  // Page ID
                 // Table name (for backward compatibility)
if (!defined("EW_TABLE_NAME"))
                          define("EW_TABLE_NAME", 'rapat', TRUE);
                 // Start timer
                 if (!isset($GLOBALS["gTimer"])) $GLOBALS["gTimer"] = new cTimer();
                  // Open connection
                 if (!isset($conn)) $conn = ew_Connect($this->DBID);
                  // User table object (role_users)
                 if (!isset($UserTable)) {
                          $UserTable = new crole_users();
$UserTableConn = Conn($UserTable->DBID);
                 }
        }
            Page_Init
        function Page_Init() {
                 global $gsExport, $gsCustomExport, $gsExportFile, $UserProfile, $Language, $Security,
$objForm;
                  // User profile
                 $UserProfile = new cUserProfile();
                 // Security
                 $Security = new cAdvancedSecurity();
                 if (!$Security->IsLoggedIn()) $Security->AutoLogin();
                 if ($Security->IsLoggedIn()) $Security->TablePermission_Loading();
                 $Security->LoadCurrentUserLevel($this->ProjectID . $this->TableName);
                 if ($Security->IsLoggedIn()) $Security->TablePermission_Loaded();
                 if (!$Security->CanDelete()) +
                          $Security->SaveLastUrl();
                          $this->setFailureMessage(ew_DeniedMsg()); // Set no permission
                          if ($Security->CanList())
                                   $this->Page_Terminate(ew_GetUrl("rapatlist.php"));
                                   $this->Page_Terminate(ew_GetUrl("login.php"));
                 if ($Security->IsLoggedIn()) {
```

```
$Security->UserID_Loading();
                          $Security->LoadUserID();
                          $Security->UserID Loaded();
                 $this->CurrentAction = (@$_GET["a"] <> "") ? $_GET["a"] : @$_POST["a_list"]; // Set up
current action
                 // Global Page Loading event (in userfn*.php)
                 Page_Loading();
                 // Page Load event
                 $this->Page_Load();
                 // Check token
                 if (!$this->ValidPost()) {
                          echo $Language->Phrase("InvalidPostRequest");
                          $this->Page_Terminate();
                 }
                 // Create Token
                 $this->CreateToken();
        }
        // Page_Terminate
        //
        function Page_Terminate($url = "") {
                 global $gsExportFile, $gTmpImages;
                 // Page Unload event
                 $this->Page_Unload();
                 // Global Page Unloaded event (in userfn*.php)
                 Page_Unloaded();
                 // Export
                 global $EW_EXPORT, $rapat;
                 if ($this->CustomExport <> "" && $this->CustomExport == $this->Export &&
array_key_exists($this->CustomExport, $EW_EXPORT)) {
                                  $sContent = ob_get_contents();
                          if ($gsExportFile == "") $gsExportFile = $this->TableVar;
$class = $EW_EXPORT[$this->CustomExport];
                          if (class_exists($class)) {
                                  $doc = new $class($rapat);
$doc->Text = $sContent;
                                   if ($this->Export == "email")
                                           echo $this->ExportEmail($doc->Text);
                                   else
                                           $doc->Export();
                                  ew_DeleteTmpImages(); // Delete temp images
                                  exit();
                          }
                 $this->Page_Redirecting($url);
                  // Close connection
                 ew_CloseConn();
                 // Go to URL if specified
                 if ($url <> "") {
                          if (!EW_DEBUG_ENABLED && ob_get_length())
                                  ob_end_clean();
                          header("Location: " . $url);
                 exit();
        var $DbMasterFilter = "";
        var $DbDetailFilter = "";
        var $StartRec;
        var $TotalRecs = 0;
        var $RecCnt;
        var $RecKeys = array();
        var $Recordset;
```

```
var $StartRowCnt = 1;
        var $RowCnt = 0;
        // Page main
        function Page_Main() {
                 global $Language;
                 // Set up Breadcrumb
                 $this->SetupBreadcrumb();
                 // Load key parameters
                 $this->RecKeys = $this->GetRecordKeys(); // Load record keys
                 $sFilter = $this->GetKeyFilter();
                 if ($sFilter == "")
                         $this->Page_Terminate("rapatlist.php"); // Prevent SQL injection, return to
list
                 // Set up filter (SQL WHHERE clause) and get return SQL
                 // SQL constructor in rapat class, rapatinfo.php
                 $this->CurrentFilter = $sFilter;
                 // Get action
                 if (@$_POST["a_delete"] <> "") {
                         $this->CurrentAction = $_POST["a_delete"];
                 } else {
                         $this->CurrentAction = "I"; // Display record
                 if ($this->CurrentAction == "D") {
                         $this->SendEmail = TRUE; // Send email on delete success
                         if ($this->DeleteRows()) { // Delete rows
                                  if ($this->getSuccessMessage() == "")
                                          $this->setSuccessMessage($Language->Phrase("DeleteSuccess"));
// Set up success message
                                  $this->Page_Terminate($this->getReturnUrl()); // Return to caller
                         } else { // Delete failed
                                  $this->CurrentAction = "I"; // Display record
                if ($this->CurrentAction == "I") { // Load records for display
    if ($this->Recordset = $this->LoadRecordset())
                                  $this->TotalRecs = $this->Recordset->RecordCount(); // Get record
count
                         if ($this->TotalRecs <= 0) { // No record found, exit</pre>
                                  if ($this->Recordset)
                                          $this->Recordset->Close();
                                  $this->Page_Terminate("rapatlist.php"); // Return to list
                         }
                }
        // Load recordset
        function LoadRecordset($offset = -1, $rowcnt = -1) {
                 // Load List page SQL
                 $sSql = $this->SelectSQL();
                 $conn = &$this->Connection();
                 // Load recordset
                 $dbtype = ew_GetConnectionType($this->DBID);
                if ($this->UseSelectLimit) {
                         $conn->raiseErrorFn = $GLOBALS["EW_ERROR_FN"];
                         if ($dbtype == "MSSQL") {
                                  $rs = $conn->SelectLimit($sSql, $rowcnt, $offset, array("_hasOrderBy"
=> trim($this->getOrderBy()) || trim($this->getSessionOrderBy())));
                         } else {
                                  $rs = $conn->SelectLimit($sSql, $rowcnt, $offset);
                         $conn->raiseErrorFn = '';
                } else {
                         $rs = ew_LoadRecordset($sSql, $conn);
```

```
// Call Recordset Selected event
        $this->Recordset Selected($rs);
        return $rs;
}
// Load row based on key values
function LoadRow() {
        global $Security, $Language;
        $sFilter = $this->KeyFilter();
        // Call Row Selecting event
        $this->Row_Selecting($sFilter);
        // Load SQL based on filter
        $this->CurrentFilter = $sFilter;
        $sSql = $this->SQL();
        $conn = &$this->Connection();
        $res = FALSE;
        $rs = ew_LoadRecordset($sSql, $conn);
        if ($rs && !$rs->EOF) {
                 $res = TRUE;
                 $this->LoadRowValues($rs); // Load row values
                 $rs->Close();
        return $res;
}
// Load row values from recordset
function LoadRowValues(&$rs) {
        if (!$rs || $rs->EOF) return;
        // Call Row Selected event
        $row = &$rs->fields;
        $this->Row_Selected($row);
        $this->ID_Rapat->setDbValue($rs->fields('ID_Rapat'));
        $this->Tanggal->setDbValue($rs->fields('Tanggal'));
        $this->Jenis_Rapat->setDbValue($rs->fields('Jenis_Rapat'));
        $this->Oleh->setDbValue($rs->fields('Oleh'));
        $this->Tempat->setDbValue($rs->fields('Tempat'));
        $this->Pimpinan->setDbValue($rs->fields('Pimpinan'));
        $this->Notulis->setDbValue($rs->fields('Notulis'));
        $this->Peserta_Rapat->setDbValue($rs->fields('Peserta_Rapat'));
        $this->Peserta_Lain->setDbValue($rs->fields('Peserta_Lain'));
        $this->Lampiran->Upload->DbValue = $rs->fields('Lampiran');
        $this->Lampiran->CurrentValue = $this->Lampiran->Upload->DbValue;
        $this->Link_Rekaman->setDbValue($rs->fields('Link_Rekaman'));
}
// Load DbValue from recordset
function LoadDbValues(&$rs) {
        if (!$rs || !is_array($rs) && $rs->EOF) return;
        $row = is_array($rs) ? $rs : $rs->fields;
        $this->ID_Rapat->DbValue = $row['ID_Rapat'];
$this->Tanggal->DbValue = $row['Tanggal'];
        $this->Jenis_Rapat->DbValue = $row['Jenis_Rapat'];
        $this->Oleh->DbValue = $row['Oleh'];
        $this->Tempat->DbValue = $row['Tempat'];
        $this->Pimpinan->DbValue = $row['Pimpinan'];
        $this->Notulis->DbValue = $row['Notulis'];
        $this->Peserta_Rapat->DbValue = $row['Peserta_Rapat'];
$this->Peserta_Lain->DbValue = $row['Peserta_Lain'];
        $this->Lampiran->Upload->DbValue = $row['Lampiran'];
        $this->Link_Rekaman->DbValue = $row['Link_Rekaman'];
}
// Render row values based on field settings
function RenderRow() {
        global $Security, $Language, $gsLanguage;
        // Initialize URLs
        // Call Row_Rendering event
        $this->Row_Rendering();
```

```
// Common render codes for all row types
                                 // ID Rapat
                                 $this->ID_Rapat->CellCssStyle = "white-space: nowrap;";
                                 // Tanggal
                                 // Jenis_Rapat
                                 // Oleh
                                 $this->Oleh->CellCssStyle = "white-space: nowrap;";
                                 // Tempat
                                 // Pimpinan
                                 // Notulis
                                  // Peserta_Rapat
                                  // Peserta_Lain
                                 // Lampiran
                                 $this->Lampiran->CellCssStyle = "white-space: nowrap;";
                                  // Link_Rekaman
                                 $this->Link_Rekaman->CellCssStyle = "white-space: nowrap;";
                                 if ($this->RowType == EW ROWTYPE VIEW) { // View row
                                 $this->Tanggal->ViewValue = $this->Tanggal->CurrentValue;
                                 $this->Tanggal->ViewValue = ew_FormatDateTime($this->Tanggal->ViewValue, 7);
                                 $this->Tanggal->ViewCustomAttributes = "";
                                  // Jenis_Rapat
                                 if (strval($this->Jenis_Rapat->CurrentValue) <> "") {
                                                  $sFilterWrk = "`ID_Jenis_Rapat`" . ew_SearchString("=", $this->Jenis_Rapat-
>CurrentValue, EW_DATATYPE_NUMBER, "");

$sSqlWrk = "SELECT `ID_Jenis_Rapat`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS
`Disp3Fld`, '' AS `Disp4Fld` FROM `jenis_rapat`";
$sWhereWrk = "";
                                 $lookuptblfilter = "`ID_Jenis_Rapat`<10";</pre>
                                 ew_AddFilter($sWhereWrk, $lookuptblfilter);
ew_AddFilter($sWhereWrk, $sFilterWrk);
                                 $this->Lookup_Selecting($this->Jenis_Rapat, $sWhereWrk); // Call Lookup selecting
if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
$sSqlWrk .= " ORDER BY `Urutan` ASC";
                                                  $rswrk = Conn()->Execute($sSqlWrk);
                                                  if ($rswrk && !$rswrk->EOF) { // Lookup values found
                                                                  $arwrk = array();
                                                                   $arwrk[1] = $rswrk->fields('DispFld');
                                                                  $this->Jenis_Rapat->ViewValue = $this->Jenis_Rapat-
>DisplayValue($arwrk);
                                                                  $rswrk->Close();
                                                  } else {
                                                                   $this->Jenis_Rapat->ViewValue = $this->Jenis_Rapat->CurrentValue;
                                 } else {
                                                  $this->Jenis_Rapat->ViewValue = NULL;
                                 $this->Jenis_Rapat->ViewCustomAttributes = "";
                                 $this->Tempat->ViewValue = $this->Tempat->CurrentValue;
                                 $this->Tempat->ViewCustomAttributes = "";
                                  // Pimpinan
                                 if (strval($this->Pimpinan->CurrentValue) <> "") {
                                                  $sFilterWrk = "`ID_Personil`" . ew_SearchString("=", $this->Pimpinan-
>CurrentValue, EW_DATATYPE_NUMBER, "");

$$Sql\wrk = "SELECT \iD_Personil\, \invariant \
                                 $sWhereWrk = "";
                                 $lookuptblfilter = "`Status`=1";
                                 ew_AddFilter($sWhereWrk, $lookuptblfilter);
                                 ew_AddFilter($sWhereWrk, $sFilterWrk);
                                 $this->Lookup_Selecting($this->Pimpinan, $sWhereWrk); // Call Lookup selecting
                                 if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
```

```
$sSqlWrk .= " ORDER BY `Nama` ASC";
                           $rswrk = Conn()->Execute($sSqlWrk);
                           if ($rswrk && !$rswrk->EOF) { // Lookup values found
                                    $arwrk = array();
                                    $arwrk[1] = $rswrk->fields('DispFld');
                                    $this->Pimpinan->ViewValue = $this->Pimpinan->DisplayValue($arwrk);
                                    $rswrk->Close();
                           } else {
                                    $this->Pimpinan->ViewValue = $this->Pimpinan->CurrentValue;
                  } else {
                           $this->Pimpinan->ViewValue = NULL;
                  $this->Pimpinan->ViewCustomAttributes = "";
                  // Notulis
                  if (strval($this->Notulis->CurrentValue) <> "") {
                           $sFilterWrk = "`ID_Personil`" . ew_SearchString("=", $this->Notulis-
>CurrentValue, EW_DATATYPE_NUMBER, "");

$ssqlwrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS
`Disp3Fld`, '' AS `Disp4Fld` FROM `personil`";
$sWhereWrk = "";
                  $lookuptblfilter = "`Status`=1";
                  ew_AddFilter($sWhereWrk, $lookuptblfilter);
ew_AddFilter($sWhereWrk, $sFilterWrk);
                  $this->Lookup_Selecting($this->Notulis, $sWhereWrk); // Call Lookup selecting
                  if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
$sSqlWrk .= " ORDER BY `Nama` ASC";
                           $rswrk = Conn()->Execute($sSqlWrk);
                           if ($rswrk && !$rswrk->EOF) { // Lookup values found
                                    $arwrk = array();
                                    $arwrk[1] = $rswrk->fields('DispFld');
                                    $this->Notulis->ViewValue = $this->Notulis->DisplayValue($arwrk);
                                    $rswrk->Close();
                           } else {
                                    $this->Notulis->ViewValue = $this->Notulis->CurrentValue;
                  } else {
                           $this->Notulis->ViewValue = NULL;
                  $this->Notulis->ViewCustomAttributes = "";
                  // Peserta Rapat
                  if (strval($this->Peserta_Rapat->CurrentValue) <> "") {
                           $arwrk = explode(",", $this->Peserta_Rapat->CurrentValue);
                           $sFilterWrk = "":
                           foreach ($arwrk as $wrk) {
                                    if ($sFilterWrk <> "") $sFilterWrk .= " OR ";
$sFilterWrk .= "`ID_Personil`" . ew_SearchString("=", trim($wrk),
EW_DATATYPE_NUMBER, "");
                  $$$qlWrk = "SELECT `ID_Personil`, `Nama` AS `DispFld`, '' AS `Disp2Fld`, '' AS
`Disp3Fld`, '' AS `Disp4Fld` FROM `personil`";
                  $sWhereWrk = "";
                  $lookuptblfilter = "`Status`=1";
                  ew_AddFilter($sWhereWrk, $lookuptblfilter);
ew_AddFilter($sWhereWrk, $sFilterWrk);
                  $this->Lookup_Selecting($this->Peserta_Rapat, $sWhereWrk); // Call Lookup selecting
                  if ($sWhereWrk <> "") $sSqlWrk .= " WHERE " . $sWhereWrk;
                  $sSqlWrk .= " ORDER BY `Nama` ASC";

$rswrk = Conn()->Execute($sSqlWrk);
                           if ($rswrk && !$rswrk->EOF) { // Lookup values found
                                    $this->Peserta_Rapat->ViewValue = "";
                                    sari = 0:
                                    while (!$rswrk->EOF) {
                                             $arwrk = array();
                                             $arwrk[1] = $rswrk->fields('DispFld');
                                             $this->Peserta_Rapat->ViewValue .= $this->Peserta_Rapat-
>DisplayValue($arwrk);
                                             $rswrk->MoveNext();
                                             if (!$rswrk->EOF) $this->Peserta_Rapat->ViewValue .=
ew_ViewOptionSeparator($ari); // Separate Options
                                             $ari++;
```

```
$rswrk->Close();
                           } else {
                                    $this->Peserta Rapat->ViewValue = $this->Peserta Rapat->CurrentValue;
                  } else {
                           $this->Peserta_Rapat->ViewValue = NULL;
                  $this->Peserta_Rapat->ViewCustomAttributes = "";
                  // Peserta_Lain
                  $this->Peserta_Lain->ViewValue = $this->Peserta_Lain->CurrentValue;
                  $this->Peserta_Lain->ViewCustomAttributes = "";
                           $this->Tanggal->LinkCustomAttributes = "";
                           $this->Tanggal->HrefValue = "";
$this->Tanggal->TooltipValue = "";
                           // Jenis_Rapat
                           $this->Jenis_Rapat->LinkCustomAttributes = "";
                           $this->Jenis_Rapat->HrefValue = "";
$this->Jenis_Rapat->TooltipValue = "";
                           // Tempat
                           $this->Tempat->LinkCustomAttributes = "";
                           $this->Tempat->HrefValue = "";
$this->Tempat->TooltipValue = "";
                           // Pimpinan
                           $this->Pimpinan->LinkCustomAttributes = "";
                           $this->Pimpinan->HrefValue = "";
$this->Pimpinan->TooltipValue = "";
                           // Notulis
                           $this->Notulis->LinkCustomAttributes = "";
                           $this->Notulis->HrefValue = "";
                           $this->Notulis->TooltipValue = "";
                           // Peserta_Rapat
                           $this->Peserta_Rapat->LinkCustomAttributes = "";
                           $this->Peserta_Rapat->HrefValue = "";
$this->Peserta_Rapat->TooltipValue = "";
                           // Peserta_Lain
                           $this->Peserta Lain->LinkCustomAttributes = "";
                           $this->Peserta_Lain->HrefValue = "
                           $this->Peserta_Lain->TooltipValue = "";
                 }
                  // Call Row Rendered event
                  if ($this->RowType <> EW_ROWTYPE_AGGREGATEINIT)
                           $this->Row_Rendered();
        }
        // Delete records based on current filter
        function DeleteRows() {
                  global $Language, $Security;
                  if (!$Security->CanDelete()) {
                           $this->setFailureMessage($Language->Phrase("NoDeletePermission")); // No
delete permission
                           return FALSE;
                  $DeleteRows = TRUE;
                  $sSql = $this->SQL();
                  $conn = &$this->Connection();
                  $conn->raiseErrorFn = $GLOBALS["EW_ERROR_FN"];
                  $rs = $conn->Execute($sSq1);
                  $conn->raiseErrorFn = '
                  if ($rs === FALSE) {
                          return FALSE;
                  } elseif ($rs->EOF) {
                           $this->setFailureMessage($Language->Phrase("NoRecord")); // No record found
```

```
$rs->Close();
                          return FALSE;
                 //} else {
                          $this->LoadRowValues($rs); // Load row values
                 $rows = ($rs) ? $rs->GetRows() : array();
                 $conn->BeginTrans();
                 if ($this->AuditTrailOnDelete) $this->WriteAuditTrailDummy($Language-
>Phrase("BatchDeleteBegin")); // Batch delete begin
                 // Clone old rows
                 $rsold = $rows;
                 if ($rs)
                         $rs->Close();
                 // Call row deleting event
                 if ($DeleteRows) {
                          foreach ($rsold as $row) {
                                  $DeleteRows = $this->Row_Deleting($row);
                                  if (!$DeleteRows) break;
                 if ($DeleteRows) {
    $sKey = "";
                          foreach ($rsold as $row) {
                                  $sThisKey = "";
                                  if ($sThisKey <> "") $sThisKey .=
$GLOBALS["EW_COMPOSITE_KEY_SEPARATOR"];
$sThisKey .= $row['ID_Rapat'];
                                  $this->LoadDbValues($row);
                                  $this->Lampiran->OldUploadPath = "uploads/lampiran/";
                                  $OldFiles = explode(EW_MULTIPLE_UPLOAD_SEPARATOR, $row['Lampiran']);
                                  $FileCount = count($0ldFiles);
                                  for ($i = 0; $i < $FileCount; $i++) {
          @unlink(ew_UploadPathEx(TRUE, $this->Lampiran->OldUploadPath)
. $OldFiles[$i]);
                                  $conn->raiseErrorFn = $GLOBALS["EW_ERROR_FN"];
                                  $DeleteRows = $this->Delete($row); // Delete
                                  $conn->raiseErrorFn = ''
                                  if ($DeleteRows === FALSE)
                                  break;
if ($sKey <> "") $sKey .= ", ";
$sKey .= $sThisKey;
                 } else {
                          // Set up error message
                          if ($this->getSuccessMessage() <> "" || $this->getFailureMessage() <> "") {
                                  // Use the message, do nothing
                          } elseif ($this->CancelMessage <> "") {
                                  $this->setFailureMessage($this->CancelMessage);
                                  $this->CancelMessage = ""
                         } else {
                                  $this->setFailureMessage($Language->Phrase("DeleteCancelled"));
                 if ($DeleteRows) {
                          $conn->CommitTrans(); // Commit the changes
                         if ($DeleteRows) {
                                  foreach ($rsold as $row)
                                           $this->WriteAuditTrailOnDelete($row);
                          if ($this->AuditTrailOnDelete) $this->WriteAuditTrailDummy($Language-
>Phrase("BatchDeleteSuccess")); // Batch delete success
                 } else {
                          $conn->RollbackTrans(); // Rollback changes
                          if ($this->AuditTrailOnDelete) $this->WriteAuditTrailDummy($Language-
>Phrase("BatchDeleteRollback")); // Batch delete rollback
```

```
// Call Row Deleted event
                 if ($DeleteRows) {
                         foreach ($rsold as $row) {
                                 $this->Row_Deleted($row);
                 return $DeleteRows;
        }
        // Set up Breadcrumb
        function SetupBreadcrumb() {
                 global $Breadcrumb, $Language;
                 $Breadcrumb = new cBreadcrumb();
                 $url = substr(ew_CurrentUrl(), strrpos(ew_CurrentUrl(), "/")+1);
                 $Breadcrumb->Add("list", $this->TableVar, $this->AddMasterUrl("rapatlist.php"), "",
$this->TableVar, TRUE);
                 $PageId = "delete";
                 $Breadcrumb->Add("delete", $PageId, $url);
        // Write Audit Trail start/end for grid update
        function WriteAuditTrailDummy($typ) {
                $table = 'rapat';
                 $usr = CurrentUserName();
                 ew_WriteAuditTrail("log", ew_StdCurrentDateTime(), ew_ScriptName(), $usr, $typ,
$table, "",
        // Write Audit Trail (delete page)
        function WriteAuditTrailOnDelete(&$rs) {
                 global $Language;
                 if (!$this->AuditTrailOnDelete) return;
                 $table = 'rapat';
                 // Get key value
                 $key = "";
                 if ($key <> "")
                         $key .= $GLOBALS["EW_COMPOSITE_KEY_SEPARATOR"];
                 $key .= $rs['ID_Rapat'];
                 // Write Audit Trail
                 $dt = ew_StdCurrentDateTime();
                 $id = ew_ScriptName();
                 $curUser = CurrentUserName();
                foreach (array_keys($rs) as $fldname) {
        if (array_key_exists($fldname, $this->fields) && $this->fields[$fldname]-
>FldDataType <> EW_DATATYPE_BLOB) { // Ignore BLOB fields
                                 if ($this->fields[$fldname]->FldHtmlTag == "PASSWORD") {
                                          $oldvalue = $Language->Phrase("PasswordMask"); // Password
Field
                                 } elseif ($this->fields[$fldname]->FldDataType == EW_DATATYPE_MEMO) {
                                          if (EW_AUDIT_TRAIL_TO_DATABASE)
                                                   $oldvalue = $rs[$fldname];
                                          else
                                                   $oldvalue = "[MEMO]"; // Memo field
                                 } elseif ($this->fields[$fldname]->FldDataType == EW_DATATYPE_XML) {
                                          $oldvalue = "[XML]"; // XML field
                                  } else {
                                          $oldvalue = $rs[$fldname];
                                  ew_WriteAuditTrail("log", $dt, $id, $curUser, "D", $table, $fldname,
$key, $oldvalue, "");
                         }
        }
        // Page Load event
        function Page_Load() {
                 //echo "Page Load";
        }
        // Page Unload event
        function Page_Unload() {
```

```
//echo "Page Unload";
         }
         // Page Redirecting event
         function Page_Redirecting(&$url) {
                   // Example:
                   //$url = "your URL";
         }
         // Message Showing event
// $type = ''|'success'|'failure'|'warning'
         function Message_Showing(&$msg, $type) {
    if ($type == 'success') {
                  //$msg = "your success message";
} elseif ($type == 'failure') {
                  //$msg = "your failure message";
} elseif ($type == 'warning') {
                            //$msg = "your warning message";
                  } else {
                            //$msg = "your message";
         }
         // Page Render event
         function Page_Render() {
                   //echo "Page Render";
         }
         // Page Data Rendering event
         function Page_DataRendering(&$header) {
                   // Example:
                   //$header = "your header";
         }
         // Page Data Rendered event
         function Page_DataRendered(&$footer) {
                   // Example:
                   //$footer = "your footer";
         }
<?php ew_Header(FALSE) ?>
<?php
// Create page object
if (!isset($rapat_delete)) $rapat_delete = new crapat_delete();
// Page init
$rapat_delete->Page_Init();
// Page main
$rapat_delete->Page_Main();
// Global Page Rendering event (in userfn*.php)
Page_Rendering();
// Page Rendering event
$rapat_delete->Page_Render();
<?php include_once "header.php" ?>
<script type="text/javascript">
```

```
// Form object
var CurrentPageID = EW_PAGE_ID = "delete";
var CurrentForm = frapatdelete = new ew Form("frapatdelete", "delete");
// Form_CustomValidate event
frapatdelete.Form_CustomValidate =
function(fobj) { // DO NOT CHANGE THIS LINE!
        // Your custom validation code here, return false if invalid.
        return true:
}
// Use JavaScript validation or not
<?php if (EW_CLIENT_VALIDATE) { ?>
frapatdelete.ValidateRequired = true;
<?php } else { ?>
frapatdelete.ValidateRequired = false;
<?php } ?>
// Dynamic selection lists
frapatdelete.Lists["x_Jenis_Rapat"] =
"LinkField":"x_ID_Jenis_Rapat","Ajax":true,"AutoFill":false,"DisplayFields":["x_Nama","","",""],"Paren
tFields":[],"ChildFields":[],"FilterFields":[],"Options":[],"Template":""};
frapatdelete.Lists["x"] =
{"LinkField":"x_ID_Personil","Ajax":true,"AutoFill":false,"DisplayFields":["x_Nama","","",""],"ParentFi
elds":[],"ChildFields":[],"FilterFields":[],"Options":[],"Template":""};
frapatdelete.Lists["x_Notulis"] =
{"LinkField":"x_ID_Personil","Ajax":true,"AutoFill":false,"DisplayFields":["x_Nama","","",""],"ParentFi
elds":[],"ChildFields":[],"FilterFields":[],"Options":[],"Template":""};
frapatdelete.Lists["x_Peserta_Rapat[]"] =
    {"LinkField":"x_ID_Personil","Ajax":true,"AutoFill":false,"DisplayFields":["x_Nama","","",""],"ParentFi
elds":[],"ChildFields":[],"FilterFields":[],"Options":[],"Template":""};
// Form object for search
</script>
<script type="text/javascript">
// Write your client script here, no need to add script tags.
</script>
<?php $rapat_delete->ShowPageHeader(); ?>
<?php
$rapat delete->ShowMessage();
<form name="frapatdelete" id="frapatdelete" class="form-inline ewForm ewDeleteForm" action="<?php echo</pre>
ew_CurrentPage() ?>" method="post">
<?php if ($rapat_delete->CheckToken) { ?>
<input type="hidden" name="<?php echo EW_TOKEN_NAME ?>" value="<?php echo $rapat_delete->Token ?>">
<?php } ?>
<input type="hidden" name="t" value="rapat">
<input type="hidden" name="a_delete" id="a_delete" value="D">
<?php foreach ($rapat_delete->RecKeys as $key) { ?>
<?php $keyvalue = is_array($key) ? implode($EW_COMPOSITE_KEY_SEPARATOR, $key) : $key; ?>
<input type="hidden" name="key_m[]" value="<?php echo ew_HtmlEncode($keyvalue) ?>">
<?php } ?>
<div class="ewGrid">
<div class="<?php if (ew_IsResponsiveLayout()) { echo "table-responsive "; } ?>ewGridMiddlePanel">
<?php echo $rapat->TableCustomInnerHtml ?>
        <?php if ($rapat->Tanggal->Visible) { // Tanggal ?>
                <span id="elh_rapat_Tanggal" class="rapat_Tanggal"><?php echo $rapat->Tanggal-
>FldCaption() ?></span>
<?php } ?>
<?php if ($rapat->Jenis_Rapat->Visible) { // Jenis_Rapat ?>
                <span id="elh_rapat_Jenis_Rapat" class="rapat_Jenis_Rapat"><?php echo $rapat-</pre>
>Jenis_Rapat->FldCaption() ?></span>
<?php } ?>
>FldCaption() ?></span>
<?php } ?>
<?php if ($rapat->Pimpinan->Visible) { // Pimpinan ?>
                <span id="elh_rapat" class="rapat"><?php echo $rapat->Pimpinan->FldCaption()
```

```
?></span>
<?php } ?>
<?php if ($rapat->Notulis->Visible) { // Notulis ?>
               <span id="elh_rapat_Notulis" class="rapat_Notulis"><?php echo $rapat->Notulis-
>FldCaption() ?></span>
<?php } ?>
<?php if ($rapat->Peserta_Rapat->Visible) { // Peserta_Rapat ?>
               <span id="elh_rapat_Peserta_Rapat" class="rapat_Peserta_Rapat"><?php echo $rapat-</pre>
>Peserta_Rapat->FldCaption() ?></span>
<?php } ?>
<?php if ($rapat->Peserta_Lain->Visible) { // Peserta_Lain ?>
               <span id="elh_rapat_Peserta_Lain" class="rapat_Peserta_Lain"><?php echo $rapat-</pre>
>Peserta_Lain->FldCaption() ?></span>
<?php } ?>
       </thead>
       <?php
$rapat_delete->RecCnt = 0;
$i = 0;
while (!$rapat_delete->Recordset->EOF) {
       $rapat_delete->RecCnt++;
       $rapat_delete->RowCnt++;
       // Set row properties
       $rapat->ResetAttrs();
       $rapat->RowType = EW_ROWTYPE_VIEW; // View
       // Get the field contents
       $rapat_delete->LoadRowValues($rapat_delete->Recordset);
       // Render row
       $rapat_delete->RenderRow();
2>
       <tr<?php echo $rapat->RowAttributes() ?>>
<?php if ($rapat->Tanggal->Visible) { // Tanggal ?>
               <td<?php echo $rapat->Tanggal->CellAttributes() ?>>
<span id="el<?php echo $rapat_delete->RowCnt ?>_rapat_Tanggal" class="rapat_Tanggal">
<span<?php echo $rapat->Tanggal->ViewAttributes() ?>>
<?php echo $rapat->Tanggal->ListViewValue() ?></span>
</span>
<?php } ?>
<?php if ($rapat->Jenis_Rapat->Visible) { // Jenis_Rapat ?>
<span<?php echo $rapat->Jenis_Rapat->ViewAttributes() ?>>
<?php echo $rapat->Jenis Rapat->ListViewValue() ?></span>
</span>
<?php } ?>
<?php if ($rapat->Tempat->Visible) { // Tempat ?>
               <td<?php echo $rapat->Tempat->CellAttributes() ?>>
<span id="el<?php echo $rapat_delete->RowCnt ?>_rapat_Tempat" class="rapat_Tempat">
<span<?php echo $rapat->Tempat->ViewAttributes() ?>>
<?php echo $rapat->Tempat->ListViewValue() ?></span>
</span>
<?php } ?>
<?php if ($rapat->Pimpinan->Visible) { // Pimpinan ?>
               <td<?php echo $rapat->Pimpinan->CellAttributes() ?>>
<span id="el<?php echo $rapat_delete->RowCnt ?>_rapat" class="rapat">
<span<?php echo $rapat->Pimpinan->ViewAttributes() ?>>
<?php echo $rapat->Pimpinan->ListViewValue() ?></span>
</span>
<?php } ?>
<?php if ($rapat->Notulis->Visible) { // Notulis ?>
               <td<?php echo $rapat->Notulis->CellAttributes() ?>>
<span id="el<?php echo $rapat_delete->RowCnt ?>_rapat_Notulis" class="rapat_Notulis">
<span<?php echo $rapat->Notulis->ViewAttributes() ?>>
<?php echo $rapat->Notulis->ListViewValue() ?></span>
</span>
```

```
<?php } ?>
<?php if ($rapat->Peserta_Rapat->Visible) { // Peserta_Rapat ?>
                 <td<?php echo $rapat->Peserta Rapat->CellAttributes() ?>>
<span id="el<?php echo $rapat_delete->RowCnt ?>_rapat_Peserta_Rapat" class="rapat_Peserta_Rapat">
<span<?php echo $rapat->Peserta_Rapat->ViewAttributes() ?>>
<?php echo $rapat->Peserta_Rapat->ListViewValue() ?></span>
</span>
<?php } ?>
<?php if ($rapat->Peserta_Lain->Visible) { // Peserta_Lain ?>
                 <td<?php echo $rapat->Peserta_Lain->CellAttributes() ?>>
<span id="el<?php echo $rapat_delete->RowCnt ?>_rapat_Peserta_Lain" class="rapat_Peserta_Lain">
<span<?php echo $rapat->Peserta_Lain->ViewAttributes() ?>>
<?php echo $rapat->Peserta_Lain->ListViewValue() ?></span>
</span>
<?php } ?>
        <?php
        $rapat_delete->Recordset->MoveNext();
$rapat_delete->Recordset->Close();
</div>
</div>
<div>
<button class="btn btn-primary ewButton" name="btnAction" id="btnAction" type="submit"><?php echo</pre>
$Language->Phrase("DeleteBtn") ?></button>
<button class="btn btn-default ewButton" name="btnCancel" id="btnCancel" type="button" data-href="<?php
echo $rapat_delete->getReturnUrl() ?>"><?php echo $Language->Phrase("CancelBtn") ?></button>
</div>
</form>
<script type="text/javascript">
frapatdelete.Init();
</script>
<?php
$rapat_delete->ShowPageFooter();
if (EW_DEBUG_ENABLED)
        echo ew_DebugMsg();
<script type="text/javascript">
// Write your table-specific startup script here
// document.write("page loaded");
</script>
<?php include_once "footer.php" ?>
<?php
$rapat_delete->Page_Terminate();
?>
```