SAMPLE

Building the Biodiversity of Tomorrow

The Living Library and How to Keep It

Aiman JoeHanz

Free sample: Introduction & Chapter 1

putrabooks.github.io

Contents

Introduction

Chapter 1: The Definition and Its Layers

Chapter 2: The Count and the Inventory

Chapter 3: The Geography of Variety

Chapter 4: The Making of Species

Chapter 5: The Functions of Variety

Chapter 6: The Losses

Chapter 7: The Instruments of Watching

Chapter 8: The Genomic Turn

Chapter 9: The Working Conservation

Chapter 10: The Steward's Program

References

Connect

About this Series

This free sample contains the Introduction and Chapter 1. The complete book contains the full contents above.

Introduction

Biodiversity is the one technology book subject that is not, strictly, a technology. It is the library the technologies of this series are built beside and, increasingly, upon: the gene pools that feed the plant breeders, the pollinators that underwrite a third of the food the food-systems book describes, the soil fauna that make the agriculture book's fields work, the organisms that clean the water the utilities book moves. Variety of life is infrastructure. It is also, by the account of every serious inventory, in contraction, and the contraction is the quiet background condition of every other volume in this series.

This book takes the same posture the series takes with any engineered

system: structural, vendor-neutral, and unconcerned with headlines. It treats the biosphere's variety as an object that can be defined, counted, mapped, understood in its making, valued for its function, watched with instruments, read at the level of its code, and managed by working programs. No conservation organization is endorsed, no biotechnology company is named, no product appears as a case study, and no number is offered as a forecast. What the chapters carry instead is the architecture: the definitions that hold the field together, the machines of counting and watching, and the programs of repair that a reader can reason about rather than merely cheer for.

The arc runs from definition to program. The opening chapters settle what the word biodiversity actually names, because the term is younger than the debate it anchors, and its layers (genes, species, ecosystems) do different work in different hands. The middle chapters cover the making of variety and its geography, the functions that make diverse systems run better than simple ones, and the losses, treated as engineering failures with traceable causes rather than as a mood of decline. The later chapters cover the modern instruments of observation, from camera traps to environmental DNA, the genomic turn that is turning the library of life into a readable and storable one, and the working conservation that operates at the level of refuges, corridors, seed banks, and restored ground.

A note on stance. The book is unsentimental. It does not argue that every species is sacred or that every loss is a catastrophe, and it does not pretend the trade-offs between human development and the rest of the biosphere are simple. What it does hold is that variety is a form of wealth, that this wealth is being drawn down faster than it is being inventoried, and that the tools now exist to count, read, and manage it with a seriousness that was unavailable to any earlier generation. A reader who has worked through these pages should be able to look at a landscape, a policy, and a restoration project in structural terms, and to judge each by what it does to the depth of the world's gene pool

rather than by the sentiment of its brochure.

That is the building this book builds.

Chapter 1: The Definition and Its Layers

Biodiversity is short for biological diversity, and the contraction did the field a service and a disservice at once. The service is compression: one word now names the totality of life's variety, from the differences between two fish in the same stream to the differences between a coral reef and a boreal forest. The disservice is blur: because the word names everything, careless hands use it to mean whatever they wish, and two people can champion biodiversity while defending entirely different things. The word earns a precise definition, and

the definition has layers, and those layers are what this chapter sets out.

The field's working definition runs: the variability among living organisms from all sources, including terrestrial, marine, and other aquatic ecosystems, and the ecological complexes of which they are part; this includes diversity within species, between species, and of ecosystems. The definition was drafted by negotiators rather than poets, and every clause was fought over. The reader should notice the three levels it names: within species, which is the layer of genes and local populations; between species, which is the layer the public picture at the word's first mention; and of ecosystems, which is the layer of assemblages, the reef and the forest and the grassland as entities with their own variety. The three layers are not three ways of saying one thing. They are three different currencies, and they do not always move together.

Within-species diversity is the layer closest to the ground and the one the eye sees least. Two oak trees of the same species are not interchangeable: their genomes differ, and the differences are not noise. Genetic diversity is the raw material of adaptation, the set of alternative answers a species holds to the question of a changing world. A population with many answers can meet a new disease, a shifting climate, or an altered fire regime and still have survivors among its ranks; a population of near-clones has one answer, and a question it has not heard yet can

erase the whole register.

The gene layer has a second, subtler job: it is the memory of a species' history. The pattern of genetic variation across a species' range records where its populations sheltered during the last ice age, which valleys were colonized from which refuges, and which populations have been isolated long enough to be drifting toward becoming species of their own. A geneticist can read a species' biography in a few hundred DNA samples, in a way no amount of field

observation could reconstruct. This is why the modern inventory of life increasingly begins in the laboratory: the gene layer is where the finest distinctions live, and where the deepest history is stored.

Local populations deserve a paragraph of their own, because they are the working unit of the gene layer. A widely distributed species is not one population but a mosaic of them, each adapted to its own valley, shoreline, or slope. The variety among these local populations, the ecotypes and stocks and strains, is the layer that agriculture draws on when breeders seek disease resistance, that fishery managers draw on when they decide which spawning stocks to protect, and that restoration draws on when it chooses seed from a matched climate rather than from wherever seed is cheap. When a local population is lost, the species' entry in the red book does not change, but a working answer to a local question is gone, and the species' total register of responses is poorer.

Between-species diversity is the middle layer and the public one: the count and composition of species in a place. It is the layer of field guides and checklists, of the bird watcher's morning list and the forester's timber cruise. Its virtue is countability, and its appeal is intuitive: a hillside with sixty plant species reads as richer than a hillside with six, even to a visitor who cannot name a single one, because variety has a texture the eye picks up before the mind catalogs it.

But the species layer is less simple than counting makes it look, and the chapter on counting will spend more time here. Species are hypotheses, not hand-carved objects: the boundary between one species and its neighbor is a place where lineages are often still separating, and the field's working rule, that a species is a lineage evolving separately from all others, has fuzzy edges in exactly the places where evolution is most active. The reader should hold two consequences. First, species counts are comparable only within groups counted by the same customs, so the beetle fauna of one country and the bird fauna of another are counts of different kinds of things. Second, the species layer carries information the other layers do not: each species is a lineage with its own history, its own evolved solutions, and its own roles, so the loss of a species is the loss of a whole branch of experiments, not of one interchangeable unit of variety.

The species layer also supports the idea of composition, which count alone misses. Two forests can hold the same number of species and be different worlds: one dominated by a single timber tree with a scattering of others, the other balanced among many dominants. Field ecologists speak of richness and

evenness as separate properties, and of diversity indices that combine them, and the reader should understand the distinction rather than the formulae:

richness is how many kinds are present, evenness is whether the abundances are spread or concentrated, and a community can be rich and uneven, or poor and even, and the two states mean different things for how the system behaves.

Ecosystem diversity is the outer layer: the variety of assemblages, of whole communities together with their physical setting. A landscape that contains a stretch of river, a marsh, a floodplain forest, and a dry ridge carries more ecosystem diversity than a landscape of the same extent under uniform forest, even if the species list is long in both. The layer matters because ecosystems are where functions happen: the marsh filters, the forest builds soil, the ridge sheds water fast, and a landscape's portfolio of ecosystems is its portfolio of

behaviors.

The ecosystem layer is also where human preference and ecological value most often diverge. A landscape can be green, pleasant, and species-rich at the bird-bath scale while having traded its marsh and its floodplain forest for a single ecosystem rolled out everywhere, and the ledger will not show the loss until a flood arrives or a drought does, because the missing ecosystems were the ones whose behavior the landscape had quietly been renting. Ecosystem diversity is the layer an agronomist or a water engineer can feel directly, and the chapter on functions will return to it as the layer where variety becomes service.

The three layers are related but not locked in step, and the relations are the working material of real decisions. A mangrove coast can be one ecosystem with modest species richness and enormous functional weight, and protecting it does more for the world's variety than protecting a richer patch of ordinary woodland. A widely distributed species can be common everywhere and still carry little genetic variety, which makes it more fragile than its census suggests. A small reserve can hold high species richness by assembling species from different habitats along its edges, at the cost of the ecosystem layer's integrity, a pattern field workers call the dilution of a

landscape into ecotone. The competent reader of biodiversity, like the competent reader of a balance sheet, holds the layers separately and asks what each one is doing, because the layers can be shuffled against one another, and the shuffle is where both honest mistakes and clever deceptions live.

The chapter's closing instruction is a discipline rather than a summary.

Whenever the word biodiversity appears, in a policy, a report, or this book, the reader should ask which layer is being invoked, and whether the argument, the plan, or the loss at issue actually lives at that layer. Variety within species

is a different currency from variety between them, and variety of ecosystems is a different currency again, and the field's worst arguments are exchanges made at an unannounced rate. The chapters that follow count, map, explain, value, watch, read, and manage these currencies, and every one of them depends on knowing which one is on the table.

The word has a birthdate in living memory. The phrase biological diversity circulated among conservation biologists through the late twentieth century, and the contraction was coined at an epoch of American policy argument, popularized in a conference and a subsequent planning document whose purpose was to put the loss of species on a national agenda. The contraction spread because it was wieldy: it fit a headline, a treaty title, and a grant

application, and by the time the global biodiversity convention of the early 1990s was drafted, the word was the term of art in every language the treaty was translated into. The treaty's definition, paraphrased above, became the field's working law.

The origin matters to the reader for two reasons. First, the word was engineered for advocacy as much as for science: it compresses an argument (that variety matters and is being lost) into a noun that can be counted, budgeted, and legislated. The compression is honest, but it means the word arrives pre-loaded with an orientation, and the reader should know the load is there. Second, the word's youth means the thing it names is ancient but the institutions around it are not: the counting machines, the gene banks, the monitoring networks, and the refuges-by-design described in later chapters were all built within a working lifetime, and their youth explains both their power and their unevenness. The field is a young engineering discipline applied to the oldest phenomenon on the planet.

One further inheritance of the word's youth deserves note: the split between the two cultures of the field. Conservation biology grew from ecology and natural history, and speaks of populations, communities, and refuges. The newer genomic and informatic culture grew from molecular biology and computer science, and speaks of sequences, reference genomes, and databases. Both work on the same three layers, and the later chapters of this book describe the machinery of each, but the cultures arrived separately and their union is still a working arrangement rather than a single discipline. The reader will meet both voices, and should hear them as two engineering traditions converging on one library.

Because the word names everything, the standard misreadings of it are worth naming in advance, and four account for most of the field's public confusion.

The first misreading is richness as the whole story. Species counts are the

field's most public number, and the public number acquires a life of its own: a policy that adds species to a landscape is said to succeed, one that trades a common species for a rare one is said to be a wash. But the count is one projection of a three-layer object, and a project can raise the local count while draining the genetic layer by planting uniform stock, or flatten the ecosystem layer by assembling its species along a designed edge. The count is easy, which is why it is reported, and it is real, which is why it should be checked, but the reader who audits a claim of biodiversity gain should always ask what the other layers did.

The second misreading is the equation of rare with valuable and common with safe. Rarity is a property of scale and a symptom, not a verdict: a species can

be rare because it is a narrow endemic with a long, stable history, or because it is the last remnant of a collapse, and the two cases demand opposite management. A species can be locally common everywhere and globally dependent on a handful of genetically distinct strongholds. The valuation of variety runs through function and option value, treated in later chapters, not through headcounts alone.

The third misreading is the charismatic bias. The animals a culture loves, the large, the furred, the feathered, absorb attention out of proportion to their biomass or their functional weight, and programs are funded in their name. Charisma is useful, and a flagship species can carry a landscape's whole portfolio with it. But a refuge designed for a large animal is not automatically a refuge for the layers beneath it, and the field's real ledger is dominated, in numbers and in function, by the uncharismatic: the insects, the fungi, the nematodes, the plankton. The reader should treat charisma as a funding instrument, not as a ranking.

The fourth misreadings is the wilderness fallacy: the belief that variety lives only where people are absent, and that

the humanized landscape is a loss by definition. Much of the world's variety persists, and some of it thrives, in landscapes people made: the rice terraces that double as wetland, the pasture mosaics that keep old grasslands open, the orchards that carry hundreds of local fruit varieties. The fallacy wastes allies and misreads history, and the working conservation of the ninth chapter depends on rejecting it: the question is not whether a landscape bears human fingerprints but what its layers hold.

This chapter has argued that the word names a three-layer object and that the layers are separable currencies. The remaining chapters take the layers in turn and put them to work: counting them, mapping them, explaining their manufacture, pricing their functions, tracing their losses, watching them with

instruments, reading them in code, and running the programs that keep them. The through-line is discipline. Variety is the only natural resource that is also the archive of every solution life has found to the problem of staying alive, and the three layers are the archive's shelves, its card catalog, and its reading room. A generation is now taking the full inventory, and the account of how that is done, and what it is for, occupies the chapters that follow.

Each profession that handles the word holds the layers in a different grip, and seeing the grips in a row is the fastest way to feel what the layers do.

The plant breeder lives in the gene layer. To a breeder, a wild relative of a crop is not scenery but a parts bin: a source of disease resistance, drought

tolerance, or a rootstock trait that no amount of conventional crossing will invent, because the answer was evolved in some other valley over some other million years. The breeder's biodiversity is measured in accessions, in seed bank entries, and in the presence or absence of the wild populations those accessions came from, because a seed bank is a snapshot while a living population is a continuing experiment. When the treaty language speaks of genetic resources and access, it is the breeder's grip on the word being codified.

The fishery manager holds the gene layer and the species layer together in one hand. A fishery's stocks are local populations, genetically distinct spawning aggregations of species that may be counted as one, and a manager who treats the species as one undifferentiated pool can fish the richest stock to commercial extinction and call the catch sustainable on paper while the coast's variety quietly simplifies. The collapse of a storied groundfishery, rebuilt slowly across decades, is the canonical demonstration of the gene layer's grip: the stock structure was the fishery, and the arithmetic that ignored it was not conservation but liquidation on a schedule.

The reserve designer works at the ecosystem layer with the species layer as a budget. A designer chooses which assemblages to represent, how large each representation must be to hold its processes, and how the pieces connect, because a reserve is a claim on a landscape's portfolio: it cannot hold everything, so it must hold the pieces whose loss would be least replaceable. The designer's biodiversity is measured in representation and viability, and the same species count can be a triumph or a failure depending on whether it sits

inside a designed portfolio or along a designed edge.

The treaty negotiator holds all three layers as one word and must write rules that bind all of them at once, which is why the treaty text sprawls: it must govern the breeder's seed and the manager's stock and the designer's refuge with the same vocabulary, and the negotiations that produced it spent their

sharpest hours on where the layers trade against one another. The reader who follows policy will recognize every dispute in the field as a layer dispute in disguise, and the skill of hearing the layer under the argument is the first competence this book teaches.

The layers, then, are not decoration on the definition. They are the definition, and the rest of the book works them in turn: the next chapter takes up the count, which is how the layers are inventoried at all.

A definition becomes a working instrument only when it can be measured, and the measuring of the layers has a grammar worth owning before later chapters use it. The plainest measure is richness: a raw count of kinds in a defined area,

honest and dumb, treating one common fern as equal to one rare orchid. The next measure adds evenness: a stretch of forest holding ten species in balanced numbers is read as more varied than one holding the same ten with nine of them vanishingly rare, because a ledger dominated by one kind behaves, in the functions chapter's terms, more nearly like a single-kind stand.

The composite of richness and evenness is what most diversity indices compute, and the family of indices differs mainly in how hard they punish dominance; the reader does not need their arithmetic, only the principle that any single-number diversity compresses a two-dimensional fact, and a change in the number can mean more kinds, better balance, or both. Above the species layer the same grammar repeats: an ecosystem-level index might count community types per landscape; below it, a genetic index reads the variety of marks across a stretch of one species' code. The grammar's deepest lesson is comparability: an index is only meaningful against its own baseline, measured the same way, in the same place, by hands trained

alike, which is why the observation chapter will obsess over protocols.

A reader meeting the term for the first time is entitled to ask why the English language needed it at all, and the answer explains much of the book that follows. The older biology studied the kind: the life of the beech, the behavior of the wolf, the anatomy of the orchid - magnificent science, organized around the individual species as its unit of account. The word this book carries in its title was built in the nineteen-eighties, deliberately, as a contraction of two

older words, because a new unit of account was needed: not the kind but the variety itself, the attribute of forests and estuaries and coral reefs that no species-by-species account ever totals.

The coinage was an act of diplomacy as much as of science. It gave the negotiator, the planner and the banker a noun that could sit in a treaty's text without translating into Latin; it gave the ecologist a word for the pattern the

individual studies were silently accumulating; and it gave the public a single idea wide enough to hold the songbird, the swamp and the seed collection in one thought. The word's brevity is its deepest design feature, and its cost is the one this chapter has spent its pages paying: a term built to travel light between rooms travels with its meaning slightly loosened, so every speaker must know which layer - the genes, the kinds, the communities - is being invoked in the sentence at hand.

The definition chapter ends by making its own word an exhibit: the biosphere's variety needed a name the way the water supply needed a word - what cannot be named cannot be budgeted, and what cannot be budgeted is spent unnoticed.

End of free sample. The full book is available at putrabooks.github.io