SAMPLE

Cosmos Unveiled: Stellar Classification

How Astronomers Sort the Stars

Aira Astralis

Free sample: Introduction & Chapter 1
putrabooks.github.io

Introduction

On a clear dark night, a careful eye can pick out a few thousand stars, and every one of them is a sun. Some are hotter than the star we orbit, some cooler, some vastly larger, some near the end of lives that began before the Earth existed, some infants by cosmic standards, still wrapped in the gas of their birth. To the naked eye they differ in almost nothing: all points of light, differing only in brightness and a whisper of color. The entire science of stellar classification exists because of one deceptively plain question: given a point of light in the sky, what is it?

Astronomy answered that question by building a filing system, and that filing system is the subject of this book. Its letters, O, B, A, F, G, K, M, and its Roman numerals, are among the most successful compressed descriptions in all of science. A single string like G2 V, attached to an otherwise anonymous point of light, tells a trained reader the star's surface temperature, its size, its mass, its probable age, its place in its life story, and how long it will shine. No photograph conveys that much. No single number does either. The classification of stars is astronomy's genome, a compact code from which an entire biography unfolds.

The code took a long time to crack, and the cracking is one of the quiet triumphs in the history of science. It was built mostly by women, hired at Harvard Observatory at a fraction of the pay of the men who assigned them the work, who sorted hundreds of thousands of starlight barcodes by hand over decades and found, in the sorting, the structure of stellar life itself. It was sharpened by a deaf astronomer in England who understood the statistics of brightness and color before anyone else. It was assembled into the most famous diagram in astronomy by two researchers working independently on opposite sides of the Atlantic, neither of whom set out to discover what they found. And it was finished by a pair of astronomers in Chicago who added the second axis that made the system a complete language.

The reader should know at the outset what the classification is and what it is not. It is not a hierarchy of value. An M star is not a worse star than an O star; it is a different one, smaller, cooler, longer-lived, and vastly more numerous. It is not a theory, either, but a description that theories must explain: the letters and numbers are observed properties, temperature and luminosity, arranged in orders that nature itself chose, and every advance in the physics of stars has been tested against the pattern the classifiers found. When the physics of nuclear fusion was worked out in the 1930s, the test that mattered was whether it explained the main sequence the classifiers had drawn. It did, and the diagram and the theory have been correcting and confirming each other ever since.

A word on why this subject deserves a whole book, since the answer is not obvious. Classification sounds like bookkeeping, and bookkeeping sounds dull. But stellar classification is the key that unlocked nearly everything the modern world knows about the universe's most important objects. Distances across the galaxy lean on it. Stellar ages, and through them the ages of star clusters and the galaxy itself, are read from it. The search for other worlds, and for life-bearing ones, begins with it, because a planet's star sets its climate. The history of the chemical elements is written into the spectra the classifiers sorted. Even the study of galaxies, remote as it seems, began with classifying the stars that make them. The filing system came first, and the discoveries followed.

The chapters that follow tell the story in order. We begin with light itself, because a star's spectrum is the only thing a classifier has, and it is enough. We follow the early attempts to sort stars by color and brightness, the spectral classes of the nineteenth century, and the great catalogues of the Harvard computers. We learn to read the letters, and see why they run in the strange order they do. We meet the diagram that arranged brightness against color and revealed the main sequence, the giant branch, and the white dwarf region, and the luminosity classes that made the system two-dimensional. We walk the sequence from its hottest, most massive, shortest-lived members to the cool dwarfs that will outlast everything else in the universe, and pause on the odd stars that break the pattern and the ways the pattern accommodates them. We see how astronomers use star types to measure the universe, and how the modern surveys classify more stars in an afternoon than the human classifiers managed in a century. And we end with the meaning of the exercise, because the point of sorting the sky was never the sorting.

No mathematics is needed to follow any of it. Where a number helps, it is given plainly; where an idea needs a picture, the picture is drawn in words. By the end, the reader will be able to look at any star, from the red ember of Betelgeuse to the blue-white furnace of Rigel, and read the label that physics has assigned it, and know what that label means.

Chapter 01: Light Is the Only Witness

Begin with a problem that would have stumped every philosopher of antiquity: what could anyone possibly know about a star? No one will ever visit one. No one will hold a piece of one in a hand. The stars are so remote that even the nearest one, treated as a target for a spacecraft moving faster than anything ever built, would be a journey of tens of thousands of years. Every fact astronomy has ever learned about the physical nature of stars has arrived by exactly one route: light. To understand stellar classification, the reader must first understand how much a beam of light can carry, because the whole filing system is built out of what starlight reveals when it is interrogated carefully.

Light is a wave, and a beam of it, passed through a prism or a fine grating, spreads into its component wavelengths, a rainbow. That rainbow is the carrier of information. Isaac Newton showed that white light is a blend of colors, and for a century and a half afterward the rainbow of a star seemed like a curiosity, pretty but idle. The transformation came in the first half of the nineteenth century, and it came in two steps, one by a craftsman and one by a physicist.

In 1814, Joseph von Fraunhofer, an optician in Munich who had taught himself mathematics after an apprenticeship that began at age eleven, built the finest prisms and lenses of his era, and with them mapped the solar spectrum with unprecedented care. He found that the sun's rainbow is not continuous: it is crossed by hundreds of thin dark lines, at fixed, reproducible wavelengths, and he catalogued their positions, labeling the strongest with letters of the alphabet. The lines, named for their discoverer, were a standing puzzle. The same puzzle appeared in starlight when observers turned their spectroscopes on the brightest stars and found dark lines there as well, but in different places, in different patterns, and in different strengths. Every star, it slowly emerged, had its own pattern.

The second step came from Gustav Kirchhoff and Robert Bunsen in Heidelberg around 1860, and it is one of the most consequential laboratory results in history. They showed that each chemical element, heated until it glows as a thin gas, emits light at a precise set of wavelengths, bright lines as characteristic as a fingerprint, and that the same element, sitting in a cooler thin gas in front of a bright source, absorbs exactly those same wavelengths, cutting dark lines into the passing light. The dark lines in the solar spectrum were thus identified as the shadows of specific elements in the sun's outer layers. Sodium's fingerprint appeared. Iron's appeared. Hydrogen's appeared, strongly, in the patterns Fraunhofer had labeled with his letters C and F. The spectrum of any light source, star or lamp, was suddenly a chemical assay, a list of what the source contained and in what condition, recorded in the light itself and legible to anyone with a prism and patience.

Two more properties of light complete the toolkit, and both matter enormously for what follows. The first is that the color balance of a glowing body carries its temperature. Any dense hot object, a stove coil, a filament, a star's surface, radiates across a range of wavelengths in a distribution that depends on its temperature alone: cool bodies glow faintly and red, hotter bodies glow brighter and shift toward yellow, then white, then blue. A star's overall color therefore reveals the temperature of its surface, quite apart from any lines. The second is that the lines themselves respond to conditions. The strength and even the presence of each line depends not only on whether the element is present but on the temperature and pressure of the gas producing it: in a cool star, hydrogen shows its lines one way; in a hotter star, the same hydrogen produces a different set, because the atoms are excited and ionized differently. This is the deep reason stellar spectra come in types at all, as later chapters will show: the pattern of lines is a thermometer and a pressure gauge, and stars sort themselves into a natural sequence of patterns as their temperatures change.

One more instrument deserves notice, because the entire subject was transformed by it: the photographic plate. Before photography, a star's spectrum had to be examined by eye through a telescope-mounted spectroscope, a procedure that worked for the brightest stars only and recorded nothing permanently. With the dry photographic plate, perfected in the 1870s, a spectrum could be exposed, developed, stored, and measured at leisure, and the resulting archive could be compared star against star, line against line, by anyone, anywhere, at any time. Astronomy changed from an observing science into a measuring science, and the spectra poured in. Within a generation, observatories in Europe and America were accumulating thousands of stellar spectra, and the problem of the age crystallized: the patterns were there, plainly, but what was the pattern of the patterns? The answer, developed in the next chapters, would arrange all the stars in the sky into a single continuous order, and the sorting would reveal what stars are.

It is worth pausing on how strange the situation was by the standards of other sciences. A chemist could hold a sample in his hand; a geologist could break his subject open with a hammer; an anatomist could dissect hers. The astronomer could do none of these things, ever, and yet the astronomer's subject was about to become the most

quantitatively understood of all the sciences of matter, because light, interrogated carefully, tells the temperature, the composition, the pressure, and the speed of its source, and every star is announcing itself continuously to anyone who will sort the announcement. The spectroscope was the instrument that turned that announcement into sentences, and the classification was the grammar that made the sentences readable, and neither the instrument nor the grammar could have been built in the other's absence.

The witness has smudges of its own, and the classifiers spent a century learning to subtract them. Between the star and the telescope sits the whole thickness of the Earth's air, and the air writes on the spectrum as confidently as the star does: bands of oxygen and water vapor, strongest in the deep red, crowd the record and sometimes sit exactly on the lines a classifier needs. These telluric bands are recognizable by their behavior, strengthening as a star sinks toward the horizon, and the response of the trade was double: observe high and dry, raising observatories onto mountain islands of calm air, and calibrate the rest, comparing each spectrum against the known signature of the atmosphere until the sky's own lines could be subtracted from the star's. The cleanliness of the modern classification is built on this unglamorous work; every pristine spectral fingerprint is a subtraction behind the scenes.