


1-EJERCICIO GITHUB

Pau Mas i Rovira

30/09/2026

1. Crear o preparar la cuenta de GitHub



The screenshot shows a GitHub profile for user 'Puuaa7'. The profile picture is a circular avatar with a yellow and grey geometric pattern. Below the avatar is the username 'Puuaa7' and an 'Edit profile' button. To the right, under 'Popular repositories', there is a list with 'clase-BigData' (Public) and 'JavaScript'. Below that, '4 contributions in 2026' is shown with a 'Contribution settings' dropdown. A calendar grid for 2026 shows contributions on Monday, Wednesday, and Friday in January, and one contribution on Friday in September. A 'Contribution activity' section at the bottom shows 'Year: 2026'.

Popular repositories [Customize your pins](#)

[clase-BigData](#) Public

JavaScript

4 contributions in 2026 [Contribution settings](#)

Jan Feb Mar Apr May Jun Jul Aug Sep Oct


Mon
Wed
Fri

Learn how we count contributions Less More

Contribution activity Year: 2026

Captura del perfil de mi GitHub

2. Crear el repositorio público



The screenshot shows the 'Create new repository' form on GitHub. The 'General' tab is selected. The 'Owner' is 'Puuaa7' and the 'Repository name' is 'BigData&IA'. A green checkmark indicates that the repository will be created as 'BigData-IA'. Below the name, a message states: 'Your new repository will be created as BigData-IA. The repository name can only contain ASCII letters, digits, and the characters ., -, and _.' A suggestion for a great repository name is 'shiny-octo-carnival?'. The 'Choose visibility' section shows 'Public' selected.

General

Owner * Repository name *

Puuaa7 / BigData&IA

✓ Your new repository will be created as BigData-IA. The repository name can only contain ASCII letters, digits, and the characters ., -, and _.

Great repository names are short and memorable. How about [shiny-octo-carnival?](#)

Choose visibility * Choose who can see and commit to this repository

Public

The screenshot shows the GitHub repository page for 'BigData-IA', which is public. At the top, there are buttons for Pin, Watch (0), Fork (0), and Star (0). Below this, there are two main sections: 'Set up GitHub Copilot' and 'Add collaborators to this repository'. The 'Set up GitHub Copilot' section includes a description and a 'Get started with GitHub Copilot' button. The 'Add collaborators to this repository' section includes a description and an 'Invite collaborators' button. Below these sections is a 'Quick setup' section with a light blue background, which provides instructions for setting up the repository on a desktop or via HTTPS/SSSH. It includes a text input field with the URL 'https://github.com/Puuaa7/BigData-IA.git' and a 'Copy' button. Below the 'Quick setup' section is a section titled '...or create a new repository on the command line' which contains a code block with the following commands:

```
echo "# BigData-IA" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/Puuaa7/BigData-IA.git
git push -u origin main
```

He creado el repositorio publico y con el nombre indicado, pero como GitHub solo admite "ASCII" el mismo me ha modificado el "&" por un "-".

3. Configurar la conexión SSH

Voy a usar Git Bash:

The screenshot shows a Windows command prompt window titled 'MINGW64; c:/Users/Alumno'. The prompt is 'Alumno@PC19915 MINGW64 ~' and the user has entered a dollar sign '\$'.

Creo la clave SSH:

The screenshot shows a Windows command prompt window with the following text:

```
Alumno@PC19915 MINGW64 ~
$ ssh-keygen -t ed25519 -C "pau.mas22@gmail.com"
Generating public/private ed25519 key pair.
Enter file in which to save the key (c:/Users/Alumno/.ssh/id_ed25519):
```

Creo la clave en la unidad D del ordenador:

```

Alumno@PC19915 MINGW64 ~
$ ssh-keygen -t ed25519 -C "pau.mas22@gmail.com"
Generating public/private ed25519 key pair.
Enter file in which to save the key (/c/Users/Alumno/.ssh/id_ed25519): /d/pmas/key/ed25519
Enter passphrase for "/d/pmas/key/ed25519" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /d/pmas/key/ed25519
Your public key has been saved in /d/pmas/key/ed25519.pub
The key fingerprint is:
SHA256:+1zZJF0s29t/Rp9A3nofMcTVPdKp1F9t/AGGrp4tDsI pau.mas22@gmail.com
The key's randomart image is:
+---[ED25519 256]---+
|      .o+.*|
|      ..=.=0|
|      . . *+=|
|      . =...|
|      S . * oo|
|      . o @ .+|
|      E .o o + =oo|
|      . .* o . ==|
|      ..+ o.B|
+-----[SHA256]-----+
Alumno@PC19915 MINGW64 ~

```

La clave publica es la que esta guardada en el archivo .pub:

```

Alumno@PC19915 MINGW64 ~
$ cat /d/pmas/key/ed25519.pub
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIHwax0bES25V641Aax2SVs+M2PC9qTIhh4N4cfCY1YvT pau.mas22@gmail.com

```

He buscado como copiar desde Bash y con el comando clip lo copio:

```

Alumno@PC19915 MINGW64 ~
$ clip < /d/pmas/key/ed25519.pub

```

Desde ajustes añadimos la clave y verificamos desde el mail:

Add new SSH Key

Title

PcPlanetaFP

Key type

Authentication Key ▾

Key

```
ssh-ed25519
AAAAC3NzaC1lZDI1NTE5AAAAIHwaxObES25V641Aax2SVs+M2PC9qTIhh4N4cfCYIYvT
pau.mas22@gmail.com
|
```

Add SSH key

Confirm access



Signed in as @Puuaa7

When you are ready, trigger a mailer to verify your identity.

Verify via email

Tip: You are entering [sudo mode](#). After you've performed a sudo-protected action, you'll only be asked to re-authenticate again after a few hours of inactivity.

SSH keys

[New SSH key](#)

This is a list of SSH keys associated with your account. Remove any keys that you do not recognize.

Authentication keys



SSH

PcPlanetaFP

SHA256:+1zZJF0s29t/Rp9A3nofMcTVPdKp1F9t/AGGrp4tDsI

Added on Sep 23, 2026

Never used — Read/write

[Delete](#)

Ya con la clave añadida a GitHub hacemos la comprobación:

```
Alumno@PC19915 MINGW64 ~
$ ssh -T git@github.com
The authenticity of host 'github.com (140.82.121.4)' can't be established.
ED25519 key fingerprint is: SHA256:+DiY3wvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvC0qu
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? y
Please type 'yes', 'no' or the fingerprint: yes
Warning: Permanently added 'github.com' (ED25519) to the list of known hosts.
Hi Puuaa7! You've successfully authenticated, but GitHub does not provide shell access.
```

Y se conecta.

4. Clonar el repositorio en local

```
Alumno@PC19915 MINGW64 ~
$ cd /d/pmas

Alumno@PC19915 MINGW64 /d/pmas
$ pwd
/d/pmas

Alumno@PC19915 MINGW64 /d/pmas
$ git clone git@github.com:Puuaa7/BigData-IA.git
Cloning into 'BigData-IA'...
warning: You appear to have cloned an empty repository.

Alumno@PC19915 MINGW64 /d/pmas
$ cd BigData-IA/

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ pwd
/d/pmas/BigData-IA

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
```

Aquí se puede ver como entro dentro de la carpeta donde quiero hacer la clonación, y luego seguidamente el comando para hacerla

5. Crear la estructura de carpetas

```
Alumno@PC19915 MINGW64 /d/pmas
$ cd BigData-IA/

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ pwd
/d/pmas/BigData-IA

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ mkdir -p Machine_Learning/{teoria,ejercicios}

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ mkdir -p Programacion/{teoria,ejercicios}

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ mkdir -p Proyectos/{teoria,ejercicios}

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ mkdir -p Modelos_IA/{teoria,ejercicios}

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ touch Machine_Learning/{teoria,ejercicios}/.gitkeep

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ touch Programacion/{teoria,ejercicios}/.gitkeep

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ touch Proyectos/{teoria,ejercicios}/.gitkeep

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ touch Modelos_IA/{teoria,ejercicios}/.gitkeep

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ mv "/c/Users/Alumno/Downloads/1-Models_IA.docx" /d/pmas/BigData-IA/Modelos_IA/teoria/

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ ls /d/
$RECYCLE.BIN/          ISO/                  VirtualBox/
.VirtualBox/          SW_MAVEN/            app/
DLópez/               System Volume Information/ pMas/
DockerDesktopWSL/     VMware/              xampp/

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ ls /d/pMas/BigData-IA/Modelos_IA/teoria/
1-Models_IA.docx
```

Captura de como he creado las carpetas y he añadido el archivo ".gitkeep" para poder registrar las carpetas en Git.

6. Hacer un commit por cada asignatura

```
Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ git config --global user.email "pau.mas22@gmail.com"
>

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ git config --global user.name "Pau Mas"

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ git commit -m "estructura de carpets y añadida toda la teoria"
[main (root-commit) 522ec5b] estructura de carpets y añadida toda la teoria
12 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Machine_Learning/ejercicios/.gitkeep
create mode 100644 Machine_Learning/teoria/.gitkeep
create mode 100644 "Machine_Learning/teoria/1. Qu\303\251 es Machine Learning.pdf"
create mode 100644 Modelos_IA/ejercicios/.gitkeep
create mode 100644 Modelos_IA/teoria/.gitkeep
create mode 100644 Modelos_IA/teoria/1-Models_IA.docx
create mode 100644 Programacion/ejercicios/.gitkeep
create mode 100644 Programacion/teoria/.gitkeep
create mode 100644 Programacion/teoria/1-Tipos.docx
create mode 100644 Programacion/teoria/2-DatosCompuestos_y_Condicionales.docx
create mode 100644 Proyectos/ejercicios/.gitkeep
create mode 100644 Proyectos/teoria/.gitkeep

Alumno@PC19915 MINGW64 /d/pmas/BigData-IA (main)
$ git push
Enumerating objects: 15, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 20 threads
Compressing objects: 100% (13/13), done.
Writing objects: 100% (15/15), 248.65 KiB | 1.71 MiB/s, done.
Total 15 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To github.com:Puuaa7/BigData-IA.git
 * [new branch]      main -> main
```

He hecho el commit y el push de las carpetas creadas y toda la teoría hasta el momento.

7. Subir los archivos trabajados hasta la fecha

```
pauma@Puuaa UCRT64 /c/GIT/BigData-IA (main)
$ git commit -m "ejercicio hasta el 10"
Author identity unknown

*** Please tell me who you are.

Run

    git config --global user.email "you@example.com"
    git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'pauma@Puuaa.(none)')

pauma@Puuaa UCRT64 /c/GIT/BigData-IA (main)
$ git config --global user.email "pau.mas22@gmail.com"

pauma@Puuaa UCRT64 /c/GIT/BigData-IA (main)
$ git config --global user.name "Pau Mas"

pauma@Puuaa UCRT64 /c/GIT/BigData-IA (main)
$ git config --global --list
user.email=pau.mas22@gmail.com
user.name=Pau Mas

pauma@Puuaa UCRT64 /c/GIT/BigData-IA (main)
$ git commit -m "ejercicio hasta el 10 de programacion"
[main f4f0da0] ejercicio hasta el 10 de programacion
1 file changed, 193 insertions(+), 5 deletions(-)

pauma@Puuaa UCRT64 /c/GIT/BigData-IA (main)
$ git push
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 20 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 3.18 KiB | 3.18 MiB/s, done.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:Puuaa7/BigData-IA.git
   710249e..f4f0da0  main -> main

pauma@Puuaa UCRT64 /c/GIT/BigData-IA (main)
$ git add Machine_Learning/ejercicios/


pauma@Puuaa UCRT64 /c/GIT/BigData-IA (main)
$ git commit -m "ejercicio Machine Learning 1"
[main 8d9c3f5] ejercicio Machine Learning 1
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Machine_Learning/ejercicios/1-PauMas_Ejercicios_ML.pdf

pauma@Puuaa UCRT64 /c/GIT/BigData-IA (main)
$ git push
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 20 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 279.53 KiB | 2.27 MiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:Puuaa7/BigData-IA.git
   f4f0da0..8d9c3f5  main -> main
```

Desde el ordenador de casa he configurado mi nombre y correo en Git para poder realizar commits. Después he añadido un ejercicio de Programación y otro de Machine Learning, he creado un commit para cada uno y finalmente he usado git push para subir ambos cambios al repositorio de GitHub.

8. Captura final del historial de commits

En estas capturas se muestra el historial de commits realizados en el repositorio mediante el comando `git log --oneline --graph --decorate --all`, y también se comprueba en GitHub que los archivos y carpetas se han subido correctamente al repositorio.



Puuaa7 ejercicio Machine Learning 1		8d9c3f5 · 5 minutes ago	🕒 4 Commits
Machine_Learning	ejercicio Machine Learning 1	5 minutes ago	
Modelos_IA	estructura de carpets y añadida toda la teoria	last week	
Programacion	ejercicio hasta el 10 de programacion	11 minutes ago	
Proyectos	estructura de carpets y añadida toda la teoria	last week	

```
pauma@Puuaa UCRT64 /c/GIT/BigData-IA (main)
$ git log --oneline --graph --decorate --all
* 8d9c3f5 (HEAD -> main, origin/main, origin/HEAD) ejercicio Machine Learning 1
* f4f0da0 ejercicio hasta el 10 de programacion
* 710249e Ejercicio 2 programación hasta el 5
* 522ec5b estructura de carpets y añadida toda la teoria
```

Conclusión

Con este ejercicio he aprendido a crear y organizar un repositorio en GitHub, conectarlo con mi ordenador mediante SSH y trabajar con Git desde la terminal. También he aprendido a hacer commits, subir cambios y mantener un historial ordenado. Me parece muy útil para poder trabajar con los ordenadores de clase y de casa sin perder el progreso, y seguramente me plantee usar GitHub también para proyectos personales.