
DATE: 20-11-2025 14:10:39 USER: FRTRN90 JOB: BNCHMRK PAGE: 0000

BNCHMRK FRTRN90 FILE NAME/TYPE= TESTIN/TEST4.F90

BNCHMRK FRTRN90

BNCHMRK FRTRN90 CREATION DATE/TIME= 20-11-2025 14:10:39

BNCHMRK FRTRN90

BNCHMRK FRTRN90 FILE= 001 PAGES= 0002 LINES= 000082

BNCHMRK FRTRN90

BNCHMRK FRTRN90 SYSTEM= LINUX(6.16.8+KALI-AMD64)

BNCHMRK FRTRN90

BNCHMRK FRTRN90 SYSID= ACID SYSUSER= ACID

BNCHMRK FRTRN90

BNCHMRK FRTRN90 FORM= MEDIUM

BNCHMRK FRTRN90

BNCHMRK FRTRN90 CHAR= FONTMONO

BNCHMRK FRTRN90

BNCHMRK FRTRN90 PRT1403 VERSION= 1.5.PRE-RELEASE

FFFFFFFF	RRRRRRRR	TTTTTTTT	RRRRRRRR	N	NN	9999999	00000
FFFFFFFF	RRRRRRRRR	TTTTTTTT	RRRRRRRRR	NN	NN	999999999	0000000
FF	RR	RR	TT	RR	RR	NNN	NN 99 99 00 00
FF	RR	RR	TT	RR	RR	NNNN	NN 99 99 00 00
FFFFFFFF	RRRRRRRRR	TT	RRRRRRRRR	NN	NN	NN	999999999 00 00
FFFFFFFF	RRRRRRRR	TT	RRRRRRRR	NN	NN	NN	99999999 00 00
FF	RR	RR	TT	RR	RR	NN	NNNN 99 00 00
FF	RR	RR	TT	RR	RR	NN	NNN 99 00 00
FF	RR	RR	TT	RR	RR	NN	NN 99999999 0000000
FF	RR	RR	TT	RR	RR	NN	N 9999999 00000

BBBBBBBB	N	NN	CCCCCCC	HH	HH	M	M	RRRRRRRR	KK	KK
BBBBBBBBBB	NN	NN	CCCCCCCCC	HH	HH	MM	MM	RRRRRRRRR	KK	KK
BB	BB	NNN	NN CC	CC	HH	HH	MMM	MMM	RR	RR
BB	BB	NNNN	NN CC		HH	HH	MMMM	MMMM	RR	RR
BBBBBBBBBB	NN	NN	NN CC		HHHHHHHHH	MM	MM	MM	RRRRRRRRR	KKKKK
BBBBBBBBBB	NN	NN	NN CC		HHHHHHHHH	MM	M	MM	RRRRRRRR	KK
BB	BB	NN	NNNN CC		HH	HH	MM	MM	RR	RR
BB	BB	NN	NNN CC	CC	HH	HH	MM	MM	RR	RR
BBBBBBBBBB	NN	NN	CCCCCCCCC		HH	HH	MM	MM	RR	RR
BBBBBBBBBB	NN	N	CCCCCCC		HH	HH	MM	MM	RR	RR

00000	00000	1
0000000	0000000	11
00	00 00	111
00	00 00	11
00	00 00	11
00	00 00	11
00	00 00	11
00	00 00	11
0000000	0000000	111111
00000	00000	111111

```
1 program lid_driven_cavity
2   implicit none
3   integer, parameter :: N = 50    ! grid size (NxN grid)
4   real :: dx, dy, dt, Re          ! grid spacing, time step, Reynolds number
5   real :: u(N, N), v(N, N), p(N, N) ! velocity and pressure fields
6   integer :: i, j, step
7   real :: start_time, end_time, elapsed_time
8
9   ! Parameters
10  dx = 1.0 / (N-1)    ! Grid spacing in x direction
11  dy = 1.0 / (N-1)    ! Grid spacing in y direction
12  dt = 0.001          ! Time step size
13  Re = 100            ! Reynolds number
14
15  ! Initialize arrays
16  u = 0.0
17  v = 0.0
18  p = 0.0
19
20  ! Initialize the top boundary (lid) velocity
21  u(N, :) = 1.0
22
23  ! Start timing
24  call cpu_time(start_time)
25
26  ! Main loop for time stepping
27  do step = 1, 1000
28    call compute_velocity(u, v, p, dx, dy, dt, Re)
29    call update_pressure(p, dx, dy)
30
31    ! Output or check convergence
32    if (mod(step, 100) == 0) then
33      print *, 'Step: ', step
34    end if
35  end do
36
37  ! Stop timing
38  call cpu_time(end_time)
39  elapsed_time = end_time - start_time
40  print *, 'Elapsed time for CFD simulation: ', elapsed_time, ' seconds'
41
42  contains
43
44  ! Function to update the velocity and pressure fields (simplified)
45  subroutine compute_velocity(u, v, p, dx, dy, dt, Re)
46    real, dimension(:, :), intent(inout) :: u, v, p
47    real, intent(in) :: dx, dy, dt, Re
48    integer :: i, j
49
50    ! Simple explicit method for velocity (simplified)
51    do i = 2, N-1
52      do j = 2, N-1
53        u(i, j) = u(i, j) - dt * ( (u(i, j) * (u(i+1, j) - u(i-1, j))) / (2*dx) + &
54                                     (v(i, j) * (u(i, j+1) - u(i, j-1))) / (2*dy) )
55      end do
56    end do
57
58    ! Simple velocity update for v (similar)
59    do i = 2, N-1
60      do j = 2, N-1
```

```
1      v(i, j) = v(i, j) - dt * ( (u(i, j) * (v(i+1, j) - v(i-1, j))) / (2*dx) + &
2                                (v(i, j) * (v(i, j+1) - v(i, j-1))) / (2*dy) )
3      end do
4  end do
5  end subroutine compute_velocity
6
7  ! Function to solve for pressure (simplified Poisson equation solver)
8  subroutine update_pressure(p, dx, dy)
9      real, dimension(:, :), intent(inout) :: p
10     real, intent(in) :: dx, dy
11     integer :: i, j
12
13     ! Simple pressure Poisson equation (Jacobi iteration)
14     do i = 2, N-1
15         do j = 2, N-1
16             p(i, j) = 0.25 * ( p(i+1, j) + p(i-1, j) + p(i, j+1) + p(i, j-1) )
17         end do
18     end do
19 end subroutine update_pressure
20
21 end program lid_driven_cavity
```