

BNCHMRK FRTRN90 FILE NAME/TYPE= TESTIN/TEST4.F90
BNCHMRK FRTRN90
BNCHMRK FRTRN90 CREATION DATE/TIME= 14-02-2025 16:35:06
BNCHMRK FRTRN90
BNCHMRK FRTRN90 FILE= 001 PAGES= 0002 LINES= 000082
BNCHMRK FRTRN90
BNCHMRK FRTRN90 SYSTEM= LINUX(6.11.2-AMD64)
BNCHMRK FRTRN90
BNCHMRK FRTRN90 SYSID= ACID SYSUSER= ACID
BNCHMRK FRTRN90
BNCHMRK FRTRN90 FORM= STANDARD
BNCHMRK FRTRN90
BNCHMRK FRTRN90 CHAR= FONTMONO
BNCHMRK FRTRN90
BNCHMRK FRTRN90 PRT1403 VERSION= 1.3

FFFFFFFF RRRRRRRR TTTTTTTT RRRRRRRR N NN 9999999 00000
FFFFFFFF RRRRRRRRR TTTTTTTT RRRRRRRRR NN NN 999999999 0000000
FF RR RR TT RR RR NNN NN 99 99 00 00
FF RR RR TT RR RR NNNN NN 99 99 00 00
FFFFFFFF RRRRRRRRR TT RRRRRRRRR NN NN NN 999999999 00 00
FFFFFFFF RRRRRRRR TT RRRRRRRR NN NN NN 99999999 00 00
FF RR RR TT RR RR NN NNNN 99 00 00
FF RR RR TT RR RR NN NNN 99 00 00
FF RR RR TT RR RR NN NN 99999999 0000000
FF RR RR TT RR RR NN N 9999999 00000

BBBBBBBBB N NN CCCCCC HH HH M M RRRRRRRR KK KK
BBBBBBBBBB NN NN CCCCCCCCC HH HH MM MM RRRRRRRRRR KK KK
BB BB NNN NN CC CC HH HH MMM MMM RR RR KK KK
BB BB NNNN NN CC HH HH MMM MMM RR RR KK KK
BBBBBBBBB NN NN NN CC HHHHHHHHH MM MM MM RRRRRRRRR KKKKK
BBBBBBBBB NN NN NN CC HHHHHHHHH MM M MM RRRRRRRR KK KK
BB BB NN NNNN CC HH HH MM MM RR RR KK KK
BB BB NN NNN CC CC HH HH MM MM RR RR KK KK
BBBBBBBBBB NN NN CCCCCCCCC HH HH MM MM RR RR KK KK
BBBBBBBBB NN N CCCCCC HH HH MM MM RR RR KK KK

00000 00000 1
0000000 0000000 11
00 00 00 00 111
00 00 00 00 11
00 00 00 00 11
00 00 00 00 11
00 00 00 00 11
0000000 0000000 111111
00000 00000 111111

```
1 program lid_driven_cavity
2   implicit none
3   integer, parameter :: N = 50    ! grid size (NxN grid)
4   real :: dx, dy, dt, Re          ! grid spacing, time step, Reynolds number
5   real :: u(N, N), v(N, N), p(N, N) ! velocity and pressure fields
6   integer :: i, j, step
7   real :: start_time, end_time, elapsed_time
8
9   ! Parameters
10  dx = 1.0 / (N-1)    ! Grid spacing in x direction
11  dy = 1.0 / (N-1)    ! Grid spacing in y direction
12  dt = 0.001          ! Time step size
13  Re = 100            ! Reynolds number
14
15  ! Initialize arrays
16  u = 0.0
17  v = 0.0
18  p = 0.0
19
20  ! Initialize the top boundary (lid) velocity
21  u(N, :) = 1.0
22
23  ! Start timing
24  call cpu_time(start_time)
25
26  ! Main loop for time stepping
27  do step = 1, 1000
28    call compute_velocity(u, v, p, dx, dy, dt, Re)
29    call update_pressure(p, dx, dy)
30
31    ! Output or check convergence
32    if (mod(step, 100) == 0) then
33      print *, 'Step: ', step
34    end if
35  end do
36
37  ! Stop timing
38  call cpu_time(end_time)
39  elapsed_time = end_time - start_time
40  print *, 'Elapsed time for CFD simulation: ', elapsed_time, ' seconds'
41
42  contains
43
44  ! Function to update the velocity and pressure fields (simplified)
45  subroutine compute_velocity(u, v, p, dx, dy, dt, Re)
46    real, dimension(:, :), intent(inout) :: u, v, p
47    real, intent(in) :: dx, dy, dt, Re
48    integer :: i, j
49
50    ! Simple explicit method for velocity (simplified)
51    do i = 2, N-1
52      do j = 2, N-1
53        u(i, j) = u(i, j) - dt * ( (u(i, j) * (u(i+1, j) - u(i-1, j))) / (2*dx) + &
54                                     (v(i, j) * (u(i, j+1) - u(i, j-1))) / (2*dy) )
55      end do
56    end do
57
58    ! Simple velocity update for v (similar)
59    do i = 2, N-1
60      do j = 2, N-1
```

```
1      v(i, j) = v(i, j) - dt * ( (u(i, j) * (v(i+1, j) - v(i-1, j))) / (2*dx) + &
2                                (v(i, j) * (v(i, j+1) - v(i, j-1))) / (2*dy) )
3      end do
4  end do
5  end subroutine compute_velocity
6
7  ! Function to solve for pressure (simplified Poisson equation solver)
8  subroutine update_pressure(p, dx, dy)
9      real, dimension(:, :), intent(inout) :: p
10     real, intent(in) :: dx, dy
11     integer :: i, j
12
13     ! Simple pressure Poisson equation (Jacobi iteration)
14     do i = 2, N-1
15         do j = 2, N-1
16             p(i, j) = 0.25 * ( p(i+1, j) + p(i-1, j) + p(i, j+1) + p(i, j-1) )
17         end do
18     end do
19 end subroutine update_pressure
20
21 end program lid_driven_cavity
```